Asymmetric Construction of Quaternary Stereocenters by Direct Organocatalytic Amination of α -Substituted α -Cyanoacetates and β -Dicarbonyl Compounds

Steen Saaby, Marco Bella, Karl Anker Jørgensen*

The Danish National Research Foundation: Center for Catalysis, Department of Chemistry, Aarhus University, DK-8000 Aarhus C, Denmark, Fax (45) 8919 6199
e-mail: kaj@chem.au.dk

Supporting Information

General Methods. NMR spectra were acquired on a Varian AS 400 spectrometer, running at 400 MHz (^1H), 100 MHz (^{13}C) or 376 MHz (^{19}F), respectively. Chemical shifts (δ) are reported in ppm relative to residual solvent signals. All spectra were recorded at elevated temperatures (60 °C) in order to minimize the effect of rotameric isomers. ^{13}C NMR spectra were acquired on a broad band decoupled mode. Mass spectra were recorded on a micromass LCT spectrometer using electrospray (ES^+) ionisation techniques. Flash column chromatography (FC) was carried out using the FlashMaster II from Jones Chromatography with columns containing Merck silica gel 60 (230-400 mesh). Analytical thin layer chromatography (TLC) was performed using precoated aluminium-backed plates (Merck Kieselgel 60 F254) and visualised by ultraviolet irradiation or KMnO_4 dip. Optical rotations were measured on a Perkin-Elmer 241 polarimeter. The enantiomeric excess (ee) of the products was determined by chiral stationary phase HPLC (Daicel Chiralpak AS/AD or Daicel Chiralcel OD columns).

Materials. Analytical grade solvents were used as received. All commercially available reagents were used as received. α -Aryl- α -cyanoacetates were prepared by deprotonation of the corresponding benzylic nitriles with LDA followed by reaction with Boc_2O or chloroformates according to a literature procedure.¹ β -Keto ester **4a** was prepared by reaction of methylketene dimer with phenol following a literature procedure.² β -Keto ester **4b** was prepared by cyclisation of adipic acid di-*tert*-butyl ester using NaH according to a literature procedure.³ Diketone **4d** was prepared from cyclohexanone by deprotonation with LDA followed by reaction with *tert*-butylacetyl chloride.⁴ Di-*tert*-butyl azodicarboxylate and β -keto ester **4c** were purchased from Lancaster and Aldrich respectively. β -Isocupreidine was prepared following a literature procedure.⁵

General Procedure for Amination of α -Aryl- α -Cyanoacetates and β -Dicarbonyl Compounds: To a test tube equipped with a magnetic stirring bar was added toluene (1.0 mL), nucleophile (0.12 mmol) and β -isocupreidine (1.6 mg, 0.005 mmol). The test tube was fitted with a rubber septum, stirred for 15 minutes at ambient temperature and then placed at the desired reaction temperature. A solution of di-*tert*-butyl azodicarboxylate (200 μL , 0.5M, 0.10 mmol) was added drop wise over the course of 30 sec. and stirring was continued for 16-20 h (α -aryl- α -cyanoacetates). The reaction mixture was allowed to warm to room temperature (ca. 10 min.) and pure product was isolated by FC.

The ee was determined by CSP-HPLC using a Daicel Chiralpak AD column (hexane/*i*-PrOH (70/30); flow rate 1.0 mL/min; $\tau_{\text{major}} = 5.3$ min; $\tau_{\text{minor}} = 9.4$ min); ^1H NMR (CD_3CN) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{23}\text{H}_{33}\text{N}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 470.2267, found: 470.2254; $[\alpha]_{\text{D}}^{\text{rt}} = -49.9$ ($c = 1.0$ in CHCl_3), (>98% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralcel OD column (hexane/*i*-PrOH (95/5); flow rate 1.0 mL/min; $\tau_{\text{major}} = 5.4$ min; $\tau_{\text{minor}} = 6.8$ min); ^1H NMR (CD_3CN) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{23}\text{H}_{32}\text{FN}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 488.2173, found: 488.2178; $[\alpha]_{\text{D}}^{\text{rt}} = -35.4$ ($c = 1.0$ in CHCl_3), (98% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralcel OD column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 6.0$ min; $\tau_{\text{minor}} = 8.5$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{24}\text{H}_{35}\text{N}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 484.2424, found: 484.2428; $[\alpha]_{\text{D}}^{\text{rt}} = -51.3$ ($c = 1.0$ in CHCl_3), (97% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralcel OD column (hexane/*i*-PrOH (95/5); flow rate 1.0 mL/min; $\tau_{\text{major}} = 4.2$ min; $\tau_{\text{minor}} = 5.9$ min); ^1H NMR (CD_3CN) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{23}\text{H}_{32}\text{ClN}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 504.1877, found: 504.1863; $[\alpha]_{\text{D}}^{\text{rt}} = -53.8$ ($c = 1.0$ in CHCl_3), (98% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralcel OD column (hexane/*i*-PrOH (95/5); flow rate 1.0 mL/min; $\tau_{\text{major}} = 6.2$ min; $\tau_{\text{minor}} = 7.8$ min); ^1H NMR (CD_3CN) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{23}\text{H}_{32}\text{N}_4\text{O}_8$ $[\text{M}+\text{Na}]^+$ calculated: 515.2118, found: 515.2111; $[\alpha]_{\text{D}}^{\text{rt}} = -24.5$ ($c = 1.0$ in CHCl_3), (91% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralcel OD column (hexane/*i*-PrOH (95/5); flow rate 1.0 mL/min; $\tau_{\text{major}} = 5.5$ min; $\tau_{\text{minor}} = 7.5$ min); ^1H NMR (CD_3CN), see below; ^{13}C NMR (CD_3CN), see below; HRMS $\text{C}_{24}\text{H}_{35}\text{N}_3\text{O}_7$ $[\text{M}+\text{Na}]^+$; calculated: 500.2373, found: 500.2375; $[\alpha]_{\text{D}}^{\text{rt}} = 55.7$ ($c = 1.0$ in CHCl_3), (89% ee).

The ee was determined by CSP-HPLC using a Daciel Chiralcel OD column (hexane/*i*-PrOH (95/5); flow rate 1.0 mL/min; $\tau_{\text{major}} = 4.9$ min; $\tau_{\text{minor}} = 7.0$ min); ^1H NMR (CD_3CN) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{27}\text{H}_{35}\text{N}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 520.2424, found: 520.2424; $[\alpha]_{\text{D}}^{\text{rt}} = -76.9$ ($c = 1.0$ in CHCl_3), (98% ee).

The ee was determined by CSP-HPLC using a Daciel Chiralcel OD column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 8.7$ min; $\tau_{\text{minor}} = 15.2$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CD_3CN) see below; HRMS $\text{C}_{21}\text{H}_{31}\text{N}_3\text{O}_6\text{S}$ $[\text{M}+\text{Na}]^+$ calculated: 476.1831, found: 476.1828; $[\alpha]_{\text{D}}^{\text{rt}} = -59.6$ ($c = 1.0$ in CHCl_3), (97% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralpak AS column (hexane/*i*-PrOH (90/10); flow rate 1.0 mL/min; $\tau_{\text{major}} = 5.6$ min; $\tau_{\text{minor}} = 7.2$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CDCl_3) see below; HRMS $\text{C}_{16}\text{H}_{27}\text{N}_3\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 380.1798, found: 380.1794.

The ee was determined by CSP-HPLC using a Daciel Chiralcel OD column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 7.0$ min; $\tau_{\text{minor}} = 8.4$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CDCl_3) see below; HRMS $\text{C}_{21}\text{H}_{36}\text{N}_2\text{O}_6$ $[\text{M}+\text{Na}]^+$ calculated: 422.2267, found: 422.2268.

The ee was determined by CSP-HPLC using a Daicel Chiralpak AD column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 30.3$ min; $\tau_{\text{minor}} = 26.6$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CDCl_3) see below; HRMS $\text{C}_{22}\text{H}_{32}\text{N}_2\text{O}_7$ $[\text{M}+\text{Na}]^+$ calculated: 459.2107, found: 459.2112; $[\alpha]_{\text{D}}^{\text{rt}} = -26.7$ ($c = 1.0$ in CHCl_3), (90% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralpak AD column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 12.0$ min; $\tau_{\text{minor}} = 16.4$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CDCl_3) see below; HRMS $\text{C}_{20}\text{H}_{34}\text{N}_2\text{O}_7$ $[\text{M}+\text{Na}]^+$ calculated: 437.2264, found: 437.2269; $[\alpha]_{\text{D}}^{\text{rt}} = -2.7$ ($c = 1.0$ in CHCl_3), (89% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralpak AS column (hexane/*i*-PrOH (98/2); flow rate 1.0 mL/min; $\tau_{\text{major}} = 7.7$ min; $\tau_{\text{minor}} = 6.4$ min); ^1H NMR (CDCl_3) see below; ^{13}C NMR (CDCl_3) see

below; HRMS $C_{19}H_{32}N_2O_7$ $[M+Na]^+$ calculated: 423.2107, found: 423.2111; $[\alpha]_D^{rt} = -21.1$ ($c = 1.0$ in $CHCl_3$), (83% ee).

The ee was determined by CSP-HPLC using a Daicel Chiralpak AD column (hexane/*i*-PrOH (90/10); flow rate 1.0 mL/min; $\tau_{major} = 6.7$ min; $\tau_{minor} = 12.8$ min); 1H NMR ($CDCl_3$) see below; ^{13}C NMR ($CDCl_3$) see below; HRMS $C_{21}H_{36}N_2O_6$ $[M+Na]^+$ calculated: 435.2471, found: 435.2464; $[\alpha]_D^{rt} = +71.3$ ($c = 1.0$ in $CHCl_3$), (83% ee).

***tert*-Butoxycarbonylamino-Cyano-Phenyl-Acetic Acid *tert*-Butyl Ester (6):** To an ice cooled solution of **3e** (200 mg, 0.45 mmol) in CH_2Cl_2 (4 mL) was added pyridine (72 μ L, 0.90 mmol) and TFAA (314 μ L, 2.25 mmol) and the reaction mixture was allowed to warm to room temperature. After 68 h, the volatiles were removed *in vacuo* and the crude product was subsequently redissolved in ice

cooled CH_2Cl_2 (100 mL). The organic phase was washed with cold water (3x25 mL), dried with Na_2SO_4 and concentrated under reduced pressure to give the protected adduct as a colorless oil, which was then redissolved in THF (4.5 mL). To a stirred solution of SmI_2 in THF (16 mL, 0.1M) under argon atmosphere at $-78^\circ C$ was added deoxygenated MeOH (0.4 mL) followed by drop wise addition of TFA-protected **3e** (2.0 mL of the above mentioned solution). Stirring was continued for 30 min and the reaction mixture was allowed to reach room temperature over the course of 30 min. Et_2O (75 mL), H_2O (25 mL) and sat. NH_4Cl (aq) were added and the organic phase was washed with sat. NH_4Cl (aq) (50 mL), sat. $NaHCO_3$ (aq) (50 mL) and brine (50 mL). The organic phase was dried with Na_2SO_4 and concentrated *in vacuo* to give the crude product, which was further purified by FC (Et_2O /hexane, 10:90) to yield **6** (30 mg, 46% over two steps). The retention of optical purity was confirmed by CSP-HPLC using a Daicel Chiralpak AS column (hexane/*i*-PrOH (90/10); flow rate 1.0 mL/min; $\tau_{major} = 8.4$ min; $\tau_{minor} = 6.7$ min); 1H NMR ($CDCl_3$) see below; ^{13}C NMR ($CDCl_3$) see below; HRMS $C_{18}H_{24}N_2O_4$ $[M+Na]^+$ calculated: 355.1634, found: 355.1632; $[\alpha]_D^{rt} = -9.0$ ($c = 1.0$ in $CHCl_3$), (45% ee).

1H NMR (CD_3CN) δ 7.90-7.50 (bs, 1H, NH), 6.92 (d, $J = 4.0$ Hz, 1H, ArH), 6.66 (d, $J = 4.0$ Hz, 1H, ArH), 5.04 (s, 1H, CH), 1.52-1.51 (9H, CO_2t -Bu), 1.49-1.48 (18H, 2x CO_2t -Bu); ^{13}C NMR (CD_3CN) δ 164.6, 155.6, 153.4, 147.5, 126.7, 125.7 (b), 116.7, 113.5 (b), 85.7, 84.4, 82.5, 41.0, 40.9, 28.6, 28.5, 28.1; HRMS $C_{21}H_{31}N_3O_6S$ $[M+Na]^+$; calculated: 476.1831, found: 476.1828.

X-Ray Structure of 3h: Crystals of **3h**, $C_{23}H_{32}ClN_3O_6$, are orthorhombic, $P2_12_12_1$, with unit cell: $a = 6.9440(10)\text{\AA}$, $b = 16.513(2)\text{\AA}$, $c = 23.227(4)\text{\AA}$, $V = 2663.4(7)\text{\AA}^3$, $Z = 4$. Data were collected at 120K on a SMART diffractometer with CCD detector. The structure was solved by direct methods and refined by least squares methods to final $R = 0.039$, $R_w = 0.042$, $GOF = 1.189$ using 4701 reflections with $I > 3\sigma(I)$, 302 parameters

refined. Least squares refinement included a parameter according to Rogers⁶ refined against all 4701 significant reflections including 1993 Bijvoet pairs.

¹ Albarella, J. P. *J. Org. Chem.* **1977**, *42*, 2009.

² Hintermann, L.; Togni, A. *Helv. Chim. Acta.* **2000**, *83*, 2425.

³ Henderson, D.; Richardson, K. A.; Taylor, R. J. K.; Saunders, J. *Synthesis*, **1983**, 996.

⁴ Hamashima, Y.; Hotta, D.; Sodeoka, M. *J. Am. Chem. Soc.* **2002**, *124*, 11240.

⁵ Iwabuchi, Y.; Nakatani, M.; Yokoyama, N.; Hatakeyama, S. *J. Am. Chem. Soc.* **1999**, *121*, 10219.

⁶ Rogers, A. *Acta Cryst.* **1996**, *A37*, 734.

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss900c AD28 70-30
Sample Type: Unknown
Vial: 1
Injection #: 7
Injection Volume: 5.00 ul
Run Time: 30.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 10/30/2003 8:19:50 AM
Acq. Method Set: 70_30_10
Date Processed: 10/30/2003 8:37:00 AM
Processing Method: LC PQ
Channel Name: WWin Ch10
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	5.301	16743221	99.42	962850
2	PDA 210.4 nm	9.392	98227	0.58	1084

Report Method: Steen

Printed 10:34:20 AM 4/1/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss900c-rac AD28 70-30
Sample Type: Unknown
Vial: 1
Injection #: 6
Injection Volume: 5.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 10/29/2003 11:54:52 AM
Acq. Method Set: 70_30_10
Date Processed: 10/29/2003 1:02:08 PM
Processing Method: LC PQ
Channel Name: WWin Ch9
Proc. Chnl. Descr.: PDA 221.7 nm

Spectrum Index Plot

Processed Channel: PDA 221.7 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 221.7 nm	5.365	12625574	52.68	733619
2	PDA 221.7 nm	9.485	11338944	47.32	112194

Report Method: Steen

Printed 10:35:52 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss992-1 OD19 95-5
Sample Type: Unknown n
Vial: 1
Injection #: 19
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 2:34:56 PM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 2:52:11 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	5.411	13018104	99.01	750580
2	PDA 210.4 nm	6.800	129583	0.99	6767

Report Method: Steen

Printed 10:59:27 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss992rac OD19 95-5
Sample Type: Unknown n
Vial: 1
Injection #: 7
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 11:07:02 AM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 11:23:24 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 264.5 nm

Spectrum Index Plot

Processed Channel: PDA 264.5 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 264.5 nm	5.431	3452560	49.66	197784
2	PDA 264.5 nm	6.727	3499802	50.34	161451

Report Method: Steen

Printed 10:59:02 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1039 OD19 98-2
Sample Type: Unknown
Vial: 1
Injection #: 2
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/30/2004 12:29:30 PM
Acq. Method Set: 98_2_10
Date Processed: 3/30/2004 12:41:49 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 229.8 nm

Spectrum Index Plot

Processed Channel: PDA 229.8 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 229.8 nm	6.027	18712064	98.64	919019
2	PDA 229.8 nm	8.469	257423	1.36	8682

Report Method: Steen

Printed 11:02:54 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1039rac OD19 98-2
Sample Type: Unknown
Vial: 1
Injection #: 1
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/30/2004 12:11:40 PM
Acq. Method Set: 98_2_10
Date Processed: 3/30/2004 12:30:08 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 219.2 nm

Spectrum Index Plot

Processed Channel: PDA 219.2 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 219.2 nm	6.124	17243924	50.57	882871
2	PDA 219.2 nm	8.457	16852677	49.43	586919

Report Method: Steen

Printed 11:02:31 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1000-1 OD19 95-5
Sample Type: Unknown
Vial: 1
Injection #: 17
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 1:57:29 PM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 2:07:44 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 233.5 nm

Spectrum Index Plot

Processed Channel: PDA 233.5 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 233.5 nm	4.205	17157565	98.99	1347783
2	PDA 233.5 nm	5.853	175271	1.01	10577

Report Method: Steen

Printed 10:58:14 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1000rac OD19 95-5
Sample Type: Unknown
Vial: 1
Injection #: 8
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 11:22:26 AM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 11:51:17 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 229.0 nm

Spectrum Index Plot

Processed Channel: PDA 229.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 229.0 nm	4.215	6721492	50.16	519711
2	PDA 229.0 nm	5.846	6679166	49.84	372998

Report Method: Steen

Printed 10:57:28 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss991 OD19 95-5
Sample Type: Unknown n
Vial: 1
Injection #: 20
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 2:54:53 PM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 3:28:00 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 246.0 nm

Spectrum Index Plot

Processed Channel: PDA 246.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 246.0 nm	6.156	18596996	95.37	942251
2	PDA 246.0 nm	7.779	902695	4.63	42860

Report Method: Steen

Printed 10:54:12 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss991rac OD19 95-5
Sample Type: Unknown n
Vial: 1
Injection #: 6
Injection Volume: 10.00 ul
Run Time: 200.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 10:50:30 AM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 11:07:43 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 260.4 nm

Spectrum Index Plot

Processed Channel: PDA 260.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 260.4 nm	6.205	6362213	49.93	308485
2	PDA 260.4 nm	7.787	6379053	50.07	286737

Report Method: Steen

Printed 10:53:46 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1001-1 OD19 95-5
Sample Type: Unknown n
Vial: 1
Injection #: 15
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 1:07:17 PM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 1:37:14 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 236.0 nm

Spectrum Index Plot

Processed Channel: PDA 236.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 236.0 nm	5.455	9656465	94.31	673488
2	PDA 236.0 nm	7.507	582471	5.69	27414

Report Method: Steen

Printed 10:52:37 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1001rac OD19 90-10
Sample Type: Unknown n
Vial: 1
Injection #: 4
Injection Volume: 10.00 ul
Run Time: 200.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 10:14:09 AM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 10:32:39 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 273.0 nm

Spectrum Index Plot

Processed Channel: PDA 273.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 273.0 nm	5.382	5586744	50.11	385538
2	PDA 273.0 nm	7.334	5563073	49.89	268243

Report Method: Steen

Printed 10:49:53 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1002-1 OD19 95-5
Sample Type: Unknown
Vial: 1
Injection #: 13
Injection Volume: 10.00 ul
Run Time: 40.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 12:39:30 PM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 12:51:34 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	4.940	14750135	99.04	1107995
2	PDA 210.4 nm	6.952	142363	0.96	4491

Report Method: Steen

Printed 11:01:43 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1002rac OD19 90-10
Sample Type: Unknown
Vial: 1
Injection #: 3
Injection Volume: 10.00 ul
Run Time: 200.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/1/2004 9:57:50 AM
Acq. Method Set: 95_5_10
Date Processed: 3/1/2004 10:16:01 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 275.0 nm

Spectrum Index Plot

Processed Channel: PDA 275.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 275.0 nm	4.989	3296065	50.25	249187
2	PDA 275.0 nm	6.934	3263251	49.75	110617

Report Method: Steen

Printed 11:01:07 AM 4/1/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1013 OD19 90-10
Sample Type: Unknown
Vial: 1
Injection #: 2
Injection Volume: 10.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/8/2004 10:16:26 AM
Acq. Method Set: 98_2_10
Date Processed: 3/8/2004 10:41:27 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 237.0 nm

Spectrum Index Plot

Processed Channel: PDA 237.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 237.0 nm	8.683	25028682	98.53	680165
2	PDA 237.0 nm	15.160	372598	1.47	4355

Report Method: Steen

Printed 11:06:13 AM 4/1/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1013 rac OD19 98-2
Sample Type: Unknown
Vial: 1
Injection #: 2
Injection Volume: 10.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/11/2004 9:01:48 AM
Acq. Method Set: 98_2_10
Date Processed: 3/11/2004 9:25:57 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 236.0 nm

Spectrum Index Plot

Processed Channel: PDA 236.0 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 236.0 nm	9.183	3491548	50.15	95870
2	PDA 236.0 nm	14.669	3470187	49.85	41292

Report Method: Steen

Printed 11:05:43 AM 4/1/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1032rac AS27 90-10
Sample Type: Unknown
Vial: 1
Injection #: 3
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/24/2004 9:49:54 AM
Acq. Method Set: 90_10_10
Date Processed: 3/24/2004 10:37:10 AM
Processing Method: LC PG
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	5.588	1562219	52.14	63695
2	PDA 210.4 nm	7.208	1434182	47.86	26968

Report Method: Stein

Printed 1:35:49 PM 5/12/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1032 AS27 90-10
Sample Type: Unknown
Vial: 1
Injection #: 4
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/24/2004 10:35:59 AM
Acq. Method Set: 90_10_10
Date Processed: 3/24/2004 10:46:24 AM
Processing Method: LC PG
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	5.616	1702364	63.55	72386
2	PDA 210.4 nm	7.215	976322	36.45	19580

Report Method: Stein

Printed 1:36:32 PM 5/12/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1036rac OD19 98-2
Sample Type: Unknown
Vial: 1
Injection #: 3
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/29/2004 10:31:58 AM
Acq. Method Set: 98_2_10
Date Processed: 3/29/2004 10:59:35 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	7.001	2514983	51.16	117737
2	PDA 210.4 nm	8.455	2401191	48.84	91339

Report Method: Stein

Printed 1:37:12 PM 5/12/2004

Page: 1 of 1

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1036 OD19 98-2
Sample Type: Unknown
Vial: 1
Injection #: 4
Injection Volume: 10.00 ul
Run Time: 100.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/29/2004 1:05:22 PM
Acq. Method Set: 98_2_10
Date Processed: 3/29/2004 1:20:45 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	6.967	1357266	66.86	72460
2	PDA 210.4 nm	8.348	672700	33.14	27193

Report Method: Stein

Printed 1:37:50 PM 5/12/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1029_AD30_98-2
Sample Type: Unknown
Vial: 1
Injection #: 4
Injection Volume: 10.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/18/2004 3:57:13 PM
Acq. Method Set: 98_2_10
Date Processed: 3/18/2004 4:33:37 PM
Processing Method: LC PQ
Channel Name: WWin Ch10
Proc. Chnl. Descr.: PDA 231.6 nm

Spectrum Index Plot

Processed Channel: PDA 231.6 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 231.6 nm	26.606	335084	5.06	4590
2	PDA 231.6 nm	30.328	6282567	94.94	70090

Report Method: Steen

Printed 11:58:45 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1032RAC_AD30_98-2
Sample Type: Unknown
Vial: 1
Injection #: 3
Injection Volume: 10.00 ul
Run Time: 150.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/18/2004 3:19:35 PM
Acq. Method Set: 98_2_10
Date Processed: 3/18/2004 3:58:07 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	26.238	5052696	46.71	67209
2	PDA 210.4 nm	30.322	5764994	53.29	65384

Report Method: Steen

Printed 11:59:21 AM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss939 AD30 98-2
Sample Type: Unknown n
Vial: 1
Injection #: 2
Injection Volume: 10.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 12/16/2003 9:23:44 AM
Acq. Method Set: 98_2_10
Date Processed: 12/16/2003 10:03:42 AM
Processing Method: LC PQ
Channel Name: WWin Ch10
Proc. Chnl. Descr.: PDA 226.1 nm

Spectrum Index Plot

Processed Channel: PDA 226.1 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 226.1 nm	12.033	2492734	90.49	69039
2	PDA 226.1 nm	16.411	261830	9.51	4826

Report Method: Steen

Printed 12:12:48 PM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss939rac
Sample Type: Unknown n
Vial: 1
Injection #: 1
Injection Volume: 10.00 ul
Run Time: 60.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 12/15/2003 11:55:52 AM
Acq. Method Set: 98_2_10
Date Processed: 4/1/2004 12:09:13 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	12.001	2306309	49.17	55321
2	PDA 210.4 nm	16.333	2384017	50.83	40091

Report Method: Steen

Printed 12:11:42 PM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1010 AS25 98-2
Sample Type: Unknown
Vial: 1
Injection #: 5
Injection Volume: 10.00 ul
Run Time: 150.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/18/2004 12:15:46 PM
Acq. Method Set: 98_2_10
Date Processed: 3/18/2004 12:28:54 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	6.357	204532	8.65	7086
2	PDA 210.4 nm	7.714	2160858	91.35	46292

Report Method: Steen

Printed 12:01:21 PM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1027 AS25 98-2
Sample Type: Unknown
Vial: 1
Injection #: 4
Injection Volume: 10.00 ul
Run Time: 150.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/18/2004 11:56:21 AM
Acq. Method Set: 98_2_10
Date Processed: 3/18/2004 12:16:32 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	6.339	1492087	24.02	49028
2	PDA 210.4 nm	7.678	4719235	75.98	98941

(Sample with low ee, racemic sample not obtained.)

Report Method: Steen

Printed 12:02:00 PM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1006 AD30 90-10
Sample Type: Unknown
Vial: 1
Injection #: 3
Injection Volume: 10.00 ul
Run Time: 20.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/5/2004 1:03:35 PM
Acq. Method Set: 90_10_10
Date Processed: 3/5/2004 1:39:36 PM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 210.4 nm

Spectrum Index Plot

Processed Channel: PDA 210.4 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 210.4 nm	6.728	8586787	91.30	373650
2	PDA 210.4 nm	12.751	818612	8.70	12713

Report Method: Steen

Printed 12:15:13 PM 4/1/2004

Page: 1 of 1

Steen Report

Reported by User: group (group)

Project Name: steen

SAMPLE INFORMATION

Sample Name: ss1006rac AD30 90-10
Sample Type: Unknown
Vial: 1
Injection #: 1
Injection Volume: 10.00 ul
Run Time: 200.0 Minutes
Sample Set Name:

Acquired By: group
Date Acquired: 3/3/2004 11:17:19 AM
Acq. Method Set: 90_10_10
Date Processed: 3/3/2004 11:49:13 AM
Processing Method: LC PQ
Channel Name: WWin Ch1
Proc. Chnl. Descr.: PDA 211.8 nm

Spectrum Index Plot

Processed Channel: PDA 211.8 nm

	Processed Channel	Retention Time (min)	Area	% Area	Height
1	PDA 211.8 nm	6.677	2005210	49.65	88680
2	PDA 211.8 nm	12.683	2033467	50.35	31831

Report Method: Steen

Printed 12:15:47 PM 4/1/2004

Page: 1 of 1