Supplementary material

Investigation of the Water Exchange Mechanism of the Plutonyl(VI) Ion with Quantum Chemical Methods

Antonio Prlj and François P. Rotzinger*

ECPs for U and Pu in *GAMESS* format

U

```
U-ecp gen 60 4
1 --- U(g) ---
    -60.1299896    2    12.8040884
2 --- U(s) - U(g) ---
    536.5166278    2    16.4140387
    60.1299896    2    12.8040884
2 --- U(p) - U(g) ---
    169.5449247    2    9.0605561
    60.1299896    2    12.8040884
2 --- U(d) - U(g) ---
    142.6155984    2    8.8318320
    60.1299896    2    12.8040884
2 --- U(f) - U(g) ---
    60.3930760    2    7.0185163
    60.1299896    2    12.8040884
```

Pu

```
Pu-ecp gen 60 4
1 --- Pu(g) ---
    -65.1212161    2    14.0439965
2 --- Pu(s) - Pu(g) ---
    662.7562420    2    18.5596892
    65.1212161    2    14.0439965
2 --- Pu(p) - Pu(g) ---
    179.4152898    2    9.4735170
    65.1212161    2    14.0439965
2 --- Pu(d) - Pu(g) ---
    139.7059122    2    9.0306907
    65.1212161    2    14.0439965
2 --- Pu(f) - Pu(g) ---
    56.0459091    2    7.1387978
    65.1212161    2    14.0439965
```

Table S1. Atomic coordinates (Å) of the reactant $[\text{PuO}_2(\text{OH}_2)_5]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	-0.3657175457	0.0297858675	0.1235795371
O	8.0	-0.2744433421	-0.0462077581	-1.5520290984
O	8.0	-0.4618318736	0.1157680560	1.7985772225
O	8.0	2.0397768785	-0.0564583742	0.2804955322
O	8.0	-2.2798791353	-1.4376495441	0.0558563990
O	8.0	0.3632669409	-2.2808419105	0.2798500491
O	8.0	-2.3073912768	1.4479754413	-0.0575846555
O	8.0	0.4154524143	2.3103615654	0.0680591571
H	1.0	-2.9224784420	-1.4860113859	-0.6657223138
H	1.0	-2.6346249138	-1.9424312091	0.8010984862
H	1.0	1.1230705556	-2.5996117911	0.7850075314
H	1.0	-0.0623611680	-3.0382935175	-0.1432954243
H	1.0	-2.5034221761	2.0453612311	-0.7924620453
H	1.0	-3.0325120559	1.5135245499	0.5789210922
H	1.0	2.6436877244	-0.3557169001	-0.4136537795
H	1.0	2.5705762415	0.3583615282	0.9748368322
H	1.0	1.0326892875	2.6928615478	-0.5706984328
H	1.0	0.1359886851	3.0147891030	0.6689509171

Table S2. Atomic coordinates (Å) of the water-adduct of the reactant $[\text{PuO}_2(\text{OH}_2)_5\cdot\text{OH}_2]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	0.1244992600	0.2601237136	-0.0926317303
O	8.0	-1.5523819445	0.1418346994	-0.1059623865
O	8.0	-0.0126630242	2.6647102518	0.0336849427
O	8.0	1.8016507440	0.3731544616	-0.0815795035
O	8.0	0.0286733329	0.9563993718	2.2510785096
O	8.0	0.1038846832	0.9952506895	-2.3884506770
O	8.0	-1.3129481556	-3.4289790825	0.0443411725
O	8.0	0.1167497241	-1.6969834874	-1.4798506918
O	8.0	0.1983044201	-1.6401650184	1.4028563955
H	1.0	-0.7855210618	3.1958968444	-0.2053891772
H	1.0	0.7330172125	3.2705830122	0.1498891324
H	1.0	-0.2779709384	1.8230725655	2.5486597569
H	1.0	-0.1382778142	0.3143151661	2.9541977685
H	1.0	-0.5179358385	0.6896194525	-3.0630128651
H	1.0	0.7056660609	1.6284953122	-2.8028657283
H	1.0	-2.2788818906	-3.3847901927	0.0489695469
H	1.0	-1.0834313410	-4.3678108483	0.0801097456
H	1.0	0.8012536625	-1.9848429515	-2.0975040687
H	1.0	-0.4078926723	-2.4745970626	-1.1860318648
H	1.0	1.0234059937	-2.0140091462	1.7416254393
H	1.0	-0.3923232656	-2.3910278508	1.1611553672

Table S3. Atomic coordinates (Å) of the transition state for the I_a mechanism
 $[\text{PuO}_2(\text{OH}_2)_4 \cdots (\text{OH}_2)_2]^{2+ \ddagger}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	0.0411378084	0.1465092978	-0.1027103615
O	8.0	-1.6284744594	0.2781725651	-0.2433351030
O	8.0	0.1353253588	2.5726905643	-0.0087699082
O	8.0	1.7191311252	0.1701690421	-0.0285914808
O	8.0	-0.2188755132	0.8597114118	2.2069908640
O	8.0	0.2234224055	1.1620444828	-2.3214363197
O	8.0	-1.0940617958	-2.2331550431	0.1986071995
O	8.0	0.3348958179	-1.4697560877	-1.9116805905
O	8.0	0.9557740809	-1.4804667321	1.8432362645
H	1.0	-0.6098372505	3.1816135488	-0.1073938770
H	1.0	0.8828538866	3.0789992364	0.3387294386
H	1.0	-0.6614913660	1.6284932795	2.5885930127
H	1.0	0.2997935480	0.4167826815	2.8919242568
H	1.0	-0.1006732735	0.7562123799	-3.1359134391
H	1.0	0.4092230909	2.0943962893	-2.4903497916
H	1.0	-2.0522097511	-2.3327321768	0.2717373585
H	1.0	-0.6971046619	-3.0564780811	0.5077235461
H	1.0	1.1207469029	-1.6152319185	-2.4553074473
H	1.0	-0.1932925168	-2.2792626487	-1.9057348474
H	1.0	1.9043055978	-1.6413094667	1.9280249385
H	1.0	0.5090010946	-2.1265112136	2.4036711796

Table S4. Atomic coordinates (Å) of the transition state for the A mechanism
 $[\text{PuO}_2(\text{OH}_2)_5 \cdots \text{OH}_2]^{2+ \ddagger}$ (PBE0-D3 geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	0.0382023239	0.1360000945	-0.1022219723
O	8.0	-1.6554956962	0.2898505710	-0.2020200091
O	8.0	0.3870560311	2.5620472056	-0.0309704782
O	8.0	1.7408074153	0.1134368633	-0.0602665015
O	8.0	-0.4293958245	0.8876565977	2.1974408468
O	8.0	0.1360737609	1.1994489331	-2.3075423129
O	8.0	-0.8620570830	-2.2447551316	0.1777881514
O	8.0	0.2289050729	-1.3926752363	-2.0203839622
O	8.0	0.9234300044	-1.5080399987	1.9100452638
H	1.0	-0.2842829649	3.2139818789	0.2064218404
H	1.0	1.2417727828	2.9509036927	0.1939329381
H	1.0	-1.3030666144	1.1942696366	2.4703768770
H	1.0	0.2008864967	1.2575523167	2.8277328735
H	1.0	-0.4012383828	0.8924245416	-3.0477497425
H	1.0	0.1912392266	2.1612120314	-2.3640608225
H	1.0	-1.8071207273	-2.3976161256	0.2961862767
H	1.0	-0.4054236317	-2.6640898125	0.9221197021
H	1.0	0.9878992890	-1.4206406174	-2.6152619061
H	1.0	-0.0428832683	-2.3028337551	-1.8424487422
H	1.0	1.8758906356	-1.6358560100	1.9909143637
H	1.0	0.5989951405	-1.3541326459	2.8049723405

Table S5. Atomic coordinates (Å) of the intermediate for the A mechanism $[\text{PuO}_2(\text{OH}_2)_6]^{2+}$ (PBE0-D3 geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	0.0447009856	0.1315927439	-0.0921446774
O	8.0	-1.6528599776	0.2685234658	-0.1563015418
O	8.0	0.3675200573	2.5695332210	-0.0644005181
O	8.0	1.7478955857	0.1330123292	-0.0734627678
O	8.0	-0.3786402347	0.9623555453	2.2008298876
O	8.0	0.0881474246	1.1960316499	-2.3050580656
O	8.0	-0.9033861736	-2.2908958268	0.0905843584
O	8.0	0.2825874779	-1.3856437187	-2.0129340090
O	8.0	0.8386375098	-1.4858198991	1.8538852059
H	1.0	-0.2967334505	3.2039244377	0.2323036480
H	1.0	1.2285639803	2.9738227089	0.1008931987
H	1.0	-1.2579046972	1.2267186363	2.4989795445
H	1.0	0.2522762870	1.4052926806	2.7815972217
H	1.0	-0.4193404764	0.8401455917	-3.0444426396
H	1.0	0.0514894877	2.1586823878	-2.3601695779
H	1.0	-1.8568484613	-2.4213054249	0.1561115078
H	1.0	-0.5023563772	-2.7498307705	0.8413220260
H	1.0	1.0562650359	-1.4194368991	-2.5881973644
H	1.0	0.0005187222	-2.2931406615	-1.8343156008
H	1.0	1.7880882661	-1.6195960070	1.9610410542
H	1.0	0.4953592199	-1.2970354584	2.7358488214

Table S6. Atomic coordinates (Å) of the transition state for the D mechanism
 $[\text{PuO}_2(\text{OH}_2)_4 \cdots \text{OH}_2]^{2+ \ddagger}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	-0.4870990314	0.0252300035	0.1689023853
O	8.0	-0.1654360427	-0.0516905956	-1.4757263645
O	8.0	-0.8636919853	0.1037724673	1.8023267649
O	8.0	2.5810281384	-0.0577695274	-0.5983520548
O	8.0	-2.1924829011	-1.5736767973	-0.1694278151
O	8.0	0.9069719703	-1.8281168112	0.6081787949
O	8.0	-2.1547869944	1.6280741127	-0.3167010806
O	8.0	0.9249539274	1.9002448215	0.4386309484
H	1.0	-2.3990056475	-2.0180759002	-1.0050424706
H	1.0	-2.8342405280	-1.8712815447	0.4924226382
H	1.0	1.7825201160	-1.7709748982	0.1864400186
H	1.0	0.9233971792	-2.4709383572	1.3305646898
H	1.0	-2.3509367221	1.9963935280	-1.1908067173
H	1.0	-2.7729520130	2.0217687406	0.3168392248
H	1.0	2.7686367884	-0.1086100212	-1.5449985751
H	1.0	3.4405676858	-0.0101583565	-0.1589802933
H	1.0	1.7891993240	1.8505932535	-0.0020673509
H	1.0	0.9318961728	2.6099403338	1.0960023440

Table S7. Atomic coordinates (Å) of the water-adduct of the intermediate for the D mechanism $[\text{PuO}_2(\text{OH}_2)_4\cdot\text{OH}_2]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	-0.5679790230	0.0236564375	0.1746980598
O	8.0	-0.1864197217	-0.0620274511	-1.4578667171
O	8.0	-0.9532998329	0.1104266752	1.8048177348
O	8.0	3.0795772569	-0.0354730749	-0.7030657635
O	8.0	-2.1537369208	-1.6879643416	-0.1612585214
O	8.0	1.1899566516	-1.4819746571	0.5972841582
O	8.0	-2.0852619498	1.7575248575	-0.3214132047
O	8.0	1.2061888462	1.5437877694	0.4513406098
H	1.0	-2.3315979685	-2.1441696175	-0.9976094012
H	1.0	-2.7657989037	-2.0393790630	0.5031010104
H	1.0	2.0272431922	-1.2694246934	0.1226925680
H	1.0	1.3980346204	-1.9510141277	1.4178009494
H	1.0	-2.2147650387	2.1653627592	-1.1909694913
H	1.0	-2.6819959162	2.1955709301	0.3042063748
H	1.0	3.1728383018	-0.0711640798	-1.6652198689
H	1.0	3.9794936832	-0.0290055723	-0.3477852949
H	1.0	2.0465213314	1.2786252838	0.0097734558
H	1.0	1.4056756127	2.1019635878	1.2160786689

Table S8. Atomic coordinates (Å) of the intermediate for the D mechanism $[\text{PuO}_2(\text{OH}_2)_4]^{2+}$
(LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
-----	-----	-----	-----	-----
PU	94.0	-0.5442519322	0.0257995614	0.1682937117
O	8.0	-0.1990450680	-0.0552058668	-1.4702325535
O	8.0	-0.8891011997	0.1064690618	1.8069114062
O	8.0	-2.1868451746	-1.6301723361	-0.1505823947
O	8.0	1.0562236096	-1.6317769019	0.6492413939
O	8.0	-2.1442962212	1.6832741238	-0.3135745643
O	8.0	1.0969603701	1.6829492068	0.4909266556
H	1.0	-2.3932186214	-2.0759951523	-0.9861042811
H	1.0	-2.8018031656	-1.9609286239	0.5216419194
H	1.0	1.6488607066	-2.0565139120	0.0105068893
H	1.0	1.2405627529	-2.0100482261	1.5222483001
H	1.0	-2.3280745975	2.0609757635	-1.1869572376
H	1.0	-2.7431570496	2.1026107836	0.3229300506
H	1.0	1.7101294462	2.0185831479	-0.1804926929
H	1.0	1.3038839552	2.1244885136	1.3285632410

Table S9. Atomic coordinates (Å) of the reactant $[\text{UO}_2(\text{OH}_2)_5]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	0.0252996671	0.0058128731	-0.0045188374
O	8.0	0.0588726943	0.0287589872	-1.7258366613
O	8.0	0.0592843566	-0.0238347973	1.7168463328
O	8.0	-0.9331438524	2.2467752705	0.0359775334
O	8.0	1.9683308842	-1.4401813608	-0.0174613347
O	8.0	1.9234888361	1.5084193852	0.0170830301
O	8.0	-0.8607172631	-2.2679304191	-0.0116636393
O	8.0	-2.4385581658	-0.0405190159	-0.0119717573
H	1.0	2.4397764713	-1.7570856235	-0.8009923565
H	1.0	2.4446017032	-1.7602095375	0.7618672975
H	1.0	2.3807242740	1.8563293058	-0.7617133427
H	1.0	2.3828274697	1.8406369070	0.8015076750
H	1.0	-0.9368378788	-2.8348655490	-0.7929763343
H	1.0	-0.9204818627	-2.8385480710	0.7683883341
H	1.0	-1.0361330221	2.8229830127	-0.7353291610
H	1.0	-1.0254250913	2.7983741933	0.8263890347
H	1.0	-3.0247775011	0.7273625940	0.0076860697
H	1.0	-2.9734008035	-0.8451530211	0.0003032501

Table S10. Atomic coordinates (Å) of the water-adduct of the reactant $[\text{UO}_2(\text{OH}_2)_5\cdot\text{OH}_2]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z

U	92.0	0.1243747446	0.2636979319	-0.0973463887
O	8.0	-1.5951300245	0.1447185139	-0.1090780227
O	8.0	-0.0153029268	2.6865529581	0.1090963352
O	8.0	1.8424452610	0.3943005996	-0.1303216263
O	8.0	0.0696367469	0.9253677318	2.2755367321
O	8.0	0.1229321438	1.0360025747	-2.3945218904
O	8.0	-1.3254199279	-3.4445984155	0.0475729231
O	8.0	0.1182146155	-1.7312970094	-1.4733383725
O	8.0	0.1691023817	-1.6556197432	1.3959393773
H	1.0	-0.8342117135	3.2017658470	0.0715761513
H	1.0	0.7235988756	3.3058837311	0.0208779740
H	1.0	0.0827043511	1.8294396828	2.6167185018
H	1.0	-0.1947254870	0.3274605102	2.9875917690
H	1.0	-0.6419959066	1.0515991524	-2.9871372601
H	1.0	0.8875269137	1.3630127784	-2.8894491434
H	1.0	-2.2909905880	-3.3909577701	0.0518848901
H	1.0	-1.1038645144	-4.3851477328	0.0904734802
H	1.0	0.7733533431	-2.0112715513	-2.1256378405
H	1.0	-0.4139122093	-2.5066379981	-1.1855910031
H	1.0	0.9659505932	-2.0094164661	1.8149424261
H	1.0	-0.4106547881	-2.4153572894	1.1489989525

Table S11. Atomic coordinates (Å) of the transition state for the A mechanism
 $[\text{UO}_2(\text{OH}_2)_5\cdots\text{OH}_2]^{2+ \ddagger}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	0.0602298309	0.1373526099	-0.0745591144
O	8.0	-1.6570150171	0.2694862452	-0.0564340295
O	8.0	0.0573259116	2.5881664342	-0.0654127971
O	8.0	1.7791169040	0.2399528283	-0.0911146506
O	8.0	0.0254887876	1.0834475130	2.2167460982
O	8.0	-0.0232909291	1.0965046143	-2.3595617822
O	8.0	-1.2240979635	-2.3284792910	-0.0621050756
O	8.0	0.6037586651	-1.4726472543	-1.8857580530
O	8.0	0.6304560128	-1.4808113521	1.7201408303
H	1.0	-0.7114633727	3.1757919487	-0.0656838594
H	1.0	0.8530803084	3.1391351914	-0.0643291774
H	1.0	-0.1421563559	1.9987307173	2.4737204429
H	1.0	0.1057006953	0.5440139206	3.0139387595
H	1.0	0.0706736473	0.5681556305	-3.1625135247
H	1.0	-0.1794566825	2.0164798771	-2.6067510086
H	1.0	-2.1895024154	-2.3102759644	-0.0517961185
H	1.0	-0.9609919476	-3.2567029779	-0.0959896352
H	1.0	1.4892217889	-1.6545023399	-2.2290841799
H	1.0	0.0102611951	-2.1770024459	-2.1788852403
H	1.0	1.5197962183	-1.6631540564	2.0527811604
H	1.0	0.0486831652	-2.2082527953	1.9782378819

Table S12. Atomic coordinates (Å) of the intermediate for the A mechanism $[\text{UO}_2(\text{OH}_2)_6]^{2+}$
(LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	0.0485760463	0.1271045659	-0.0735154961
O	8.0	-1.6643394606	0.3090172343	-0.0510581261
O	8.0	0.0901128901	2.5850604546	-0.0683555412
O	8.0	1.7696964615	0.1965929571	-0.0915211453
O	8.0	0.0322113926	1.0981115594	2.2091388315
O	8.0	-0.0299233632	1.1018185373	-2.3535630142
O	8.0	-1.1558855934	-2.2520494287	-0.0748989159
O	8.0	0.6361125491	-1.4501852574	-1.9343782100
O	8.0	0.6521261409	-1.4612855944	1.7668405537
H	1.0	-0.6685043592	3.1854175019	-0.0707361953
H	1.0	0.8948357004	3.1225266876	-0.0726361144
H	1.0	-0.1262304751	2.0173799047	2.4570362402
H	1.0	0.1483451296	0.5715300709	3.0103006631
H	1.0	0.1152852930	0.5808722486	-3.1535772775
H	1.0	-0.1852327450	2.0217584648	-2.6008041874
H	1.0	-2.1201684315	-2.3072802997	-0.0689790364
H	1.0	-0.8139581295	-3.1544842995	-0.0975260500
H	1.0	1.5371997931	-1.6121989376	-2.2447707409
H	1.0	0.0602727945	-2.1330306291	-2.3030157304
H	1.0	1.5522427231	-1.6293857870	2.0769946740
H	1.0	0.0764017253	-2.1564510725	2.1117433995

Table S13. Atomic coordinates (Å) of the transition state for the D mechanism
 $[\text{UO}_2(\text{OH}_2)_4 \cdots \text{OH}_2]^{2+ \ddagger}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	-0.4931567615	0.0118401749	0.1664460300
O	8.0	-0.1452964412	-0.1225550630	-1.5114915371
O	8.0	-0.9166383975	0.1235058235	1.8290270910
O	8.0	2.7110114411	0.2463053020	-0.6667793282
O	8.0	-2.2757004912	-1.5434591782	-0.1473169998
O	8.0	0.8675264972	-1.8766188777	0.6936011953
O	8.0	-2.1251794419	1.6841349735	-0.3085145866
O	8.0	1.0091172624	1.8265100456	0.4288029744
H	1.0	-2.5077621600	-1.9790747970	-0.9816006218
H	1.0	-2.8976391826	-1.8470747931	0.5312789661
H	1.0	1.4663375469	-2.3236633093	0.0765614602
H	1.0	0.9218785172	-2.3323666856	1.5474572490
H	1.0	-2.3551523080	2.0292983160	-1.1846651165
H	1.0	-2.6937854679	2.1229921761	0.3424655354
H	1.0	2.9227389405	0.2289771774	-1.6088072781
H	1.0	3.5054909738	-0.0428546734	-0.2001751083
H	1.0	1.8820937368	1.5982242643	0.0236111818
H	1.0	1.1026701761	2.5033555618	1.1129012406

Table S14. Atomic coordinates (Å) of the water-adduct of the intermediate for the D mechanism $[\text{UO}_2(\text{OH}_2)_4\cdot\text{OH}_2]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	-0.5454682334	-0.0374179472	0.2005133089
O	8.0	-0.0285861859	-0.3677594494	-1.4070438835
O	8.0	-1.0709976527	0.2868680634	1.8068622814
O	8.0	3.1897059102	1.3273822451	-1.2401651706
O	8.0	-2.4862765067	-1.3842003090	-0.1763269018
O	8.0	0.5880249061	-2.0037166769	0.9391699697
O	8.0	-1.7717728013	1.8572685060	-0.5703692521
O	8.0	1.3873881966	1.2058705062	0.5249217540
H	1.0	-2.7074689180	-1.8441958788	-1.0006228654
H	1.0	-3.1946060922	-1.5633579125	0.4608876346
H	1.0	1.1128268216	-2.5966949464	0.3798251407
H	1.0	0.6248673870	-2.3428383111	1.8465763556
H	1.0	-1.8372757592	2.1636161095	-1.4878999561
H	1.0	-2.3071620580	2.4502882694	-0.0210534533
H	1.0	3.3588798014	2.1640628083	-1.6912046663
H	1.0	4.0462431901	0.9213242077	-1.0563054660
H	1.0	2.1421291095	1.2917204533	-0.1618825500
H	1.0	1.6304628650	1.6820273358	1.3314917934

Table S15. Atomic coordinates (Å) of the intermediate for the D mechanism
 $[\text{UO}_2(\text{OH}_2)_4]^{2+}$ (LC-BOP-LRD geometry)

ATOM	CHARGE	X	Y	Z
U	92.0	-0.5535712817	-0.0448720281	0.2001715367
O	8.0	-0.0379364074	-0.3714237528	-1.4055853030
O	8.0	-1.0701748398	0.2810134900	1.8058690102
O	8.0	-2.4853945539	-1.3717742854	-0.2014314283
O	8.0	0.6229113675	-1.9673199220	0.9603484185
O	8.0	-1.7318385343	1.8797793338	-0.5504349496
O	8.0	1.4271123020	1.2364434212	0.5119993434
H	1.0	-2.7000124731	-1.8162422368	-1.0365438654
H	1.0	-3.2036818202	-1.5549652038	0.4241728063
H	1.0	1.1564403984	-2.5613104120	0.4096018848
H	1.0	0.6735946851	-2.2862607613	1.8749117813
H	1.0	-1.7930762805	2.1956692355	-1.4654624155
H	1.0	-2.2617823180	2.4738128859	0.0038132710
H	1.0	2.1226000825	1.3661373341	-0.1514474660
H	1.0	1.6870811928	1.7181383533	1.3126446717

Table S16. An=O, An–O(H₂), and An···O(H₂) Bond Lengths in the Transition States for the I_a, A, and D Mechanisms (An = Pu, U).

functional	mechanism	$d(\text{An}=\text{O}), \text{\AA}$	$d(\text{An}-\text{O}(\text{H}_2))^a, \text{\AA}$	$d(\text{An}\cdots\text{O}(\text{H}_2)), \text{\AA}$
<i>(a) An = Pu</i>				
LC-BOP-LRD	I _a	1.681, 1.680	2.439	2.646, 2.689
ω B97X	I _a	1.695, 1.694	2.461	2.697, 2.662
PBE0-D3	A	1.704, 1.703	2.477	2.745
TPSSh	A	1.729, 1.729	2.471	2.800
TPSSh-D3	A	1.728, 1.728	2.464	2.840
LC-BLYP	A	1.709, 1.709	2.441	2.784
LC-BOP-LRD	D	1.678, 1.678	2.362	3.164
ω B97X	D	1.691, 1.691	2.382	3.176
PBE0-D3	D	1.700, 1.700	2.361	3.155
TPSSh	D	1.724, 1.725	2.361	3.198
TPSSh-D3	D	1.724, 1.724	2.359	3.205
LC-BLYP	D	1.706, 1.706	2.340	3.037
<i>(b) An = U</i>				
LC-BOP-LRD	A	1.722, 1.722	2.481	2.780
ω B97X	A	1.733, 1.732	2.504	2.756
LC-BOP-LRD	D	1.719, 1.719	2.382	3.319
ω B97X	D	1.729, 1.729	2.401	3.219

^aAverage bond lengths.