Table 1. Crystal data and structure refinement for TAS.

Identification code	pw10	
Empirical formula	C ₆ H ₁₈ F N ₃ O ₂ S ₂	
Formula weight	247.35	
Temperature	173(2) K	
Wavelength	71.073 pm	
Crystal system	Orthorhombic	
Space group	Pnma	
Unit cell dimensions	a = 1469.0(3) pm	$\alpha = 90^\circ$
	b = 1117.4(2) pm	$\beta = 90^\circ$
	c = 733.40(10) pm	$\gamma = 90^\circ$
Volume	1.2038(4) nm ³	
Z	4	
Density (calculated)	1.365 Mg/m ³	
Absorption coefficient	0.438 mm ⁻¹	
F(000)	528	
Crystal size	0.80 x 0.40 x 0.20 mm ³	
Theta range for data collection	2.77 to 27.49°	
Index ranges	-2 ≤ h ≤ 19, -14 ≤ k ≤ 3, -9 ≤ l ≤ 9	
Reflections collected	1993	
Independent reflections	1444 [R(int) = 0.0283]	
Completeness to theta = 27.49°	99.4 %	
Absorption correction	None <i>Semi-empirical</i>	
Max. and min. transmission	0.9174 and 0.7205	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	1444 / 4 / 122	
Goodness-of-fit on F ²	0.848	
Final R indices [I > 2σ(I)]	R1 = 0.0430, wR2 = 0.0961	
R indices (all data)	R1 = 0.0808, wR2 = 0.1054	
Extinction coefficient	0.0009(11)	
Largest diff. peak and hole	0.412 and -0.257 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAS. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
S(1)	6393(1)	2323	6429(2)	60(1)
F(1)	5956(2)	3435	7370(5)	76(2)
O(1)	7420(2)	2380	6676(4)	54(1)
F(1A)	7420(2)	2380	6676(4)	54(1)
O(1A)	5956(2)	3435	7370(5)	76(2)
O(2)	6171(2)	2239	4490(4)	68(1)
S(2)	3230(1)	2500	2662(1)	36(1)
N(1)	3244(1)	1273(2)	3826(3)	39(1)
N(2)	4316(2)	2500	1966(4)	42(1)
C(1)	2346(2)	714(3)	4079(4)	47(1)
C(2)	3917(2)	1021(3)	5257(4)	45(1)
C(3)	4554(2)	1405(4)	933(5)	62(1)

Table 3. Bond lengths [pm] and angles [°] for TAS.

S(1)-O(2)	146.2(3)
S(1)-O(1)	152.1(3)
S(1)-F(1)	155.9(2)
S(2)-N(1)#1	161.5(2)
S(2)-N(1)	161.5(2)
S(2)-N(2)	167.5(2)
N(1)-C(2)	146.9(3)
N(1)-C(1)	147.1(3)
N(2)-C(3)#1	148.1(4)
N(2)-C(3)	148.1(4)
O(2)-S(1)-O(1)	109.8(2)
O(2)-S(1)-F(1)	112.97(15)
O(1)-S(1)-F(1)	108.80(14)
N(1)#1-S(2)-N(1)	116.15(14)
N(1)#1-S(2)-N(2)	98.59(8)
N(1)-S(2)-N(2)	98.59(8)
C(2)-N(1)-C(1)	115.6(2)
C(2)-N(1)-S(2)	123.28(17)
C(1)-N(1)-S(2)	114.59(17)
C(3)#1-N(2)-C(3)	111.5(4)
C(3)#1-N(2)-S(2)	112.36(16)
C(3)-N(2)-S(2)	112.36(16)

Symmetry transformations used to generate equivalent atoms:

#1 x, -y+1/2, z

Table 4. Anisotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAS. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
S(1)	51(1)	62(1)	67(1)	1(1)	-10(1)	0(1)
F(1)	59(2)	93(3)	76(2)	-36(2)	1(2)	25(2)
O(1)	46(1)	53(2)	64(2)	-5(4)	-14(1)	4(3)
F(1A)	46(1)	53(2)	64(2)	-5(4)	-14(1)	4(3)
O(1A)	59(2)	93(3)	76(2)	-36(2)	1(2)	25(2)
O(2)	54(2)	100(4)	50(2)	-15(3)	-7(2)	-2(3)
S(2)	28(1)	54(1)	27(1)	0	-2(1)	0
N(1)	32(1)	44(1)	43(1)	1(1)	-2(1)	-6(1)
N(2)	32(1)	58(2)	34(1)	0	7(1)	0
C(1)	38(1)	46(2)	57(2)	-9(2)	7(1)	-12(1)
C(2)	43(1)	47(2)	46(2)	8(2)	-5(1)	0(1)
C(3)	47(2)	84(2)	54(2)	-16(2)	17(1)	1(2)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAS.

	x	y	z	U(eq)
H(1A)	2109(18)	940(20)	5350(40)	67(8)
H(1B)	2428(16)	-170(20)	4000(40)	52(7)
H(1C)	1891(18)	980(20)	3120(40)	65(9)
H(2A)	3660(16)	1290(20)	6400(30)	50(7)
H(2B)	4468(18)	1350(20)	4920(30)	49(7)
H(2C)	3993(15)	120(20)	5350(30)	45(7)
H(3A)	4188(19)	1390(30)	-150(50)	82(10)
H(3B)	5128(17)	1510(30)	660(30)	64(8)
H(3C)	4426(19)	700(30)	1650(40)	65(10)

Table 6. Torsion angles [°] for TAS.

N(1)#1-S(2)-N(1)-C(2)	-51.7(2)
N(2)-S(2)-N(1)-C(2)	52.3(2)
N(1)#1-S(2)-N(1)-C(1)	98.54(19)
N(2)-S(2)-N(1)-C(1)	-157.42(19)
N(1)#1-S(2)-N(2)-C(3)#1	-57.5(2)
N(1)-S(2)-N(2)-C(3)#1	-175.8(2)
N(1)#1-S(2)-N(2)-C(3)	175.8(2)
N(1)-S(2)-N(2)-C(3)	57.5(2)

Symmetry transformations used to generate equivalent atoms:

#1 x,-y+1/2,z

pw10

=====

S U P P L E M E N T A R Y M A T E R I A L

=====

B E L O N G I N G T O T H E P A P E R

The structure of the SO₂F Anion: A Problem case

b y

News & Christe et al.

Table S8 - Contact Distances(Angstrom)
for: pw10

S2	.O2_d	3.424(3)	O1	.F1	2.504(3)
S2	.F1A_e	3.399(3)	O1	.S2	3.399(3)
S2	.O1_f	3.399(3)	O1	.S2	3.399(3)
S2	.O2_g	3.424(3)	O1A	.O1A_y	2.0895(4)
S2	.F1A_h	3.399(3)	O1A	.F1A	2.504(3)
S2	.O1_i	3.399(3)	O1A	.F1A_b	2.390(4)
S1	.H1B	2.98(2)	O1A	.C3	3.332(5)
S1	.H2C	3.08(2)	O2	.S2	3.424(3)
S1	.H1A	3.01(3)	O2	.S2	3.424(3)
F1	.C3	3.332(5)	O1	.H1B	2.79(2)
F1	.F1A	2.504(3)	O1	.H1B	2.53(2)
F1	.F1A_b	2.390(4)	O1	.H1A	2.91(3)
F1	.F1_x	2.0895(4)	O1	.H2A	2.74(2)
F1A	.S2	3.399(3)	O1	.H1A	2.75(3)
F1A	.O1A_y	2.390(4)	O1	.H2A	2.61(2)
F1A	.F1	2.504(3)	O1A	.H3C	2.69(3)
F1A	.S2	3.399(3)	O1A	.H1A	2.48(3)
F1	.H3C	2.69(3)	O1A	.H2C	2.74(2)
F1	.H2B_a	2.84(2)	O1A	.H2B_a	2.84(2)
F1	.H3B	2.70(2)	O1A	.H3B	2.70(2)
F1	.H2C	2.74(2)	O2	.H2C	2.65(2)
F1	.H1A	2.48(3)	O2	.H1C	2.60(3)
F1A	.H2A	2.61(2)	O2	.H2B	2.71(3)
F1A	.H1A	2.75(3)	N1	.H3C	2.44(3)
F1A	.H2A	2.74(2)	N2	.H2B	2.53(2)

F1A	.H1B	2.79(2)	N2	.H2B _a ^{pw10}	2.53(2)
F1A	.H1B	2.53(2)	C2	.C2 _a	3.305(5)
O1	.F1 _x	2.390(4)	C2	.C3	3.334(5)
C3	.O1A _k	3.332(5)	H2A	.O1 _q	2.61(2)
C3	.C2	3.334(5)	H2B	.F1 _x	2.84(2)
C3	.F1 _j	3.332(5)	H2B	.C2 _a	3.06(2)
C2	.H3C	2.77(3)	H2B	.H2B _a	2.57(3)
C2	.H2B _a	3.06(2)	H2B	.O2	2.71(3)
C3	.H2B	2.93(2)	H2B	.N2	2.53(2)
H1A	.F1 _l	2.48(3)	H2B	.C3	2.93(2)
H1A	.H2A	2.44(4)	H2B	.H3C	2.51(4)
H1A	.O1A _n	2.48(3)	H2B	.N2	2.53(2)
H1A	.S1 _o	3.01(3)	H2B	.O1A _y	2.84(2)
H1A	.O1 _m	2.91(3)	H2C	.F1 _z	2.74(2)
H1A	.O1 _q	2.75(3)	H2C	.H1B	2.52(3)
H1A	.F1A _p	2.75(3)	H2C	.O2 _t	2.65(2)
H1B	.O1 _s	2.79(2)	H2C	.O1A	2.74(2)
H1B	.F1A _r	2.79(2)	H2C	.S1 _t	3.08(2)
H1B	.H2C	2.52(3)	H3A	.H3A _a	2.48(5)
H1B	.S1 _t	2.98(2)	H3B	.O1A _k	2.70(2)
H1B	.F1A _u	2.53(2)	H3B	.H3B _a	2.21(5)
H1B	.O1 _v	2.53(2)	H3B	.F1 _j	2.70(2)
H1C	.O2 _g	2.60(3)	H3C	.O1A	2.69(3)
H2A	.F1A _w	2.74(2)	H3C	.N1	2.44(3)
H2A	.O1 _m	2.74(2)	H3C	.C2	2.77(3)
H2A	.H1A	2.44(4)	H3C	.H2B	2.51(4)
H2A	.F1A _p	2.61(2)	H3C	.F1 _z	2.69(3)

Table S9 - Hydrogen Bonds (Angstrom, Deg)
for: pw10

C2	-- H2B	.. N2	0.92(3)	2.53(2)	2.983(4)	110.8(18)	yes
C2	-- H2B	.. N2	0.92(3)	2.53(2)	2.983(4)	110.8(18)	yes
C3	-- H3C	.. N1	0.97(3)	2.44(3)	2.869(4)	106(2)	yes

Translation of Symmetry Code to Equiv.Pos

```

a = [ 8555.00 ] = x,1/2-y,z
b = [ 8555.00 ] = x,1/2-y,z
c = [ 8555.00 ] = x,1/2-y,z
d = [ 3455.00 ] = -1/2+x,1/2-y,1/2-z
e = [ 3455.00 ] = -1/2+x,1/2-y,1/2-z
f = [ 3455.00 ] = -1/2+x,1/2-y,1/2-z
g = [ 6455.00 ] = -1/2+x,y,1/2-z
h = [ 6455.00 ] = -1/2+x,y,1/2-z
i = [ 6455.00 ] = -1/2+x,y,1/2-z
j = [ 8554.00 ] = x,1/2-y,-1+z
k = [ 8554.00 ] = x,1/2-y,-1+z

```


pw10

```

l = [ 3456.00 ] = -1/2+x, 1/2-y, 3/2-z
m = [ 3456.00 ] = -1/2+x, 1/2-y, 3/2-z
n = [ 3456.00 ] = -1/2+x, 1/2-y, 3/2-z
o = [ 6456.00 ] = -1/2+x, y, 3/2-z
p = [ 6456.00 ] = -1/2+x, y, 3/2-z
q = [ 6456.00 ] = -1/2+x, y, 3/2-z
r = [ 4646.00 ] = 1-x, -1/2+y, 1-z
s = [ 4646.00 ] = 1-x, -1/2+y, 1-z
t = [ 5656.00 ] = 1-x, -y, 1-z
u = [ 5656.00 ] = 1-x, -y, 1-z
v = [ 5656.00 ] = 1-x, -y, 1-z
w = [ 3456.00 ] = -1/2+x, 1/2-y, 3/2-z
x = [ 8555.00 ] = x, 1/2-y, z
y = [ 8555.00 ] = x, 1/2-y, z
z = [ 4646.00 ] = 1-x, -1/2+y, 1-z
* = [ 4646.00 ] = 1-x, -1/2+y, 1-z
* = [ 5656.00 ] = 1-x, -y, 1-z
* = [ 6556.00 ] = 1/2+x, y, 3/2-z
* = [ 3555.00 ] = 1/2+x, 1/2-y, 1/2-z
* = [ 6555.00 ] = 1/2+x, y, 1/2-z
* = [ 3556.00 ] = 1/2+x, 1/2-y, 3/2-z
* = [ 4656.00 ] = 1-x, 1/2+y, 1-z
* = [ 8556.00 ] = x, 1/2-y, 1+z

```

Table 1. Crystal data and structure refinement for TAOS_113K.

Identification code	TAOS+ SO ₂ F-
Empirical formula	C ₆ H ₁₈ F N ₃ O ₃ S ₂
Formula weight	263.35
Temperature	113(2) K
Wavelength	71.073 pm
Crystal system	Orthorhombic
Space group	Pna2(1)
Unit cell dimensions	a = 2185.0(2) pm $\alpha = 90^\circ$ b = 673.30(10) pm $\beta = 90^\circ$ c = 819.40(10) pm $\gamma = 90^\circ$
Volume	1.2055(3) nm ³
Z	4
Density (calculated)	1.451 Mg/m ³
Absorption coefficient	0.449 mm ⁻¹
F(000)	560
Crystal size	0.60 x 0.50 x 0.40 mm ³
Theta range for data collection	3.11 to 27.48°
Index ranges	-28 ≤ h ≤ 28, -8 ≤ k ≤ 8, -10 ≤ l ≤ 10
Reflections collected	3019
Independent reflections	2771 [R(int) = 0.0810]
Completeness to theta = 27.48°	99.9 %
Absorption correction	None <i>semi empirical</i> ?
Max. and min. transmission	0.8409 and 0.7746
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	2771 / 5 / 212
Goodness-of-fit on F ²	1.001
Final R indices [I > 2sigma(I)]	R1 = 0.0434, wR2 = 0.1045
R indices (all data)	R1 = 0.0480, wR2 = 0.1065
Absolute structure parameter	-0.01(9)
Largest diff. peak and hole	0.461 and -0.547 e.Å ⁻³

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAOS_113K. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U^{ij} tensor.

	x	y	z	$U(\text{eq})$
S(1)	3695(1)	-2404(1)	-187(1)	25(1)
O(2)	4324(1)	-3064(5)	-512(3)	46(1)
F(1)	3615(1)	-2897(4)	1763(3)	41(1)
O(1)	3264(1)	-3821(5)	-961(3)	48(1)
F(1A)	3264(1)	-3821(5)	-961(3)	48(1)
F(1A)	3615(1)	-2897(4)	1763(3)	41(1)
O(2)	3991(1)	1056(1)	5020(1)	11(1)
O(3)	4378(1)	-648(2)	4995(3)	17(1)
N(1)	3856(1)	1903(4)	3256(3)	17(1)
N(2)	3351(1)	518(3)	5845(3)	17(1)
N(3)	4288(1)	2800(3)	6018(3)	15(1)
C(1)	3248(1)	2260(5)	2573(4)	23(1)
C(2)	4383(2)	2212(5)	2152(4)	22(1)
C(3)	3034(1)	-1307(4)	5311(3)	20(1)
C(4)	3012(2)	1865(6)	6902(4)	27(1)
C(5)	4266(2)	4903(4)	5548(4)	21(1)
C(6)	4625(2)	2328(5)	7525(3)	22(1)

Table 3. Bond lengths [pm] and angles [°] for TAOS_113K.

S(1)-O(2)	146.8(3)
S(1)-O(1)	148.3(3)
S(1)-F(1)	164.2(2)
S(2)-O(3)	142.60(16)
S(2)-N(3)	157.2(2)
S(2)-N(1)	158.1(2)
S(2)-N(2)	159.5(2)
N(1)-C(1)	146.2(4)
N(1)-C(2)	147.8(4)
N(2)-C(4)	145.6(4)
N(2)-C(3)	147.7(3)
N(3)-C(5)	146.8(4)
N(3)-C(6)	147.2(3)
O(2)-S(1)-O(1)	108.80(17)
O(2)-S(1)-F(1)	102.42(16)
O(1)-S(1)-F(1)	102.61(15)
O(3)-S(2)-N(3)	111.29(12)
O(3)-S(2)-N(1)	112.80(14)
N(3)-S(2)-N(1)	106.45(13)
O(3)-S(2)-N(2)	110.09(11)
N(3)-S(2)-N(2)	108.14(13)
N(1)-S(2)-N(2)	107.87(12)
C(1)-N(1)-C(2)	116.8(2)
C(1)-N(1)-S(2)	125.3(2)
C(2)-N(1)-S(2)	117.76(19)
C(4)-N(2)-C(3)	117.1(2)
C(4)-N(2)-S(2)	123.9(2)
C(3)-N(2)-S(2)	118.30(18)
C(5)-N(3)-C(6)	116.4(2)
C(5)-N(3)-S(2)	124.78(19)
C(6)-N(3)-S(2)	118.8(2)

Symmetry transformations used to generate equivalent atoms:

Table 4. Anisotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAOS_113K. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
S(1)	28(1)	21(1)	27(1)	-1(1)	0(1)	0(1)
O(2)	24(1)	80(2)	33(1)	-14(1)	4(1)	-3(1)
O(1)	51(2)	51(2)	20(1)	-7(1)	6(1)	-8(1)
O(1)	40(2)	72(2)	31(1)	-8(1)	-1(1)	-25(1)
O(1A)	40(2)	72(2)	31(1)	-8(1)	-1(1)	-25(1)
O(1A)	51(2)	51(2)	20(1)	-7(1)	6(1)	-8(1)
S(2)	12(1)	11(1)	11(1)	0(1)	0(1)	0(1)
O(3)	20(1)	12(1)	19(1)	0(1)	1(1)	3(1)
N(1)	16(1)	24(1)	12(1)	2(1)	-2(1)	-1(1)
N(2)	15(1)	18(1)	17(1)	-3(1)	5(1)	-4(1)
N(3)	21(1)	12(1)	11(1)	0(1)	-6(1)	0(1)
C(1)	17(1)	30(2)	24(2)	4(1)	-5(1)	1(1)
C(2)	21(2)	30(2)	14(1)	4(1)	5(1)	1(1)
C(3)	19(1)	19(1)	21(2)	-2(1)	2(1)	-7(1)
C(4)	18(1)	35(2)	29(2)	-13(2)	8(1)	1(1)
C(5)	31(2)	11(1)	21(1)	1(1)	-3(1)	-1(1)
C(6)	29(2)	24(2)	14(1)	1(1)	-9(1)	2(1)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TAOS_113K.

	x	y	z	U(eq)
H(1A)	3231(17)	3710(60)	2050(50)	31(10)
H(1B)	2908(19)	2180(60)	3410(50)	29(10)
H(1C)	3204(19)	1190(70)	1750(60)	42(12)
H(2A)	4410(20)	1280(80)	1410(70)	62(16)
H(2B)	4746(16)	2070(50)	2700(50)	16(8)
H(2C)	4322(15)	3600(50)	1720(40)	15(8)
H(3A)	3262(16)	-1920(50)	4460(40)	19(9)
H(3B)	2955(19)	-2240(50)	6280(50)	26(10)
H(3C)	2617(16)	-1030(50)	4970(60)	27(8)
H(4A)	2880(20)	1090(60)	7950(60)	44(13)
H(4B)	3244(15)	2940(50)	7240(40)	10(8)
H(4C)	2640(20)	2040(70)	6560(60)	43(13)
H(5A)	4085(16)	5620(60)	6410(50)	21(9)
H(5B)	4034(13)	5200(40)	4550(40)	4(7)
H(5C)	4661(19)	5390(60)	5210(70)	47(12)
H(6A)	4524(19)	850(70)	7890(50)	33(11)
H(6B)	5062(19)	2580(50)	7360(50)	22(9)
H(6C)	4450(20)	3030(70)	8340(60)	42(12)

Table 6. Torsion angles [°] for TAOS_113K.

O(3)-S(2)-N(1)-C(1)	126.0(2)
N(3)-S(2)-N(1)-C(1)	-111.7(3)
N(2)-S(2)-N(1)-C(1)	4.2(3)
O(3)-S(2)-N(1)-C(2)	-48.8(3)
N(3)-S(2)-N(1)-C(2)	73.6(2)
N(2)-S(2)-N(1)-C(2)	-170.6(2)
O(3)-S(2)-N(2)-C(4)	142.7(3)
N(3)-S(2)-N(2)-C(4)	20.9(3)
N(1)-S(2)-N(2)-C(4)	-93.9(3)
O(3)-S(2)-N(2)-C(3)	-47.5(2)
N(3)-S(2)-N(2)-C(3)	-169.3(2)
N(1)-S(2)-N(2)-C(3)	75.9(2)
O(3)-S(2)-N(3)-C(5)	139.8(2)
N(1)-S(2)-N(3)-C(5)	16.6(3)
N(2)-S(2)-N(3)-C(5)	-99.1(3)
O(3)-S(2)-N(3)-C(6)	-39.1(3)
N(1)-S(2)-N(3)-C(6)	-162.4(2)
N(2)-S(2)-N(3)-C(6)	81.9(2)

Symmetry transformations used to generate equivalent atoms:

Taos113k

- 1 -

vd15a

: May 11 16:12:03 2000

=====

S U P P L E M E N T A R Y M A T E R I A L

=====

B E L O N G I N G T O T H E P A P E R

The structure of the SO₂F Anion: A Problem Case

b y

Mews & Christe et al.

Table S8 - Contact Distances (Angstrom)
for: vd15a

S1	.H1C	3.09(5)	O2	.H2C_a	2.90(3)
F1	.C3	3.348(4)	O2	.H5A_d	2.72(4)
F1	.H1A_a	2.45(4)	O2	.H6C_d	2.81(5)
F1	.H2C_a	2.82(3)	O2	.H5C_e	2.78(4)
F1	.H3A	2.43(3)	O2	.H6B_e	2.73(4)
F1	.H5B_a	2.77(3)	O2	.H2B_e	2.59(4)
F1	.H4C_b	2.75(4)	O3	.H3A	2.62(3)
F1A	.H1B_b	2.70(4)	O3	.H5A_a	2.84(4)
F1A	.H3C_b	2.55(4)	O3	.H5C_a	2.74(4)
F1A	.H3B_c	2.59(4)	O3	.H6A	2.60(4)
F1A	.H4B_d	2.63(3)	O3	.H5B_a	2.92(3)
F1A	.H5A_d	2.83(4)	O3	.H2B	2.74(4)
O1A	.C3	3.348(4)	O3	.H6B_e	2.80(4)
O3	.C5_a	3.039(3)	N1	.H5B	2.49(3)
O3	.C6_e	3.181(4)	N2	.H1B	2.48(4)
O3	.C2_f	3.401(4)	N3	.H2B	2.94(4)
O1	.H1B_b	2.70(4)	N3	.H4B	2.49(3)
O1	.H3C_b	2.55(4)	C1	.C3	3.320(4)
O1	.H4B_d	2.63(3)	C1	.C4	3.594(5)
O1	.H4C_b	2.92(5)	C1	.C3_g	3.494(4)
O1	.H5A_d	2.83(4)	C2	.O3_e	3.401(4)
O1	.H3B_c	2.59(4)	C2	.C5	3.330(5)
O1A	.H4C_b	2.75(4)	C3	.C1	3.320(4)
O1A	.H3A	2.43(3)	C3	.C1_i	3.494(4)

Taos113k					
O1A	.H5B_a	2.77(3)	C3	.F1	3.348(4)
O1A	.H1A_a	2.45(4)	C3	.F1	3.348(4)
O1A	.H1C	2.89(5)	C4	.C6	3.576(5)
O1A	.H2C_a	2.82(3)	C4	.C5	3.596(5)
C4	.C1	3.594(5)	H2B	.O3	2.74(4)
C5	.C2	3.330(5)	H2B	.N3	2.94(4)
C5	.O3_j	3.039(3)	H2B	.O2_m	2.59(4)
C5	.C4	3.596(5)	H2B	.H6A_e	2.54(6)
C6	.O3_f	3.181(4)	H2C	.F1_k	2.82(3)
C6	.C4	3.576(5)	H2C	.O2_k	2.90(3)
C1	.H5B	3.08(3)	H2C	.H1A	2.40(5)
C1	.H3B_g	2.85(4)	H2C	.O1A_k	2.82(3)
C1	.H3C_g	3.07(4)	H3A	.F1	2.43(3)
C2	.H5B	2.91(3)	H3A	.O3	2.62(3)
C2	.H5C_h	3.08(5)	H3A	.H5B_a	2.57(4)
C3	.H1B	2.83(4)	H3A	.F1	2.43(3)
C4	.H1B	2.88(4)	H3B	.O1_n	2.59(4)
C5	.H4B	2.94(3)	H3B	.F1A_n	2.59(4)
C6	.H4B	3.05(3)	H3B	.C1_i	2.85(4)
H1A	.F1_k	2.45(4)	H3B	.H1B_i	2.60(6)
H1A	.H2C	2.40(5)	H3C	.H1B	2.59(6)
H1A	.O1A_k	2.45(4)	H3C	.H4C	2.44(6)
H1A	.H3C_g	2.52(6)	H3C	.O1_l	2.55(4)
H1B	.N2	2.48(4)	H3C	.C1_i	3.07(4)
H1B	.C3	2.83(4)	H3C	.H1A_i	2.52(6)
H1B	.C4	2.88(4)	H3C	.F1A_l	2.55(4)
H1B	.H3C	2.59(6)	H4B	.O1_o	2.63(3)
H1B	.O1_l	2.70(4)	H4B	.N3	2.49(3)
H1B	.H3B_g	2.60(6)	H4B	.C5	2.94(3)
H1B	.F1A_l	2.70(4)	H4B	.C6	3.05(3)
H1C	.S1	3.09(5)	H4B	.F1A_o	2.63(3)
H1C	.F1	2.89(5)	H4C	.H3C	2.44(6)
H4C	.F1_l	2.75(4)	H5B	.C2	2.91(3)
H4C	.O1_l	2.92(5)	H5B	.H3A_j	2.57(4)
H4C	.O1A_l	2.75(4)	H5B	.O1A_k	2.77(3)
H5A	.O1_o	2.83(4)	H5C	.O3_j	2.74(4)
H5A	.O2_o	2.72(4)	H5C	.O2_m	2.78(4)
H5A	.O3_j	2.84(4)	H5C	.C2_p	3.08(5)
H5A	.H6C	2.49(6)	H6A	.O3	2.60(4)

						Taos113k
H5A	.F1A_o	2.83(4)	H6A	.H2B_f	2.54(6)	
H5B	.F1_k	2.77(3)	H6B	.O2_m	2.73(4)	
H5B	.O3_j	2.92(3)	H6B	.O3_f	2.80(4)	
H5B	.N1	2.49(3)	H6C	.O2_o	2.81(5)	
H5B	.C1	3.08(3)	H6C	.H5A	2.49(6)	
C1	-- H1A .. F1	1.07(4)	2.45(4)	3.423(4)	152(3)	1_565 yes
C1	-- H1B .. N2	1.01(4)	2.48(4)	2.935(4)	106(3)	. yes
C2	-- H2B .. O2	0.92(4)	2.59(4)	3.461(4)	158(3)	2_655 yes
C3	-- H3A .. F1	0.95(3)	2.43(3)	3.348(4)	162(3)	. yes
C3	-- H3A .. F1	0.95(3)	2.43(3)	3.348(4)	162(3)	. yes
C3	-- H3B .. O1	1.03(4)	2.59(4)	3.528(4)	152(3)	1_556 yes
C3	-- H3C .. O1	0.97(4)	2.55(4)	3.454(4)	155(3)	3_555 yes
C4	-- H4B .. N3	0.93(3)	2.49(3)	2.950(4)	111(2)	. yes
C5	-- H5B .. N1	0.98(3)	2.49(3)	2.900(4)	104.7(18)	. yes

- 14 -

Translation of Symmetry Code to Equiv. Pos

```

a = [ 1545.00 ] = x, -1+y, z
b = [ 3544.00 ] = 1/2-x, -1/2+y, -1/2+z
c = [ 1554.00 ] = x, y, -1+z
d = [ 1544.00 ] = x, -1+y, -1+z
e = [ 2654.00 ] = 1-x, -y, -1/2+z
f = [ 2655.00 ] = 1-x, -y, 1/2+z
g = [ 3554.00 ] = 1/2-x, 1/2+y, -1/2+z
h = [ 2664.00 ] = 1-x, 1-y, -1/2+z
i = [ 3545.00 ] = 1/2-x, -1/2+y, 1/2+z
j = [ 1565.00 ] = x, 1+y, z
k = [ 1565.00 ] = x, 1+y, z
l = [ 3555.00 ] = 1/2-x, 1/2+y, 1/2+z
m = [ 2655.00 ] = 1-x, -y, 1/2+z
n = [ 1556.00 ] = x, y, 1+z
o = [ 1566.00 ] = x, 1+y, 1+z
p = [ 2665.00 ] = 1-x, 1-y, 1/2+z

```

Table 1. Crystal data and structure refinement for TMA.

Identification code	TMA+ SO ₂ F-	
Empirical formula	C ₄ H ₁₂ F N O ₂ S	
Formula weight	157.21	
Temperature	173(2) K	
Wavelength	71.073 pm	
Crystal system	Orthorhombic	
Space group	Pbca	
Unit cell dimensions	a = 1152.00(10) pm	$\alpha = 90^\circ$
	b = 1150.50(10) pm	$\beta = 90^\circ$
	c = 1162.7(2) pm	$\gamma = 90^\circ$
Volume	1.5410(3) nm ³	
Z	8	
Density (calculated)	1.355 Mg/m ³	
Absorption coefficient	0.375 mm ⁻¹	
F(000)	672	
Crystal size	0.50 x 0.40 x 0.40 mm ³	
Theta range for data collection	3.05 to 27.49°	
Index ranges	-2 ≤ h ≤ 14, -4 ≤ k ≤ 14, -15 ≤ l ≤ 1	
Reflections collected	2357	
Independent reflections	1763 [R(int) = 0.0468]	
Completeness to theta = 27.49°	100.0 %	
Max. and min. transmission	0.8646 and 0.8348	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	1763 / 4 / 135	
Goodness-of-fit on F ²	0.892	
Final R indices [I > 2sigma(I)]	R1 = 0.0517, wR2 = 0.1275	
R indices (all data)	R1 = 0.0891, wR2 = 0.1411	
Extinction coefficient	0.0032(11)	
Largest diff. peak and hole	0.448 and -0.594 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TMA. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
S(1)	2757(1)	-39(1)	2525(1)	37(1)
O(2)	3698(3)	453(2)	1823(2)	91(1)
F(1)	2928(2)	-1376(2)	2424(2)	62(1)
O(1)	3063(2)	196(2)	3774(2)	63(1)
F(1A)	3063(2)	196(2)	3774(2)	63(1)
O(1A)	2928(2)	-1376(2)	2424(2)	62(1)
N(1)	5097(1)	2532(2)	-63(1)	26(1)
C(1)	5922(2)	1750(2)	545(2)	38(1)
C(2)	5760(3)	3368(2)	-798(2)	37(1)
C(3)	4302(2)	1831(2)	-804(2)	37(1)
C(4)	4385(2)	3191(2)	800(2)	35(1)

Table 3. Bond lengths [pm] and angles [°] for TMA.

S(1)-O(2)	147.0(2)
S(1)-O(1)	151.9(2)
S(1)-F(1)	155.57(18)
N(1)-C(1)	148.8(3)
N(1)-C(3)	149.3(3)
N(1)-C(2)	149.7(3)
N(1)-C(4)	150.1(3)
O(2)-S(1)-O(1)	106.91(15)
O(2)-S(1)-F(1)	104.19(13)
O(1)-S(1)-F(1)	102.65(11)
C(1)-N(1)-C(3)	109.8(2)
C(1)-N(1)-C(2)	109.5(2)
C(3)-N(1)-C(2)	109.3(2)
C(1)-N(1)-C(4)	109.71(19)
C(3)-N(1)-C(4)	108.91(19)
C(2)-N(1)-C(4)	109.66(19)

Symmetry transformations used to generate equivalent atoms:

Table 4. Anisotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TMA. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
S(1)	37(1)	39(1)	36(1)	2(1)	-4(1)	6(1)
O(2)	126(2)	64(2)	84(2)	18(1)	53(2)	-21(2)
F(1)	85(2)	40(1)	60(1)	-10(1)	6(1)	-2(1)
O(1)	82(2)	62(1)	46(1)	-24(1)	-14(1)	9(1)
F(1A)	82(2)	62(1)	46(1)	-24(1)	-14(1)	9(1)
O(1A)	85(2)	40(1)	60(1)	-10(1)	6(1)	-2(1)
N(1)	29(1)	24(1)	24(1)	0(1)	1(1)	-1(1)
C(1)	41(2)	36(1)	37(1)	3(1)	-4(1)	8(1)
C(2)	42(2)	31(1)	40(1)	4(1)	10(1)	-5(1)
C(3)	40(2)	36(1)	33(1)	-5(1)	-3(1)	-8(1)
C(4)	39(1)	36(1)	30(1)	-5(1)	3(1)	4(1)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for TMA.

	x	y	z	U(eq)
H(1A)	6380(20)	1330(20)	-30(20)	47(8)
H(1B)	5501(19)	1230(20)	1040(20)	32(7)
H(1C)	6380(20)	2180(20)	1070(20)	52(8)
H(2A)	6210(20)	3850(30)	-310(30)	55(9)
H(2B)	5180(20)	3860(20)	-1210(20)	42(8)
H(2C)	6220(20)	2900(20)	-1340(20)	49(8)
H(3A)	4710(20)	1430(20)	-1290(20)	48(9)
H(3B)	3900(20)	1310(20)	-330(20)	48(8)
H(3C)	3800(20)	2430(20)	-1320(20)	52(8)
H(4A)	3960(20)	2620(20)	1320(20)	44(7)
H(4B)	3820(20)	3760(20)	420(20)	51(8)
H(4C)	4880(20)	3630(20)	1230(20)	40(8)

Tma

=====

S U P P L E M E N T A R Y M A T E R I A L

=====

B E L O N G I N G T O T H E P A P E R

The structure of the SO₂F Anion: A problem case

b y

Mews & Christe et al.

Table S7 -- Contact Distances (Angstrom)
for: TMA+ SO₂F-

S1	.C3_a	3.695(2)	O1A	.H2C_d	2.37(2)
S1	.C2_b	3.608(3)	O1A	.H3C_a	2.75(2)
F1	.C3_a	3.334(3)	O1A	.H1C_c	2.54(2)
F1	.C4_e	3.303(3)	O1A	.H1A_d	2.90(2)
F1	.C2_d	3.333(3)	O2	.H1B	2.44(2)
F1A	.C4_g	3.363(3)	O2	.H3B	2.70(2)
F1A	.C1_f	3.147(3)	O2	.H4A	2.58(2)
F1	.H3C_a	2.75(2)	O2	.H3A_d	2.91(2)
F1	.H1C_c	2.54(2)	C1	.O2	3.316(4)
F1	.H2C_d	2.37(2)	C1	.O1_h	3.147(3)
F1	.H4A_e	2.78(2)	C1	.F1A_h	3.147(3)
F1A	.H2B_g	2.67(2)	C2	.S1_i	3.608(3)
F1A	.H3C_g	2.86(2)	C2	.F1_j	3.333(3)
F1A	.H1A_f	2.76(2)	C2	.O1A_j	3.333(3)
F1A	.H2A_c	2.51(3)	C3	.S1_k	3.695(2)
F1A	.H4B_g	2.42(2)	C3	.F1_k	3.334(3)
O1	.C4_g	3.363(3)	C3	.O1A_k	3.334(3)
O1	.C1_f	3.147(3)	C4	.F1_l	3.303(3)
O1A	.C3_a	3.334(3)	C4	.O1A_l	3.303(3)
O1A	.C4_e	3.303(3)	C4	.O1_m	3.363(3)
O1A	.C2_d	3.333(3)	C4	.F1A_m	3.363(3)
O2	.C1	3.316(4)	H1A	.H2C	2.37(3)
O1	.H3C_g	2.86(2)	H1A	.H3A	2.42(3)
O1	.H4B_g	2.42(2)	H1A	.O1A_j	2.90(2)
O1	.H2A_c	2.51(3)	H1A	.O1_h	2.76(2)
O1	.H2B_g	2.67(2)	H1A	.F1A_h	2.76(2)
O1	.H1A_f	2.76(2)	H1B	.O2	2.44(2)

Page 4-12

O1A	.H4A_e	2.78(2)	H1B	.H3B	2.44(3)
H1B	.H4A	2.41(3)	H3B	.O2	2.70(2)
H1C	.H2A	2.51(4)	H3B	.H1B	2.44(3)
H1C	.H4C	2.41(3)	H3B	.H4A	2.44(3)
H1C	.F1_n	2.54(2)	H3C	.H2B	2.29(3)
H1C	.O1A_n	2.54(2)	H3C	.H4B	2.54(3)
H2A	.H1C	2.51(4)	H3C	.F1_k	2.75(2)
H2A	.H4C	2.37(4)	H3C	.O1A_k	2.75(2)
H2A	.O1_n	2.51(3)	H3C	.O1_m	2.86(2)
H2A	.F1A_n	2.51(3)	H3C	.F1A_m	2.86(2)
H2B	.H3C	2.29(3)	H4A	.O2	2.58(2)
H2B	.H4B	2.46(3)	H4A	.H1B	2.41(3)
H2B	.O1_m	2.67(2)	H4A	.H3B	2.44(3)
H2B	.F1A_m	2.67(2)	H4A	.F1_l	2.78(2)
H2C	.H1A	2.37(3)	H4A	.O1A_l	2.78(2)
H2C	.H3A	2.43(3)	H4B	.H2B	2.46(3)
H2C	.F1_j	2.37(2)	H4B	.H3C	2.54(3)
H2C	.O1A_j	2.37(2)	H4B	.O1_m	2.42(2)
H3A	.H1A	2.42(3)	H4B	.F1A_m	2.42(2)
H3A	.H2C	2.43(3)	H4C	.H1C	2.41(3)
H3A	.O2_j	2.91(2)	H4C	.H2A	2.37(4)

Table S8 - Hydrogen Bonds (Angstrom, Deg)
for: TMA+ SO2F-

C1	-- H1B .. O2	0.96(2)	2.44(2)	3.316(4)	151.8(18)	yes
C1	-- H1C .. F1	0.95(2)	2.54(2)	3.461(3)	163.9(19)	4_655 yes
C2	-- H2A .. O1	0.95(3)	2.51(3)	3.435(3)	166(2)	4_655 yes
C2	-- H2C .. F1	0.98(2)	2.37(2)	3.333(3)	165.4(19)	5_655 yes
C4	-- H4A .. O2	1.02(2)	2.58(2)	3.459(3)	144.6(17)	yes
C4	-- H4B .. O1	1.02(2)	2.42(2)	3.363(3)	152.5(18)	8_554 yes

Translation of Symmetry Code to Equiv.Pos

a	= [2555.00]	= 1/2-x, -y, 1/2+z
b	= [3455.00]	= -1/2+x, 1/2-y, -z
c	= [4645.00]	= 1-x, -1/2+y, 1/2-z
d	= [5655.00]	= 1-x, -y, -z
e	= [7545.00]	= 1/2-x, -1/2+y, z
f	= [6455.00]	= -1/2+x, y, 1/2-z
g	= [8555.00]	= x, 1/2-y, 1/2+z
h	= [6555.00]	= 1/2+x, y, 1/2-z
i	= [3555.00]	= 1/2+x, 1/2-y, -z
j	= [5655.00]	= 1-x, -y, -z
k	= [2554.00]	= 1/2-x, -y, -1/2+z
l	= [7555.00]	= 1/2-x, 1/2+y, z
m	= [8554.00]	= x, 1/2-y, -1/2+z
n	= [4655.00]	= 1-x, 1/2+y, 1/2-z

Table 1. Crystal data and structure refinement for KSO₂F.

Identification code	KSO ₂ F	
Empirical formula	F K O ₂ S	
Formula weight	122.16	
Temperature	113(2) K	
Wavelength	71.073 pm	
Crystal system	Monoclinic	
Space group	P2(1)/m	
Unit cell dimensions	a = 461.30(10) pm	$\alpha = 90^\circ$
	b = 564.00(10) pm	$\beta = 107.060(10)^\circ$
	c = 683.00(10) pm	$\gamma = 90^\circ$
Volume	0.16988(5) nm ³	
Z	2	
Density (calculated)	2.388 Mg/m ³	
Absorption coefficient	2.000 mm ⁻¹	
F(000)	120	
Crystal size	0.80 x 0.30 x 0.30 mm ³	
Theta range for data collection	3.12 to 27.49°	
Index ranges	-5 ≤ h ≤ 1, -6 ≤ k ≤ 7, -8 ≤ l ≤ 8	
Reflections collected	691	
Independent reflections	427 [R(int) = 0.0166]	
Completeness to theta = 27.49°	99.8 %	
Max. and min. transmission	0.5853 and 0.2976	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	427 / 4 / 33	
Goodness-of-fit on F ²	1.242	
Final R indices [I > 2sigma(I)]	R1 = 0.0263, wR2 = 0.0732	
R indices (all data)	R1 = 0.0275, wR2 = 0.0748	
Extinction coefficient	0.062(15)	
Largest diff. peak and hole	0.600 and -0.407 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for KSO₂F. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U^{ij} tensor.

	x	y	z	$U(\text{eq})$
K(1)	6566(1)	7500	2900(1)	13(1)
S(1)	814(2)	2500	1702(1)	16(1)
F(1)	-2862(4)	2500	1192(3)	23(1)
O(1)	1703(3)	4657(3)	3095(2)	20(1)
F(1A)	1703(3)	4657(3)	3095(2)	20(1)
O(1A)	-2862(4)	2500	1192(3)	23(1)

Table 3. Bond lengths [pm] and angles [°] for KSO₂F.

K(1)-O(1)	279.22(14)	S(1)-O(1)#6	152.47(14)
K(1)-F(1A)#1	279.22(14)	S(1)-F(1)	162.78(19)
K(1)-O(1)#1	279.22(14)	S(1)-K(1)#7	352.69(10)
K(1)-O(1A)#2	281.6(2)	S(1)-K(1)#8	366.06(7)
K(1)-F(1)#2	281.6(2)	S(1)-K(1)#9	366.06(7)
K(1)-F(1A)#3	283.15(15)	S(1)-K(1)#10	368.37(10)
K(1)-O(1)#3	283.15(15)	S(1)-K(1)#11	379.34(8)
K(1)-F(1A)#4	283.15(15)	F(1)-K(1)#2	281.6(2)
K(1)-O(1)#4	283.15(15)	F(1)-K(1)#9	309.24(10)
K(1)-F(1A)#5	288.45(15)	F(1)-K(1)#8	309.24(10)
K(1)-O(1)#5	288.45(15)	O(1)-K(1)#9	283.15(15)
S(1)-O(1)	152.47(15)	O(1)-K(1)#7	288.45(15)
S(1)-F(1A)#6	152.47(14)		
O(1)-K(1)-F(1A)#1	70.08(6)	F(1A)#3-K(1)-O(1)#3	0.00(5)
O(1)-K(1)-O(1)#1	70.08(6)	O(1)-K(1)-F(1A)#4	110.22(5)
F(1A)#1-K(1)-O(1)#1	0.00(5)	F(1A)#1-K(1)-F(1A)#4	174.78(6)
O(1)-K(1)-O(1A)#2	77.60(4)	O(1)#1-K(1)-F(1A)#4	174.78(6)
F(1A)#1-K(1)-O(1A)#2	77.60(4)	O(1A)#2-K(1)-F(1A)#4	107.61(4)
O(1)#1-K(1)-O(1A)#2	77.60(4)	F(1)#2-K(1)-F(1A)#4	107.61(4)
O(1)-K(1)-F(1)#2	77.60(4)	F(1A)#3-K(1)-F(1A)#4	68.97(6)
F(1A)#1-K(1)-F(1)#2	77.60(4)	O(1)#3-K(1)-F(1A)#4	68.97(6)
O(1)#1-K(1)-F(1)#2	77.60(4)	O(1)-K(1)-O(1)#4	110.22(5)
O(1A)#2-K(1)-F(1)#2	0.00(7)	F(1A)#1-K(1)-O(1)#4	174.78(6)
O(1)-K(1)-F(1A)#3	174.78(6)	O(1)#1-K(1)-O(1)#4	174.78(6)
F(1A)#1-K(1)-F(1A)#3	110.22(5)	O(1A)#2-K(1)-O(1)#4	107.61(4)
O(1)#1-K(1)-F(1A)#3	110.22(5)	F(1)#2-K(1)-O(1)#4	107.61(4)
O(1A)#2-K(1)-F(1A)#3	107.61(4)	F(1A)#3-K(1)-O(1)#4	68.97(6)
F(1)#2-K(1)-F(1A)#3	107.61(4)	O(1)#3-K(1)-O(1)#4	68.97(6)
O(1)-K(1)-O(1)#3	174.78(6)	F(1A)#4-K(1)-O(1)#4	0.00(5)
F(1A)#1-K(1)-O(1)#3	110.22(5)	O(1)-K(1)-F(1A)#5	101.52(3)
O(1)#1-K(1)-O(1)#3	110.22(5)	F(1A)#1-K(1)-F(1A)#5	73.46(4)
O(1A)#2-K(1)-O(1)#3	107.61(4)	O(1)#1-K(1)-F(1A)#5	73.46(4)
F(1)#2-K(1)-O(1)#3	107.61(4)	O(1A)#2-K(1)-F(1A)#5	149.30(4)

F(1)#2-K(1)-F(1A)#5	149.30(4)	O(1)-S(1)-K(1)#10	115.89(6)
F(1A)#3-K(1)-F(1A)#5	73.83(4)	F(1A)#6-S(1)-K(1)#10	115.89(6)
O(1)#3-K(1)-F(1A)#5	73.83(4)	O(1)#6-S(1)-K(1)#10	115.89(6)
F(1A)#4-K(1)-F(1A)#5	101.49(3)	F(1)-S(1)-K(1)#10	113.53(8)
O(1)#4-K(1)-F(1A)#5	101.49(3)	K(1)#7-S(1)-K(1)#10	142.59(3)
O(1)-K(1)-O(1)#5	101.52(3)	K(1)#8-S(1)-K(1)#10	121.449(15)
F(1A)#1-K(1)-O(1)#5	73.46(4)	K(1)#9-S(1)-K(1)#10	121.449(15)
O(1)#1-K(1)-O(1)#5	73.46(4)	O(1)-S(1)-K(1)	39.56(5)
O(1A)#2-K(1)-O(1)#5	149.30(4)	F(1A)#6-S(1)-K(1)	114.56(6)
F(1)#2-K(1)-O(1)#5	149.30(4)	O(1)#6-S(1)-K(1)	114.56(6)
F(1A)#3-K(1)-O(1)#5	73.83(4)	F(1)-S(1)-K(1)	131.684(15)
O(1)#3-K(1)-O(1)#5	73.83(4)	K(1)#7-S(1)-K(1)	76.767(17)
F(1A)#4-K(1)-O(1)#5	101.49(3)	K(1)#8-S(1)-K(1)	155.63(3)
O(1)#4-K(1)-O(1)#5	101.49(3)	K(1)#9-S(1)-K(1)	76.442(16)
F(1A)#5-K(1)-O(1)#5	0.00(5)	K(1)#10-S(1)-K(1)	78.467(17)
O(1)-S(1)-F(1A)#6	105.90(11)	O(1)-S(1)-K(1)#11	114.56(6)
O(1)-S(1)-O(1)#6	105.90(11)	F(1A)#6-S(1)-K(1)#11	39.56(5)
F(1A)#6-S(1)-O(1)#6	0.00(11)	O(1)#6-S(1)-K(1)#11	39.56(5)
O(1)-S(1)-F(1)	101.91(7)	F(1)-S(1)-K(1)#11	131.684(15)
F(1A)#6-S(1)-F(1)	101.91(7)	K(1)#7-S(1)-K(1)#11	76.767(17)
O(1)#6-S(1)-F(1)	101.91(7)	K(1)#8-S(1)-K(1)#11	76.442(16)
O(1)-S(1)-K(1)#7	53.20(6)	K(1)#9-S(1)-K(1)#11	155.63(3)
F(1A)#6-S(1)-K(1)#7	53.20(6)	K(1)#10-S(1)-K(1)#11	78.467(17)
O(1)#6-S(1)-K(1)#7	53.20(6)	K(1)-S(1)-K(1)#11	96.04(3)
F(1)-S(1)-K(1)#7	103.88(8)	S(1)-F(1)-K(1)#2	120.21(10)
O(1)-S(1)-K(1)#8	122.63(6)	S(1)-F(1)-K(1)#9	96.77(5)
F(1A)#6-S(1)-K(1)#8	46.33(5)	K(1)#2-F(1)-K(1)#9	106.28(4)
O(1)#6-S(1)-K(1)#8	46.33(5)	S(1)-F(1)-K(1)#8	96.77(5)
F(1)-S(1)-K(1)#8	57.02(3)	K(1)#2-F(1)-K(1)#8	106.28(4)
K(1)#7-S(1)-K(1)#8	78.942(17)	K(1)#9-F(1)-K(1)#8	131.54(7)
O(1)-S(1)-K(1)#9	46.33(5)	S(1)-O(1)-K(1)	120.09(7)
F(1A)#6-S(1)-K(1)#9	122.63(6)	S(1)-O(1)-K(1)#9	110.74(7)
O(1)#6-S(1)-K(1)#9	122.63(6)	K(1)-O(1)-K(1)#9	110.22(5)
F(1)-S(1)-K(1)#9	57.02(3)	S(1)-O(1)-K(1)#7	101.77(7)
K(1)#7-S(1)-K(1)#9	78.942(17)	K(1)-O(1)-K(1)#7	106.54(4)
K(1)#8-S(1)-K(1)#9	100.77(3)	K(1)#9-O(1)-K(1)#7	106.17(4)

Symmetry transformations used to generate equivalent atoms:

#1 $x, -y+3/2, z$ #2 $-x, -y+1, -z$ #3 $x+1, -y+3/2, z$
 #4 $x+1, y, z$ #5 $-x+1, y+1/2, -z+1$ #6 $x, -y+1/2, z$
 #7 $-x+1, -y+1, -z+1$ #8 $x-1, y-1, z$ #9 $x-1, y, z$
 #10 $-x+1, -y+1, -z$ #11 $x, y-1, z$

Table 4. Anisotropic displacement parameters ($\text{pm}^2 \times 10^{-1}$) for KSO_2F . The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
K(1)	11(1)	14(1)	14(1)	0	2(1)	0
S(1)	21(1)	16(1)	15(1)	0	8(1)	0
F(1)	13(1)	32(1)	23(1)	0	3(1)	0
O(1)	18(1)	16(1)	26(1)	0(1)	6(1)	-1(1)
F(1A)	18(1)	16(1)	26(1)	0(1)	6(1)	-1(1)
O(1A)	13(1)	32(1)	23(1)	0	3(1)	0

Table 5. Torsion angles [°] for KSO₂F.

F(1A)#1-K(1)-S(1)-O(1)	-40.89(8)
O(1)#1-K(1)-S(1)-O(1)	-40.89(8)
O(1A)#2-K(1)-S(1)-O(1)	-119.44(9)
F(1)#2-K(1)-S(1)-O(1)	-119.44(9)
F(1A)#3-K(1)-S(1)-O(1)	166.49(15)
O(1)#3-K(1)-S(1)-O(1)	166.49(15)
F(1A)#4-K(1)-S(1)-O(1)	134.13(11)
O(1)#4-K(1)-S(1)-O(1)	134.13(11)
F(1A)#5-K(1)-S(1)-O(1)	26.88(9)
O(1)#5-K(1)-S(1)-O(1)	26.88(9)
O(1)-K(1)-S(1)-F(1A)#6	-85.39(12)
F(1A)#1-K(1)-S(1)-F(1A)#6	-126.28(8)
O(1)#1-K(1)-S(1)-F(1A)#6	-126.28(8)
O(1A)#2-K(1)-S(1)-F(1A)#6	155.16(7)
F(1)#2-K(1)-S(1)-F(1A)#6	155.16(7)
F(1A)#3-K(1)-S(1)-F(1A)#6	81.10(12)
O(1)#3-K(1)-S(1)-F(1A)#6	81.10(12)
F(1A)#4-K(1)-S(1)-F(1A)#6	48.73(5)
O(1)#4-K(1)-S(1)-F(1A)#6	48.73(5)
F(1A)#5-K(1)-S(1)-F(1A)#6	-58.52(8)
O(1)#5-K(1)-S(1)-F(1A)#6	-58.52(8)
O(1)-K(1)-S(1)-O(1)#6	-85.39(12)
F(1A)#1-K(1)-S(1)-O(1)#6	-126.28(8)
O(1)#1-K(1)-S(1)-O(1)#6	-126.28(8)
O(1A)#2-K(1)-S(1)-O(1)#6	155.16(7)
F(1)#2-K(1)-S(1)-O(1)#6	155.16(7)
F(1A)#3-K(1)-S(1)-O(1)#6	81.10(12)
O(1)#3-K(1)-S(1)-O(1)#6	81.10(12)
F(1A)#4-K(1)-S(1)-O(1)#6	48.73(5)
O(1)#4-K(1)-S(1)-O(1)#6	48.73(5)
F(1A)#5-K(1)-S(1)-O(1)#6	-58.52(8)
O(1)#5-K(1)-S(1)-O(1)#6	-58.52(8)
O(1)-K(1)-S(1)-F(1)	49.90(13)
F(1A)#1-K(1)-S(1)-F(1)	9.01(11)

O(1)#1-K(1)-S(1)-F(1)	9.01(11)
O(1A)#2-K(1)-S(1)-F(1)	-69.55(12)
F(1)#2-K(1)-S(1)-F(1)	-69.55(12)
F(1A)#3-K(1)-S(1)-F(1)	-143.61(14)
O(1)#3-K(1)-S(1)-F(1)	-143.61(14)
F(1A)#4-K(1)-S(1)-F(1)	-175.98(11)
O(1)#4-K(1)-S(1)-F(1)	-175.98(11)
F(1A)#5-K(1)-S(1)-F(1)	76.77(11)
O(1)#5-K(1)-S(1)-F(1)	76.77(11)
O(1)-K(1)-S(1)-K(1)#7	-47.03(8)
F(1A)#1-K(1)-S(1)-K(1)#7	-87.91(3)
O(1)#1-K(1)-S(1)-K(1)#7	-87.91(3)
O(1A)#2-K(1)-S(1)-K(1)#7	-166.47(4)
F(1)#2-K(1)-S(1)-K(1)#7	-166.47(4)
F(1A)#3-K(1)-S(1)-K(1)#7	119.47(11)
O(1)#3-K(1)-S(1)-K(1)#7	119.47(11)
F(1A)#4-K(1)-S(1)-K(1)#7	87.10(3)
O(1)#4-K(1)-S(1)-K(1)#7	87.10(3)
F(1A)#5-K(1)-S(1)-K(1)#7	-20.15(3)
O(1)#5-K(1)-S(1)-K(1)#7	-20.15(3)
O(1)-K(1)-S(1)-K(1)#8	-51.61(9)
F(1A)#1-K(1)-S(1)-K(1)#8	-92.50(6)
O(1)#1-K(1)-S(1)-K(1)#8	-92.50(6)
O(1A)#2-K(1)-S(1)-K(1)#8	-171.05(6)
F(1)#2-K(1)-S(1)-K(1)#8	-171.05(6)
F(1A)#3-K(1)-S(1)-K(1)#8	114.88(12)
O(1)#3-K(1)-S(1)-K(1)#8	114.88(12)
F(1A)#4-K(1)-S(1)-K(1)#8	82.51(6)
O(1)#4-K(1)-S(1)-K(1)#8	82.51(6)
F(1A)#5-K(1)-S(1)-K(1)#8	-24.74(7)
O(1)#5-K(1)-S(1)-K(1)#8	-24.74(7)
O(1)-K(1)-S(1)-K(1)#9	34.58(8)
F(1A)#1-K(1)-S(1)-K(1)#9	-6.31(3)
O(1)#1-K(1)-S(1)-K(1)#9	-6.31(3)
O(1A)#2-K(1)-S(1)-K(1)#9	-84.86(4)
F(1)#2-K(1)-S(1)-K(1)#9	-84.86(4)

F(1A)#3-K(1)-S(1)-K(1)#9	-158.93(10)
O(1)#3-K(1)-S(1)-K(1)#9	-158.93(10)
F(1A)#4-K(1)-S(1)-K(1)#9	168.71(3)
O(1)#4-K(1)-S(1)-K(1)#9	168.71(3)
F(1A)#5-K(1)-S(1)-K(1)#9	61.46(4)
O(1)#5-K(1)-S(1)-K(1)#9	61.46(4)
O(1)-K(1)-S(1)-K(1)#10	161.23(9)
F(1A)#1-K(1)-S(1)-K(1)#10	120.35(3)
O(1)#1-K(1)-S(1)-K(1)#10	120.35(3)
O(1A)#2-K(1)-S(1)-K(1)#10	41.79(3)
F(1)#2-K(1)-S(1)-K(1)#10	41.79(3)
F(1A)#3-K(1)-S(1)-K(1)#10	-32.27(11)
O(1)#3-K(1)-S(1)-K(1)#10	-32.27(11)
F(1A)#4-K(1)-S(1)-K(1)#10	-64.64(3)
O(1)#4-K(1)-S(1)-K(1)#10	-64.64(3)
F(1A)#5-K(1)-S(1)-K(1)#10	-171.89(4)
O(1)#5-K(1)-S(1)-K(1)#10	-171.89(4)
O(1)-K(1)-S(1)-K(1)#11	-121.88(9)
F(1A)#1-K(1)-S(1)-K(1)#11	-162.76(3)
O(1)#1-K(1)-S(1)-K(1)#11	-162.76(3)
O(1A)#2-K(1)-S(1)-K(1)#11	118.68(4)
F(1)#2-K(1)-S(1)-K(1)#11	118.68(4)
F(1A)#3-K(1)-S(1)-K(1)#11	44.62(12)
O(1)#3-K(1)-S(1)-K(1)#11	44.62(12)
F(1A)#4-K(1)-S(1)-K(1)#11	12.25(4)
O(1)#4-K(1)-S(1)-K(1)#11	12.25(4)
F(1A)#5-K(1)-S(1)-K(1)#11	-95.00(4)
O(1)#5-K(1)-S(1)-K(1)#11	-95.00(4)
O(1)-S(1)-F(1)-K(1)#2	125.35(6)
F(1A)#6-S(1)-F(1)-K(1)#2	-125.35(6)
O(1)#6-S(1)-F(1)-K(1)#2	-125.35(6)
K(1)#7-S(1)-F(1)-K(1)#2	180.0
K(1)#8-S(1)-F(1)-K(1)#2	-113.32(4)
K(1)#9-S(1)-F(1)-K(1)#2	113.32(4)
K(1)#10-S(1)-F(1)-K(1)#2	0.0
K(1)-S(1)-F(1)-K(1)#2	95.49(7)

K(1)#11-S(1)-F(1)-K(1)#2	-95.49(7)
O(1)-S(1)-F(1)-K(1)#9	12.03(8)
F(1A)#6-S(1)-F(1)-K(1)#9	121.33(6)
O(1)#6-S(1)-F(1)-K(1)#9	121.33(6)
K(1)#7-S(1)-F(1)-K(1)#9	66.68(4)
K(1)#8-S(1)-F(1)-K(1)#9	133.36(9)
K(1)#10-S(1)-F(1)-K(1)#9	-113.32(4)
K(1)-S(1)-F(1)-K(1)#9	-17.82(11)
K(1)#11-S(1)-F(1)-K(1)#9	151.19(4)
O(1)-S(1)-F(1)-K(1)#8	-121.33(6)
F(1A)#6-S(1)-F(1)-K(1)#8	-12.03(8)
O(1)#6-S(1)-F(1)-K(1)#8	-12.03(8)
K(1)#7-S(1)-F(1)-K(1)#8	-66.68(4)
K(1)#9-S(1)-F(1)-K(1)#8	-133.36(9)
K(1)#10-S(1)-F(1)-K(1)#8	113.32(4)
K(1)-S(1)-F(1)-K(1)#8	-151.19(4)
K(1)#11-S(1)-F(1)-K(1)#8	17.82(11)
F(1A)#6-S(1)-O(1)-K(1)	109.50(8)
O(1)#6-S(1)-O(1)-K(1)	109.50(8)
F(1)-S(1)-O(1)-K(1)	-144.28(8)
K(1)#7-S(1)-O(1)-K(1)	117.19(9)
K(1)#8-S(1)-O(1)-K(1)	157.42(4)
K(1)#9-S(1)-O(1)-K(1)	-130.29(11)
K(1)#10-S(1)-O(1)-K(1)	-20.51(9)
K(1)#11-S(1)-O(1)-K(1)	68.19(8)
F(1A)#6-S(1)-O(1)-K(1)#9	-120.21(7)
O(1)#6-S(1)-O(1)-K(1)#9	-120.21(7)
F(1)-S(1)-O(1)-K(1)#9	-13.99(9)
K(1)#7-S(1)-O(1)-K(1)#9	-112.52(7)
K(1)#8-S(1)-O(1)-K(1)#9	-72.29(8)
K(1)#10-S(1)-O(1)-K(1)#9	109.78(5)
K(1)-S(1)-O(1)-K(1)#9	130.29(11)
K(1)#11-S(1)-O(1)-K(1)#9	-161.51(4)
F(1A)#6-S(1)-O(1)-K(1)#7	-7.69(10)
O(1)#6-S(1)-O(1)-K(1)#7	-7.69(10)
F(1)-S(1)-O(1)-K(1)#7	98.53(7)

K(1)#8-S(1)-O(1)-K(1)#7	40.23(7)
K(1)#9-S(1)-O(1)-K(1)#7	112.52(7)
K(1)#10-S(1)-O(1)-K(1)#7	-137.70(4)
K(1)-S(1)-O(1)-K(1)#7	-117.19(9)
K(1)#11-S(1)-O(1)-K(1)#7	-48.99(6)
F(1A)#1-K(1)-O(1)-S(1)	136.07(7)
O(1)#1-K(1)-O(1)-S(1)	136.07(7)
O(1A)#2-K(1)-O(1)-S(1)	54.94(8)
F(1)#2-K(1)-O(1)-S(1)	54.94(8)
F(1A)#3-K(1)-O(1)-S(1)	-129.6(3)
O(1)#3-K(1)-O(1)-S(1)	-129.6(3)
F(1A)#4-K(1)-O(1)-S(1)	-49.48(11)
O(1)#4-K(1)-O(1)-S(1)	-49.48(11)
F(1A)#5-K(1)-O(1)-S(1)	-156.44(8)
O(1)#5-K(1)-O(1)-S(1)	-156.44(8)
F(1A)#1-K(1)-O(1)-K(1)#9	5.55(6)
O(1)#1-K(1)-O(1)-K(1)#9	5.55(6)
O(1A)#2-K(1)-O(1)-K(1)#9	-75.58(5)
F(1)#2-K(1)-O(1)-K(1)#9	-75.58(5)
F(1A)#3-K(1)-O(1)-K(1)#9	99.9(3)
O(1)#3-K(1)-O(1)-K(1)#9	99.9(3)
F(1A)#4-K(1)-O(1)-K(1)#9	180.0
O(1)#4-K(1)-O(1)-K(1)#9	180.0
F(1A)#5-K(1)-O(1)-K(1)#9	73.04(5)
O(1)#5-K(1)-O(1)-K(1)#9	73.04(5)
F(1A)#1-K(1)-O(1)-K(1)#7	-109.22(4)
O(1)#1-K(1)-O(1)-K(1)#7	-109.22(4)
O(1A)#2-K(1)-O(1)-K(1)#7	169.65(5)
F(1)#2-K(1)-O(1)-K(1)#7	169.65(5)
F(1A)#3-K(1)-O(1)-K(1)#7	-14.9(4)
O(1)#3-K(1)-O(1)-K(1)#7	-14.9(4)
F(1A)#4-K(1)-O(1)-K(1)#7	65.23(7)
O(1)#4-K(1)-O(1)-K(1)#7	65.23(7)
F(1A)#5-K(1)-O(1)-K(1)#7	-41.73(6)
O(1)#5-K(1)-O(1)-K(1)#7	-41.73(6)

Symmetry transformations used to generate equivalent atoms:

#1 $x, -y+3/2, z$ #2 $-x, -y+1, -z$ #3 $x+1, -y+3/2, z$

#4 $x+1, y, z$ #5 $-x+1, y+1/2, -z+1$ #6 $x, -y+1/2, z$

#7 $-x+1, -y+1, -z+1$ #8 $x-1, y-1, z$ #9 $x-1, y, z$

#10 $-x+1, -y+1, -z$ #11 $x, y-1, z$

kso2f

=====

S U P P L E M E N T A R Y M A T E R I A L

=====

B E L O N G I N G T O T H E P A P E R

The structure of the SO₂F⁻ Anion, A Problem Case

b y

Mews & Christe et al.

Table S6 - Contact Distances (Angstrom)
for: kso2f

K1	.S1_j	3.8975(12)	K1	.O1	2.7924(17)
K1	.S1_z	3.6838(12)	K1	.F1A_e	2.8317(17)
K1	.S1	3.5268(11)	K1	.O1A_e	3.0924(11)
K1	.F1_j	2.816(2)	K1	.O1A_y	3.0924(11)
K1	.O1	2.8843(16)	K1	.S1_y	3.6606(10)
K1	.F1A	2.8843(16)	K1	.F1_e	3.0924(11)
K1	.O1A_j	2.816(2)	K1	.F1_y	3.0924(11)
K1	.S1_o	3.8975(12)	K1	.S1_x	3.7935(10)
K1	.S1	3.6838(12)	K1	.S1	3.7935(10)
K1	.S1	3.5268(11)	K1	.S1_e	3.6606(10)
K1	.F1_o	2.816(2)	S1	.K1	3.7935(10)
K1	.O1	2.8843(16)	S1	.K1_b	3.6606(10)
K1	.F1A	2.8843(16)	S1	.K1_c	3.7935(10)
K1	.O1A_o	2.816(2)	S1	.K1_d	3.6606(10)
K1	.S1	3.7935(10)	S1	.S1_j	3.5915(10)
K1	.S1_t	3.6606(10)	S1	.K1_k	3.8975(12)
K1	.S1_w	3.7935(10)	S1	.K1_l	3.6838(12)
K1	.S1	3.6606(10)	S1	.K1_m	3.5268(11)
K1	.F1_t	3.0924(11)	S1	.S1_n	3.5915(10)
K1	.F1	3.0924(11)	S1	.S1_o	3.5915(10)
K1	.O1_w	2.7924(17)	S1	.K1_p	3.6606(10)
K1	.O1	2.8317(17)	S1	.K1_q	3.7935(10)
K1	.F1A_w	2.7924(17)	S1	.K1_r	3.6606(10)
K1	.F1A	2.8317(17)	S1	.F1_e	3.038(2)
K1	.O1A_t	3.0924(11)	S1	.O1A_e	3.038(2)
K1	.O1A	3.0924(11)	S1	.K1_f	3.8975(12)
K1	.O1	2.7924(17)	S1	.K1_g	3.6838(12)
K1	.O1_e	2.8317(17)	S1	.K1_h	3.5268(11)

Page 1

kso2f					
S1	.S1_i	3.5915(10)	FlA	.K1_r	2.8317(17)
S1	.K1_s	3.7935(10)	O1	.K1_d	2.8317(17)
S1	.F1_t	3.038(2)	O1	.O1_w	3.207(2)
S1	.O1A_t	3.038(2)	O1	.K1	2.7924(17)
F1	.K1_k	2.816(2)	O1	.K1_h	2.8843(16)
F1	.K1_p	3.0924(11)	O1	.K1_m	2.8843(16)
F1	.K1_r	3.0924(11)	O1	.K1_r	2.8317(17)
F1	.K1_b	3.0924(11)	O1	.K1_s	2.7924(17)
F1	.K1_d	3.0924(11)	O1A	.K1_b	3.0924(11)
F1	.S1_u	3.038(2)	O1A	.K1_d	3.0924(11)
F1	.K1_f	2.816(2)	O1A	.S1_u	3.038(2)
F1	.S1_v	3.038(2)	O1A	.K1_f	2.816(2)
FlA	.K1_h	2.8843(16)	O1A	.K1_k	2.816(2)
FlA	.K1_d	2.8317(17)	O1A	.K1_p	3.0924(11)
FlA	.K1	2.7924(17)	O1A	.K1_r	3.0924(11)
FlA	.K1_s	2.7924(17)	O1A	.S1_v	3.038(2)
FlA	.K1_m	2.8843(16)			

Translation of Symmetry Code to Equiv.Pos

```

a = [ 4555.00 ] = x, 1/2-y, z
b = [ 1445.00 ] = -1+x, -1+y, z
c = [ 1545.00 ] = x, -1+y, z
d = [ 1455.00 ] = -1+x, y, z
e = [ 1655.00 ] = 1+x, y, z
f = [ 2545.00 ] = -x, -1/2+y, -z
g = [ 2645.00 ] = 1-x, -1/2+y, -z
h = [ 2646.00 ] = 1-x, -1/2+y, 1-z
i = [ 2545.00 ] = -x, -1/2+y, -z
j = [ 2555.00 ] = -x, 1/2+y, -z
k = [ 3565.00 ] = -x, 1-y, -z
l = [ 3665.00 ] = 1-x, 1-y, -z
m = [ 3666.00 ] = 1-x, 1-y, 1-z
n = [ 3555.00 ] = -x, -y, -z
o = [ 3565.00 ] = -x, 1-y, -z
p = [ 4455.00 ] = -1+x, 1/2-y, z
q = [ 4555.00 ] = x, 1/2-y, z
r = [ 4465.00 ] = -1+x, 3/2-y, z
s = [ 4565.00 ] = x, 3/2-y, z
t = [ 4655.00 ] = 1+x, 1/2-y, z
u = [ 1455.00 ] = -1+x, y, z
v = [ 4455.00 ] = -1+x, 1/2-y, z
w = [ 4565.00 ] = x, 3/2-y, z
x = [ 1565.00 ] = x, 1+y, z
y = [ 1665.00 ] = 1+x, 1+y, z
z = [ 2655.00 ] = 1-x, 1/2+y, -z
* = [ 2656.00 ] = 1-x, 1/2+y, 1-z
* = [ 3665.00 ] = 1-x, 1-y, -z
* = [ 3666.00 ] = 1-x, 1-y, 1-z
* = [ 4665.00 ] = 1+x, 3/2-y, z

```