The mechanism of Water Exchange in the Isolelectronic $\text{UO}_2(\text{H}_2\text{O})_5^+$ and $\text{NpO}_2(\text{H}_2\text{O})_5^{2+}$ Complexes as Studied by Quantum Chemical Methods

Valérie Vallet, Timofei Privalov, Ulf Wahlgren and Ingmar Grenthe

Figure S1. Stationary points of dissociative reaction path for neptunyl(VI) system, optimized in gas phase. Perspective view of the transition state (a) and intermediate (b). The neptunium atom, the oxygen atom medium gray and the hydrogen atoms are white.

Figure S2. Stationary points of dissociative reaction path for neptunyl(VI) system, optimized in the CPCM solvent. Perspective view of the reactant (a), transition state (b) and intermediate (c). The neptunium atom, the oxygen atom medium gray and the hydrogen atoms are white.

Figure S3. Associative transition state for the water exchange of neptunyl(VI) system, optimized in the CPCM solvent. The neptunium atom, the oxygen atom medium gray and the hydrogen atoms are white.

Figure S4. Perspective views of the americyl(VI) penta-aqua ion (a), dissociative intermediate (b) and associative intermediate (c).

Table S1. Calculated average bond distances for the uranium, neptunium and americium complexes.

Chemical species	Gas-phase geometry		Solvent geometry	
	An-O _{yl} (Å)	An-OH ₂ (Å)	An-O _{yl} (Å)	An-OH ₂ (Å)
[UO ₂ (H ₂ O) ₅] ⁺ , (H ₂ O)	1.768, 1.784	2.61, 2.61, 2.62, 2.63, 2.63, 3.79	-	-
{[UO ₂ (H ₂ O) ₄ ...(H ₂ O)] ⁺ , (H ₂ O)} [‡] (<i>D</i>)	1.767, 1.778	2.57, 2.57, 2.58, 2.58, 3.24, 3.75	-	-
[UO ₂ (H ₂ O) ₄] ⁺ , (H ₂ O) ₂ (<i>D</i> -intermediate)	1.773, 1.773	2.56, 2.56, 2.56, 2.56, 3.71, 3.71	-	-
[NpO ₂ (H ₂ O) ₅] ²⁺ , (H ₂ O)	1.666, 1.667	2.50, 2.50, 2.52, 2.53, 2.53, 4.38	1.676, 1.676	2.46, 2.46, 2.46, 2.49, 2.49, 4.45
{[NpO ₂ (H ₂ O) ₄ ...(H ₂ O)] ²⁺ , (H ₂ O)} [‡] (<i>D</i>)	1.664, 1.665	2.44, 2.46, 2.46, 2.47, 3.46, 4.06	1.671, 1.672	2.32, 2.42, 2.43, 2.43, 3.60, 2.98
[NpO ₂ (H ₂ O) ₄] ²⁺ , (H ₂ O) ₂ (<i>D</i> -intermediate)	1.665, 1.665	2.45, 2.45, 2.45, 2.45, 3.95, 3.95	1.672, 1.672	2.42, 2.42, 2.42, 2.42, 3.87, 3.87
{[NpO ₂ (H ₂ O) ₅ ...(H ₂ O)] ²⁺ } [‡] (<i>A</i>)	-	-	1.666, 1.686	2.47, 2.47, 2.47, 2.47, 2.69, 2.80
[NpO ₂ (H ₂ O) ₆] ²⁺ (<i>A</i> -intermediate)	-	-	1.665, 1.665	2.51, 2.51, 2.53, 2.53, 2.83, 2.83
{[NpO ₂ (H ₂ O) ₄ ...(H ₂ O) ₂] ²⁺ } [‡] (<i>I</i>)	1.665, 1.665	2.51, 2.51, 2.53, 2.53, 2.89, 2.89	-	-
[AmO ₂ (H ₂ O) ₅] ²⁺ , (H ₂ O)	-	-	1.664, 1.664	2.46, 2.46, 2.47, 2.47, 2.48, 4.43
[AmO ₂ (H ₂ O) ₄] ²⁺ , (H ₂ O) ₂ (<i>D</i> -intermediate)	-	-	1.658, 1.658	2.42, 2.42, 2.43, 2.43, 3.91, 3.91
[AmO ₂ (H ₂ O) ₆] ²⁺ (<i>A</i> -intermediate)	-	-	1.665, 1.665	2.46, 2.46, 2.47, 2.57, 2.79, 2.79

Table S2. Cartesian coordinates in Å and total Hartree-Fock energies of all the computed structures optimized in gas-phase and the CPCM solvent.

Complex	Figure	Atom	X (Å)	Y (Å)	Z (Å)
[UO ₂ (H ₂ O) ₅] ⁺ , (H ₂ O) (reactant) Gas-phase Total energy = -608.503928826	Fig. 1a	U	-0.225083	0.000169	-0.084866
		O	0.527533	0.000089	1.533140
		O	-0.984582	-0.000379	-1.678699
		O	3.382920	-0.000531	1.079529
		O	1.788585	-1.519683	-0.759679
		O	1.790710	1.517541	-0.761658
		O	-1.043076	-2.500109	0.016455
		O	-1.041172	2.500662	0.016734
		O	-2.501585	0.000716	1.214301
		H	4.193021	-0.000937	1.562696
		H	2.668871	-0.000212	1.706433
		H	2.602873	-1.345460	-0.302181
		H	2.604733	1.342761	-0.303869
		H	1.975255	-1.999233	-1.550257
		H	1.978070	1.997467	-1.551853
		H	-0.791061	-3.187001	0.613437
		H	-0.788896	3.187735	0.613385
		H	-1.581110	-2.882200	-0.659749
		H	-1.579198	2.882531	-0.659593
		H	-3.383444	0.000764	0.877089
		H	-2.547833	0.001786	2.158054
{[UO ₂ (H ₂ O) ₄ ...(H ₂ O)] ⁺ , (H ₂ O)} [‡] (D) Gas-phase Total energy = -608.497946978	Fig. 1b	U	-0.117389	0.039711	0.035742
		O	0.786136	0.011583	-1.495614
		O	-0.972796	0.115929	1.580442
		O	-3.347731	-0.253592	0.014175
		O	3.550661	-0.243910	-0.688049
		O	1.845324	1.430580	0.935682

		O	-1.062375	2.306616	-0.744568
		O	-1.369010	-2.063631	-0.733146
		O	1.586351	-1.693027	0.865704
		H	-3.298152	-0.121489	0.949930
		H	-4.221781	-0.025412	-0.258208
		H	2.951720	-0.181703	-1.422203
		H	4.425254	-0.307401	-1.036430
		H	-1.688214	2.870418	-0.316606
		H	-0.778883	2.730401	-1.540929
		H	-2.308271	-2.036758	-0.607740
		H	-1.160672	-2.672415	-1.423843
		H	1.977897	1.824766	1.783248
		H	2.690707	1.219252	0.555183
		H	1.615375	-2.221865	1.647155
		H	2.462288	-1.615594	0.505134
<hr/>					
[UO ₂ (H ₂ O) ₄] ⁺ ,(H ₂ O) ₂	Fig. 1c	U	0.000000	0.000000	0.000000
(<i>D</i> -intermediate)		O	0.949978	0.000046	-1.496950
Gas-phase		O	-0.949978	-0.000046	1.496950
Total energy = -608.500798141		O	3.672109	-0.000023	-0.546962
		O	-3.672109	0.000023	0.546962
		O	1.750967	1.620000	0.926381
		O	1.750862	-1.620225	0.926202
		O	-1.750967	-1.620000	-0.926381
		O	-1.750862	1.620225	-0.926202
		H	3.135945	0.000019	-1.329998
		H	4.575221	-0.000029	-0.820893
		H	-3.135945	-0.000019	1.329998
		H	-4.575221	0.000029	0.820893
		H	1.798764	2.106548	1.734335
		H	2.629334	1.498464	0.583257

		H	1.798647	-2.106837	1.734119
		H	2.629231	-1.498702	0.583083
		H	-1.798764	-2.106548	-1.734335
		H	-2.629334	-1.498464	-0.583257
		H	-1.798647	2.106837	-1.734119
		H	-2.629231	1.498702	-0.583083
<hr/>					
[NpO ₂ (H ₂ O) ₅] ²⁺ , (H ₂ O)	Fig. 2a	Np	-0.238302	-0.171426	-0.279936
(reactant)		O	-0.864598	-0.646926	1.189076
Gas-phase		O	0.352717	0.278268	-1.772091
Total energy = -645.473025059		O	2.048661	-0.283786	0.724483
		O	-2.051466	-1.491531	-1.431309
		O	0.734056	-2.469483	-0.672717
		O	-2.147840	1.445481	-0.628044
		O	0.346156	2.031939	0.747141
		O	2.319558	1.679112	2.760285
		H	-2.189009	-1.588023	-2.365063
		H	-2.733200	-1.989939	-0.998279
		H	1.033962	-2.826950	-1.498932
		H	0.766420	-3.172915	-0.036407
		H	-2.414285	1.845234	-1.446300
		H	-2.797689	1.681390	0.022175
		H	2.808961	-0.720595	0.367068
		H	2.328112	0.231163	1.480626
		H	0.154057	2.892250	0.401336
		H	0.928516	2.135551	1.498918
		H	2.095530	1.505754	3.664782
		H	3.083210	2.240094	2.788457
<hr/>					
[NpO ₂ (H ₂ O) ₅] ²⁺ , (H ₂ O)	Fig. S2a	Np	-0.306868	-0.222722	-0.209570
(reactant)		O	-1.070739	-0.789589	1.169760
Solvent CPCM		O	0.429385	0.323995	-1.612053

-645.770812869

O	1.902720	-0.371540	0.928855
O	-1.951484	-1.418626	-1.585284
O	0.690249	-2.441401	-0.571850
O	-2.123167	1.400198	-0.547568
O	0.225031	1.918761	0.944885
O	2.608504	1.894407	2.403672
H	-1.992003	-1.417487	-2.540585
H	-2.672847	-1.958435	-1.264695
H	1.113262	-2.730830	-1.380127
H	0.500723	-3.223795	-0.053894
H	-2.266614	1.907650	-1.346353
H	-2.930620	1.441795	-0.035175
H	2.487869	-1.119473	0.833218
H	2.334670	0.286608	1.470009
H	-0.335823	2.689559	0.897719
H	0.978457	2.122228	1.495654
H	2.595119	1.867383	3.356263
H	3.347705	2.445975	2.162387

{[NpO ₂ (H ₂ O) ₄ ...(H ₂ O)] ²⁺ ,(H ₂ O)} [‡] (D) Gas-phase Total energy = -645.459404554	Fig. S1a	Np	-0.152769	0.054571	-0.003442
		O	0.496989	0.068364	-1.536003
		O	-0.787696	0.060667	1.534694
		O	1.775870	1.404978	0.702071
		O	-3.588373	-0.262544	0.274925
		O	-1.307013	2.167252	-0.547389
		O	-1.554941	-1.827889	-0.672361
		O	1.520370	-1.645748	0.580305
		O	3.886158	-0.269480	-0.310610
		H	-3.928725	-0.309888	1.157529
		H	-4.336189	-0.071983	-0.273936
		H	-1.989895	2.582144	-0.033712

		H	-1.168072	2.702472	-1.320272
		H	-2.465740	-1.796905	-0.386611
		H	-1.446518	-2.512874	-1.319505
		H	1.884993	1.998584	1.433902
		H	2.640408	1.186792	0.355386
		H	1.508105	-2.324513	1.242944
		H	2.416099	-1.545186	0.260036
		H	4.154009	-0.261505	-1.219820
		H	4.690210	-0.353162	0.184765
<hr/>			<hr/>		
{[NpO ₂ (H ₂ O) ₄ ...(H ₂ O)] ²⁺ ,(H ₂ O)} [‡]	Fig. S2b	Np	-0.143074	0.118993	-0.114590
(D)		O	0.582426	0.077352	-1.621282
Solvent CPCM		O	-0.834716	0.170347	1.406192
Total energy = -645.751824586		O	1.777281	1.412667	0.627103
		O	-3.668308	-0.476417	0.307560
		O	-1.164189	2.275090	-0.541603
		O	-1.503772	-1.820297	-0.610972
		O	1.450133	-1.605079	0.525266
		O	3.812587	-0.314063	-0.313851
		H	-3.936398	-0.403729	1.217408
		H	-4.427294	-0.229689	-0.210396
		H	-1.694082	2.774753	0.081784
		H	-1.193399	2.732841	-1.383024
		H	-2.422874	-1.770635	-0.349493
		H	-1.389469	-2.513245	-1.259515
		H	1.865450	1.864662	1.466741
		H	2.648809	1.148545	0.335165
		H	1.433307	-2.134660	1.321829
		H	2.361045	-1.502944	0.251503
		H	4.083086	-0.332146	-1.227728
		H	4.610731	-0.428193	0.194796

$[\text{NpO}_2(\text{H}_2\text{O})_4]^{2+}, (\text{H}_2\text{O})_2$	Fig. S1b	Np	0.000531	-0.000057	-0.000722
(<i>D</i> -intermediate)		O	0.693058	0.047061	-1.514000
Gas-phase		O	-0.691996	-0.047189	1.512557
Total energy = -645.460532010		O	1.824528	1.443309	0.761808
		O	1.632240	-1.733259	0.572269
		O	3.929860	-0.210544	-0.329134
		O	-1.823927	-1.442162	-0.763770
		O	-1.629612	1.735043	-0.572959
		O	-3.927588	0.210779	0.329267
		H	1.902229	2.034945	1.499734
		H	2.696184	1.281905	0.402933
		H	1.632832	-2.412909	1.234643
		H	2.519184	-1.638798	0.227810
		H	4.187827	-0.169934	-1.240282
		H	4.741558	-0.288712	0.154330
		H	-1.902098	-2.033139	-1.502175
		H	-2.695434	-1.280431	-0.404614
		H	-1.629582	2.414811	-1.235216
		H	-2.516448	1.641964	-0.227970
		H	-4.184908	0.169276	1.240555
		H	-4.739616	0.289678	-0.153517
$[\text{NpO}_2(\text{H}_2\text{O})_4]^{2+}, (\text{H}_2\text{O})_2$	Fig. S2c	Np	-0.000073	-0.000830	-0.001281
(<i>D</i> -intermediate)		O	0.695980	0.044612	-1.521074
Solvent CPCM		O	-0.696346	-0.045710	1.518363
Total energy = -645.747882473		O	1.807068	1.437781	0.720494
		O	1.622050	-1.710183	0.545480
		O	3.857945	-0.204437	-0.328720
		O	-1.808333	-1.437881	-0.721949
		O	-1.617875	1.711571	-0.547281
		O	-3.854965	0.206614	0.329346

		H	1.888191	1.927561	1.539667
		H	2.684874	1.255057	0.386722
		H	1.632579	-2.326242	1.278185
		H	2.515780	-1.607173	0.221271
		H	4.126471	-0.156308	-1.241760
		H	4.663833	-0.294203	0.172202
		H	-1.890284	-1.929516	-1.539906
		H	-2.685561	-1.254095	-0.387544
		H	-1.627012	2.326764	-1.280849
		H	-2.511656	1.612015	-0.221893
		H	-4.122550	0.158284	1.242642
		H	-4.661294	0.297955	-0.170567
<hr/>			<hr/>		
{[NpO ₂ (H ₂ O) ₅ ...(H ₂ O)] ⁺ } [‡]	Fig. S3	Np	-0.013601	-0.040585	0.137445
(A)		O	-0.012817	1.644023	0.202839
Solvent CPCM		O	-0.015459	-1.701423	0.267356
Total energy = -645.756425883		O	1.448705	0.004255	2.127307
		O	-1.447884	0.006185	2.147069
		O	2.335121	-0.237458	-0.598625
		O	-2.370095	0.193762	-0.595024
		O	0.611501	1.219663	-2.283508
		O	-0.560857	-1.169679	-2.242423
		H	1.532376	-0.693577	2.776932
		H	2.010087	0.729551	2.397777
		H	-2.036934	-0.689512	2.431540
		H	-1.506282	0.719610	2.784447
		H	2.953281	-0.923789	-0.332654
		H	2.747791	0.305882	-1.263837
		H	-2.795468	-0.395121	-1.218463
		H	-3.005603	0.869284	-0.331749
		H	0.839754	0.948125	-3.183496

		H	0.561315	2.158195	-2.333504
		H	-0.716607	-0.827840	-3.114799
		H	-0.558326	-2.119551	-2.306882
<hr/>					
$[\text{NpO}_2(\text{H}_2\text{O})_6]^{2+}$	Fig. 2b	Np	-0.000000	0.000000	0.125767
(A-intermediate)		O	-0.000000	1.663109	0.210706
Solvent CPCM		O	-0.000000	-1.663109	0.210706
Total energy = -645.755258684		O	1.466178	0.027125	2.183324
		O	-1.466178	-0.027125	2.183324
		O	2.401773	-0.206927	-0.586623
		O	-2.401773	0.206927	-0.586623
		O	0.715358	1.247935	-2.310141
		O	-0.715358	-1.247935	-2.310141
		H	1.549678	-0.660609	2.831135
		H	2.033384	0.738281	2.452637
		H	-2.033384	-0.738281	2.452637
		H	-1.549678	0.660609	2.831135
		H	3.041091	-0.863146	-0.343420
		H	2.794377	0.363098	-1.233692
		H	-2.794377	-0.363098	-1.233692
		H	-3.041091	0.863146	-0.343420
		H	0.896375	0.968174	-3.195240
		H	0.635477	2.191616	-2.337696
		H	-0.896375	-0.968174	-3.195240
		H	-0.635477	-2.191616	-2.337696
<hr/>					
$\{[\text{NpO}_2(\text{H}_2\text{O})_4\dots(\text{H}_2\text{O})_2]^{2+}\}^\ddagger$	Fig. 2c	Np	-0.000000	0.000000	0.125767
(I)		O	-0.000000	1.663109	0.210706
Gas-phase		O	-0.000000	-1.663109	0.210706
Total energy = -645.456203773		O	1.466178	0.027125	2.183324
		O	-1.466178	-0.027125	2.183324
		O	2.401773	-0.206927	-0.586623

		O	-2.401773	0.206927	-0.586623
		O	0.715358	1.247935	-2.310141
		O	-0.715358	-1.247935	-2.310141
		H	1.549678	-0.660609	2.831135
		H	2.033384	0.738281	2.452637
		H	-2.033384	-0.738281	2.452637
		H	-1.549678	0.660609	2.831135
		H	3.041091	-0.863146	-0.343420
		H	2.794377	0.363098	-1.233692
		H	-2.794377	-0.363098	-1.233692
		H	-3.041091	0.863146	-0.343420
		H	0.896375	0.968174	-3.195240
		H	0.635477	2.191616	-2.337696
		H	-0.896375	-0.968174	-3.195240
		H	-0.635477	-2.191616	-2.337696
<hr/>					
[AmO ₂ (H ₂ O) ₅] ²⁺ ,(H ₂ O)	Fig. S4a	Am	-.300541	-.209426	-.211464
(reactant)		O	-1.045236	-.774107	1.165744
Solvent		O	.420044	.352809	-1.602000
Total energy = -726.427687915		O	1.909820	-.369770	.894731
		O	-1.927784	-1.404783	-1.614673
		O	.708131	-2.428523	-.618207
		O	-2.112504	1.411108	-.582663
		O	.212278	1.907386	.952658
		O	2.537926	1.842132	2.511483
		H	-1.959616	-1.414699	-2.569316
		H	-2.653329	-1.938990	-1.297005
		H	.980583	-2.745699	-1.477701
		H	.709783	-3.180340	-.027599
		H	-2.322832	1.791299	-1.434219
		H	-2.838027	1.616046	.005285

		H	2.511173	-1.102311	.790380
		H	2.297807	.258862	1.499085
		H	-.280449	2.712659	.816097
		H	.947631	2.096818	1.531373
		H	2.481626	1.783769	3.460993
		H	3.287042	2.400421	2.322284
<hr/>					
[AmO ₂ (H ₂ O) ₄] ²⁺ , (H ₂ O) ₂	Fig. S4b	Am	0.000539	-0.000110	-0.000712
(<i>D</i> -intermediate)		O	0.695518	0.045915	-1.505898
Solvent		O	-0.694472	-0.046102	1.504460
Total energy = -726.404201642		O	1.812811	1.430417	0.732341
		O	1.622610	-1.717798	0.549321
		O	3.894360	-0.207792	-0.334896
		O	-1.812315	-1.429344	-0.734341
		O	-1.619855	1.719437	-0.549995
		O	-3.892096	0.208037	0.335025
		H	1.884614	2.020770	1.481934
		H	2.689644	1.268926	0.391300
		H	1.616650	-2.399394	1.220527
		H	2.514372	-1.625177	0.221852
		H	4.186617	-0.161845	-1.240597
		H	4.688354	-0.291407	0.185700
		H	-1.884599	-2.019048	-1.484397
		H	-2.688972	-1.267425	-0.393008
		H	-1.613244	2.401185	-1.221045
		H	-2.511537	1.628305	-0.221972
		H	-4.183784	0.161313	1.240868
		H	-4.686393	0.292772	-0.184921
<hr/>					
[AmO ₂ (H ₂ O) ₆] ²⁺	Fig. S4c	Am	-0.000060	-0.000371	0.147269
(<i>A</i> -intermediate)		O	0.015757	1.661545	0.252493
Solvent		O	-0.015745	-1.662269	0.253244

-726.416122059

O	1.481096	-0.012948	2.106031
O	-1.481050	0.013283	2.106146
O	2.311302	-0.246069	-0.690908
O	-2.311518	0.245033	-0.690835
O	0.574970	1.277279	-2.270638
O	-0.575069	-1.276204	-2.271057
H	1.542328	-0.712128	2.753706
H	2.090537	0.676045	2.363408
H	-2.090532	-0.675553	2.363903
H	-1.542198	0.712799	2.753455
H	2.946049	-0.913342	-0.443251
H	2.700992	0.296131	-1.370128
H	-2.701314	-0.297498	-1.369712
H	-2.946309	0.912386	-0.443456
H	0.682924	0.976392	-3.166507
H	0.539688	2.227570	-2.307702
H	-0.682298	-0.975562	-3.167078
H	-0.539551	-2.226519	-2.307669