SUPPORTING INFORMATION

1,4-Silatropy of *S*- α -Silylbenzyl Thioesters: A Convenient Route to Silyl Enol and Dienol Ethers Accompanied by C-C Bond Formation via Thiocarbonyl Ylides

Jinil Choi, Eiichiro Imai, Masatoshi Mihara, Yoji Oderaotoshi, Satoshi Minakata, and

Mitsuo Komatsu*

Department of Applied Chemistry, Graduate School of Engineering, Osaka University,

Yamadaoka 2-1, Suita, Osaka 565-0871, Japan

komatsu@chem.eng.osaka-u.ac.jp

Table of Contents:

¹H NMR Spectra of Compounds **3b-j**, **4b**, **4d-f**, **4i**, **4j**, **6a-f**,
7a-d, **7f**, **8a**, and **8c-e**

Page	Compound	Page	Compound
S2	3b	S17	6a
S3	3c	S18	6b
S4	3d	S19	6c
S5	3e	S20	6d
S6	3f	S21	6e
S7	3g	S22	6f
S8	3h	S23	7a
S9	3i	S24	7b
S10	3j	S25	7c
S11	4b	S26	7d
S12	4d	S27	7f
S13	4e	S28	8a
S14	4f	S29	8c
S15	4i	S30	8d
S16	4j	S31	8e

9.2571

S2

3S

3c

\\Komanur\personal\odera\YO-4-14-1H.als
YO-4-14-1H

3d

CD₃

S4

\\komanur\personal\odera\YO-4-15-1H.als
YO-4-15-1H

3e

55

\\Komanmr\personal\odera\YO-4-18-1H.als
YO-4-14-1H

3f

CDCl₃

3g

5.4795

LS

1.0000

3.0575

9.3227

CDL3

3h

3i

CDL₃

65

3j

col₃

01S

4b

11S

4d

1S12

4i

60

C₆D₆

4j

Q → TMS:

S17

10.2295

CDQ₃

6c

61S

S20

CDU₃

6e

CDU₃

6f

S22

C_6D_6 7a+8a

7b

CDCl₃

(Z)-7d

S26

72

C₈D₆

606

8a

S28

69

8c

625

60

8e

131