A Facile One-Pot Synthesis of Alkyl Aryl Sulfides from Aryl Bromides

*Jungyeob Ham, Inho Yang, and Heonjoong Kang**

Marine Biotechnology Laboratory and Research Institute of Oceanography, School of Earth and Environmental Sciences, Seoul National University,

NS-80, Seoul 151-747, Korea.

Table of Contents for Supporting Information

General Considerations: ^1H and ^{13}C NMR spectra were recorded on 300 MHz and 500 MHz instruments in CDCl_3 or DMSO-d_6 , using TMS as the internal standard. Mass spectra were recorded by the electron impact method (70 eV) or chemical ionization method.

Commercially obtained anhydrous THF and reagents were used without further purification.

Copy of ^1H , ^{13}C , and EI mass Spectra of entry 1	S-1 ~ S-3
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 2	S-4 ~ S-6
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 3	S-7 ~ S-9
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 4	S-10 ~ S-12
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 5	S-13 ~ S-15
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 6	S-16 ~ S-18
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 7	S-19 ~ S-21
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 8	S-22 ~ S-24
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 9	S-25 ~ S-27
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 10	S-28 ~ S-30
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 11	S-31 ~ S-33
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 12	S-34 ~ S-36
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 13	S-37 ~ S-39
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 14	S-40 ~ S-42
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 15	S-43 ~ S-45
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 16	S-46 ~ S-48
Copy of ^1H , ^{13}C , and EI mass Spectra of entry 17	S-49 ~ S-51

S-1

S-2

S-4

S-7

S-8

11335918

91

230

S-12

65

63

77

109

111

137

152

165

181

197

213

247

268

281

298

300

m/z

S-14

17023684

S-15

S-18

S-28

S-35

S-38

S-47

S-48

S-50