Supporting Information

A New Route to the Synthesis of (*E*)- and (*Z*)-2-Alkene-4-yn-oates and Nitriles from *vicinal*-Diiodo-(*E*)-Alkenes Catalyzed by Pd(0) Nanoparticles in Water

Brindaban C. Ranu,^{*} and Kalicharan Chattopadhyay

Table of Contents

Spectroscopic (IR, ¹ H NMR, ¹³ C NMR) Data and	Page no.
Elemental Analysis of Products in Entries 4-12 in Table 2	S2-S3
¹³ C NMR Spectra of All Products in Table 2	S4-S12

Supporting Information

Characterization data (IR, ^1H and ^{13}C NMR and elemental analysis) of new compounds reported in Table 2 (entries 4-12, 14).

5-*p*-Tolyl-pent-2-en-4-yn-nitrile (Entry 5, Table 2, *Z* isomer): Yellowish solid, mp 40-42 °C; IR(KBr): 3062, 2200, 2191, 1593 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 2.37 (s, 3H), 5.62 (d, J = 10.8 Hz, 1H), 6.51 (d, J = 10.8 Hz, 1H), 7.17 (d, J = 7.7 Hz, 2H), 7.44 (d, J = 7.7 Hz, 2H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 21.7, 84.5, 102.9, 106.5, 116.2, 118.4, 129.5 (2C), 130.1, 132.3 (2C), 140.5. Anal. Calcd for $\text{C}_{12}\text{H}_9\text{N}$: C, 86.20; H, 5.43; N, 8.38. Found: C, 86.11; H, 5.39; N, 8.01.

5-(4-Chloro-phenyl)-pent-2-en-4-yn-oic acid methyl ester (Entry 6, Table 2). Yellowish solid; mp 70-72 °C; IR (KBr): 2956, 2196, 1720, 1622 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 3.78 (s, 3H), 6.31 (d, J = 15.8 Hz, 1H), 6.96 (d, J = 15.8 Hz, 1H), 7.32 (d, J = 8.5 Hz, 2H), 7.41 (d, J = 8.5 Hz, 2H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 52.0, 87.2, 97.2, 120.7, 125.1, 129.0 (2C), 130.0, 133.3 (2C), 135.6, 166.3. Anal. Calcd for $\text{C}_{12}\text{H}_9\text{ClO}_2$: C, 63.32; H, 4.11. Found: C, 63.22; H, 4.16.

5-(4-Chlorophenyl)-pent-2-en-4-yn-nitrile (Entry 7, Table 2, *Z* isomer). Yellow semi solid; IR (neat): 3065, 2920, 2202, 2195, 1596, 1500 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 5.68 (d, J = 10.8 Hz, 1H), 6.51 (d, J = 10.8 Hz, 1H), 7.34 (d, J = 7.4 Hz, 2H), 7.47 (d, J = 7.4 Hz, 2H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 85.6, 101.0, 107.7, 116.3, 119.8, 129.7 (2C), 130.6, 133.8 (2C), 136.4. Anal. Calcd for $\text{C}_{11}\text{H}_6\text{CN}$: C, 70.42; H, 3.22; N, 7.47. Found: C, 70.60; H, 3.20; N, 7.22.

5-(3-Bromophenyl)-pent-2-en-4-yn-oic acid methyl ester (Entry 8, Table 2). Yellowish solid, mp 58-60 °C; IR (KBr): 3031, 2196, 1736, 1614, 1477 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 3.71 (s, 3H), 6.24 (d, J = 15.8 Hz, 1H), 6.88 (d, J = 15.8 Hz, 1H), 7.11-7.18 (m, 2H), 7.33 (m, 1H), 7.42 (m, 1H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 52.3, 87.7, 96.8, 122.6, 124.5, 125.1, 130.3, 130.7, 130.8, 132.8, 134.9, 166.5. Anal. Calcd for $\text{C}_{12}\text{H}_9\text{BrO}_2$: C, 54.37; H, 3.42. Found: C, 54.27; H, 3.50.

5-(3-Methoxy-phenyl)-pent-2-en-4-yn-oic acid methyl ester (Entry 9, Table 2). Yellowish solid, mp 36-38 °C. IR (KBr): 2923, 2192, 1719, 1622 cm^{-1} ; ^1H NMR (CDCl_3 ,

300 MHz): δ 3.71 (s, 3H), 3.74 (s, 3H), 6.24 (d, J = 15.8 Hz, 1H), 6.64-7.02 (m, 4H), 7.15 (m, 1H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 52.3, 55.7, 86.4, 98.7, 116.4, 116.9, 123.4, 124.9, 125.7, 129.9, 130.0, 159.7, 166.7. Anal. Calcd for $\text{C}_{13}\text{H}_{12}\text{O}_3$: C, 72.21; H, 5.59. Found: C, 72.29; H, 5.70.

5-Naphthalen-2-yl-pent-2-en-4-yn-oic acid methyl ester (Entry 10, Table 2). Yellowish solid, mp 38-40 °C; IR (KBr): 3058, 2958, 2191, 1712, 1616 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 3.84 (s, 3H), 6.47 (d, J = 15.8 Hz, 1H), 7.19 (d, J = 15.8 Hz, 1H), 7.45-7.63 (m, 3H), 7.75-7.77 (m, 1H), 7.88-7.92 (m, 2H), 8.31-8.34 (m, 1H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 52.0, 91.2, 96.7, 119.8, 125.3, 125.5, 125.9, 126.7, 127.2, 128.5, 129.6, 130.1, 131.4, 133.2, 133.3, 166.5. Anal. Calcd for $\text{C}_{16}\text{H}_{12}\text{O}_2$: C, 81.34; H, 5.12. Found: C, 81.53; H, 5.10.

5-Naphthalen-2-yl-pent-2-en-4-yn-oic acid butyl ester (Entry 11, Table 2). Yellow solid, mp 40-42 °C; IR (KBr): 2190, 1710, 1617 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 0.99 (t, J = 5.8 Hz, 3H), 1.44 (q, J = 7.6 Hz, 2H), 1.67 (m, 2H), 4.22 (t, J = 9.1 Hz, 2H), 6.45 (d, J = 15.7 Hz, 1H), 7.15 (d, J = 15.7 Hz, 1H), 7.42-7.60 (m, 3H), 7.72-7.74 (m, 1H), 7.85-7.89 (m, 3H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 14.1, 19.5, 31.1, 65.1, 84.8, 96.8, 120.2, 125.4, 125.6, 126.3, 126.9, 127.0, 127.5, 128.8, 130.3, 130.5, 131.7, 133.5, 166.4. Anal. Calcd for $\text{C}_{19}\text{H}_{18}\text{O}_2$: C, 81.99; H, 6.52. Found: C, 82.01; H, 6.41.

5-(6-Bromo-benzo[1,3]dioxol-5-yl)-pent-2-en-4-yn-oic acid methyl ester (entry 12, Table 2). Yellow solid, mp 128-130 °C; IR (KBr): 3031, 2923, 2194, 1706, 1616, 1477, 1191 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 3.78 (s, 3H), 6.04 (s, 2H), 6.34 (d, J = 15.8 Hz, 1H), 6.9 (s, 1H), 6.99 (d, J = 15.8 Hz, 1H), 7.04 (s, 1H); ^{13}C NMR (CDCl_3 , 75 MHz): δ 52.0, 89.4, 97.0, 102.4, 112.5, 113.0, 117.1, 118.7, 125.1, 129.8, 147.2, 149.6, 166.4. Anal. Calcd for $\text{C}_{13}\text{H}_9\text{BrO}_4$: C, 50.51; H, 2.93. Found: C, 50.44; H, 3.01.

Undec-2-en-4-yn-oic acid butyl ester (Entry 14, Table 2). Yellow liquid; IR (neat): 2931, 2214, 1716, 1620 cm^{-1} ; ^1H NMR (CDCl_3 , 300 MHz): δ 0.86-0.92 (m, 6H), 1.24-1.42 (m, 8H), 1.51-1.65 (m, 4H), 2.33-2.38 (m, 2H), 4.14 (t, J = 6.6 Hz, 2H), 6.13 (d, J = 15.8 Hz, 1H), 6.74 (dt, J = 15.8, 2.03 Hz, 1H); ^{13}C NMR (CDCl_3 , 300 MHz): δ 13.8, 14.1, 19.2, 19.8, 22.6, 28.4, 28.6, 30.7, 31.4, 64.6, 78.0, 101.0, 126.2, 129.4, 166.4. Anal. Calcd for $\text{C}_{15}\text{H}_{24}\text{O}_2$: C, 76.23; H, 10.24. Found: C, 76.11; H, 10.51.