JOURNAL OF VERTEBRATE PALEONTOLOGY

SUPPLEMENTARY INFORMATION

A new tooth wear -based dietary analysis method for Proboscidea (Mammalia)

JUHA SAARINEN,^{*,1} ALEKSIS KARME,¹ THURE CERLING,^{2,3} KEVIN UNO,^{2,4} LAURA
SÄILÄ,¹ SAMUEL KASIKI,⁵ SHADRACK NGENE,⁵ THADEUS OBARI,⁶ EMMA
MBUA,⁷ FREDRICK KYALO MANTHI,⁷ and MIKAEL FORTELIUS¹

¹Department of Geosciences and Geography, University of Helsinki, Helsinki, Finland;

²Department of Geology and Geophysics, University of Utah, Salt Lake City, UT, USA;

³Department of Biology, University of Utah, Salt Lake City, UT, USA;

⁴Lamont Doherty Earth Observatory of Columbia University, Palisades, NY, USA;

⁵Tsavo Research Centre, Tsavo East National Park, Voi, Kenya;

⁶Kenya Wildlife Service, Nairobi National Park, Nairobi, Kenya;

⁷National Museums of Kenya, Nairobi, Kenya.

* Corresponding author.

SUPPLEMENTARY TABLES

TABLE S1. Average $\delta^{13}\text{C}$ fractionation in tooth enamel of herbivorous mammals in xeric and mesic environments for large ruminants (14.5 ‰) and small non-ruminants (12.0 ‰), and its correspondence with average proportion of C3/C4 plants in diet. The threshold values for C3/C4 proportions used in this study were calculated as the average from xeric and mesic environments using the values for the large ruminant fractionation of 14.5 ‰.

Xeric			Mesic			
C3 end member	-24 ‰		-27 ‰			
C4 end member	-14 ‰		-11 ‰			
Fractionation in enamel		12 ‰	14.5 ‰		12 ‰	14.5 ‰
All C3						
100 %	-24.0	-12.3	-9.8	-27.0	-15.3	-12.9
90 %	-23.0	-11.3	-8.8	-25.4	-13.7	-11.3
80 %	-22.0	-10.3	-7.8	-23.8	-12.1	-9.6
70 %	-21.0	-9.3	-6.8	-22.2	-10.5	-8.0
60 %	-20.0	-8.2	-5.8	-20.6	-8.8	-6.4
50 %	-19.0	-7.2	-4.8	-19.0	-7.2	-4.8
40 %	-18.0	-6.2	-3.8	-17.4	-5.6	-3.2
30 %	-17.0	-5.2	-2.7	-15.8	-4.0	-1.5
20 %	-16.0	-4.2	-1.7	-14.2	-2.4	0.1
10 %	-15.0	-3.2	-0.7	-12.6	-0.8	1.7
0 %	-14.0	-2.2	0.3	-11.0	0.9	3.3
All C4						

TABLE S2. Individual Proboscidean molar specimens with mean mesowear angles and $\delta^{13}\text{C}$ values.

Genus	Species	Locality	Country/State	Age	Specimen	Tooth	MW angle	$\delta^{13}\text{C}$
<i>Elephas</i>	<i>maximus</i>		India	Recent	AMNH 113572	Lm1/2	105	-8.3
<i>Elephas</i>	<i>maximus</i>		India	Recent	AMNH 113572	Rm1/2	101.4	-8.3
<i>Elephas</i>	<i>maximus</i>		India	Recent	AMNH 54451	Lm2	109.8	-8.7
<i>Elephas</i>	<i>maximus</i>		India	Recent	AMNH 54451	Rm2	110.8	-8.7
<i>Loxodonta</i>	<i>africana</i>			Recent	AMNH 39083	Lm2?	114.6	-11.4
<i>Loxodonta</i>	<i>africana</i>		Kenya	Recent	AMNH 32732	Lm3	105.3	-10.0
<i>Loxodonta</i>	<i>africana</i>	Mulundo	Angola	Recent	AMNH 80598	Lm2?	107	-11.6
<i>Loxodonta</i>	<i>africana</i>	Mulundo	Angola	Recent	AMNH 80598	Rm2?	111.6	-11.6
<i>Loxodonta</i>	<i>africana</i>		Kenya	Recent	ANMH 32733	Lm2	99.6	-10.3
<i>Loxodonta</i>	<i>africana</i>		Kenya	Recent	ANMH 32733	Rm2	96.2	-10.3
<i>Loxodonta</i>	<i>africana</i>			Recent	AMNH 32734	Lm2	103.9	
<i>Loxodonta</i>	<i>africana</i>			Recent	AMNH 32734	Rm2	100.5	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 475	Lm2	105.6	-9.3
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 475	Rm2	107.2	-9.3
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2255	Rm1	93	-10.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3467	Lm3	106.6	-10.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3504	Ldp4	100	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3504	Rdp4	98.8	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 270	Lm3	105.5	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 270	Rm3	114.2	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2705	Lm3	112	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2705	Rm3	118.6	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 654	Lm1	114	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 654	Rm1	111.8	

TABLE S2. (Continued)

<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo C 76	Lm2	117.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo C 76	Rm2	125
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 636	Lm2	115.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 636	Rm2	109.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1827	Lm2	117
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1827	Rm2	111.1
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 795	Lm3	118.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 795	Rm3	120.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3447	Lm3	113.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3447	Rm3	114.8
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 910	Lm3	122.4
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 910	Rm3	120.8
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 459	Lm3	98.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 459	Rm3	110
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 226	Lm3	116.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 226	Rm3	109.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1693	Lm3	106
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1693	Rm3	100.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1895	Lm2+m3	103.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 1895	Rm2+m3	110.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2960	Lm1/2	115.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2960	Rm1/2	110.7
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2843	Lm2	107.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 2843	Rm2	106.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 290	Lm3	120.8

TABLE S2. (Continued)

<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 290	Rm3	119
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 478	Lm1	120.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 478	Rm1	125.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 520	Lm3	115.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 520	Rm3	122.4
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 828	Lm3	107.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 828	Rm3	109.4
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo (no Nr., big)	LM3	102.4
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo (no Nr., big)	RM3	106.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo (no Nr., big)	Lm3	106.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo (no Nr., big)	Rm3	111.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3024	Lm3	98.4
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3024	Rm3	99.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 491	Ldp4	112.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 491	Rdp4	109.9
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3027	Ldp4	102.8
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3027	Rdp4	90.6
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3297	Lm2	122
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3297	Rm2	125.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3798	Lm3?	109.5
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3798	Rm3?	102.3
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3090	Ldp4	98.2
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3090	Rdp4	110
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 494	Ldp3	111.7
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 494	Rdp3	115.6

TABLE S2. (Continued)

<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3827	Lm3	114.8	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo 3827	Rm3	109.8	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo No nr.	Lm2	98.5	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo No nr.	Rm2	97.4	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 80	Lm2	98.2	
<i>Loxodonta</i>	<i>africana</i>	Tsavo East	Kenya	Recent	Tsavo TE 80	Rm2	85.9	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-927 A	Rm3	121.2	-2.8
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-4106 C	RM2	160.1	0.2
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-4102 A	RM2	124.2	-0.1
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-767 A	Lm3	123.3	-3.4
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-767 B	Rm3	119.6	-3.4
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-342 A	Lm3	126.3	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-2270	Rm2	117.6	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-4564 A	Lm3	123.4	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-342 A	Lm3	119.7	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-927 B (1)	Lm3	122.8	-2.8
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-927 B (2)	Lm3	117.2	-2.8
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-5711	LM2	111.8	
<i>Elephas</i>	<i>recki</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-5711	RM2	125.9	
<i>Elephas</i>	<i>ekorensis</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30471	Lm2	130.1	
<i>Elephas</i>	<i>ekorensis</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30175	Rdp3-dp4	129.6	
<i>Elephas</i>	<i>ekorensis</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30175	Ldp3-dp4	126.6	
<i>Elephas</i>	<i>ekorensis</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30198	Lm1	113	
<i>Elephas</i>	<i>ekorensis</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30404	dP3	131.6	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-383 B	m3	132.7	-3

TABLE S2. (Continued)

<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-385 A	RM3	121.1	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-385 A-FP	Rm3	112.6	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-385 A-FP	Lm3	112.7	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30193	Rm3	150.3	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30193	Lm3	119.5	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-32542	Rm3	115	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-32542	Lm3	127.2	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30204	RM3	157.3	
<i>Loxodonta</i>	<i>adaurora</i>	Kanapoi	Kenya	Early Pliocene	KNM-KP-30204	LM3	124.5	
<i>Loxodonta</i>	<i>adaurora</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-1299	Rm2	106.9	0
<i>Loxodonta</i>	<i>adaurora</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-347	RM3	131.2	
<i>Loxodonta</i>	<i>adaurora</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-347	LM3	116.9	
<i>Loxodonta</i>	<i>adaurora</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-346	LM3	139.4	
<i>Loxodonta</i>	<i>exoptata</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-3189	RM1	116.7	-11.5
<i>Loxodonta</i>	<i>exoptata</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-3200 B	LM2	120.4	
<i>Loxodonta</i>	<i>exoptata</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-3200 A	RM2	119.7	
<i>Loxodonta</i>	<i>exoptata</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-3199	Rm2	131.3	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-26319	RM2	119.9	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-26319	LM2	117.2	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-366	Rm3	121.5	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-367	RM3	115.2	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-434	RdP4	131.2	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-349	Rm3	125	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-26318	RM3	129.8	
<i>Stegotetabelodon</i>	<i>orbus</i>	Lothagam	Kenya	Late Miocene	KNM-LT-26318	LM3	131.1	

TABLE S2. (Continued)

<i>Deinotherium</i>	<i>bozasi</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-1087	LM3	91.5
<i>Deinotherium</i>	<i>bozasi</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-46040 A	Rm1-m3	98.3
<i>Deinotherium</i>	<i>bozasi</i>	Koobi Fora	Kenya	Early Pleistocene	KNM-ER-46040 B	m3	109.6
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-L-13	Lm3	156.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM Z7004	Rm3	140.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	LACMHG68177	Rm3	151.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	LACMH68194	Lm2	139.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-9-R	Rm2	135.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-16-L	Lm2	139.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-2-R	Rm2	133.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-10-L	Lm2	131.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-4-R	Rm2	131.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-8-L	Lm3	123.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-6-R	Rm3	132
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-1-L	Lm3	124
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-15-L	Lm3	119
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-4-R	Rm3	118.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	LACMHG68179	Lm3	135
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-5-R	Rm3	136
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-11-L	Lm3	134.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-11-R	Rm3	137.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3802-7-L	Lm2	137.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-8-R	Rm2	137.7
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3805-5-L	Lm3	139.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3804-12-R	Rm3	139

TABLE S2. (Continued)

<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	PM 3895-4-L	Lm3	135.3
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	LACMHZ7006	Rm3	134
<i>Mammuthus</i>	<i>columbi</i>	Rancho La Brea	California	Late Pleistocene	LACMHC68176	Rm3	144.7

TABLE S3. Mean mesowear angles and their standard errors for the proboscidean species.

Genus	Species	Mean mesowear angle (°)	Std. Err.	n
<i>Elephas</i>	<i>maximus</i>	106.75	2.19	4
<i>Elephas</i>	<i>recki</i>	124.09	3.2	13
<i>Elephas</i>	<i>ekorensis</i>	126.18	3.39	5
<i>Loxodonta</i>	<i>africana</i>	109.33	0.98	76
<i>Loxodonta</i>	<i>adaurora</i>	126.24	3.93	14
<i>Loxodonta</i>	<i>exoptata</i>	122.03	3.19	4
<i>Stegotetrabelodon</i>	<i>orbus</i>	123.86	2.24	8
<i>Mammuthus</i>	<i>columbi</i>	135.48	1.71	25
<i>Deinotherium</i>	<i>bozasi</i>	99.8	5.28	3