Supporting Information

A Novel Polymer Supported Approach to Nucleoside Modification

Suyeal Bae and Mahesh K. Lakshman*

Department of Chemistry, The City College and The City University of New York, 160 Convent Avenue, New York, New York 10031-9198

¹H NMR spectra of compounds known in the literature

Table of Contents

Information	Page
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -methyl-2'-deoxyinosine (Table 2, entry 1)	S2
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -ethyl-2'-deoxyinosine (Table 2, entry 3)	S3
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -phenyl-2'-deoxyinosine (Table 2, entry 5)	S4
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -(4-nitrophenyl)-2'-deoxyinosine (Table 2, entry 6)	S5
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -(3-cyanophenyl)-2'-deoxyinosine (Table 2, entry 7)	S6
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -(naphth-1-yl)-2'-deoxyinosine (Table 2, entry 8)	S7
¹ H NMR spectrum (in CDCl ₃) of 3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>O</i> ⁶ -(fluoren-2-yl)-2'-deoxyinosine (Table 2, entry 9)	S8
¹ H NMR spectrum (in CDCl ₃) of 9-[3,5-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-2-deoxy-β-D-ribofuranosyl]-6-thiobenzylpurine (Table 2, entry 10)	S9
¹ H NMR spectrum (in CDCl ₃) of 9-[2,3,5-tri- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-β-D-ribofuranosyl]-6-thiobenzylpurine (Table 2, entry 11)	S10
¹ H NMR spectrum (in CDCl ₃) of 2',3',5'-tri- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)- <i>N,N</i> -dimethyladenosine (Table 2, entry 13)	S11
¹ H NMR spectrum (in CDCl ₃) of 9-[2,3,5-tri- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-β-D-ribofuranosyl]-6-(piperidin-1-yl)purine (Table 2, entry 16)	S12
¹ H NMR spectrum (in CDCl ₃) of 9-[3,5-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-2-deoxy-β-D-ribofuranosyl]-6-(morpholin-4-yl)purine (Table 2, entry 17)	S13
¹ H NMR spectrum (in CDCl ₃) of 9-[2,3,5-tri- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-β-D-ribofuranosyl]-6-(morpholin-4-yl)purine (Table 2, entry 18)	S14
¹ H NMR spectrum (in CDCl ₃) of <i>N</i> ⁶ -benzyl-3',5'-di- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-2'-deoxyadenosine (Table 2, entry 19)	S15
¹ H NMR spectrum (in CDCl ₃) of <i>N</i> ⁶ -benzyl-2',3',5'-tri- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)adenosine (Table 2, entry 20)	S16
¹ H NMR spectrum (in CDCl ₃) of 9-[3,5-bis- <i>O</i> -(<i>tert</i> -butyldimethylsilyl)-2-deoxy-β-D-ribofuranosyl]-6-(imidazol-1-yl)purine (Table 2, entry 21)	S17

SB-1205-06-27

SB-1205-04-56-crude

SB-1205-06-42-column

[illegible]

SB-1205-06-37-1H

SB-1205-06-38-1H

SB-1205-06-28

SB-1205-06-39

SB-1205-06-32

SB-1205-06-40