SUPPLEMENTARY MATERIAL

A new flavonoid glycoside from *Elsholtzia bodinieri*

Jin-Dong Zhong , Yue Feng , Hong-Mei Li, Xue-Shan Xia, and Rong-Tao Li*

Faculty of Life Science and Technology, Kunming University of Science and Technology, Kunming 650500, PR China

A new flavonoid glycoside, eriodictyol 7-*O*-(6"-caffeoyl)- β -*D*-glucopyranoside (**1**), along with 14 known compounds, were isolated from the whole plants of *Elsholtzia bodinieri*. All of the structures were determined by spectroscopic methods and chemical transformation. Compound **1** and luteolin (**9**) exhibited potent anti-HCV activities with a selective index of 135.85 and 20.84, respectively.

Key words: *Elsholtzia bodinieri*, Labiatae, flavanone, anti-HCV activities

List of Contents

Table S1. ^1H - and ^{13}C -NMR Data for compound **1** (ppm, CD_3OD).

Figure S1. The Key HMBC Correlations of Compound **1**.

Figure S2. ^1H NMR (600 MHz, CD_3OD) spectrum of compound **1**.

Figure S3. ^{13}C NMR (150 MHz, CD_3OD) spectrum of compound **1**.

Figure S4. HSQC spectrum of compound **1**.

Figure S5. HMBC spectrum of compound **1**.

Figure S6. HR-ESI-MS spectrum of compound **1**.

Figure S7. IR spectrum of compound **1**.

Figure S8. UV spectra of compound **1**.

Table S1. ^1H - and ^{13}C -NMR Data for compound **1** (ppm, CD_3OD).

Position	δ_{H}	δ_{C}
2	5.28, dd, 3.0, 14.6	80.4(d)
3a	2.72, dd, 3.0, 17.1	44.1(t)
3b	3.07, dd, 14.6, 17.1	
4		198.4(s)
5		165.0(s)
6	6.16, d, 1.8	97.8(d)
7		166.6(s)
8	6.26, d, 1.8	97.3(d)
9		164.4(s)
10		105.0(s)
1'		131.4(s)
2'	6.91, s	114.7(d)
3'		146.7(s)
4'		149.5(s)
5'	6.70, d, 8.0	116.3(d)
6'	6.76, d, 8.0	119.2(d)
1''	4.99, d, 7.8	100.8(d)
2''		74.5(d)
3''		77.7(d)
4''		71.7(d)
5''		75.5(d)
6''a	4.35, d, 11.8	64.6(t)
6''b	4.57, dd, 5.5, 11.8	
1'''		127.7(s)
2'''	7.00,s	115.5(d)
3'''		146.5(s)
4'''		146.8(s)
5'''	6.80, d, 6.0	116.5(d)
6'''	6.92, d, 6.0	122.9(d)
7'''	7.54, d, 15.9	147.4(d)
8'''	6.20,d, 15.9	114.8(d)
9'''		169.2(s)

Figure S1. The Key HMBC Correlations of Compound **1**.

Figure S2. ^1H NMR (600 MHz, CD_3OD) spectrum of compound **1**.

Figure S3. ^{13}C NMR (150 MHz, CD_3OD) spectrum of compound **1**.

Figure S4. HSQC spectrum of compound **1**.

Figure S5. HMBC spectrum of compound **1**.

Figure S6. HR-ESI-MS spectrum of compound **1**.

Figure S7. IR spectrum of compound **1**.

Figure S8. UV spectrum of compound **1**.