Supporting Information

AuBr₃ and Cu(OTf)₂ Catalyzed Intramolecular [4+2] Cycloaddition of Tethered Alkynyl and Alkenyl Enynones: A New Synthetic Method for Functionalized Polycyclic Hydrocarbons

Naoki Asao,* Kenichiro Sato, Menggenbateer, Yoshinori Yamamoto*

Department of Chemistry, Graduate School of Science,
Tohoku University, Sendai 980-8578, Japan

Table of contents

General	S2
Preparation of 8a	S2
Characterizations of 8a-8e and 9a-9e	S3
Preparation of 10a	S6
Characterizations of 10a-h and 11a-h	S7
Preparation of 12a	S11
Characterizations of 12a-c and 13a-c	S12
Preparation of 14a	S14
Characterizations of 14a-b and 15	S16
References	S17
¹ H and ¹³ C NMR spectra of 8a-e , 9a-e , 10a-h , 11a-h , 12a-c , 13a-c , 14a-b , and 15	S18

General

NMR spectra were measured at 400 MHz for ^1H and 100 MHz for ^{13}C . Chemical shifts of ^1H NMR were expressed in parts per million downfield from tetramethylsilane with reference to internal residual CHCl_3 ($\delta = 7.26$) in CDCl_3 . Chemical shifts of ^{13}C NMR were expressed in parts per million downfield from CDCl_3 as an internal standard ($\delta = 77.0$) in CDCl_3 . All manipulations were carried out under argon atmosphere using standard Schlenk techniques.

Preparation of 8a.

(5-Bromopent-1-ynyl)benzene. To a solution of phenylacetylene (1.10 mL, 10 mmol) in THF (20 mL) was added a solution of *n*-BuLi in hexane (1.56 M, 6.41 mL, 10 mmol) at $-78\text{ }^\circ\text{C}$ dropwisely over a period of 20 min and the mixture was stirred for 30 min. After addition of DMPU (1 mL), the resulting mixture was transferred to a solution of 1,3-dibromopropane (0.51 mL, 5 mmol) in THF (20 mL) and the mixture was allowed to warm to room temperature over a period of 1h. After it was stirred for 10 h, a saturated aqueous solution of NH_4Cl (10 mL) was added. The mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ Et_2O =80/1 as eluent to give (5-bromopent-1-ynyl)benzene as a colorless oil (0.60 g, 2.70 mmol) in 54 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 7.41-7.38 (m, 2H), 7.30-7.27 (m, 3H), 3.59 (t, $J = 6.3$ Hz, 2H), 2.62 (t, $J = 6.8$ Hz, 2H), 2.15 (tt, $J = 6.3, 6.8$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 131.5, 128.1, 127.7, 123.5, 87.9, 81.6, 32.5, 31.6, 18.2. IR (neat); 3080, 2963, 1599, 1489, 1273, 1248, 1070, 756, 692 cm^{-1} . MS (EI) m/z 223 (M^+ , 2). Anal. calcd for $\text{C}_{11}\text{H}_{11}\text{Br}$: C 59.22, H 4.97. found C 59.25, H 5.08.

6-Phenyl-1-(2-(2-phenylethynyl)phenyl)hex-5-yn-1-ol. To a stirred suspension of magnesium turnings (1.94 g, 80 mmol) in THF (5 mL) was added 1,2-dibromoethane (0.05 mL) as an activator. After the mixture was stirred for 5 min, a solution of (5-bromopent-1-ynyl)benzene (8.92 g, 40 mmol) in THF (80 mL) was added dropwisely over a period of 20 min. After the mixture was stirred for 2 h at room temperature, the

corresponding Grignard reagent was produced as a 0.33 M THF solution in 63 % yield, which was measured by a titrimetric method. To a solution of 2-(2-phenylethynyl)benzaldehyde (4.12 g, 20 mmol) in THF (40 mL) was added slowly a solution of the Grignard reagent (0.33 M, 60 mL, 20 mmol) at -78 °C. After the mixture was stirred for 30 min, it was allowed to warm to -30 °C over a period of 1 h. A saturated aqueous solution of NH₄Cl (60 mL), was added and the mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO₄. The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/AcOEt=10/1 as eluent to give 6-phenyl-1-(2-(2-phenylethynyl)phenyl)hex-5-yn-1-ol as a colorless oil (5.86 g, 16.7 mmol) in 84 % yield. ¹H NMR (CDCl₃, 400 MHz) δ 7.56 (dd, *J* = 0.7, 7.8 Hz, 1H), 7.54-7.51 (m, 3H), 7.38 (ddd, *J* = 1.2, 7.3, 7.6 Hz, 1H), 7.35-7.32 (m, 4H), 7.27 (ddd, *J* = 1.2, 7.6, 7.6 Hz, 1H), 7.25-7.22 (m, 4H), 5.32 (ddd, *J* = 4.2, 4.6, 7.8 Hz, 1H), 2.48 (t, *J* = 7.1 Hz, 2H), 2.13 (d, *J* = 4.2 Hz, 1H), 2.10-1.97 (m, 2H), 1.91-1.80 (m, 1H), 1.79-1.70 (m, 1H). ¹³C NMR (CDCl₃, 100 MHz) δ 146.2, 132.2, 131.4, 131.4, 128.7, 128.4, 128.4, 128.0, 127.4, 127.1, 125.4, 123.8, 122.9, 120.6, 94.4, 89.9, 87.0, 81.0, 72.1, 37.5, 25.3, 19.5. IR (neat); 3628, 3362, 3071, 2926, 2322, 1684, 1599, 1558, 1491, 1069, 754, 691 cm⁻¹. MS (EI) *m/z* 350 (M⁺, 2). HRMS (ESI) calcd for C₂₆H₂₂ONa (M⁺ + Na) 373.1563, found 373.1564.

6-Phenyl-1-(2-(2-phenylethynyl)phenyl)hex-5-yn-1-one (8a). To a solution of 6-phenyl-1-(2-(2-phenylethynyl)phenyl)hex-5-yn-1-ol (1.93 g, 5.51 mmol) in acetone (20 mL) was added Jones reagent (2 M, 3.3 mL, 6.6 mmol) at 0 °C. After the mixture was stirred for 30 min at room temperature, isopropanol (10 mL) and a 30 % aqueous solution of Na₂S₂O₃ (10 mL) were added successively. The mixture was extracted with AcOEt three times and the combined extracts were washed with brine and dried over MgSO₄. The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/AcOEt=12/1 as eluent to give 6-phenyl-1-(2-(2-phenylethynyl)phenyl)hex-5-yn-1-one (**8a**) as a yellow oil (1.69 g, 4.85 mmol) in 88 % yield. ¹H NMR (CDCl₃, 400 MHz) δ 7.72 (dd, *J*=1.2, 7.8 Hz, 1H), 7.63 (dd, *J*=1.2, 7.6 Hz, 1H), 7.56-7.53 (m, 2H), 7.47 (dddd, *J*=1.0, 2.4, 7.6, 7.8 Hz, 1H), 7.40 (dddd, *J*=1.0, 1.2, 7.6, 7.8 Hz, 1H), 7.27-7.23 (m, 3H), 7.34-7.29 (m, 5H), 3.38 (dt, *J*=1.0, 7.8 Hz, 2H), 2.56 (dt, *J*=1.0, 7.1 Hz, 2H), 2.09 (dt, *J*=1.0, 7.1, 7.8 Hz, 2H). ¹³C NMR (CDCl₃, 100 MHz) δ 202.4, 140.9, 133.8, 133.8, 131.5, 130.9, 130.9, 128.6, 128.4, 128.2, 128.1, 127.5,

123.7, 122.8, 121.3, 94.7, 89.3, 88.3, 81.4, 41.0, 23.5, 19.1. IR (neat); 3059, 2936, 2214, 1690, 1597, 1572, 1491, 1474, 1443, 1279, 1161, 1070, 756, 691 cm^{-1} . MS (EI) m/z 348 (M^+ , 14). HRMS (EI) calcd for $\text{C}_{26}\text{H}_{20}\text{O}$ (M^+): 348.1509, found: 348.1508.

1-(2-Phenylethynyl-phenyl)-dec-5-yn-1-one (8b). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.71 (dd, $J = 1.2, 7.8$ Hz, 1H), 7.62 (dd, $J = 1.0, 7.6$ Hz, 1H), 7.58-7.53 (m, 2H), 7.46 (ddd, $J = 1.2, 7.6, 7.8$ Hz, 1H), 7.40 (ddd, $J = 1.0, 7.6, 7.8$ Hz, 1H), 7.37-7.34 (m, 3H), 3.29 (t, $J = 7.3$ Hz, 2H), 2.29 (tt, $J = 2.4, 7.1$ Hz, 2H), 2.07 (tt, $J = 2.4, 4.9$ Hz, 2H), 1.95 (tt, $J = 7.1, 7.3$ Hz, 2H), 1.44-1.29 (m, 4H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 202.5, 140.9, 133.7, 131.4, 131.4, 130.8, 128.6, 128.3, 128.1, 122.8, 121.2, 94.5, 88.3, 81.2, 79.0, 41.0, 31.1, 31.1, 23.8, 21.9, 18.4, 13.6. IR (neat); 3061, 2932, 2872, 2860, 2214, 1682, 1560, 1493, 1443, 1400, 1192, 1097, 1026, 756 cm^{-1} . MS (EI) m/z 328 (M^+ , 2). HRMS calcd for $\text{C}_{24}\text{H}_{23}\text{O}$ ($\text{M}^+ - \text{H}$): 327.1743, found: 327.1748.

1-(2-Phenylethynyl-phenyl)-hex-5-yn-1-one (8c). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.71 (ddd, $J = 0.5, 1.5, 7.8$ Hz, 1H), 7.63 (ddd, $J = 0.5, 1.5, 7.6$ Hz, 1H), 7.57-7.54 (m, 2H), 7.47 (ddd, $J = 1.5, 7.6, 7.8$ Hz, 1H), 7.39 (ddd, $J = 1.5, 7.6, 7.8$ Hz, 1H), 7.38-7.35 (m, 3H), 3.33 (t, $J = 7.6$ Hz, 2H), 2.33 (dt, $J = 2.4, 7.1$ Hz, 2H), 2.00 (tt, $J = 7.1, 7.6$ Hz, 2H), 1.91 (t, $J = 2.4$ Hz, 1H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 202.1, 140.8, 133.7, 131.5, 131.5, 130.9, 128.6, 128.3, 128.2, 122.7, 121.2, 94.6, 88.2, 83.6, 69.1, 40.7, 23.0, 18.0. IR (neat); 3298, 3061, 2590, 2214, 2118, 1682, 1591, 1562, 1493, 1443, 1402, 1097, 1026, 916, 758 cm^{-1} . MS (EI) m/z 272 (M^+ , 11). HRMS calcd for $\text{C}_{20}\text{H}_{15}\text{O}$ ($\text{M}^+ - \text{H}$): 271.1117, found: 271.1121.

1-(2-Phenylethynyl-phenyl)-6-trimethylsilyl-hex-5-yn-1-one (8d). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.72 (dd, $J = 1.2, 7.6$ Hz, 1H), 7.63 (dd, $J = 1.2, 7.5$ Hz, 1H), 7.57-7.53 (m, 2H), 7.47 (ddd, $J = 1.4, 7.5, 7.6$ Hz), 7.40 (ddd, $J = 1.4, 7.5, 7.6$ Hz), 7.39-7.35 (m, 3H), 3.29 (t, $J = 7.3$ Hz, 2H), 2.36 (t, $J = 6.8$ Hz, 2H), 1.99 (tt, $J = 6.8, 7.3$ Hz, 2H), 0.01 (s, 9H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 202.1, 140.8, 133.8, 131.4, 130.9, 128.6, 128.3, 128.1, 128.1, 122.8, 121.3, 106.3, 94.6, 88.2, 85.4, 40.7, 23.3, 19.4, 0.1. IR (neat); 2959, 2216, 2174, 1682, 1599, 1560, 1493, 1474, 1402, 1250, 1097, 843, 665 cm^{-1} . MS (EI) m/z 344 (M^+ , 17). HRMS calcd for $\text{C}_{23}\text{H}_{23}\text{OSi}$ ($\text{M}^+ - \text{H}$): 343.1513, found: 343.1516. Anal. calcd for $\text{C}_{23}\text{H}_{24}\text{OSi}$: C 80.18, H 7.02. found C 80.06, H 7.19.

7-Phenyl-1-(2-phenylethynyl-phenyl)-hept-6-yn-1-one (8e). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.66 (d, $J = 7.6$ Hz, 1H), 7.61 (d, $J = 7.8$ Hz, 1H), 7.55-7.51 (m, 2H), 7.45 (dddd, $J = 0.9, 1.0, 7.6, 7.8$ Hz, 1H), 7.38 (dddd, $J = 0.9, 1.0, 7.6, 7.8$ Hz, 1H), 7.37-7.32 (m, 5H), 7.28-7.24 (m, 3H), 3.22 (t, $J = 7.3$ Hz, 2H), 2.44 (t, $J = 7.1$ Hz, 2H), 1.94 (tt, $J = 7.3, 7.4$ Hz,

2H), 1.70 (tt, $J = 7.1, 7.4$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 203.0, 141.2, 133.6, 131.4, 131.4, 130.8, 130.8, 128.6, 128.4, 128.2, 128.1, 127.4, 123.8, 122.8, 121.1, 94.5, 89.7, 88.2, 80.9, 41.6, 28.4, 23.8, 19.4. IR (neat); 3059, 2939, 2864, 2216, 1684, 1597, 1591, 1541, 1491, 1443, 1285, 1217, 1070, 756, 691 cm^{-1} . MS (EI) m/z 362 (M^+ , 13). HRMS calcd for $\text{C}_{25}\text{H}_{21}\text{O}$ ($\text{M}^+ - \text{H}$): 361.1587, found: 361.1589.

Phenyl-(4-phenyl-2,3-dihydro-1H-cyclopenta[*a*]naphthalene-5-yl)-methanone (9a). ^1H NMR (CDCl_3 , 400 MHz) δ 7.90 (d, $J = 8.2$ Hz, 1H), 7.68 (d, $J = 8.5$ Hz, 1H), 7.59 (dd, $J = 1.0, 8.0$ Hz, 2H), 7.52 (dt, $J = 1.0, 7.9$ Hz, 1H), 7.39 (dt, $J = 1.0, 7.9$ Hz, 2H), 7.23 (t, $J = 8.0$ Hz, 2H), 7.21-7.12 (m, 5H), 3.41 (t, $J = 7.6$ Hz, 2H), 2.98-2.86 (m, 2H), 2.25 (tt, $J = 7.3, 7.6$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 199.8, 141.2, 139.8, 138.6, 138.4, 135.2, 135.2, 135.1, 135.1, 132.8, 130.1, 129.5, 129.4, 128.0, 127.8, 127.1, 126.1, 125.9, 124.6, 33.6, 31.9, 24.4. IR (KBr); 3061, 1661, 1595, 1578, 1508, 1312, 1275, 1173, 1051, 937, 793, 721 cm^{-1} . MS (EI) m/z 348 (M^+ , 100). HRMS (EI) calcd for $\text{C}_{26}\text{H}_{20}\text{O}$ (M^+): 348.1509, found: 348.1512. Anal. calcd for $\text{C}_{26}\text{H}_{20}\text{O}$: C 89.62, H 5.62. found C 89.58, H 6.09. mp = 175-176 $^{\circ}\text{C}$.

(4-Butyl-2,3-dihydro-1H-cyclopenta[*a*]naphthalene-5-yl)-phenyl-methanone (9b). ^1H NMR (CDCl_3 , 400 MHz) δ 7.83 (d, $J = 7.6$ Hz, 2H), 7.82 (dd, $J = 7.6, 8.0$ Hz, 1H), 7.56 (dddd, $J = 1.0, 1.2, 7.1, 7.6$ Hz, 1H), 7.45 (dd, $J = 7.6, 8.6$ Hz, 1H), 7.43 (ddd, $J = 1.2, 7.1, 7.6$ Hz, 1H), 7.41 (dd, $J = 7.6, 8.6$ Hz, 2H), 7.29 (ddd, $J = 1.0, 7.1, 8.6$ Hz, 1H), 3.35 (t, $J = 7.5$ Hz, 2H), 3.14 (t, $J = 7.6$ Hz, 2H), 2.66-2.42 (m, 2H), 2.31 (tt, $J = 7.5, 7.6$ Hz, 2H), 1.58-1.32 (m, 2H), 1.27 (tq, $J = 7.3, 7.5$ Hz, 2H), 0.81 (t, $J = 7.3$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.5, 140.8, 140.5, 138.2, 134.5, 134.4, 133.4, 130.2, 129.7, 128.7, 128.5, 125.5, 125.3, 125.2, 124.4, 32.4, 32.4, 31.7, 31.6, 24.2, 23.0, 13.8. IR (neat); 2957, 2251, 1666, 1597, 1508, 1448, 1313, 1221, 1171, 1026, 908, 689 cm^{-1} . MS (EI) m/z 328 (M^+ , 17). HRMS (EI) calcd for $\text{C}_{24}\text{H}_{24}\text{O}$ (M^+): 328.1822, found: 328.1824.

(2,3-Dihydro-1H-cyclopenta[*a*]naphthalene-5-yl)-phenyl-methanone (9c). ^1H NMR (CDCl_3 , 400 MHz) δ 8.12 (d, $J = 8.3$ Hz, 1H), 7.89-7.85 (m, 3H), 7.59 (dddd, $J = 1.2, 1.4, 7.2, 7.3$ Hz, 1H), 7.54 (ddd, $J = 1.2, 7.2, 7.3$ Hz, 1H), 7.52 (s, 1H), 7.47 (dd, $J = 7.8, 8.3$ Hz, 2H), 7.44 (ddd, $J = 1.4, 7.2, 7.3$ Hz, 1H), 3.34 (t, $J = 7.5$ Hz, 2H), 3.13 (t, $J = 7.6$ Hz, 2H), 2.31 (tt, $J = 7.5, 7.6$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 198.2, 143.4, 139.4, 138.7, 135.1, 132.8, 130.6, 130.3, 130.2, 128.3, 126.3, 126.3, 125.9, 125.5, 124.6, 33.7, 31.6, 24.5. IR (neat); 3059, 2953, 2845, 1653, 1618, 1597, 1512, 1458, 1421, 1396, 1306, 1221, 972, 806 cm^{-1} . MS (EI) m/z 272 (M^+ , 100). HRMS (EI) calcd for $\text{C}_{20}\text{H}_{16}\text{O}$ (M^+): 272.1196, found: 272.1195.

Phenyl-(4-trimethylsilyl-2,3-dihydro-1H-cyclopenta[*a*]naphthalene-5-yl)-methanone

(9d). ^1H NMR (CDCl_3 , 400 MHz) δ 7.83 (d, J = 8.1 Hz, 2H), 7.55 (dddd, J = 1.2, 1.5, 7.0, 7.6 Hz, 1H), 7.47 (dddd, J = 1.2, 1.5, 7.0, 8.1 Hz, 1H), 7.46 (dd, J = 0.7, 8.1 Hz, 1H), 7.41 (dd, J = 7.6, 7.8 Hz, 3H), 7.26 (ddd, J = 0.7, 7.8, 8.0 Hz, 1H), 3.30 (t, J = 7.6 Hz, 2H), 3.26 (t, J = 7.3 Hz, 2H), 2.28 (tt, J = 7.3, 7.6 Hz, 2H), 0.21 (s, 9H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 201.4, 144.9, 143.0, 139.6, 138.8, 133.3, 131.5, 130.2, 129.9, 129.1, 128.5, 126.4, 126.0, 125.2, 124.4, 36.1, 30.8, 24.9, 1.7. IR (KBr); 3055, 1676, 1595, 1580, 1504, 1448, 1321, 1265, 1232, 1072, 966, 758, 716 cm^{-1} . MS (EI) m/z 344 (M^+ , 7). HRMS (EI) calcd for $\text{C}_{23}\text{H}_{24}\text{OSi}$ (M^+) 344.1591, found 344.1585. Anal. calcd for $\text{C}_{23}\text{H}_{24}\text{OSi}$: C 80.18, H 7.02. found C 80.13, H 7.38. mp = 145-148 $^{\circ}\text{C}$.

Phenyl-(10-phenyl-1,2,3,4-tetrahydro-phenanthren-9-yl)-methanone (9e). ^1H NMR (CDCl_3 , 400 MHz) δ 8.07 (d, J = 8.5 Hz, 1H), 7.58 (d, J = 8.3 Hz, 1H), 7.54 (dd, J = 0.7, 6.4 Hz, 3H), 7.50 (ddd, J = 1.0, 1.2, 8.5 Hz, 1H), 7.37 (dddd, J = 1.0, 1.2, 7.3, 8.3 Hz, 1H), 7.35 (ddd, J = 0.7, 7.3, 8.3 Hz, 1H), 7.21-7.18 (m, 2H), 7.18-7.00 (m, 4H), 3.25 (t, J = 6.4 Hz, 2H), 2.43-2.56 (m, 2H), 1.97 (tt, J = 6.1, 6.4 Hz, 2H), 1.74-1.82 (m, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 199.6, 138.5, 138.3, 137.8, 135.0, 133.4, 132.9, 132.8, 132.8, 131.6, 129.3, 128.6, 128.0, 128.0, 126.9, 126.1, 126.0, 125.7, 123.0, 29.3, 26.6, 23.0, 22.9. IR (KBr); 3057, 2849, 1701, 1665, 1597, 1578, 1458, 1448, 1315, 1232, 1175, 1053, 926, 789, 754 cm^{-1} . MS (EI) m/z 362 (M^+ , 100). HRMS (EI) calcd for $\text{C}_{27}\text{H}_{22}\text{O}$ (M^+) 362.1665, found 362.1666. Anal. calcd for $\text{C}_{27}\text{H}_{22}\text{O}$: C 89.47, H 6.12. found C 89.22, H 6.35. mp = 188-191 $^{\circ}\text{C}$.

Preparation of 10a.

1-(Hepta-1,6-diynyl)benzene. To a solution of trimethylsilylacetylene (11.2 mL, 79 mmol) in THF (160 mL) was added a solution of *n*-BuLi in hexane (1.56 M, 50.6 mL, 79 mmol) at -78°C dropwisely over a period of 20 min and the mixture was stirred for 30 min. After addition of DMPU (16 mL), the resulting mixture was transferred to a solution of (5-bromopent-1-ynyl)benzene (11.8 g, 53 mmol) in THF (100 mL) and the mixture was allowed to warm to room temperature over a period of 1 h. After it was stirred for 10 h, a saturated aqueous solution of NH_4Cl (100 mL) was added. The mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures and the remained residue was passed through a pad of silica gel using hexane/ Et_2O =80/1 as eluent to give the crude material. To a solution of the crude material in THF (80 mL) was added a solution of TBAF (1M, 48 mL, 48 mmol) at 0°C . After the mixture was stirred for 30 min at room temperature, a saturated aqueous

solution of NH_4Cl (50 mL) was added. The mixture was extracted with ether three times and the combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ Et_2O =50/1 as eluent to give 1-(hepta-1,6-diynyl)benzene as a colorless oil (7.39 g, 44 mmol) in 83 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 7.41-7.38 (m, 2H), 7.31-7.26 (m, 3H), 2.55 (t, J = 6.8 Hz, 2H), 2.39 (dt, J = 2.8, 7.2 Hz, 2H), 1.99 (t, J = 2.8 Hz, 1H), 1.84 (tt, J = 6.8, 7.2 Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 131.5, 128.1, 127.6, 123.7, 88.9, 83.6, 81.2, 68.9, 27.7, 18.6, 17.7. IR (neat); 3298, 2937, 2118, 1599, 1491, 1431, 1070, 756, 692 cm^{-1} . MS (EI) m/z 168 (M^+ , 24). Anal. calcd for $\text{C}_{13}\text{H}_{12}$: C 92.81, H 7.19. found C 92.78, H 7.43.

2-(7-Phenylhepta-1,6-diynyl)benzaldehyde (10a). To a mixture of 1-(hepta-1,6-diynyl)benzene (0.81 g, 4.8 mmol) and 2-bromobenzaldehyde (0.58 mL, 5 mmol) in CH_3CN (10 mL) were added palladium chloride (17 mg, 0.096 mmol), triphenylphosphine (52 mg, 0.19 mmol) and copper iodide (76 mg, 0.38 mmol), successively. The reaction mixture was stirred at 80 $^\circ\text{C}$ for 10 h and it was cooled down to room temperature. A saturated aqueous solution of NH_4Cl (10 mL), was added and the mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ AcOEt =10/1 as eluent to give 2-(7-phenylhepta-1,6-diynyl)benzaldehyde (**10a**) as a yellow oil (1.14 g, 4.2 mmol) in 87 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 10.55 (d, J = 1.0 Hz, 1H), 7.89 (ddd, J = 1.0, 1.0, 7.8 Hz, 1H), 7.55-7.50 (m, 2H), 7.43-7.37 (m, 3H), 7.31-7.26 (m, 3H), 2.70 (t, J = 6.8 Hz, 2H), 2.62 (t, J = 7.1 Hz, 2H), 1.96 (tt, J = 6.8, 7.1 Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 191.9, 135.9, 133.6, 133.3, 131.5, 128.1, 127.9, 127.6, 127.5, 126.9, 123.6, 96.8, 96.8, 88.7, 81.5, 27.7, 18.9, 18.8. IR (neat); 2935, 2744, 2361, 2228, 1697, 1595, 1490, 1429, 1387, 1294, 1192, 758, 692 cm^{-1} . MS (EI) m/z 272 (M^+ , 16). HRMS (ESI) calcd for $\text{C}_{20}\text{H}_{16}\text{ONa}$ (M^+ + Na) 295.1093, found 295.1093.

2-(7-p-Tolyl-hepta-1,6-diynyl)-benzaldehyde (10b). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 10.55 (d, J = 0.7 Hz, 1H), 7.89 (ddd, J = 0.7, 1.0, 7.8 Hz, 1H), 7.55-7.50 (m, 2H), 7.39 (dddd, J = 0.8, 3.7, 7.8, 8.6 Hz, 1H), 7.29 (d, J = 7.8 Hz, 2H), 7.09 (d, J = 7.8 Hz, 2H), 2.69 (t, J = 7.1 Hz, 2H), 2.61 (t, J = 7.1 Hz, 2H), 2.34 (s, 3H), 1.95 (tt, J = 7.1, 7.1 Hz, 2H). ^{13}C NMR

(CDCl₃, 100 MHz) δ 191.9, 137.6, 135.9, 133.6, 133.3, 131.4, 128.9, 127.9, 127.5, 126.9, 120.5, 96.9, 87.8, 81.6, 27.8, 21.4, 18.9, 18.8. IR (neat); 2837, 2745, 2228, 1697, 1595, 1508, 1475, 1450, 1244, 1192, 818, 764 cm⁻¹. MS (EI) m/z 286 (M⁺, 7). HRMS (ESI) calcd for C₂₁H₁₈ONa (M⁺ + Na) 309.1250, found 309.1249.

2-[7-(4-Trifluoromethyl-phenyl)-hepta-1,6-diynyl]-benzaldehyde (10c). Yellow oil; ¹H NMR (CDCl₃, 400 MHz) δ 10.54 (d, J = 0.8 Hz, 1H), 7.89 (ddd, J = 0.8, 1.2, 7.8 Hz, 1H), 7.55-7.48 (m, 2H), 7.54 (d, J = 8.0 Hz, 2H), 7.49 (d, J = 8.0 Hz, 2H), 7.40 (dddd, J = 0.8, 2.9, 5.9, 7.8 Hz, 1H), 2.69 (t, J = 7.1 Hz, 2H), 2.64 (t, J = 6.8 Hz, 2H), 1.97 (tt, J = 6.8, 7.1 Hz, 1H). ¹³C NMR (CDCl₃, 100 MHz) δ 191.7, 135.9, 133.6, 133.3, 131.7, 128.0, 127.3, 127.0, 125.1, 125.1, 125.0, 96.5, 91.5, 80.4, 77.2, 27.5, 18.9, 18.8. IR (neat); 2745, 2230, 1697, 1616, 1595, 1566, 1477, 1325, 1167, 1069, 843, 764 cm⁻¹. MS (EI) m/z 340 (M⁺, 22). HRMS (ESI) calcd for C₂₁H₁₅F₃ONa (M⁺ + Na) 363.0967, found 363.0967.

2-Undeca-1,6-diynyl-benzaldehyde (10d). Yellow oil; ¹H NMR (CDCl₃, 400 MHz) δ 10.51 (d, J = 0.7 Hz, 1H), 7.88 (d, J = 8.1 Hz, 1H), 7.54-7.49 (m, 2H), 7.39 (dddd, J = 0.7, 2.4, 5.6, 8.1 Hz, 1H), 2.61 (t, J = 7.1 Hz, 2H), 2.35 (tt, J = 2.4, 6.8 Hz, 2H), 2.16 (tt, J = 2.4, 7.1 Hz, 2H), 1.82 (tt, J = 6.8, 7.1 Hz, 2H), 1.52-1.36 (m, 4H), 0.91 (t, J = 7.1 Hz, 3H). ¹³C NMR (CDCl₃, 100 MHz) δ 192.0, 135.9, 133.6, 133.2, 127.9, 127.6, 126.9, 97.2, 81.3, 78.6, 76.8, 31.2, 28.1, 22.0, 18.8, 18.5, 18.2, 13.7. IR (neat); 2957, 2934, 2226, 1697, 1595, 1475, 1387, 1244, 1192, 824, 764 cm⁻¹. MS (EI) m/z 252 (M⁺, 2). HRMS (ESI) calcd for C₁₈H₂₀ONa (M⁺ + Na) 275.1406, found 275.1405.

2-Hepta-1,6-diynyl-benzaldehyde (10e). Yellow oil; ¹H NMR (CDCl₃, 400 MHz) δ 10.52 (d, J = 0.7 Hz, 1H), 7.88 (ddd, J = 0.7, 1.2, 7.8 Hz, 1H), 7.54-7.49 (m, 2H), 7.39 (dddd, J = 0.7, 2.4, 6.3, 7.8 Hz, 1H), 2.64 (t, J = 7.1 Hz, 2H), 2.40 (dt, J = 2.7, 7.1 Hz, 2H), 2.01 (t, J = 2.7 Hz, 1H), 1.88 (tt, J = 7.1, 7.1 Hz, 2H). ¹³C NMR (CDCl₃, 100 MHz) δ 191.8, 135.9, 133.6, 133.2, 128.0, 127.4, 127.0, 96.6, 83.1, 83.1, 69.2, 27.4, 18.7, 17.8. IR (neat); 3296, 2839, 2228, 2118, 1695, 1595, 1477, 1450, 1387, 1244, 1192, 824, 764 cm⁻¹. MS (EI) m/z 196 (M⁺, 32). HRMS (ESI) calcd for C₁₄H₁₂ONa (M⁺ + Na) 219.0780, found 219.0779.

2-(7-Triisopropylsilyl-hepta-1,6-diynyl)-benzaldehyde (10f). Yellow oil; ¹H NMR (CDCl₃, 400 MHz) δ 10.52 (d, J = 0.7 Hz, 1H), 7.89 (ddd, J = 0.7, 1.0, 7.6 Hz, 1H), 7.54-7.49 (m, 2H), 7.39 (dddd, J = 0.7, 2.9, 5.9, 7.6 Hz, 1H), 2.66 (t, J = 7.1 Hz, 2H), 2.46 (t, J = 6.8 Hz, 2H), 1.87 (tt, J = 6.8, 7.1 Hz, 2H), 1.08 (d, J = 4.2 Hz, 18H), 1.05 (m, 3H). ¹³C NMR (CDCl₃, 100 MHz) δ 191.7, 135.9, 133.5, 133.2, 127.9, 127.5, 126.8, 107.3, 96.8, 81.4, 76.8, 27.8, 19.2, 18.7, 18.6, 11.3. IR (neat); 2941, 2864, 2228, 2172, 1699, 1595, 1429, 1387, 1244, 1192, 995,

883, 824 cm^{-1} . MS (EI) m/z 352 (M^+ , 0.08). HRMS (ESI) calcd for $\text{C}_{23}\text{H}_{32}\text{OSiNa}$ ($M^+ + \text{Na}$) 375.2115, found 375.2116. Anal. calcd for $\text{C}_{23}\text{H}_{32}\text{OSi}$: C 78.35, H 9.15. found C 78.13, H 9.36.

2-(9-Triisopropylsilanyloxy-nona-1,6-diynyl)-benzaldehyde (10g). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 10.52 (s, 1H), 7.88 (d, $J = 8.1$ Hz, 1H), 7.54-7.49 (m, 2H), 7.39 (m, 1H), 3.78 (t, $J = 7.1$ Hz, 2H), 2.61 (t, $J = 7.1$ Hz, 2H), 2.41 (tt, $J = 2.2, 7.3$ Hz, 2H), 2.34 (tt, $J = 2.2, 6.8$ Hz, 2H), 1.82 (tt, $J = 7.1, 7.1$ Hz, 2H), 1.08 (m, 3H), 1.07 (d, $J = 4.4$ Hz, 18H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 191.9, 135.9, 133.6, 133.3, 127.9, 127.6, 126.9, 97.1, 79.8, 78.2, 76.8, 62.5, 28.0, 23.3, 18.8, 18.2, 18.0, 12.1. IR (neat); 2943, 2866, 1697, 1595, 1475, 1387, 1244, 1192, 1109, 883, 762, 681 cm^{-1} . MS (EI) m/z 353 ($M^+ - \text{C}_3\text{H}_7$, 38). HRMS (ESI) calcd for $\text{C}_{25}\text{H}_{36}\text{O}_2\text{SiNa}$ ($M^+ + \text{Na}$) 419.2377, found 419.2375.

2-(7-Iodo-hepta-1,6-diynyl)-benzaldehyde (10h). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 10.51 (s, 1H), 7.88 (d, $J = 8.1$ Hz, 1H), 7.54-7.49 (m, 2H), 7.39 (ddd, $J = 1.7, 6.1, 6.3$ Hz, 1H), 2.62 (t, $J = 7.1$ Hz, 2H), 2.57 (t, $J = 7.1$ Hz, 2H), 1.86 (tt, $J = 7.1, 7.1$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 191.5, 135.7, 133.5, 133.2, 127.9, 127.2, 126.8, 96.4, 93.1, 93.1, 77.2, 27.3, 20.3, 18.7. IR (neat); 2835, 2226, 1593, 1475, 1450, 1387, 1273, 1244, 1192, 824, 762 cm^{-1} . MS (EI) m/z 321 ($M^+ - \text{H}$, 3). HRMS (ESI) calcd for $\text{C}_{14}\text{H}_{11}\text{OINa}$ ($M^+ + \text{Na}$) 344.9747, found 344.9746.

10-Phenyl-2,3-dihydro-1H-phenanthren-4-one (11a). ^1H NMR (CDCl_3 , 400 MHz) δ 9.32 (d, $J = 8.8$ Hz, 1H), 7.88 (s, 1H), 7.81 (d, $J = 8.1$ Hz, 1H), 7.63 (ddd, $J = 1.5, 6.8, 8.8$ Hz, 1H), 7.51 (ddd, $J = 1.0, 6.8, 8.1$ Hz, 1H), 7.51-7.46 (m, 5H), 2.93 (t, $J = 6.1$ Hz, 2H), 2.81 (t, $J = 7.1$ Hz, 2H), 2.07 (tt, $J = 6.1, 7.1$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.7, 144.7, 140.6, 139.5, 134.4, 134.4, 132.2, 130.6, 129.3, 128.5, 128.3, 128.1, 127.4, 126.5, 126.1, 40.8, 29.9, 22.9. IR (KBr); 2945, 1654, 1591, 1560, 1491, 1244, 1227, 1178, 1032, 799, 704, 613, 579 cm^{-1} . MS (EI) m/z 272 (M^+ , 84). HRMS (ESI) calcd for $\text{C}_{20}\text{H}_{17}\text{O}$ ($M^+ + \text{H}$) 273.1274, found 273.1274. Anal. calcd for $\text{C}_{20}\text{H}_{16}\text{O}$: C 88.20, H 5.92. found C 88.04, H 6.21. mp = 98-101 $^\circ\text{C}$.

10-*p*-Tolyl-2,3-dihydro-1H-phenanthren-4-one (11b). ^1H NMR (CDCl_3 , 400 MHz) δ 9.29 (dd, $J = 0.5, 8.8$ Hz, 1H), 7.85 (s, 1H), 7.78 (ddd, $J = 0.5, 1.5, 8.1$ Hz, 1H), 7.60 (ddd, $J = 1.5, 6.8, 8.8$ Hz, 1H), 7.48 (ddd, $J = 0.7, 6.8, 8.1$ Hz, 1H), 7.25 (d, $J = 6.8$ Hz, 4H), 2.91 (t, $J = 6.1$ Hz, 2H), 2.76 (t, $J = 6.3$ Hz, 2H), 2.43 (s, 3H), 2.04 (tt, $J = 6.1, 6.3$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.6, 144.8, 139.4, 137.6, 137.0, 134.3, 132.2, 130.5, 129.1, 128.9, 128.4, 128.2, 128.1, 126.5, 125.9, 40.7, 29.9, 22.8, 21.2. IR (KBr); 2351, 1715, 1666, 1589, 1558, 1489, 1225, 1022, 912, 818, 754 cm^{-1} . MS (EI) m/z 286 (M^+ , 100). HRMS (ESI) calcd for $\text{C}_{21}\text{H}_{19}\text{O}$ ($M^+ + \text{H}$) 287.1430, found 287.1426. mp = 106-109 $^\circ\text{C}$.

10-(4-Trifluoromethyl-phenyl)-2,3-dihydro-1H-phenanthren-4-one (11c). ^1H NMR (CDCl_3 , 400 MHz) δ 9.32 (d, J = 8.8 Hz, 1H), 7.86 (s, 1H), 7.82 (d, J = 8.1 Hz, 1H), 7.73 (d, J = 7.8 Hz, 2H), 7.66 (ddd, J = 1.5, 6.8, 8.8 Hz, 1H), 7.53 (ddd, J = 1.0, 6.8, 8.1 Hz, 1H), 7.51 (d, J = 7.8 Hz, 2H), 2.89 (t, J = 6.1 Hz, 2H), 2.82 (t, J = 6.8 Hz, 2H), 2.09 (tt, J = 6.1, 6.8 Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.3, 144.3, 143.9, 138.0, 134.3, 132.1, 130.8, 129.7, 128.9, 128.2, 126.6, 126.3, 125.3, 125.3, 125.2, 125.2, 40.7, 29.8, 22.8. IR (KBr); 2953, 1668, 1614, 1591, 1491, 1404, 1369, 1319, 1171, 1065, 1020, 835, 760 cm^{-1} . MS (EI) m/z 340 (M^+ , 100). HRMS (ESI) calcd for $\text{C}_{21}\text{H}_{16}\text{F}_3\text{O}$ ($\text{M}^+ + \text{H}$) 341.1148, found 341.1147. Anal. calcd for $\text{C}_{21}\text{H}_{15}\text{F}_3\text{O}$: C 74.11, H 4.44, F 16.75. found C 74.06, H 4.72, F 16.99. mp = 145-148 $^\circ\text{C}$.

10-Butyl-2,3-dihydro-1H-phenanthren-4-one (11d). ^1H NMR (CDCl_3 , 400 MHz) δ 9.25 (d, J = 8.5 Hz, 1H), 7.79 (s, 1H), 7.75 (d, J = 8.1 Hz, 1H), 7.56 (ddd, J = 1.2, 6.8, 8.5 Hz, 1H), 7.46 (dd, J = 6.8, 8.1 Hz, 1H), 3.06 (t, J = 6.1 Hz, 2H), 2.79 (t, J = 7.6 Hz, 2H), 2.77 (t, J = 6.3 Hz, 2H), 2.19 (tt, J = 6.1, 6.3 Hz, 2H), 1.66 (tt, J = 7.1, 7.6 Hz, 2H), 1.47 (tq, J = 7.1, 7.3 Hz, 2H), 1.00 (t, J = 7.3 Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.8, 145.5, 137.9, 133.3, 132.5, 129.9, 128.2, 127.7, 127.5, 126.4, 125.7, 40.7, 33.3, 32.4, 27.4, 22.8, 22.6, 14.1. IR (KBr); 2928, 1558, 1495, 1373, 1229, 1180, 1150, 864, 818, 760, 571 cm^{-1} . MS (EI) m/z 252 (M^+ , 94). HRMS (ESI) calcd for $\text{C}_{18}\text{H}_{21}\text{O}$ ($\text{M}^+ + \text{H}$) 253.1587, found 253.1586. Anal. calcd for $\text{C}_{18}\text{H}_{20}\text{O}$: C 85.67, H 7.99. found C 85.50, H 8.17. mp = 75-76 $^\circ\text{C}$.

2,3-Dihydro-1H-phenanthren-4-one (11e).¹

10-Triisopropylsilyl-2,3-dihydro-1H-phenanthren-4-one (11f). ^1H NMR (CDCl_3 , 400 MHz) δ 9.14 (d, J = 8.8 Hz, 1H), 8.18 (s, 1H), 7.80 (dd, J = 1.0, 8.0 Hz, 1H), 7.62 (ddd, J = 1.5, 6.8, 8.8 Hz, 1H), 7.48 (ddd, J = 1.0, 6.8, 8.0 Hz, 1H), 3.10 (t, J = 6.1 Hz, 2H), 2.80 (t, J = 6.6 Hz, 2H), 2.12 (tt, J = 6.1, 6.6 Hz, 2H), 1.57 (septet, J = 8.8 Hz, 3H), 1.17 (d, J = 7.6 Hz, 18H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.7, 151.5, 143.2, 132.7, 131.9, 131.0, 128.8, 128.4, 128.1, 126.2, 125.5, 40.6, 32.5, 22.8, 19.2, 12.8. IR (neat); 2945, 2866, 1570, 1487, 1464, 1433, 1410, 1329, 1232, 1182, 910, 881, 793 cm^{-1} . MS (EI) m/z 352 (M^+ , 14). HRMS (ESI) calcd for $\text{C}_{23}\text{H}_{33}\text{OSi}$ ($\text{M}^+ + \text{H}$) 353.2295, found 353.2296. Anal. calcd for $\text{C}_{23}\text{H}_{32}\text{OSi}$: C 78.35, H 9.15. found C 77.95, H 9.35.

10-(2-Triisopropylsilyloxy-ethyl)-2,3-dihydro-1H-phenanthren-4-one (11g). ^1H NMR (CDCl_3 , 400 MHz) δ 9.25 (d, J = 8.8 Hz, 1H), 7.85 (s, 1H), 7.74 (d, J = 8.1 Hz, 1H), 7.56 (ddd, J = 1.5, 6.9, 8.8 Hz, 1H), 7.45 (ddd, J = 0.7, 6.9, 8.1 Hz, 1H), 3.99 (t, J = 6.1 Hz, 2H), 3.12 (t, J = 6.1 Hz, 2H), 3.06 (t, J = 6.8 Hz, 2H), 2.78 (t, J = 6.8 Hz, 2H), 2.19 (tt, J = 6.8, 6.8 Hz, 2H),

1.06 (m, 3H), 1.03 (d, $J = 5.6$ Hz, 18H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.8, 145.6, 134.6, 132.4, 130.2, 128.2, 127.9, 127.6, 126.5, 125.7, 125.7, 63.7, 40.6, 36.7, 27.8, 22.6, 18.0, 12.0. IR (neat); 2365, 1595, 1560, 1381, 1331, 1205, 1150, 1032, 995, 937, 824 cm^{-1} . MS (EI) m/z 353 ($\text{M}^+ - \text{C}_3\text{H}_7$, 100). HRMS (ESI) calcd for $\text{C}_{25}\text{H}_{37}\text{O}_2\text{Si}$ ($\text{M}^+ + \text{H}$) 397.2557, found 397.2557. Anal. calcd for $\text{C}_{25}\text{H}_{36}\text{O}_2\text{Si}$: C 75.70, H 9.15. found C 75.62, H 9.18.

10-Iodo-2,3-dihydro-1*H*-phenanthren-4-one (11h). ^1H NMR (CDCl_3 , 400 MHz) δ 9.23 (d, $J = 8.8$ Hz, 1H), 8.57 (s, 1H), 7.69 (ddd, $J = 8.1$ Hz, 1H), 7.62 (dd, $J = 7.1$, 8.8 Hz, 1H), 7.49 (dd, $J = 7.1$, 8.1 Hz, 1H), 3.13 (t, $J = 6.1$ Hz, 2H), 2.78 (t, $J = 6.8$ Hz, 2H), 2.21 (tt, $J = 6.1$, 6.8 Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 200.1, 146.3, 144.4, 134.0, 130.7, 129.2, 129.1, 127.0, 126.7, 126.5, 98.7, 40.1, 37.5, 22.6. IR (KBr); 1732, 1715, 1653, 1576, 1558, 1506, 1487, 1456, 1331, 1180, 891, 748 cm^{-1} . MS (EI) m/z 322 (M^+ , 75). HRMS (ESI) calcd for $\text{C}_{14}\text{H}_{12}\text{IO}$ ($\text{M}^+ + \text{H}$) 322.9927, found 322.9922. Anal. calcd for $\text{C}_{14}\text{H}_{11}\text{IO}$: C 52.20, H 3.44, I 39.39. found C 52.19, H 3.65, I 39.10. mp = 86-88 $^\circ\text{C}$.

Preparation of 12a.

1-(2-Phenylethynyl-phenyl)hex-5-en-1-ol.² To a stirred suspension of magnesium turnings (1.46 g, 60 mmol) in Et_2O (5 mL) was added 1,2-dibromoethane (0.05 mL) as an activator. After the mixture was stirred for 5 min, a solution of 5-bromo-1-pentene (3.55 mL, 30 mmol) in Et_2O (80 mL) was added dropwisely over a period of 20 min. After the mixture was stirred for 2 h at room temperature, the corresponding Grignard reagent was produced as a 0.44 M THF solution in 73 % yield, which was measured by a titrimetric method. To a solution of 2-(2-phenylethynyl)benzaldehyde (4.12 g, 20 mmol) in THF (40 mL) was added slowly a solution of the Grignard reagent (0.44 M, 50 mL, 22 mmol) at -78 $^\circ\text{C}$. After the mixture was stirred for 30 min, it was allowed to warm to -30 $^\circ\text{C}$ over a period of 1h. A saturated aqueous solution of NH_4Cl (60 mL), was added and the mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ AcOEt =10/1 as eluent to give 1-(2-phenylethynyl-phenyl)hex-5-en-1-ol as a yellow oil (3.87 g, 14.0 mmol) in 64 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 7.48-7.60 (m, 4H), 7.32-7.43 (m, 4H), 7.26 (t, $J = 7.5$ Hz, 1H),

5.72-5.90 (m, 1H), 5.27 (t, $J = 6.8$ Hz, 1H), 5.02 (d, $J = 17.1$ Hz, 1H), 4.94 (d, $J = 10.2$ Hz, 1H), 2.39 (s, 1H), 2.13 (dd, $J = 7.1, 14.0$ Hz, 2H), 1.78-1.97 (m, 2H), 1.60-1.74 (m, 1H), 1.45-1.58 (m, 1H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 146.5, 138.5, 132.1, 131.3, 128.3, 128.3, 126.9, 125.3, 123.0, 120.4, 114.5, 94.1, 87.1, 72.2, 37.8, 33.6, 25.3. IR (neat); 3358, 3063, 2936, 2858, 1640, 1601, 1493, 1443, 1069, 1027, 997, 912, 756, 691 cm^{-1} . MS (EI) m/z 276 (M^+ , 11). Anal. calcd for $\text{C}_{20}\text{H}_{20}\text{O}$: C 86.92, H 7.29. found C 86.68, H 7.57.

1-(2-Phenylethynyl-phenyl)hex-5-en-1-one (12a). To a solution of 1-(2-phenylethynyl-phenyl)hex-5-en-1-ol (1.38 g, 5 mmol) in acetone (20 mL) was added Jones reagent (2 M, 3.0 mL, 6 mmol) at 0 °C. After the mixture was stirred for 30 min at room temperature, isopropanol (10 mL) and a 30 % aqueous solution of $\text{Na}_2\text{S}_2\text{O}_3$ (10 mL) were added successively. The mixture was extracted with AcOEt three times and the combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/AcOEt=12/1 as eluent to give 1-(2-phenylethynyl-phenyl)hex-5-en-1-one (**12a**) as a colorless oil (1.69 g, 4.85 mmol) in 93 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 7.66 (dd, $J = 1.0, 7.8$ Hz, 1H), 7.62 (dd, $J = 1.0, 7.6$ Hz, 1H), 7.51-7.57 (m, 2H), 7.45 (ddd, $J = 1.5, 7.6, 7.6$ Hz, 1H), 7.39 (ddd, $J = 1.2, 7.6, 7.6$ Hz, 1H), 7.34-7.38 (m, 3H), 5.78 (ddt, $J = 7.0, 10.2, 17.1$, 1H), 5.01 (dd, $J = 1.7, 17.1$ Hz, 1H), 4.95 (ddd, $J = 1.0, 1.7, 10.2$ Hz, 1H), 3.17 (t, $J = 7.6$ Hz, 2H), 2.15 (dt, $J = 7.0, 7.3$ Hz, 2H), 1.88 (tt, $J = 7.3, 7.6$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 203.2, 141.3, 137.9, 133.6, 131.4, 130.7, 128.6, 128.3, 128.2, 128.0, 122.8, 121.1, 115.2, 94.4, 88.2, 41.4, 33.3, 23.6. IR (neat); 3063, 2976, 2933, 2361, 1682, 1591, 1493, 1443, 997, 914, 756, 690 cm^{-1} . MS (EI) m/z 274 (M^+ , 6). HRMS (EI) calcd for $\text{C}_{20}\text{H}_{18}\text{O}$ ($\text{M}^+ + \text{Na}$): 297.1250, found: 297.1251. Anal. calcd for $\text{C}_{20}\text{H}_{18}\text{O}$: C 87.56, H 6.61. found C 87.60, H 6.79.

1-(2-hex-1-ynyl-phenyl)-hex-5-en-1-one (12b). Colorless oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.50 (dd, $J = 0.7, 7.6$ Hz, 1H), 7.42 (d, $J = 7.6$ Hz, 1H), 7.32 (dddd, $J = 1.5, 1.5, 7.3, 7.6$ Hz, 1H), 7.26 (dddd, $J = 1.5, 1.5, 7.3, 7.6$ Hz, 1H), 5.77 (ddt, $J = 6.8, 10.2, 17.1$ Hz, 1H), 4.99 (dd, $J = 1.5, 17.1$, 1H), 4.95 (ddd, $J = 1.0, 1.5, 10.2$ Hz, 1H), 3.05 (t, $J = 7.3$ Hz, 2H), 2.38 (t, $J = 7.1$ Hz, 2H), 2.15 (dt, $J = 6.8, 7.1$ Hz, 2H), 1.78 (tt, $J = 7.1, 7.3$ Hz, 2H), 1.56 (tt, $J = 7.1, 7.8$ Hz, 2H), 1.42 (tq, $J = 7.1, 7.8$ Hz, 2H), 0.91 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 203.9, 141.6, 138.0, 133.6, 130.4, 127.6, 127.4, 121.8, 115.0, 96.1, 79.3, 41.5, 33.3, 30.6, 23.5, 22.1,

19.4, 13.7. IR (neat); 2959, 2934, 2872, 2228, 1686, 1593, 1477, 1441, 1364, 912, 758 cm^{-1} . MS (EI) m/z 254 (M^+ , 4). HRMS calcd for $\text{C}_{18}\text{H}_{22}\text{O}$ ($\text{M}^+ + \text{Na}$): 277.1563, found: 277.1563. Anal. calcd for $\text{C}_{18}\text{H}_{22}\text{O}$: C 84.99, H 8.72. found C 85.04, H 8.91.

1-(2-Phenylethynyl-phenyl)-hept-6-en-1-one (12c). Yellow oil; ^1H NMR (CDCl_3 , 400 MHz) δ 7.65 (dd, $J = 1.5, 7.6$ Hz, 1H), 7.62 (dd, $J = 1.5, 7.6$ Hz, 1H), 7.51-7.56 (m, 2H), 7.46 (ddd, $J = 1.5, 7.6, 7.6$ Hz, 1H), 5.78 (ddt, $J = 6.8, 10.2, 17.1$ Hz, 1H), 4.98 (dd, $J = 1.7, 3.7$ Hz, 1H), 4.93 (ddt, $J = 1.2, 2.2, 10.2$ Hz, 1H), 3.17 (t, $J = 7.6$ Hz, 2H), 2.08 (dd, $J = 7.3, 14.9$ Hz, 2H), 1.78 (dt, $J = 7.3, 15.1$ Hz, 2H), 1.48 (dt, $J = 7.6, 15.1$ Hz, 2H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 203.4, 141.4, 138.4, 133.6, 131.4, 130.7, 128.6, 128.4, 128.2, 128.0, 122.8, 121.1, 114.5, 94.4, 88.2, 42.0, 33.6, 28.7, 24.0. IR (neat); 3063, 2932, 2858, 2214, 1690, 1639, 1591, 1493, 1442, 1282, 1196, 912, 756 cm^{-1} . MS (EI) m/z 288 (M^+ , 10). HRMS calcd for $\text{C}_{21}\text{H}_{20}\text{O}$ ($\text{M}^+ + \text{Na}$): 311.1406, found: 311.1406.

Phenyl-(2,3,4,5-tetrahydro-1H-cyclopenta[*a*]naphthalen-5-yl)methanone (13a). ^1H NMR (CDCl_3 , 400 MHz) δ 8.06 (ddd, $J = 1.5, 2.0, 8.3$ Hz, 2H), 7.63 (dddd, $J = 1.2, 2.0, 6.8, 7.6$ Hz, 1H), 7.53 (dddd, $J = 1.5, 2.0, 6.8, 8.3$ Hz, 2H), 7.26 (dd, $J = 7.3, 7.6$ Hz, 1H), 7.16 (dd, $J = 1.0, 7.6$ Hz, 1H), 7.09 (ddd, $J = 1.5, 7.6, 7.6$ Hz, 1H), 7.00 (d, $J = 7.6$ Hz, 1H), 4.96 (t, $J = 8.5$ Hz, 1H), 2.90-2.60 (m, 4H), 2.60-2.46 (m, 2H), 2.14 (ddd, $J = 2.2, 7.6, 13.9$ Hz, 1H), 2.06 (ddd, $J = 2.2, 8.8, 15.1$ Hz, 1H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 201.5, 137.6, 136.6, 134.0, 133.6, 132.9, 132.7, 128.7, 128.6, 127.3, 127.2, 126.1, 122.8, 46.7, 36.3, 31.0, 28.3, 22.4. IR (neat); 2949, 2920, 2893, 2839, 1682, 1597, 1489, 1447, 1350, 1215, 1178, 758 cm^{-1} . MS (EI) m/z 274 (M^+ , 8). HRMS (ESI) calcd for $\text{C}_{20}\text{H}_{18}\text{ONa}$ ($\text{M}^+ + \text{Na}$) 297.1250, found 297.1249.

1-(2,3,4,5-Tetrahydro-1H-cyclopenta[*a*]naphthalen-5-yl)pentan-1-one (13b). ^1H NMR (CDCl_3 , 400 MHz) δ 7.26 (ddd, $J = 0.7, 7.3, 7.6$ Hz, 1H), 7.22 (dd, $J = 1.0, 7.3$ Hz, 1H), 7.16 (dd, $J = 7.3, 7.6$ Hz, 1H), 7.08 (d, $J = 7.6$ Hz, 1H), 3.72 (dd, $J = 3.2, 7.6$ Hz, 1H), 2.82 (dd, $J = 1.5, 16.6$ Hz, 1H), 2.74-2.44 (m, 5H), 2.38 (ddd, $J = 7.3, 7.8, 17.3$ Hz, 1H), 2.31 (ddd, $J = 7.3, 7.5, 17.4$ Hz, 1H), 2.03 (tt, $J = 8.1, 8.5$ Hz, 2H), 1.44 (dtt, $J = 1.5, 7.1, 7.3$ Hz, 2H), 1.19 (tq, $J = 7.3, 7.3$ Hz, 2H), 0.83 (t, $J = 7.3$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 211.0, 139.0, 133.9, 133.2, 132.1, 128.6, 127.6, 126.0, 122.9, 52.5, 39.6, 36.3, 30.8, 26.7, 25.9, 22.4, 22.2, 13.8. IR (neat); 3020, 2957, 2932, 2891, 2872, 2841, 1709, 1651, 1492, 1460, 1133, 1049, 760. cm^{-1} . MS (EI) m/z 254 (M^+ , 11). HRMS (ESI) calcd for $\text{C}_{18}\text{H}_{22}\text{ONa}$ ($\text{M}^+ + \text{Na}$) 277.1563, found 277.1562. Anal. calcd for $\text{C}_{18}\text{H}_{22}\text{O}$: C 84.99, H 8.72. found C 84.81, H 8.97.

(1,2,3,4,9,10-Hexahydrophenanthren-9-yl)(phenyl)methanone (13c). ^1H NMR (CDCl_3 , 400 MHz) δ 8.00 (d, $J = 7.3$ Hz, 2H), 7.56 (dd, $J = 7.3, 7.3$ Hz, 1H), 7.46 (dd, $J = 7.3, 7.8$ Hz, 2H), 7.27 (d, $J = 6.8$ Hz, 1H), 7.22 (dd, $J = 7.3, 7.6$ Hz, 1H), 7.04 (ddd, $J = 1.2, 7.3, 7.3$ Hz, 1H),

6.92 (d, $J = 7.6$ Hz, 1H), 4.78 (dd, $J = 6.8, 10.2$ Hz, 1H), 2.69 (ddd, $J = 2.9, 10.0, 17.6$ Hz, 1H), 2.59-2.43 (m, 1H), 2.42-2.30 (dd, $J = 6.6, 15.1$ Hz, 2H), 2.20 (ddd, $J = 6.5, 6.8, 18.5$ Hz, 1H), 2.09 (ddd, $J = 6.0, 6.5, 18.1$ Hz, 1H), 1.92-1.60 (m, 4H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 201.7, 137.0, 136.6, 132.9, 132.8, 132.1, 128.5, 128.4, 127.0, 126.8, 126.7, 125.9, 121.7, 46.1, 32.4, 30.8, 25.3, 23.0, 22.7. IR (neat); 2927, 2858, 2835, 2361, 2251, 1682, 1597, 1487, 1446, 1273, 1215, 756 cm^{-1} . MS (EI) m/z 288 (M^+ , 17). HRMS (ESI) calcd for $\text{C}_{21}\text{H}_{20}\text{ONa}$ ($\text{M}^+ + \text{Na}$) 311.1406, found 311.1408.

Preparation 14a.

1-Bromo-non-4-yne. To a solution of 1-hexyne (4.14 mL, 36 mmol) in THF (36 mL) was added a solution of *n*-BuLi in hexane (1.58 M, 19.0 mL, 30 mmol) at -78°C dropwisely over a period of 20 min and the mixture was stirred for 30 min. After addition of DMPU (3.63 mL), the resulting mixture was transferred to a solution of 1,3-dibromopropane (3.05 mL, 30 mmol) in THF (20 mL) and the mixture was allowed to warm to room temperature over a period of 1 h. After it was stirred for 14 h, a saturated aqueous solution of NH_4Cl (30 mL) was added. The mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ Et_2O =80/1 as eluent to give 1-bromo-non-4-yne as a colorless oil (4.30 g, 21.3 mmol) in 71 %. ^1H NMR (CDCl_3 , 400 MHz) δ 3.52 (t, $J = 6.3$ Hz, 2H), 2.34 (t, $J = 6.6$ Hz, 2H), 2.14 (t, $J = 6.8$ Hz, 2H), 2.00 (tt, $J = 6.6, 6.6$ Hz, 2H), 1.30-1.52 (m, 4H), 0.90 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 81.4, 77.8, 32.6, 32.0, 31.1, 22.0, 18.4, 17.5, 13.7. IR (neat); 2959, 2932, 1433, 1379, 1272, 1248, 853, 748 cm^{-1} . MS (EI) m/z 202 (M^+ , 0.9). HRMS calcd for $\text{C}_9\text{H}_{15}\text{Br}$ (M^+): 202.0352, found: 202.0358. Anal. calcd for $\text{C}_9\text{H}_{15}\text{Br}$: C 53.22, H 7.44, Br 39.34. found C 53.34, H 7.59, Br 39.58.

1-Bromo-non-4-ene. The mixture of 1-bromo-non-4-yne (4.04 g, 20 mmol) and Lindlar catalyst in MeOH (20 mL) was stirred for 3 h at room temperature under hydrogen atmosphere. The reaction mixture was filtrated through a pad of Celite and the solvent was evaporated to give the crude product, which was purified by silica gel column chromatography using hexane to give 1-bromo-non-4-ene as a colorless oil (3.43 g, 16.8 mmol) in 84 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 5.44 (dt, $J = 7.6, 10.7$ Hz, 1H), 5.30 (dt, $J = 7.3, 10.3$ Hz, 1H), 3.41 (t, $J =$

6.6 Hz, 2H), 2.20 (dt, $J = 7.1, 7.1$ Hz, 2H), 2.16 (dt, $J = 6.1, 6.1$ Hz, 2H), 1.91 (tt, $J = 6.8, 7.1$ Hz, 2H), 1.25-1.40 (m, 4H), 0.92 (t, $J = 6.8$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 131.7, 127.3, 33.4, 32.7, 31.9, 27.0, 25.7, 22.4, 14.1. IR (neat); 3007, 2959, 2928, 2872, 2858, 2061, 1466, 1456, 1434, 1271 cm^{-1} . MS (EI) m/z 204 (M^+ , 17). Anal. calcd for $\text{C}_9\text{H}_{17}\text{Br}$: C 52.70, H 8.35, Br 38.95. found C 52.96, H 8.53, Br 38.65.

Z-Undec-6-en-1-yne.³ To a solution of lithium acetylene ethylenediamine complex (1.38 g, 15 mmol) in DMSO (6 mL) was added slowly a solution of 1-bromo-non-4-ene (2.04 g, 10 mmol) in DMSO (4 mL) at 0 °C. After the resulting mixture was stirred for 1 h at room temperature, H_2O (5 mL) was added. The mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane to give Z-undec-6-en-1-yne as a colorless oil (1.20 g, 8 mmol) in 80 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 5.41 (dt, $J = 7.3, 10.5$ Hz, 1H), 5.32 (dt, $J = 7.3, 10.7$ Hz, 1H), 2.10-2.25 (m, 4H), 2.05 (dt, $J = 6.3, 6.3$ Hz, 2H), 1.95 (s, 1H), 1.59 (tt, $J = 7.1, 7.3$ Hz, 2H), 1.29-1.37 (m, 4H), 0.90 (t, $J = 6.3$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 131.1, 128.2, 84.5, 68.2, 32.0, 28.6, 27.0, 26.2, 22.4, 18.0, 14.1. IR (neat); 3312, 3007, 2957, 2930, 2860, 1456, 1435, 1067 cm^{-1} . MS (EI) m/z 150 (M^+ , 3.5). HRMS calcd for $\text{C}_{11}\text{H}_{18}$ (M^+): 150.1404, found: 150.1400.

Z-2-Undec-6-en-1-ynyl-benzaldehyde (14a). To a mixture of Z-undec-6-en-1-yne (0.75 g, 5 mmol) and 2-bromobenzaldehyde (0.47 mL, 4 mmol) in Et_3N (10 mL) were added bis(triphenylphosphine) palladium dichloride (56 mg, 0.1 mmol) and copper iodide (9.5 mg, 0.05 mmol). The mixture was stirred for 3 h at 60 °C, and then it was cooled down to room temperature. A saturated aqueous solution of NH_4Cl (10 mL), was added and the mixture was extracted with ether three times. The combined extracts were washed with brine and dried over MgSO_4 . The solvent was removed under reduced pressures to give the crude product, which was purified by silica gel column chromatography using hexane/ AcOEt =10/1 as eluent to give Z-2-undec-6-en-1-ynyl-benzaldehyde (**14a**) as a yellow oil (0.91 g, 3.6 mmol) in 90 % yield. ^1H NMR (CDCl_3 , 400 MHz) δ 10.54 (s, 1H), 7.88 (d, $J = 7.8$ Hz, 1H), 7.43-7.56 (m, 2H),

7.33-7.42 (m, 1H), 5.44 (dt, $J = 4.6, 10.7$ Hz, 1H), 5.36 (dt, $J = 4.9, 11.7$ Hz, 1H), 2.49 (t, $J = 7.1$ Hz, 2H), 2.22 (dt, $J = 7.1, 7.1$ Hz, 2H), 2.06 (dt, $J = 6.3, 6.6$ Hz, 2H), 1.69 (tt, $J = 7.1, 7.3$ Hz, 2H), 1.24-1.42 (m, 4H), 0.87 (t, $J = 7.1, 3$ Hz). ^{13}C NMR (CDCl_3 , 100 MHz) δ 192.0, 135.9, 133.6, 133.2, 131.2, 128.1, 127.8, 127.8, 126.8, 97.9, 76.5, 32.0, 28.6, 27.1, 26.4, 22.4, 19.1, 14.0. IR (neat); 3855, 3651, 2955, 2930, 2858, 2228, 1697, 1595, 1475, 1450, 1244, 1192, 762 cm^{-1} . MS (EI) m/z 254 (M^+ , 4). HRMS calcd for $\text{C}_{18}\text{H}_{22}\text{O}$ ($\text{M}^+ + \text{Na}$): 277.1563, found: 277.1565. Anal. calcd for $\text{C}_{18}\text{H}_{22}\text{O}$: C 84.99, H 8.72. found C 84.80, H 8.97.

***E*-2-undec-6-en-1-ynyl-benzaldehyde (14b).** light black oil; ^1H NMR (CDCl_3 , 400 MHz) δ 10.54 (s, 1H), 7.88 (d, $J = 7.6$ Hz, 1H), 7.47-7.54 (m, 2H), 7.35-7.40 (m, 1H), 5.54 (dt, $J = 6.6, 15.6$ Hz, 1H), 5.40 (dt, $J = 6.6, 15.9$ Hz, 1H), 2.48 (t, $J = 7.1$ Hz, 2H), 2.16 (dt, $J = 6.6, 7.1$ Hz, 2H), 2.00 (dt, $J = 6.6, 6.6$ Hz, 2H), 1.70 (tt, $J = 7.1, 7.1$ Hz, 2H), 1.25-1.40 (m, 4H), 0.55 (t, $J = 7.1, 3$ Hz). ^{13}C NMR (CDCl_3 , 100 MHz) δ 192.0, 135.9, 133.6, 133.2, 131.7, 128.6, 127.8, 126.8, 97.9, 76.5, 32.3, 31.8, 31.7, 28.4, 22.3, 19.0, 14.0. IR (neat); 2955, 2928, 2858, 2227, 1697, 1595, 1475, 1450, 1386, 1294, 1272, 1244, 1192, 968, 762 cm^{-1} . MS (EI) m/z 254 (M^+ , 4). HRMS calcd for $\text{C}_{18}\text{H}_{22}\text{O}$ ($\text{M}^+ + \text{Na}$): 277.1563, found: 277.1563. Anal. calcd for $\text{C}_{18}\text{H}_{22}\text{O}$: C 84.99, H 8.72. found C 84.89, H 8.97.

10-Butyl-1,2,3,10[a]-tetrahydrophenanthren-4(4[a]H)-one (15). ^1H NMR (CDCl_3 , 400 MHz) δ 7.24 (dd, $J = 7.3, 7.6$ Hz, 1H), 7.17 (ddd, $J = 1.5, 7.3, 7.6$ Hz, 1H), 7.09 (dd, $J = 1.2, 7.6$ Hz, 1H), 6.85 (d, $J = 7.6$ Hz, 1H), 6.28 (s, 1H), 3.82 (d, $J = 6.3$ Hz, 1H), 2.64 (dt, $J = 6.3, 13.7$ Hz, 1H), 2.53 (ddd, $J = 3.4, 6.3, 11.7$ Hz, 1H), 2.50-2.42 (m, 1H), 2.35-2.18 (m, 2H), 2.07-1.98 (m, 1H), 1.80-1.35 (m, 7H), 1.01 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (CDCl_3 , 100 MHz) δ 212.9, 144.1, 133.8, 129.8, 127.2, 126.9, 126.1, 125.8, 121.7, 55.1, 42.5, 39.2, 35.0, 30.3, 25.5, 25.0, 22.5, 14.0. IR (neat); 2955, 2930, 2870, 1709, 1649, 1487, 1448, 1423, 1315, 1252, 1211, 754 cm^{-1} . MS (EI) m/z 254 (M^+ , 73). HRMS (ESI) calcd for $\text{C}_{18}\text{H}_{22}\text{ONa}$ ($\text{M}^+ + \text{Na}$) 277.1563, found 277.1564. Anal. calcd for $\text{C}_{18}\text{H}_{22}\text{O}$: C 84.99, H 8.72. found C 84.92, H 9.12.

Reference

- (1) Grissom, J. W.; Klingberg, D.; Meyenburg, S.; Stallman, B. L. *J. Org. Chem.* **1994**, *59*, 7876-7888.
- (2) Padwa, A.; Weingarten, M. D. *J. Org. Chem.* **2000**, *65*, 3722-3732.
- (3) Negishi, E.; Holmes, S. J.; Tour, J. M.; Miller, J. A.; Cederbaum, F. E.; Swanson, D. R.;

Takahashi, T. *J. Am. Chem. Soc.* **1989**, *111*, 3336-3346.

DATIM Thu Oct 16 21:16:40 2003
DFILE C:\Documents and Settings\All Use
1H
OBJUC
EXMOD NON
OBFRQ 399.65 MHz
OBSET 124.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQU 7993.60 Hz
SCANS 8
ACQTM 4.0993 sec
PD 2.9010 sec
PWI 5.50 usec
IRATN 511
CTEMP 22.7 c
SLVNT CDCL3
EXREF 7.26 ppm
BF 0.10 Hz
RGAIN 20

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Thu Oct 16 22:02:44 2003
 OBNUC T3C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 275
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 23.9 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DATIM Thu Dec 11 22:16:48 2003
 DFILE C:\Documents and Settings\All Use
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTEMP 22.7 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.30 Hz
 RGAIN 20

DFILE C:\Documents and Settings\All Users\...
 COMNT Thu Dec 11 23:05:34 2003
 DATIM
 OBNUC 13C
 EXMOD BOM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 247
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTMP 23.7 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.30 Hz
 RGAIN 22

DATIM Sat Dec 06 19:33:22 2003
 DFILE C:\Documents and Settings\All Use...
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 10
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTMP 22.9 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 19

DFILE C:\Documents and Settings\All Users\Documents
 COMNT
 DATIM Sat Dec 06 20:13:53 2003
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 288
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 24.5 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DATIM Sat Dec 06 19:26:14 2003
 DFILE C:\Documents and Settings\All Users\Documents
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 20
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTEMP 23.2 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 19

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Dec 05 17:30:11 2003
 EXMOD 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 89
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTMP 24.5 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DATIM Thu Nov 20 10:59:15 2003
 DFILE C:\Documents and Settings\All Use
 EXMOD 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTMP 22.0 c
 SLVNT CDCL3
 EXREF 0.00 ppm
 BF 0.10 Hz
 RGAIN 21

```

D:\FILE C:\Documents and Settings\All Users\VD
COMNT
DATIM Wed Nov 19 19:49:11 2003
OBNUC 13C
EXMOD BCM
OBFRO 100.40 MHz
OBSET 125.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQU 27173.90 Hz
SCANS 349
ACQTM 1.2059 sec
PD 1.7940 sec
PWT 5.20 usec
IRNUC 1H
CTEMP 23.4 c
SLVNT CDCL3
EXREF 77.00 ppm
BF 0.10 Hz
RGAIN 23
  
```

DATIM Thu Oct 30 17:22:29 2003
 DF-ILE C:\Documents and Settings\All Use
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0893 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTEMP 24.1 c
 SLVNT CDCL3
 EXREF 0.00 ppm
 BF 0.10 Hz
 RGAIN 19

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Oct 17 22:11:16 2003
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 903
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 23.0 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DATIM Sun Dec 14 15:16:42 2003
 DFILE C:\Documents and Settings\All Use
 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBF IN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRATN 511
 CTMP 23.6 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.12 Hz
 RGAIN 13

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Sun Dec 14 13:15:54 2003
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 89
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 24.6 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 22

DFILE C:\WINNMR98\COMMON\DEFAULT.A:
 COMNT
 DATIM Wed Feb 02 18:31:31 2005
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.0 Hz
 POINT 32768
 FREQU 7993.6 Hz
 SCANS 8
 ACQTM 4.099 sec
 PD 2.901 sec
 PW1 5.5 us
 IRNUC 1H
 CTEMP 20.2 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 16

DFILE C:\Documents and Settings\All Users\VD
COMNT
DATIM Mon Dec 08 11:14:21 2003
OBNUC 13C
EXMOD BCM
OBFRQ 100.40 MHz
OBSET 125.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQ 27173.90 Hz
SCANS 294
AQTM 1.2059 sec
PD 1.7940 sec
PWI 5.20 usec
IRNUC 1H
CTEMP 24.1 c
SLVNT CDCL3
EXREF 77.00 ppm
BF 0.10 Hz
RGAIN 22

DATIM Wed Dec 10 19:51:34 2003
DFILE C:\Documents and Settings\All Use
IRNUC 1H
EXMOD NON
OBFRQ 399.65 MHz
OBSET 124.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQ 7993.60 Hz
SCANS 8
AQTM 4.0993 sec
PD 2.9010 sec
PWI 5.50 usec
IRATN 511
CTEMP 23.1 c
SLVNT CDCL3
EXREF 7.26 ppm
BF 0.10 Hz
RGAIN 11

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Mon Dec 08 20:47:26 2003
 OBNUC ¹³C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 238
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWI 5.20 usec
 IRNUC ¹H
 CTEMP 23.8 c
 SLVNT CDCL₃
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\WINNMR98\COMMON_DEFAULT.A
 COMNT
 DATIM Wed Feb 02 13:47:52 2005
 OBNUC ¹H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.0 Hz
 POINT 32768
 FREQU 7993.6 Hz
 SCANS 21
 ACQTM 4.099 sec
 PD 2.901 sec
 PWI 5.5 us
 IRNUC ¹H
 CTEMP 50.5 c
 SLVNT CDCL₃
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 18

D:\FILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Sat Nov 29 16:25:47 2003
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 27173.90 Hz
 SCANS 282
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 1H
 CTEMP 24.1 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 24

D:\FILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Wed Feb 04 13:47:06 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 7983.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTEMP 25.0 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 20

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Feb 27 12:24:58 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 467
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 25.2 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Aug 20 12:49:44 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 26.3 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.30 Hz
 RGAIN 22

D:\FILE C:\Documents and Settings\All Users\VO
COMNT
DATIM Sat Aug 21 16:32:51 2004
OBNUC 13C
EXMOD BCM
OBFRQ 100.40 MHz
OBSET 125.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQU 27173.90 Hz
SCANS 410
AQTM 1.2059 sec
PD 1.7940 sec
PWI 5.20 usec
IRNUC 1H
CTEMP 26.7 c
SLVNT CDCL3
EXREF 77.00 ppm
BF 0.10 Hz
RGAIN 24

D:\FILE C:\Documents and Settings\All Users\VO
COMNT
DATIM Wed Oct 27 16:32:20 2004
OBNUC 1H
EXMOD NON
OBFRQ 399.65 MHz
OBSET 124.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQU 7993.60 Hz
SCANS 8
AQTM 4.0993 sec
PD 2.9010 sec
PWI 5.50 usec
IRNUC 1H
CTEMP 21.3 c
SLVNT CDCL3
EXREF 7.26 ppm
BF 0.10 Hz
RGAIN 21

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Apr 27 22:10:37 2004
 OBNUC 13C
 EXMOD BOM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 103
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.00 usec
 IRNUC 1H
 CTEMP 27.6 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 22

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Mar 23 00:48:58 2004
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7983.60 Hz
 SCANS 8
 ACQTM 4.0893 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 20.6 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 19

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Sep 07 19:49:27 2004
 OBNUC 13C
 EXMOD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 320
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 27.6 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Nov 19 10:43:37 2004
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 23.3 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 19

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Nov 19 14:57:56 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 442
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 24.0 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Wed Oct 27 15:12:31 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 21.3 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 17

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Apr 27 22:39:30 2004
 OBNUC 13C
 EXMOD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 156
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.00 usec
 IRNUC 1H
 CTEMP 27.2 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 21

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Sep 06 15:33:52 2004
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7983.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 26.2 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.50 Hz
 RGAIN 18

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Sep 06 20:19:10 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 807
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 26.6 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Sep 03 00:30:56 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 25.7 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.50 Hz
 RGAIN 19

DFILE C:\Documents and Settings\VAII Users\VD
 COMNT
 DATIM Wed Nov 17 17:58:30 2004
 OBNUC 13C
 EXMOD EGM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 132
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 24.3 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DFILE C:\Documents and Settings\VAII Users\VD
 COMNT
 DATIM Tue Feb 01 22:21:46 2005
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 20.7 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 20

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Mon Feb 16 11:25:19 2004
 OBNUC 13C
 EXMOD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 556
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 23.9 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Wed Feb 02 15:08:19 2005
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 20
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 22.7 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 20

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Aug 23 17:11:15 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 128
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 26.0 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Wed Feb 02 01:29:02 2005
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 20.9 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 17

DFILE C:\Documents and Settings\All Users\...
 COMNT
 DATIM Tue Nov 02 21:35:17 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 202
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 24.3 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DFILE C:\WINNMR98\COMMON_DEFAULT.A
 COMNT
 DATIM Tue Feb 01 21:00:21 2005
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.0 Hz
 POINT 32768
 FREQU 7993.6 Hz
 SCANS 8
 ACQTM 4.099 sec
 PD 2.901 sec
 FW1 5.5 us
 IRNUC 1H
 CTEMP 20.2 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 18

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Mar 23 22:25:37 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 397
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 1H
 CTEMP 23.1 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Nov 19 21:33:11 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FRFQI 7993.60 Hz
 SCANS 8
 ACQTM 4.0093 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 23.3 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.13 Hz
 RGAIN 19

```

D:\FILE C:\Documents and Settings\All Users\
COMNT
DATIM Fri Nov 19 17:26:25 2004
OBNUC 13C
EXMCD BCM
OBFRO 100.40 MHz
OBSET 125.00 KHz
OBFIN 10500.00 Hz
POINT 32768
FREQU 27173.90 Hz
SCANS 120
ACQTM 1.2059 sec
PD 1.7940 sec
PWI 5.20 usec
IRNUC 1H
CTEMP 25.9 c
SLVNT CDCL3
EXREF 77.00 ppm
BF 0.10 Hz
RGAIN 22

```

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Tue Nov 02 21:12:22 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 TRNUC 1H
 CTEMP 23.1 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 11

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Tue Nov 02 21:45:16 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 132
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 TRNUC 13C
 CTEMP 23.7 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 21

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Sep 06 23:20:16 2004
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7983.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTEMP 26.2 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 17

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Sep 06 23:48:27 2004
 OBNUC 13C
 EXMOD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 427
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 1H
 CTEMP 27.1 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 24

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Sep 03 16:47:36 2004
 OBNUC 1H
 EXMOD NON
 OBFREQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 7983.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 TRNUC 1H
 CTMP 25.3 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.50 Hz
 RGAIN 18

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Sep 03 17:39:24 2004
 OBNUC 13C
 EXMOD BCM
 OBFREQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 27173.90 Hz
 SCANS 262
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 TRNUC 13C
 CTMP 26.9 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.50 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Nov 22 16:27:40 2004
 OBNUC 1H
 EXMOD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 TRNUC 1H
 CTMP 22.9 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.30 Hz
 RGAIN 11

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Nov 22 17:44:34 2004
 OBNUC 13C
 EXMOD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 290
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 TRNUC 13C
 CTMP 23.5 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.30 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Nov 22 16:36:14 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 TRNUC 1H
 CTEMP 23.1 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.30 Hz
 RGAIN 11

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Nov 22 17:23:10 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 110
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 TRNUC 13C
 CTEMP 24.5 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.30 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Thu Nov 25 18:08:44 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 TRNUC 1H
 CTEMP 23.0 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 15

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Thu Nov 25 18:33:58 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 27173.90 Hz
 SCANS 366
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 TRNUC 13C
 CTEMP 23.8 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Nov 26 22:28:54 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTMP 22.9 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 11

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Fri Nov 26 22:39:28 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 165
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 13C
 CTMP 24.7 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 24

DFILE C:\Documents and Settings\All Users\WD
 COMNT Thu Feb 10 19:03:18 2005
 DATIM TH
 OBNUC 1H
 EXMCD NON
 OBFRO 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PW1 5.50 usec
 IRNUC 1H
 CTEMP 22.4 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 1.25 Hz
 RGAIN 15

DFILE C:\Documents and Settings\All Users\WD
 COMNT Sat Nov 27 00:00:51 2004
 DATIM
 OBNUC 13C
 EXMCD BCM
 OBFRO 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 244
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PW1 5.20 usec
 IRNUC 13C
 CTEMP 24.0 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 23

DFILE C:\Documents and Settings\All Users\VD
 COMMT
 DATIM Fri Feb 11 02:21:08 2005
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OFIN 10500.00 Hz
 POINT 32768
 FREQU 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTEMP 22.6 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 2.00 Hz
 RGAIN 14

DFILE C:\Documents and Settings\All Users\VD
 COMMT
 DATIM Fri Nov 26 16:54:00 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OFIN 10500.00 Hz
 POINT 32768
 FREQU 27173.90 Hz
 SCANS 165
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 1H
 CTEMP 24.9 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 22

DFILE C:\Documents and Settings\Yall Users\YD
 COMNT Mon Nov 22 15:35:51 2004
 DATIM 1H
 OBNUC NON
 EXMOD 399.65 MHz
 OBFRQ 124.00 KHz
 OBSET 10500.00 Hz
 OBFIN 32768
 POINT 7993.60 Hz
 FREQU 8
 SCANS 4.0893 sec
 ACQTM 2.9010 sec
 PD 5.50 usec
 PWI 1H
 IRNUC 22.9 c
 CTMP CDCL3
 SLVNT 7.26 ppm
 EXREF 0.30 Hz
 BF 13
 RGAIN

DFILE C:\Documents and Settings\Yall Users\YD
 COMNT Tue Nov 23 11:21:44 2004
 DATIM 13C
 OBNUC BCM
 EXMOD 100.40 MHz
 OBFRQ 125.00 KHz
 OBSET 10500.00 Hz
 OBFIN 32768
 POINT 27173.90 Hz
 FREQU 482
 SCANS 1.2059 sec
 ACQTM 1.7940 sec
 PD 5.20 usec
 PWI 1H
 IRNUC 23.7 c
 CTMP CDCL3
 SLVNT 77.00 ppm
 EXREF 0.10 Hz
 BF 23
 RGAIN

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Mon Nov 22 17:00:30 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTMP 22.9 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.30 Hz
 RGAIN 11

DFILE C:\Documents and Settings\All Users\VD
 COMNT
 DATIM Tue Nov 23 10:49:20 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 27173.90 Hz
 SCANS 242
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 1H
 CTMP 24.9 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 24

15

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Wed Nov 17 01:41:25 2004
 OBNUC 1H
 EXMOD NON
 OBFRQ 399.65 MHz
 OBSET 124.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 7993.60 Hz
 SCANS 8
 ACQTM 4.0993 sec
 PD 2.9010 sec
 PWT 5.50 usec
 IRNUC 1H
 CTMP 23.7 c
 SLVNT CDCL3
 EXREF 7.26 ppm
 BF 0.10 Hz
 RGAIN 8

DFILE C:\Documents and Settings\All Users\WD
 COMNT
 DATIM Tue Nov 23 11:32:27 2004
 OBNUC 13C
 EXMOD BCM
 OBFRQ 100.40 MHz
 OBSET 125.00 KHz
 OBFIN 10500.00 Hz
 POINT 32768
 FREQ 27173.90 Hz
 SCANS 82
 ACQTM 1.2059 sec
 PD 1.7940 sec
 PWT 5.20 usec
 IRNUC 13C
 CTMP 23.5 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 24