Benzhydryl as an Efficient Selective Nitrogen Protecting Group for Uracils

Fan Wu,^{†,‡} Musole G. Buhendwa,[†] and Donald F. Weaver^{†,‡,§}*

Departments of Chemistry,[†] Medicine (Neurology),[‡] and School of Biomedical Engineering,[§]

Dalhousie University, Halifax, Nova Scotia, Canada, B4H 4J3

donald.weaver@dal.ca

Supporting Information

Contents

General Information	S3
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2a	S4-S6
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2b	S7-S9
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2c	S10-S12
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2d	S13-S15
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2e	S16-S18
¹ H, ¹³ C, and 1D NOE NMR spectrum of compound 2f	S19-S21

^1H , ^{13}C , and 1D NOE NMR spectrum of compound 2g	S22-S24
^1H , ^{13}C , and 1D NOE NMR spectrum of compound 2h	S25-S27
^1H , and ^{13}C NMR spectrum of compound 3a	S28-S29
^1H , and ^{13}C NMR spectrum of compound 3b	S30-S31
^1H , and ^{13}C NMR spectrum of compound 3c	S32-S33
^1H , and ^{13}C NMR spectrum of compound 3d	S34-S35
^1H , and ^{13}C NMR spectrum of compound 3e	S36-S37
^1H , and ^{13}C NMR spectrum of compound 3f	S38-S39
^1H , and ^{13}C NMR spectrum of compound 3g	S40-S41
^1H , and ^{13}C NMR spectrum of compound 3h	S42-S43
^1H , and ^{13}C NMR spectrum of compound 3i	S44-S45
^1H , and ^{13}C NMR spectrum of compound 3j	S46-S47
^1H , and ^{13}C NMR spectrum of compound 3k	S48-S49
^1H , and ^{13}C NMR spectrum of compound 3l	S50-S51
^1H , and ^{13}C NMR spectrum of compound 3m	S52-S53
^1H , and ^{13}C NMR spectrum of compound 4a	S54-S55
^1H , and ^{13}C NMR spectrum of compound 4b	S56-S57
^1H , and ^{13}C NMR spectrum of compound 4c	S58-S59
^1H , and ^{13}C NMR spectrum of compound 4d	S60-S61
^1H , and ^{13}C NMR spectrum of compound 4e	S62-S63
^1H , and ^{13}C NMR spectrum of compound 4f	S64-S65
^1H , and ^{13}C NMR spectrum of compound 4g	S66-S67

^1H , and ^{13}C NMR spectrum of compound 4h	S68-S69
^1H , and ^{13}C NMR spectrum of compound 4i	S70-S71
^1H , and ^{13}C NMR spectrum of compound 4j	S72-S73
^1H , and ^{13}C NMR spectrum of compound 4k	S74-S75
^1H , and ^{13}C NMR spectrum of compound 4l	S76-S77
^1H , and ^{13}C NMR spectrum of compound 4m	S78-S79

General. ^1H and 1D NOE NMR spectra were obtained at 500 MHz in DMSO. ^{13}C NMR were obtained at 125 MHz in DMSO except that compound **3k** was recorded in CDCl_3 . HRMS were obtained by HR-EI method.

2a

Current Data Parameters
NAME fanwu90
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040707
Time_ 21.00
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 287.4
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300054 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

2a

Current Data Parameters
 NAME fanwu90
 EXPNO 4
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20040707
 Time 22.52
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG jmod
 TD 32768
 SOLVENT DMSO
 NS 2400
 DS 4
 SWH 24752.475
 FIDRES 0.755386
 AQ 0.6619838
 RG 20842.5
 DW 20.200
 DE 28.50
 TE 300.0
 CNST2 145.0000000
 CNST11 1.0000000
 D1 2.00000000
 d20 0.00689655
 DELTA 0.00001089
 MCREST 0.00000000
 MCWRK 0.01500000

==== CHANNEL f1 ====
 NUC1 ¹³C
 P1 8.55
 p2 17.10
 PL1 0.10
 SFO1 125.7691072

==== CHANNEL f2 ====
 CPDPRG2 waltz16
 NUC2 ¹H
 PCPD2 80.00
 PL2 -1.40
 PL12 16.45
 SFO2 500.1325006

F2 - Processing parameters
 SI 32768
 SF 125.7578602
 WDW EM
 SSB 0
 LB 2.00
 GB 0
 PC 1.40

2b

Current Data Parameters
 NAME fanwu95
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20040630
 Time 1.02
 INSTRUM AV500
 PROHD 5 mm BBO BB-1H
 PULPROG zg30
 TD 49152
 SOLVENT DMSO
 NS 64
 DS 2
 SWH 8992.806 Hz
 FIDRES 0.182959 Hz
 AQ 2.7329569 sec
 RG 256
 DW 55.600 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec
 MCREST 0.00000000 sec
 MCWRK 0.01500000 sec

==== CHANNEL f1 =====
 NUC1 1H
 P1 10.25 usec
 PL1 -1.40 dB
 SFO1 500.1330008 MHz

F2 - Processing parameters
 SI 32768
 SF 500.1300044 MHz
 WDW EM
 SSB 0
 LB 0.20 Hz
 GB 0
 PC 1.00

2b

Current Data Parameters
NAME fanw195
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040701
Time 6.22
INSTRUM AV500
PROBHD 5 mm BBO BB-JH
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 3200
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.8619838 sec
RG 23170.5
DW 20.200 usec
DE 28.50 usec
TE 301.2 K
CNST2 145.0000000
CNST11 1.0000000
D1 2.00000000 sec
d20 0.00689655 sec
DELTA 0.00001006 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

==== CHANNEL f1 =====
NUC1 13C
P1 7.90 usec
P2 15.80 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

==== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578602 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

2c

Current Data Parameters
NAME fanwu97
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040706
Time_ 4.13
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 287.4
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300045 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

2c

Current Data Parameters
NAME fanwu97
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040706
Time 4.28
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 3200
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 sec
RG 26008
DW 20.200 usec
DE 28.50 usec
TE 301.1 K
CNST2 145.000000
CNST11 1.0000000
D1 2.00000000 sec
d20 0.00689655 sec
DELTA 0.00001006 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.90 usec
P2 15.80 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec

2d

Current Data Parameters
NAME fanwul00
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040706
Time_ 11.13
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 322.5
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SF01 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300053 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

2d

¹H NMR spectrum (CDCl₃) of 2,4,6-trimethylbenzoic acid. The spectrum shows a broad singlet at 12.1 ppm (1H), a doublet at 7.8 ppm (2H), a doublet at 7.6 ppm (2H), a singlet at 7.4 ppm (1H), a singlet at 3.0 ppm (3H), and a doublet at 2.7 ppm (6H). The x-axis is labeled from 1 to 14 ppm.

```

===== CHANNEL f1
NUC1      1H
P1        10.25 usec
PL1       -1.40 dB
SFO1      500.1330008 MHz

F2 - Processing parameters
SI         32768
SF         500.1300037 MHz
EM         0
SSB        0
LB         0.20 Hz
GB         0
PC         1.00

```

2e

Current Data Parameters
NAME fanwul08
EXPNO 2
PROCNO 1

F2 - Acquisition Parameter
Date_ 20040710
Time 18.47
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 2400
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 se
RG 23170.5
DW 20.200 use
DE 28.50 use
TE 300.9 K
CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000 se
d20 0.00689655 se
DELTA 0.0001006 se
MCREST 0.0000000 se
MCWRK 0.01500000 se

===== CHANNEL f1 =====
NUC1 13C
P1 7.90 use
P2 15.80 use
PL1 0.10 de
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 use
PL2 -1.40 de
PL12 16.45 de
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578595 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

Current Data Parameters
 NAME fanwu91
 EXPNO 4
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20040719
 Time 22.57
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG zg30
 TD 49152
 SOLVENT DMSO
 NS 64
 DS 2
 SWH 8992.806 Hz
 FIDRES 0.182959 Hz
 AQ 2.7329569 sec
 RG 181
 DW 55.600 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec
 MCREST 0.00000000 sec
 MCWRK 0.01500000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 10.25 usec
 PL1 -1.40 dB
 SFO1 500.1330008 MHz
 F2 - Processing parameters
 SI 32768
 SF 500.1300047 MHz
 WDW EM
 SSB 0
 LB 0.20 Hz
 GB 0
 PC 1.00

2f

Current Data Parameters
 NAME fanwu91
 EXPNO 3
 PROCNO 1

F2 - Acquisition Parameter
 Date_ 20040711
 Time 4.40
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG jmod
 TD 32768
 SOLVENT DMSO
 NS 2560
 DS 4
 SWH 24752.475 Hz
 FIDRES 0.755386 Hz
 AQ 0.6619838 se
 RG 23170.5
 DW 20.200 us
 DE 28.50 us
 TE 300.7 K
 CNST2 145.0000000
 CNST11 1.0000000
 D1 2.00000000 se
 d20 0.00689655 se
 DELTA 0.00001006 se
 MCREST 0.00000000 se
 MCWRK 0.01500000 se

==== CHANNEL f1 =====
 NUC1 13C
 P1 7.90 us
 P2 15.80 us
 PL1 0.10 dB
 SFO1 125.7691072 MHz

==== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 PCPD2 80.00 us
 PL2 -1.40 dB
 PL12 16.45 dB
 SFO2 500.1325006 MHz

F2 - Processing parameters
 SI 32768
 SF 125.7578593 MHz
 WDW EM
 SSB 0
 LB 2.00 Hz
 GB 0
 PC 1.40

S22

28

Current Data Parameters
 NAME 1anwu109
 EXPNO 2
 PROCNO 1

F2 - Acquisition Parameter
 Date_ 20040710
 Time 20.51
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG jmod
 TD 32768
 SOLVENT DMSO
 NS 1640
 DS 4
 SWH 24752.475 Hz
 FIDRES 0.755386 Hz
 AQ 0.6619838 sec
 RG 20642.5
 DW 20.200 usec
 DE 28.50 usec
 TE 300.9 K
 CNST2 145.0000000
 CNST11 1.0000000
 D1 2.0000000 sec
 d20 0.00689655 sec
 DELTA 0.00001006 sec
 MCREST 0.0000000 sec
 MCWRK 0.01500000 sec

===== CHANNEL f1 =====
 NUC1 13C
 P1 7.90 usec
 P2 15.80 usec
 PL1 0.10 dB
 SFO1 125.7691072 MHz

===== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 PCPD2 80.00 usec
 PL2 -1.40 dB
 PL12 16.45 dB
 SFO2 500.1325006 MHz

F2 - Processing parameters
 SI 32768
 SF 125.7578587 MHz
 WDW EM
 SSB 0
 LB 2.00 Hz
 GB 0
 PC 1.40

2h

3a

Current Data Parameters	
NAME	fanwu96
EXPNO	2
PROCNO	1

Date_	20040706
Time_	19.10
INSTRUM	AV500
PROBHD	5 mm BBO BB-1H
PULPROG	zg30
TD	49152
SOLVENT	DMSO
NS	64
DS	2
SWH	8992.806 Hz
FIDRES	0.182959 Hz
AQ	2.7329569 sec
RG	203.2
DW	55.600 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec
MCREST	0.00000000 sec
MCWRK	0.01500000 sec

```
===== CHANNEL f1 =====
NUC1      1H
P1        10.25 usec
PL1       -1.40 dB
SFO1      500.133008 MHz
```

SI	32768
SF	500.130054 MHz
WDW	EM
SSB	0
LB	0.20 Hz
GB	0
PC	1.00

3b

Current Data Parameters
NAME fiau96
EXPNO 3
PROCNO 1

F2 - Acquisition Parameter
Date_ 20040706
Time 21.02
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 2400
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 se
RG 23170.5
DW 20.200 us
DE 28.50 us
TE 300.0 K
CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000 se
d20 0.00689655 se
DELTA 0.0001089 se
MCREST 0.0000000 se
MCWRK 0.0150000 se

===== CHANNEL f1 =====
NUC1 13C
P1 8.55 us
P2 17.10 us
PL1 0.10 dB
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 us
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578610 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

30

Current Data Parameters	
NAME	fanwu98
EXPNO	3
PROCNO	1
F2 - Acquisition Parameters	
Date_	20040706
Time	6.57
INSTRUM	AY500
PROBHD	5 mm BBO BB-1H
PULPROG	zg30
TD	49152
SOLVENT	DMSO
NS	64
DS	2
SWH	8992.806 Hz
FIDRES	0.182959 Hz
AQ	2.7329569 sec
RG	256
DW	55.600 usec
DE	6.00 usec
TE	300.0 K
D1	1.0000000 sec
MCRST	0.0000000 sec
MCWRK	0.0150000 sec

3c

3d

3e

Current Data Parameters
NAME fanwu107
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040719
Time 23.14
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 203.2
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300049 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

3e

```

Current Data Parameters
NAME      fanwl107
EXPNO     2
PROCNO    1

F2 - Acquisition Parameters
Date_     20040708
Time      23.36
INSTRUM   AV500
PROBHD    5 mm BBO BB-1H
PULPROG   jmod
TD        32768
SOLVENT   DMSO
NS        2400
DS        4
SWH        24752.475 Hz
FIDRES     0.755386 Hz
AQ         0.6619838 s
RG         23170.5
DE         20.200 us
TE         300.0 K
CNST2     145.0000000
CNST11    1.0000000
d1         2.00000000 s
d20        0.00689655 s
DELTA      0.0001089 s
MCREST     0.0000000 s
MCWRK      0.01500000 s

===== CHANNEL f1 =====
NUC1       13C
P1         8.55 us
P2         17.10 us
PL1        0.10 dB
SFO1       125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2        1H
PCPD2       80.00 us
PL2         -1.40 dB
PL12        16.45 dB
SFO2        500.1325006 MHz

F2 - Processing parameters
SI         32768
SF         125.7578602 MHz
WDW         EM
SSB         0
LB         2.00 Hz
GB         0
PC         1.40

```

3f

```
Current Data Parameters
NAME fanwu86
EXPNO 1
PROCNO 1
```

F2 - Acquisition Parameters

Date_	Time	INSTRUM	PROBHD	PULPROG	TD	SOLVENT	NS	DS	SWH	FIDRES	RG	DE	TE	D1	MCRCST	MCWRK		
20040624	12.58	AV500	5 mm TXI 1H-13	ZG30	49152	DMSO	128	2	8992.806 Hz	0.182959 Hz	2.7329569 sec	1149.4	55.600 usec	6.00 usec	300.0 K	1.00000000 sec	0.00000000 sec	0.01500000 sec

```
===== CHANNEL f1 =====
NUC1      1H
P1         6.00 usec
PL1        -1.70 dB
SFO1       500.1330008 MHz
```

F2 - Processing parameters	
SI	32768
SF	500.130052 MHz
WDF	EM
SSB	0
LB	0.20 Hz
GB	0
PC	1.00

3g

Current Data Parameters
NAME fanwu88
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040722
Time 9.03
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 143.7
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300049 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

3g

Current Data Parameters	
NAME	fanwu104
EXPNO	2
PROCNO	1
F2 - Acquisition Parameters	
Date_	20040710
Time	12.18
INSTRUM	AV500
PROBHD	5 mm BBO BB-1H
PULPROG	ZG30
TD	49152
SOLVENT	DMSO
NS	64
DS	2
SWH	8992.806 Hz
FIDRES	0.182959 Hz
AQ	2.7329569 sec
RG	203.2
DW	55.600 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec
MCREST	0.00000000 sec
MCWRK	0.01500000 sec

3h

Current Data Parameters
 NAME fanwul04
 EXPNO 3
 PROCNO 1

F2 - Acquisition Parameter

Date_ 20040710
 Time 12.33
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG jmod
 TD 32768
 SOLVENT DMSO
 NS 2400
 DS 4
 SWH 24752.475 Hz
 FIDRES 0.755386 Hz
 AQ 0.6619838 se
 RG 23170.5
 DW 20.200 us
 DE 28.50 us
 TE 300.9 K
 CNST2 145.0000000
 CNST11 1.0000000
 D1 2.0000000 se
 d20 0.00689655 se
 DELTA 0.0001006 se
 MCREST 0.0000000 se
 MCWRK 0.01500000 se

==== CHANNEL f1 =====
 NUC1 13C
 P1 7.90 us
 P2 15.80 us
 PL1 0.10 dB
 SFO1 125.7691072 MHz

==== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 PCPD2 80.00 us
 PL2 -1.40 dB
 PL12 16.45 dB
 SFO2 500.1325006 MHz

F2 - Processing parameters
 SI 32768
 SF 125.7578602 MHz
 WDW EM
 SSB 0
 LB 2.00 Hz
 GB 0
 PC 1.40

3i

Current Data Parameters
NAME fanw126
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040928
Time 16.49
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 64
DS 2
SWH 10000.000 Hz
FIDRES 0.152588 Hz
AQ 3.2769001 sec
RG 256
DW 50.000 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1332508 MHz

F2 - Processing parameters
SI 65536
SF 500.1300054 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00

3i

```

Current Data Parameters
NAME      fanwul26
EXPNO     4
PROCNO    1

F2 - Acquisition Parameters
Date_     20040928
Time      17.07
INSTRUM   AV500
PROBHD    5 mm BBO BB-1H
PULPROG   jmod
TD        32768
SOLVENT   DMSO
NS        2560
DS        4
SWH        24752.475 Hz
FIDRES     0.755386 Hz
AQ         0.8619838 sec
RG         23170.5
DW         20.200 usec
DE         28.50 usec
TE         300.0 K
CNST2     145.0000000
CNST11    1.0000000
D1         2.00000000 sec
d20        0.00689655 sec
DELTA      0.00001089 sec
MCREST     0.00000000 sec
MCWRK      0.01500000 sec

===== CHANNEL f1 =====
NUC1       13C
P1         8.55 usec
P2         17.10 usec
PL1        0.10 dB
SFO1       125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2       1H
PCPD2      80.00 usec
PL2        -1.40 dB
PL12       16.45 dB
SFO2       500.1325006 MHz

F2 - Processing parameters
SI         32768
SF         125.7578550 MHz
WDW        EM
SSB        0
LB         2.00 Hz
GB         0
PC         1.40

```

3j

```

Current Data Parameters
NAME      fanwul27
EXPNO     3
PROCNO    1

F2 - Acquisition Parameters
Date_     20040928
Time      19.19
INSTRUM   Av500
PROBHD    5 mm BBO BB-1H
PULPROG   jmod
TD        32768
SOLVENT   DMSO
NS         2560
DS         4
SWH        24752.475 Hz
FIDRES     0.755386 Hz
AQ         0.6619838 sec
RG         23170.5
DW         20.200 usec
DE         28.50 usec
TE         300.0 K
CNST2     145.0000000
CNST11    1.0000000
D1         2.00000000 sec
d20        0.00689655 sec
DELTA      0.0001089 sec
MCREST     0.0000000 sec
MCWRK     0.01500000 sec

===== CHANNEL f1 =====
NUC1       13C
P1         8.55 usec
P2         17.10 usec
PL1        0.10 dB
SFO1       125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2       1H
PCPD2      80.00 usec
PL2        -1.40 dB
PL12       16.45 dB
SFO2       500.1325006 MHz

F2 - Processing parameters
SI         32768
SF         125.7578550 MHz
WDW        EM
SSB        0
LB         2.00 Hz
GB         0
PC         1.40

```

3k

Current Data Parameters
NAME fanul30
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040929
Time_ 14.33
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 64
DS 2
SWH 10000.000 Hz
FIDRES 0.152588 Hz
AQ 3.2769001 sec
RG 256
DW 50.000 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

==== CHANNEL f1 =====
NUC1 ¹H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1332508 MHz

F2 - Processing parameters
SI 65536
SF 500.1300045 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

3k

```

Current Data Parameters
NAME      fanwl30-2
EXPNO     2
PROCNO    1

F2 - Acquisition Parameters
Date_     20041004
Time      12.51
INSTRUM   Av500
PROBHD    5 mm BBO BB-1H
PULPROG   jmod
TD         32768
SOLVENT   CDCl3
NS         2560
DS         4
SWH        24752.475 Hz
FIDRES     0.755386 Hz
AQ         0.8619838 sec
RG         18390.4
DW         20.200 usec
DE         28.50 usec
TE         300.0 K
CNST2     145.0000000
CNST11    1.0000000
D1         4.00000000 sec
d20        0.00689655 sec
DELTA      0.00001089 sec
MCREST     0.00000000 sec
MCWRK     0.01500000 sec

===== CHANNEL f1 =====
NUC1       13C
P1         8.55 usec
P2         17.10 usec
PL1        0.10 dB
SFO1       125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2       1H
PCPD2      80.00 usec
PL2        -1.40 dB
PL12       16.45 dB
SFO2       500.1325006 MHz

F2 - Processing parameters
SI         32768
SF         125.7577929 MHz
WDW        EM
SSB        0
LB         2.00 Hz
GB         0
PC         1.40

```

Current Data Parameters	
NAME	fanwul38
EXPNO	3
PROCNO	1
F2 - Acquisition Parameters	
Date_	20041005
Time	23.20
INSTRUM	AV500
PROBHD	5 mm BBO BB-1H
PULPROG	zg30
TD	65536
SOLVENT	DMSO
NS	64
DS	2
SWH	10000.000 Hz
FIDRES	0.152588 Hz
AQ	3.2769001 sec
RG	228.1
DW	50.000 usec
DE	6.00 usec
TE	300.0 K
DD1	1.00000000 sec
MCREST	0.00000000 sec
MCWRK	0.01500000 sec
===== CHANNEL f1 =====	
NUC1	1H
PL1	10.25 usec
PL1	-1.40 dB
SSFO1	500.1332508 MHz
F2 - Processing parameters	
SI	65536
SF	500.1300048 MHz
WDW	EM
SSSB	0
LB	0.20 Hz
GB	0
PC	1.00

31

```

Current Data Parameters
NAME          fanwul38
EXPNO         2
PROCNO        1

F2 - Acquisition Parameters
Date_         20040930
Time          8.49
INSTRUM       AV500
PROBHD        5 mm BBO BB-1H
PULPROG       jmod
TD            32768
SOLVENT       DMSO
NS            2080
DS            4
SWH           24752.475 Hz
FIDRES        0.755386 Hz
AQ            0.6619838 sec
RG            26008
DW            20.200 usec
DE            28.50 usec
TE            300.0 K
CNST2         145.0000000
CNST11        1.0000000
D1            2.0000000 sec
d20           0.00689655 sec
DELTA         0.00001006 sec
MCREST        0.00000000 sec
MCWRK         0.01500000 sec

===== CHANNEL f1 =====
NUC1          13C
P1            7.90 usec
P2            15.80 usec
PL1           0.10 dB
SFO1          125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2       waltz16
NUC2          1H
PCPD2         80.00 usec
PL2           -1.40 dB
PL12          16.45 dB
SFO2          500.1325006 MHz

F2 - Processing parameters
SI            32768
SF            125.7578550 MHz
WDW           EM
SSB           0
LB            2.00 Hz
GB            0
PC            1.40

```

3m

Current Data Parameters
 NAME fanwl33
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20040929
 Time_ 17.02
 INSTRUM AV500
 PROBHD 5 mm BBO BB-1H
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 64
 DS 2
 SWH 10000.000 Hz
 FIDRES 0.152588 Hz
 AQ 3.2769001 sec
 RG 574.7
 DW 50.000 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec
 MCREST 0.00000000 sec
 MCWRK 0.01500000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 10.25 usec
 PL1 -1.40 dB
 SFO1 500.1332508 MHz

F2 - Processing parameters
 SI 65536
 SF 500.1300048 MHz
 WDW EM
 SSB 0
 LB 0.20 Hz
 GB 0
 PC 1.00

3m

Current Data Parameters
NAME fanwul33
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20041001
Time 16.56
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 2560
DS 4
SWH 34013.605 Hz
FIDRES 1.038013 Hz
AQ 0.4817543 sec
RG 23170.5
DW 14.700 usec
DE 28.50 usec
TE 300.0 K
CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000 sec
d20 0.00689655 sec
DELTA 0.0001089 sec
MCREST 0.0000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 ¹³C
P1 8.55 usec
P2 17.10 usec
PL1 0.10 dB
SFO1 125.7716224 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 ¹H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578557 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

4a

Cc1c[nH]c(=O)n(Cc2ccccc2)c1=O 4b

Current Data Parameters	
NAME	fanwu92-X
EXPNO	2
PROCNO	1

F2 - Acquisition Parameters	
Date_	20040625
Time	16.17
INSTRUM	AV500
PROBHD	5 mm TXI 1H-13
PULPROG	zg30
TD	49152
SOLVENT	DMSO
NS	64
DS	2
SWH	8992.806 Hz
FIDRES	0.182959 Hz
AQ	2.7323569 sec
RG	812.7
DW	55.600 usec
DE	6.00 usec
TE	239.8 K
D1	1.0000000 sec
MCREST	0.0000000 sec
MCWRK	0.0150000 sec

```
===== CHANNEL f1 =====
NUC1      1H
P1         6.00 usec
PL1        -1.70 dB
SFO1       500.133008 MHz
```

F2 - Processing parameters	
SI	65536
SP	500.130039 MHz
WDW	EM
SSB	0
LB	0.20 Hz
GB	0
PC	1.00

4b

Current Data Parameters
NAME fanwu99
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040723
Time 17.09
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 287.4
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300042 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

Current Data Parameters
NAME fanwu99
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040706
Time_ 9.20
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 2182
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 sec
RG 23170.5
DW 20.200 usec
DE 28.50 usec
TE 300.8 K
CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000 sec
d20 0.00689655 sec
DELTA 0.00001006 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.90 usec
P2 15.80 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578602 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

Current Data Parameters
NAME fanw102
EXPNO 2
PROCNO 1

F2 - Acquisition Parameter
Date_ 20040706
Time_ 15.11
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 se
RG 322.5
DW 55.600 us
DE 6.00 us
TE 300.0 K
D1 1.00000000 se
MCREST 0.00000000 se
MCWRK 0.01500000 se

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 us
PL1 -1.40 dB
SFO1 500.1330008 MH

F2 - Processing parameters
SI 32768
SF 500.1300052 MH
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

4d

Current Data Parameters
NAME fanwul02
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040706
Time 15.25
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zgpg30
TD 32768
SOLVENT DMSO
NS 2096
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 sec
RG 23170.5
DW 20.200 usec
DE 28.50 usec
TE 301.6 K
CNST2 145.000000
CNST11 1.000000
D1 2.0000000 sec
d20 0.00689655 sec
DELTA 0.0001006 sec
MCREST 0.0000000 sec
MCWRK 0.0150000 sec

==== CHANNEL f1 =====
NUC1 13C
P1 7.90 usec
PL1 15.80 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

==== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578602 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

Current Data Parameters
NAME fanw106
EXPNO 5
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040723
Time 17.28
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 203.2
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

==== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300037 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

4f

Current Data Parameters
NAME fanwu87_2
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040722
Time_ 8.52
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 49152
SOLVENT DMSO
NS 64
DS 2
SWH 8992.806 Hz
FIDRES 0.182959 Hz
AQ 2.7329569 sec
RG 228.1
DW 55.600 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1330008 MHz

F2 - Processing parameters
SI 32768
SF 500.1300041 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

4f

4g

```

Current Data Parameters
NAME fanwu89
EXPNO 4
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040630
Time_ 14.49
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 1264
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 sec
RG 26008
DW 20.200 usec
DE 28.50 usec
TE 301.6 K
CNST2 145.0000000
CNST1 1.0000000
D1 2.0000000 sec
d20 0.00689655 sec
DELTA 0.0001089 sec
MCREST 0.0000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 8.55 usec
P2 17.10 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578602 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

```

4h

Current Data Parameters	
NAME	fanul103
EXPNO	10
PROCNO	1
F2 - Acquisition Parameters	
Date_	20040724
Time_	15.48
INSTRUM	AV500
PROBHD	5 mm BBO BB-1H
PULPROG	ZG30
TD	49152
SOLVENT	DMSO
NS	64
DS	2
SWH	8992.806 Hz
FIDRES	0.182959 Hz
AQ	2.7329569 sec
RG	256
DW	55.600 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec
MCREST	0.00000000 sec
MCWRK	0.01500000 sec

4h

Current Data Parameters
NAME fanwul03
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040708
Time 3.28
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 3200
DS 4
SWH 24752.475
FIDRES 0.755386
AQ 0.6619838
RG 26008
DW 20.200
DE 28.50
TE 301.6
CNST2 145.0000000
CNST11 1.0000000
D1 2.0000000
d20 0.00689655
DELTA 0.00001089
MCREST 0.0000000
MCWRK 0.0150000

===== CHANNEL f1 =====
NUC1 13C
P1 8.55
P2 17.10
PL1 0.10
SFO1 125.7691072

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00
PL2 -1.40
PL12 16.45
SFO2 500.1325006

F2 - Processing parameters
SI 32768
SF 125.7578610
WDW EM
SSB 0
LB 1.00
GB 0
PC 1.40

4i

Current Data Parameters
NAME fanwl35
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040929
Time 17.20
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 64
DS 2
SWH 10000.000 Hz
FIDRES 0.152588 Hz
AQ 3.2769001 sec
RG 256
DW 50.000 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SFO1 500.1332508 MHz

F2 - Processing parameters
SI 65536
SF 500.1300938 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

4j

```

Current Data Parameters
NAME      fanwl37
EXPNO     2
PROCNO    1

F2 - Acquisition Parameters
Date_     20040930
Time      7.16
INSTRUM   Av500
PROBHD    5 mm BBO BB-1H
PULPROG   jmod
TD         32768
SOLVENT   DMSO
NS         1872
DS         4
SWH        24752.475 Hz
FIDRES     0.755386 Hz
AQ         0.6619838 sec
RG         23170.5
DW         20.200 usec
DE         28.50 usec
TE         300.0 K
CNST2     145.0000000
CNST11    1.0000000
D1         2.00000000 sec
d20        0.00689655 sec
DELTA      0.00001006 sec
MCREST     0.00000000 sec
MCWRK     0.01500000 sec

===== CHANNEL f1 =====
NUC1       13C
P1         7.90 usec
P2         15.80 usec
PL1        0.10 dB
SFO1       125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2       1H
PCPD2      80.00 usec
PL2        -1.40 dB
PL12       16.45 dB
SFO2       500.1325006 MHz

F2 - Processing parameters
SI         32768
SF         125.7578534 MHz
WDW        EM
SSB        0
LB         2.00 Hz
GB         0
PC         1.40
  
```

4k

Current Data Parameters	
NAME	fanwu134-2
EXPNO	1
PROCNO	1
F2 - Acquisition Parameters	
Date_	20041005
Time	5.17
INSTRUM	AV500
PROBHD	5 mm BBO BB-1H
PULPROG	zg30
TD	65536
SOLVENT	DMSO
NS	64
DS	2
SWH	10000.000 Hz
FIDRES	0.152598 Hz
AQ	3.2769001 sec
RG	228.1
DW	50.000 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec
MCREST	0.00000000 sec
MCWRK	0.01500000 sec
===== CHANNEL f1 =====	
NUC1	1H
P1	10.25 usec
PL1	-1.40 dB
SFO1	500.1332508 MHz
F2 - Processing parameters	
SI	65536
SF	500.1300611 MHz
WDW	EM
SSB	0
LB	0.20 Hz
GB	0
PC	1.00

4k

Current Data Parameters
NAME fanwu134-2
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20041005
Time 5.40
INSTRUM AV500
PROBHD 5 mm BBO BB-1H
PULPROG jmod
TD 32768
SOLVENT DMSO
NS 2560
DS 4
SWH 24752.475 Hz
FIDRES 0.755386 Hz
AQ 0.6619838 sec
RG 26008
DW 20.200 usec
DE 28.50 usec
TE 300.0 K
CNST2 145.0000000
CNST11 1.0000000
D1 4.00000000 sec
d20 0.00689655 sec
DELTA 0.00001089 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 8.55 usec
P2 17.10 usec
PL1 0.10 dB
SFO1 125.7691072 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 32768
SF 125.7578678 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.40

4I

Current Data Parameters
NAME fanwul39
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20041002
Time 21.06
INSTRUM Av500
PROBHD 5 mm BBO BB-1H
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 64
DS 2
SWH 10000.000 Hz
FIDRES 0.152588 Hz
AQ 3.2769001 sec
RG 228.1
DW 50.000 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

==== CHANNEL f1 =====
NUC1 1H
P1 10.25 usec
PL1 -1.40 dB
SF01 500.1332508 MHz

F2 - Processing parameters
SI 65536
SF 500.1300041 MHz
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

4I

4m

```

Current Data Parameters
NAME      fanwl36-2
EXPNO     1
PROCNO    1

F2 - Acquisition Parameters
Date_     20041005
Time      5.07
INSTRUM   AV500
PROBHD    5 mm BBO BB-1H
PULPROG   zg30
TD        65536
SOLVENT   DMSO
NS         64
DS         2
SWH        10000.000 Hz
FIDRES     0.152588 Hz
AQ         3.2769001 sec
RG         574.7
DW         50.000 usec
DE         6.00 usec
TE         300.0 K
D1         1.00000000 sec
MCREST     0.00000000 sec
MCWRK     0.01500000 sec

===== CHANNEL f1 =====
NUC1       1H
P1         10.25 usec
PL1        -1.40 dB
SFO1       500.1332508 MHz

F2 - Processing parameters
SI         65536
SF         500.1300049 MHz
WDW        EM
SSB        0
LB         0.20 Hz
GB         0
PC         1.00

```

4m

Current Data Parameters
NAME fanwul36
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040930
Time 5.00
INSTRUM AY500
PROBHD 5 mm BBO BB-1H
PULPROG zgpg30
TD 65536
SOLVENT DMSO
NS 2560
DS 2
SWH 34013.605 Hz
FIDRES 0.519006 Hz
AQ 0.9634439 sec
RG 18390.4
DW 14.700 usec
DE 28.50 usec
TE 300.0 K
D1 2.00000000 sec
d11 0.03000000 sec
DELTA 1.89999998 sec
MCREST 0.00000000 sec
MCWRK 0.01500000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.90 usec
PL1 0.10 dB
SFO1 125.7716224 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -1.40 dB
PL12 16.45 dB
PL13 22.00 dB
SFO2 500.1325006 MHz

F2 - Processing parameters
SI 65536
SF 125.7578612 MHz
WDW EM
SSB 0
LB 3.00 Hz
GB 0
PC 1.40