Supporting Information

Bioactive 2-Oxazolines: A New Approach via One-Pot, Four Component Reaction

Lijun Fan, Emil Lobkovsky and Bruce Ganem*

Department of Chemistry and Chemical Biology, Baker Laboratory,

Cornell University Ithaca, NY 14853-1301

General Procedures:

Melting points were uncorrected. ^1H NMR and ^{13}C NMR were taken on a Varian Mercury-300, Varian Inova-400 or Varian Inova-500 spectrometer as indicated using CDCl_3 with 0.05% v/v TMS as solvent. Spectra were recorded in δ (ppm) and were referenced to TMS (0.00 ppm for ^1H NMR) and CDCl_3 (77.23 ppm for ^{13}C NMR). IR spectra were obtained on a Mattson Instruments Galaxy Series FT-IR spectrometer and were recorded in wavenumbers (cm^{-1}). Chemicals were obtained from Aldrich, Fluka, Fisher, Lancaster, Mallinckrodt, or Novabiochem and used as received unless specified. Ether was distilled from sodium/benzophenone. Methanol and 2,2,2-trifluoroethanol was distilled from CaH_2 . In reactions leading to diastereomers, spectroscopic data were reported for mixtures, unless specified otherwise.

Synthesis of ketomesylates 4a and 4c from diazoketones and methanesulfonic acid.

1-Mesyloxy-4-phenyl-2-butanone 4a: To methanesulfonic acid (3.85 mmol) in anhydrous ether (10 mL) at 0 °C, was slowly added a solution of 1-diazo-4-phenyl-2-butanone (3.5 mmol) in anhydrous ether (5 mL) by syringe over a 10 min period. The reaction mixture was stirred for 10 min at 0 °C, then 10 min at rt. Water (10 mL) was then added with stirring for 30 min at rt. After separating the layers, the aqueous phase was extracted with ether (3 x 10 mL) and the combined ether layers were washed with H_2O (3 x 10 mL) and saturated NaCl (10 mL), dried over MgSO_4 , filtered, and concentrated *in vacuo*. The crude product was purified by silica gel flash column chromatography

(3:7 hexanes: ethyl acetate, R_f = 0.2), to afford the desired product as a white solid (0.7 g, 83%): mp 56-57 °C; ^1H NMR (400 MHz, CDCl_3) δ 7.17-7.32 (m, 5H), 4.72 (s, 2 H), 3.16 (s, 3 H), 2.95 (t, 2 H, J = 7.4 Hz), 2.80 (t, 2 H, J = 7.4 Hz); ^{13}C NMR (100 MHz, CDCl_3) δ 202.31, 140.18, 128.88, 128.49, 126.70, 71.80, 40.42, 38.96, 29.26; IR (CH_2Cl_2) 3055(s), 1742(s), 1360(s), 1179(s); CIMS (methane) m/z 243(M+H), 219, 147, 129.

(*Mesyloxyacetyl*)cyclohexane **4c**: The crude product was purified by silica gel flash column chromatography (3:7 hexanes:ethyl acetate, R_f =0.3), to afford the desired product as white solid (97% yield): mp 71 °C; ^1H NMR (400 MHz, CDCl_3) δ 4.89 (s, 2 H), 3.21 (s, 3 H), 2.44 (m, 1 H), 1.80 (t, 4 H, J =12.1 Hz), 1.70 (br d, 1 H, J =10.5 Hz), 1.2-1.4 (m, 5 H); ^{13}C NMR (100 MHz, CDCl_3) δ 205.99, 71.11, 47.53, 39.59, 28.57, 26.06, 25.86; IR (CH_2Cl_2) 3055(s), 2938(s), 1732(s), 1356(s), 1177(s); CIMS (methane) m/z 221(M+H), 125, 107.

Representative procedure for the synthesis of 2-substituted oxazoline-4-carboxamides 6a-n.

Compound 6a: To a solution of **4a** (0.2 mmol) in anhydrous 2,2,2-trifluoroethanol (0.5 mL) at 0 °C was added ammonium benzoate (0.8 mmol). The reaction mixture was stirred for 30 min at 0 °C, then cyclohexyl isonitrile (0.22 mmol) was added via syringe with stirring. The reaction mixture was warmed to rt and stirred for 18 h. The solvent was evaporated under reduced pressure to give an oil. The crude product obtained was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.5) to afford **6a** as a white solid (48 mg, 61%): mp 89 °C: ^1H NMR (400 MHz, CDCl_3) δ 8.0 (m, 2 H), 7.14-7.55 (m, 8 H), 6.72 (d, 1 H, J = 8.4 Hz), 4.64 (d, 1 H, J = 9.1 Hz), 4.34 (d, 1 H, J = 9.1 Hz), 3.77 (m, 1 H), 2.81 (td, 1 H, J = 13.2, 4.6 Hz), 2.59 (td, 1 H, J = 13.2, 4.6 Hz), 2.30 (td, 1 H, J = 13.1, 5.0 Hz), 1.96-2.06 (m, 2 H), 1.83-1.86 (m, 1 H) 1.58-1.75 (m, 3 H),

1.11-1.44 (m, 5 H); ^{13}C NMR (100 MHz, CDCl_3) δ 172.97, 164.35, 141.39, 131.77, 128.40, 128.33, 128.29, 128.25, 127.21, 125.77, 77.58, 75.13, 47.75, 41.41, 33.08, 32.78, 30.02, 25.38, 24.69; IR (CH_2Cl_2) 3387(s), 2934(s), 1666(s), 1647(s), 1516(s), 1452(s); CIMS (methane) m/z 377 (M+H), 250, 179.

Also obtained was a small quantity of the corresponding Passerini reaction product **7a** as a white solid (5% yield), which was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.2) and shown to be identical to an authentic sample prepared by the reaction of **4a** with benzoic acid and cyclohexyl isonitrile: mp 105-110 °C ^1H NMR (400 MHz, CDCl_3) δ 7.12-7.94(m, 10 H), 6.45 (d, 1 H, J = 8.6 Hz), 5.16 (d, 1 H, J = 10.0 Hz), 4.71 (d, 1 H, J = 8.9 Hz), 3.89 (m, 1 H), 2.94 (s, 3H), 2.56-2.70 (m, 3 H), 2.40-2.45 (m, 1 H), 1.96-2.06 (m, 2 H), 1.72-1.77 (m, 2 H), 1.62-1.66 (m, 1 H), 1.38-1.46 (m, 2 H), 1.22-1.29 (m, 3 H); ^{13}C NMR (100 MHz, CDCl_3) δ 167.79, 164.73, 140.19, 133.96, 129.82, 129.64, 128.98, 128.67, 128.53, 126.44, 85.47, 70.01, 48.78, 37.33, 33.60, 33.19, 32.99, 29.62, 25.57, 24.83, 24.77; IR (CH_2Cl_2) 3443(m), 3055(s), 2937(m), 1730(s), 1680(s), 1520(s), 1364(s); CIMS (methane) m/z 474 (M+H), 378, 256.

Compound 6b: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.3) to afford **6b** as a white solid (71% yield): mp 135 °C; ^1H NMR (400 MHz, CDCl_3) δ 7.16-7.28 (m, 5 H), 6.58 (d, 1 H, J = 8.1 Hz), 4.46 (d, 1 H, J = 9.3 Hz), 4.26 (d, 1 H, J = 9.3 Hz), 3.77 (m, 1 H), 2.75 (td, 1 H, J = 13.1, 4.8 Hz), 2.53 (td, 1 H, J = 12.8, 4.9 Hz), 2.20 (td, 1 H, J = 13.1, 4.8 Hz), 2.05 (s, 3 H), 1.90 (m, 3 H), 1.71 (m, 2 H), 1.60 (m, 1 H), 1.38 (m, 2 H), 1.22 (m, 3 H); ^{13}C NMR (125 MHz, CDCl_3) δ 173.20, 166.49, 141.58, 128.58, 128.56, 126.12, 77.59, 75.50, 48.11, 41.69, 33.36, 33.09, 30.32, 25.66, 25.03, 24.99, 14.43; IR (CH_2Cl_2) 3354(s), 2936(s),

1649(b, s), 1502(s); CIMS (methane) m/z 315 (M+H), 234, 206, 100.

Compound 6c: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.4) to afford **6c** as a clear oil (73% yield): ^1H NMR (400 MHz, CDCl_3) δ 7.15-7.29 (m, 5 H), 6.52 (s, 1 H), 4.45 (d, 1 H, J = 139.1, 9.2 Hz), 2.72 (td, 1 H, J = 13.4, 4.7 Hz), 2.51 (td, 1 H, J = 12.8, 4.7 Hz), 2.19 (td, 1 H, J = 13.1, 4.9 Hz), 2.05 (s, 3 H), 1.88 (td, 1 H, J = 13.1, 4.8 Hz), 1.37 (s, 9 H); ^{13}C NMR (100 MHz, CDCl_3) δ 173.40, 166.29, 141.71, 128.60, 128.59, 126.12, 77.85, 75.47, 51.19, 41.78, 30.33, 28.95, 14.47; IR (CH_2Cl_2) 3381(s), 2968(s), 1672(s), 1518(b, s); CIMS (methane) m/z 289 (M+H), 233, 188.

Compound 6d: (diastereomers) The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.4) to afford **6d** as a clear oil (64% yield): ^1H NMR (400 MHz, CDCl_3) δ 7.06-7.30 (m, 10 H), 6.45 (d, 0.5 H, J = 8.1 Hz), 6.31 (d, 0.5 H, J = 8.1 Hz), 5.02 (d, 1 H, J = 7.5 Hz), 4.70 (t, 1 H, J = 5.8 Hz), 4.51 (d, 0.6 H, J = 9.0 Hz), 4.45(d, 0.4 H, J = 8.8 Hz), 4.18 (d, 0.4 H, J = 8.8 Hz), 4.16 (d, 0.6 H, J = 9.0 Hz), 3.70 (m, 1 H), 3.10 (m, 2 H), 2.55 (m, 1 H), 2.39 (m, 1 H), 2.15 (m, 1 H), 1.59-1.90 (m, 6 H), 1.47 (s, 9 H), 1.03-1.47(m, 5 H); ^{13}C NMR (100 MHz, CDCl_3) δ 172.61, 167.39, 155.21, 141.53, 135.92, 129.71, 129.62, 128.73, 128.61, 128.55, 128.52, 128.50, 127.32, 127.22, 126.08, 80.29, 77.36, 77.34, 76.43, 76.05, 50.34, 50.07, 48.24, 48.14, 41.40, 38.71, 38.33, 33.30, 33.23, 32.99, 30.29, 30.13, 28.58, 28.55, 25.67, 25.08, 25.05; IR (CH_2Cl_2) 3431(w), 3055(s), 2935(s), 1712(s), 1664(s), 1520(s); CIMS (methane) m/z 520 (M+H), 492, 464, 420.

Compound 6e: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.5) to afford **6e** as a clear oil (60% yield): ^1H NMR (500 MHz, CDCl_3)

δ 7.15 (t, 1 H, J = 5.5 Hz), 4.38 (d, 1 H, J = 9.6 Hz), 4.20 (dd, 2 H, J = 14.7, 7.2 Hz), 4.10 (d, 1 H, J = 9.3 Hz), 4.02 (ddd, 2 H, J = 19.1, 13.4, 6.1 Hz), 3.60 (m, 1 H), 1.80 (m, 1 H), 1.67 (m, 2 H), 1.19-1.30 (m, 19H), 0.87 (t, 3 H, J = 7.1 Hz); ^{13}C NMR (125 MHz, CDCl_3) δ 175.46, 173.55, 169.71, 77.41, 74.71, 61.62, 41.16, 39.16, 32.00, 29.82, 29.34, 28.56, 23.50, 22.83, 20.03, 19.91, 14.35, 14.29, ; IR (CH_2Cl_2) 3398(m), 3055(s), 2931(s), 1745(s), 1674(s), 1520(s); CIMS (methane) m/z 341 (M+H), 210.

Compound 6f: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.5) to afford **6f** as a clear oil (80% yield): ^1H NMR (400 MHz, CDCl_3) δ 6.45 (s, 1 H), 4.40 (d, 1 H, J = 9.3 Hz), 4.05 (d, 1 H, J = 9.3 Hz), 2.02 (s, 3 H), 1.79 (m, 1 H), 1.60 (m, 1 H), 1.35 (s, 9 H), 1.20-2.30 (m, 10 H), 0.87 (m, 3 H); ^{13}C NMR (100 MHz, CDCl_3) δ 173.85, 165.86, 77.99, 75.46, 51.06, 39.86, 31.96, 29.84, 29.35, 28.94, 23.80, 22.81, 14.41, 14.28; IR (CH_2Cl_2) 3381(m), 2930(s), 1670(s), 1520(s), 1265(s); CIMS (methane) m/z 283 (M+H), 227, 182.

Compound 6g: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f = 0.3) to afford **6g** as a clear oil (38% yield): ^1H NMR (400 MHz, CDCl_3) δ 7.34-7.38 (m, 5 H), 6.35 (s, 1 H), 5.35 (s, 1 H), 5.15 (s, 1 H), 4.49 (d, 1 H, J = 9.0 Hz), 4.12 (d, 1 H, J = 9.0 Hz), 4.05 (m, 2 H), 1.81 (m, 1 H), 1.60 (m, 1 H), 1.35 (s, 9 H), 1.25-1.30 (m, 10 H), 0.87 (m, 3 H); ^{13}C NMR (100 MHz, CDCl_3) δ 173.22, 165.06, 156.29, 136.38, 128.81, 128.53, 128.36, 77.45, 76.38, 67.34, 51.19, 39.62, 38.82, 31.97, 29.79, 29.35, 28.89, 23.77, 22.83, 14.29; IR (CH_2Cl_2) 3441(m), 3055(s), 2930(s), 1726(s), 1670(s), 1522(s), 1265(s); CIMS (methane) m/z 432(M+H), 376, 324.

Compound 6h: The crude product was purified by silica gel flash column chromatography (3:7

hexanes: ethyl acetate, $R_f = 0.1$) to afford **6h** as a white solid (63% yield): mp 86-89 °C ^1H NMR (400 MHz, CDCl_3) δ 7.26 (s, 1 H), 4.34 (d, 1 H, $J = 9.1$ Hz), 4.24 (d, 1 H, $J = 9.1$ Hz), 4.22 (dd, 2 H, $J = 6.9, 3.3$ Hz), 4.03 (ddd, 2 H, $J = 18.1, 9.8, 5.9$ Hz), 2.02 (s, 3 H), 1.61-1.79 (m, 6 H), 1.09-1.35 (m, 7 H), 0.89 (m, 1 H); ^{13}C NMR (125 MHz, CDCl_3) δ 175.00, 169.74, 166.12, 81.14, 73.50, 61.63, 45.09, 41.11, 27.48, 26.5, 26.48, 26.40, 26.37, 26.22, 14.35, 14.23; IR (CH_2Cl_2) 3400(m), 3055(s), 2933(s), 1745(s), 1670(s), 1520(s); CIMS (methane) m/z 297 (M+H), 251, 166.

Compound 6i: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f = 0.5$) to afford **6i** as a clear oil (60% yield): ^1H NMR (400 MHz, CDCl_3) δ 6.46 (s, 1 H), 4.29 (d, 1 H, $J = 9.1$ Hz), 4.18 (d, 1 H, $J = 9.1$ Hz), 2.61 (m, 1 H), 1.59-1.74 (m, 7 H), 1.34 (s, 9 H), 1.05-1.24(m, 9 H), 0.89 (m, 1 H); ^{13}C NMR (100 MHz, CDCl_3) δ 174.04, 172.72, 80.48, 73.45, 50.95, 44.91, 28.97, 28.59, 27.42, 26.52, 26.51, 26.47, 26.13, 20.13, 20.02; IR (CH_2Cl_2) 3377(s), 2931(s), 1732 (w), 1664(s), 1518(s), 1454(s); CIMS (methane) m/z 295 (M+H), 239, 194.

Compound 6j: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f = 0.35$) to afford **6j** as a clear oil (63% yield): ^1H NMR (400 MHz, CDCl_3) δ 7.26-7.44 (m, 5 H), 6.49 (s, 1 H), 5.01 (d, 1 H, $J = 9.0$ Hz), 4.28 (d, 1 H, $J = 9.0$ Hz), 2.11 (s, 3 H), 1.30 (s, 9 H); ^{13}C NMR (125 MHz, CDCl_3) δ 172.23, 166.11, 143.08, 128.73, 127.76, 125.47, 80.48, 76.97, 51.22, 28.81, 14.42; IR (CH_2Cl_2) 3381(m), 3055(s), 2985(s), 1676(s, br), 1518(s); CIMS (methane) m/z 261 (M+H), 205, 161.

Compound 6k: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f = 0.1$) to afford **6k** as a clear oil (70% yield): ^1H NMR (400 MHz, CDCl_3)

δ 6.46 (s, 1 H), 4.45 (d, 1 H, $J=9.1$ Hz), 4.02 (d, 1 H, $J=9.1$ Hz), 2.01 (s, 3 H), 1.43 (s, 3 H), 1.09-1.35 (s, 9 H); ^{13}C NMR (100 MHz, CDCl_3) δ 173.90, 165.69, 76.41, 74.34, 50.64, 28.57, 26.48, 14.13; IR (CH_2Cl_2) 3383(s), 2976(s), 1745(w), 1668(s), 1518(s), 1267(s); CIMS (methane) m/z 199 (M+H), 171, 143.

Compound 6l: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f=0.1$) to afford **6l** as a clear oil (82% yield): ^1H NMR (400 MHz, CDCl_3) δ 7.98-8.12 (m, 2 H), 7.41-7.54 (m, 3 H), 7.36 (s, 1 H), 4.70 (d, 1 H, $J=9.1$ Hz), 4.27 (d, 1 H, $J=9.1$ Hz), 4.21 (dd, 2 H, $J=6.9, 4.2$ Hz), 4.05 (ddd, 2 H, $J=14.1, 10.0, 5.6$ Hz), 1.62 (s, 3 H), 1.26 (t, 3 H, $J=7.16$ Hz); ^{13}C NMR (100 MHz, CDCl_3) δ 175.44, 169.67, 165.09, 132.18, 130.28, 128.71, 128.65, 128.60, 127.25, 76.68, 74.73, 61.66, 41.29, 26.56, 14.30; IR (CH_2Cl_2) 3400(m), 3055(s), 2986(s), 1745(s), 1680(s), 1520(s), 1265(s); CIMS (methane) m/z 291 (M+H), 245, 160.

Compound 6m: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f=0.5$) to afford **6m** as a white solid (58% yield): ^1H NMR (300 MHz, CDCl_3) δ 11.44 (s, 1 H), 6.90-7.71 (m, 4 H), 6.24 (s, 1 H), 4.65 (d, 1 H, $J=8.8$ Hz), 4.22 (d, 1 H, $J=8.8$ Hz), 1.59 (s, 3 H), 1.35 (s, 9 H); ^{13}C NMR (100 MHz, CDCl_3) δ 173.10, 166.24, 159.89, 134.38, 128.66, 119.39, 117.08, 110.48, 76.14, 74.61, 51.32, 28.83, 26.92; IR (CH_2Cl_2) 3408(m), 3055(s), 2982(s), 1672(s), 1639(s), 1514(s); CIMS (methane) m/z 277 (M+H), 249, 176.

Compound 6n: The crude product was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, $R_f=0.2$) to afford **6n** as a clear oil (63% yield): ^1H NMR (400 MHz, CDCl_3) δ 11.37 (s, 1 H), 6.89-7.69 (m, 5 H), 4.70 (d, 1 H, $J=8.8$ Hz), 4.26 (d, 1 H, $J=8.8$ Hz), 4.21 (dd, 2 H, $J=14.4, 7.5$ Hz), 4.03 (ddd, 2 H, $J=13.4, 18.4, 5.7$ Hz), 1.66 (s, 3 H), 1.27 (t, 1 H, $J=7.2$ Hz); ^{13}C

NMR (125 MHz, CDCl₃) δ 174.32, 169.44, 166.78, 159.96, 134.49, 128.69, 119.37, 117.15, 110.29, 76.04, 74.35, 61.84, 41.35, 26.63, 14.302; IR (CH₂Cl₂) 3423(m), 3055(s, br), 2985(s, br), 1745(s), 1680(s), 1639(s), 1518(s); CIMS(methane) m/z 307 (M+H), 176, 86.

Four-component condensation of ketomesylates using a primary amine instead of ammonia.

Synthesis of aminoester 9a: To a solution of ketomesylate **4a** (0.2 mmol) in anhydrous 2,2,2-trifluoroethanol (0.5 mL) at 0 °C was added benzylamine (0.8 mmol) by syringe dropwise. The reaction mixture was stirred for 10 min at 0 °C, then acetic acid (0.4 mmol) and cyclohexyl isonitrile (0.22 mmol) were added via syringe with stirring. The reaction mixture was warmed to rt and stirred for 18 h. The solvent was evaporated *in vacuo* to give an oil, which was purified by silica gel flash column chromatography (3:7 hexanes: ethyl acetate, R_f= 0.3) to afford **9a** as a white solid (57 mg, 71%): mp 107-109 °C; ¹H NMR (400 MHz, CDCl₃) δ 7.14-7.40 (m, 10 H), 4.45-4.53 (dd, 2 H, J = 18.6, 11.6 Hz), 3.83 (m, 1 H), 3.75 (d, 1 H, J = 12.4 Hz), 3.61 (d, 1 H, J = 12.4 Hz), 2.65 (m, 2 H), 2.07 (s, 3 H), 1.82-2.00 (m, 3 H), 1.60-1.73 (m, 4 H), 1.33-1.44 (m, 2 H), 1.14-1.24 (m, 3 H); ¹³C NMR (100 MHz, CDCl₃) δ 171.38, 170.72, 141.56, 139.80, 128.88, 128.65, 128.44, 128.21, 127.62, 126.23, 64.10, 63.97, 47.94, 47.12, 36.74, 33.45, 33.27, 30.11, 25.65, 24.96, 24.94, 21.08; IR (CH₂Cl₂) 3350(s), 2932(s), 1740(s), 1665(s), 1516(s), 1452(s), 1379(s); CIMS (methane) m/z 405 (M+H), 363, 296.

LF-III-69c

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 21.0 C / 294.1 K

File: LF-III-69c

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773448 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	2924.853	7.316	10.6
2	2917.250	7.297	30.7
3	2909.648	7.278	25.2
4	2902.045	7.259	7.0
5	2891.519	7.233	11.4
6	2884.696	7.216	15.4
7	2874.364	7.190	31.3
8	2866.372	7.170	23.4
9	1888.172	4.723	106.2
10	1263.590	3.161	162.1
11	1186.199	2.967	15.3
12	1178.791	2.949	35.7
13	1171.189	2.930	25.9
14	1125.183	2.815	29.7
15	1117.581	2.796	39.2
16	1110.173	2.777	17.2
17	1.560	0.004	7.6
18	-0.000	-0.000	10.7

C13 LF-III-69c

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 21.0 C / 294.1 K
File: C13LF-III-69c
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240739 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

LF-III-86a

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13

Temp. 21.0 C / 294.1 K

File: LF-III-86a

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773435 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

4c

INDEX	FREQUENCY	PPM	HEIGHT
1	2903.800	7.264	36.0
2	1953.866	4.887	107.7
3	1284.448	3.213	162.0
4	978.590	2.448	6.3
5	975.276	2.440	4.0
6	967.283	2.420	3.8
7	744.664	1.863	5.7
8	742.715	1.858	5.8
9	732.578	1.832	11.0
10	729.459	1.825	15.3
11	723.416	1.810	4.5
12	722.051	1.806	4.5
13	719.907	1.801	6.1
14	716.983	1.793	7.6
15	714.059	1.786	4.8
16	684.818	1.713	3.2
17	683.064	1.709	3.8
18	673.706	1.685	3.1
19	672.537	1.682	3.2
20	623.997	1.561	15.3
21	564.736	1.413	6.7
22	553.625	1.385	7.4
23	543.293	1.359	4.1
24	541.538	1.355	3.4
25	540.564	1.352	3.6
26	538.419	1.347	3.9
27	526.333	1.317	6.0
28	523.604	1.310	4.4
29	516.586	1.292	5.4
30	513.857	1.285	7.6
31	511.713	1.280	5.0
32	504.305	1.261	6.1
33	501.966	1.256	8.3
34	492.999	1.233	4.1
35	-0.000	-0.000	60.1

C13 LF-III-86a

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl3
Temp. 21.0 C / 294.1 K
File: C13LF-III-86a#2
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
160 repetitions
OBSERVE C13, 100.5240401 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 8 min, 1 sec

LF-III-115b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13

Ambient temperature

File: LF-III-115b

INOVA-500 "wittig"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 3.000 sec
Width 6387.7 Hz
8 repetitions
OBSERVE H1, 399.7773483 MHz
DATA PROCESSING
Line broadening 0.3 Hz
FT size 65536
Total time 0 min, 32 sec

6a

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	3204.784	8.016	111.8	40	1506.677	3.769	13.9	79	693.005	1.733	28.4	118	462.004	1.156	24.6
2	3199.326	8.003	33.3	41	1504.338	3.763	10.9	80	684.233	1.712	37.6	119	459.080	1.148	31.7
3	3197.572	7.998	125.6	42	1499.855	3.752	10.2	81	680.919	1.703	37.1	120	455.766	1.140	24.9
4	3196.012	7.994	96.9	43	1495.956	3.742	5.4	82	671.952	1.681	18.8	121	450.112	1.126	10.8
5	3020.763	7.556	21.0	44	1478.996	3.700	4.2	83	667.858	1.671	22.5	122	447.188	1.119	11.4
6	3019.593	7.553	13.4	45	1467.495	3.671	3.5	84	652.653	1.633	16.5	123	443.874	1.110	8.2
7	3015.694	7.543	16.6	46	1457.358	3.645	4.2	85	649.339	1.624	20.2	124	-0.000	-0.000	57.7
8	3013.550	7.538	68.0	47	1137.659	2.846	14.6	86	645.440	1.614	16.7				
9	3011.406	7.533	20.5	48	1132.981	2.834	17.3	87	640.177	1.601	19.5				
10	3007.312	7.522	32.4	49	1124.599	2.813	30.4	88	636.473	1.592	23.0				
11	3005.947	7.519	50.6	50	1119.920	2.801	31.7	89	632.769	1.583	16.0				
12	2988.403	7.475	95.8	51	1111.733	2.781	24.9	90	576.432	1.442	6.1				
13	2980.605	7.456	138.0	52	1107.054	2.769	23.0	91	572.923	1.433	9.7				
14	2974.757	7.441	24.0	53	1049.157	2.624	19.6	92	569.025	1.423	7.0				
15	2973.198	7.437	55.1	54	1044.284	2.612	23.5	93	564.346	1.412	17.0				
16	2915.886	7.294	4.5	55	1036.292	2.592	31.2	94	560.837	1.403	27.4				
17	2907.309	7.272	46.7	56	1031.418	2.580	32.7	95	557.718	1.395	17.5				
18	2905.944	7.269	22.4	57	1023.231	2.560	18.9	96	551.285	1.379	28.8				
19	2900.096	7.254	146.2	58	1018.357	2.547	17.7	97	547.971	1.371	44.7				
20	2894.638	7.241	34.5	59	935.119	2.339	21.9	98	544.657	1.362	24.9				
21	2892.493	7.235	109.7	60	930.245	2.327	23.4	99	539.199	1.349	21.8				
22	2881.382	7.207	9.0	61	922.058	2.306	36.7	100	538.029	1.346	21.3				
23	2872.999	7.186	162.7	62	916.989	2.294	34.8	101	535.885	1.340	35.5				
24	2865.592	7.168	106.3	63	909.192	2.274	27.2	102	532.766	1.333	20.9				
25	2857.404	7.147	16.6	64	904.318	2.262	22.2	103	526.333	1.317	10.4				
26	2856.040	7.144	21.7	65	825.758	2.066	26.1	104	523.019	1.308	15.0				
27	2690.537	6.730	29.2	66	821.080	2.054	28.3	105	519.705	1.300	9.0				
28	2682.155	6.709	29.7	67	813.087	2.034	36.7	106	516.781	1.293	5.6				
29	1857.761	4.647	101.8	68	808.214	2.022	35.6	107	512.493	1.282	13.9				
30	1848.794	4.625	117.1	69	799.832	2.001	33.3	108	509.179	1.274	14.3				
31	1741.188	4.355	109.1	70	795.348	1.989	37.0	109	500.601	1.252	27.3				
32	1732.026	4.332	94.9	71	784.626	1.963	21.3	110	497.287	1.244	23.4				
33	1533.579	3.836	5.2	72	746.418	1.867	18.4	111	489.685	1.225	28.8				
34	1529.680	3.826	10.0	73	743.104	1.859	19.8	112	486.371	1.217	35.4				
35	1525.197	3.815	10.6	74	738.621	1.848	15.0	113	482.472	1.207	23.0				
36	1522.857	3.809	14.0	75	734.137	1.836	20.4	114	478.378	1.197	32.0				
37	1519.154	3.800	23.0	76	731.798	1.831	20.7	115	474.285	1.186	34.7				
38	1514.865	3.789	19.4	77	700.803	1.753	14.4	116	470.581	1.177	37.4				
39	1510.576	3.779	22.3	78	694.955	1.738	29.4	117	466.487	1.167	31.7				

C13 LF-III-115b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13
Ambient temperature
File: C13LF-III-115b
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5241065 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

6a

LF-II-129a

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 22.0 C / 295.1 K

File: LF-II-129a

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773429 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

6b

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2910.623	7.281	10.6	40	875.857	2.191	8.5	79	487.930	1.221	4.4
2	2909.063	7.277	6.1	41	867.865	2.171	6.8	80	486.176	1.216	5.4
3	2907.504	7.273	3.7	42	862.991	2.159	5.7	81	484.227	1.211	6.9
4	2903.605	7.263	36.2	43	825.953	2.066	3.9	82	482.667	1.207	7.4
5	2899.706	7.253	4.9	44	819.910	2.051	162.2	83	477.014	1.193	7.8
6	2895.807	7.244	24.2	45	777.998	1.946	4.0	84	475.649	1.190	8.2
7	2871.635	7.183	30.7	46	773.320	1.934	9.1	85	473.505	1.184	10.4
8	2868.516	7.175	11.2	47	768.836	1.923	11.0	86	472.140	1.181	10.5
9	2865.787	7.168	20.6	48	765.133	1.914	4.5	87	468.242	1.171	6.1
10	2863.837	7.164	18.7	49	760.649	1.903	10.9	88	465.123	1.163	7.5
11	2860.523	7.155	5.7	50	755.970	1.891	11.7	89	461.614	1.155	9.1
12	2859.159	7.152	5.3	51	747.393	1.870	8.3	90	449.528	1.124	3.1
13	2634.590	6.590	4.9	52	742.910	1.858	8.4	91	0.000	0.000	30.4
14	2626.208	6.569	5.0	53	695.540	1.740	6.4				
15	1787.389	4.471	24.8	54	691.836	1.731	8.8				
16	1778.226	4.448	29.1	55	687.547	1.720	7.4				
17	1654.441	4.138	25.0	56	682.869	1.708	7.8				
18	1645.279	4.115	22.0	57	678.580	1.697	10.0				
19	1510.771	3.779	3.0	58	675.266	1.689	7.2				
20	1508.627	3.774	4.7	59	655.772	1.640	3.2				
21	1504.338	3.763	4.0	60	652.068	1.631	4.1				
22	1500.050	3.752	4.7	61	648.170	1.621	3.3				
23	1497.905	3.747	3.2	62	642.906	1.608	3.9				
24	1105.495	2.765	3.3	63	639.007	1.598	4.7				
25	1102.571	2.758	3.4	64	635.499	1.590	3.2				
26	1098.087	2.747	4.0	65	555.964	1.391	4.8				
27	1089.510	2.725	7.1	66	554.209	1.386	7.3				
28	1085.026	2.714	8.1	67	552.650	1.382	7.4				
29	1076.644	2.693	5.8	68	550.895	1.378	5.5				
30	1071.965	2.681	5.2	69	544.073	1.361	5.6				
31	1023.816	2.561	4.4	70	542.318	1.357	7.2				
32	1018.942	2.549	5.2	71	540.759	1.353	8.9				
33	1010.950	2.529	7.0	72	539.199	1.349	7.1				
34	1006.076	2.517	7.4	73	537.445	1.344	5.0				
35	997.694	2.496	3.9	74	528.867	1.323	3.9				
36	992.820	2.483	3.7	75	527.308	1.319	3.8				
37	893.987	2.236	5.6	76	494.558	1.237	3.0				
38	889.113	2.224	6.2	77	491.049	1.228	3.7				
39	880.731	2.203	9.0	78	489.685	1.225	3.5				

LF-III-221b

Pulse Sequence: s2pul

Solvent: CDCl₃
Ambient temperature
User: 1-14-87
File: C13LF-III-221b
INNOVA-500 "woodward"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
256 repetitions
OBSERVE C13, 125.7042713 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 11 min, 59 sec

6b

LF-III-117b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 21.0 C / 294.1 K

File: LF-III-117b

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773440 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

6c

INDEX	FREQUENCY	PPM	HEIGHT
1	2912.182	7.285	3.4
2	2904.579	7.265	6.8
3	2903.410	7.263	13.0
4	2897.367	7.247	7.9
5	2873.779	7.188	11.7
6	2867.346	7.172	8.7
7	1783.295	4.461	8.5
8	1774.133	4.438	9.8
9	1645.084	4.115	8.5
10	1635.922	4.092	7.6
11	873.713	2.185	3.0
12	868.645	2.173	3.1
13	820.300	2.052	59.7
14	547.776	1.370	162.0
15	-0.000	-0.000	7.9

C13 LF-III-117b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 21.0 C / 294.1 K
File: C13LF-III-117b
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240724 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

LF-III-130a

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl3
Ambient temperature
File: LF-III-130b
INOVA-500 "wittig"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 3.000 sec
Width 6387.7 Hz
8 repetitions
OBSERVE H1, 399.7773444 MHz
DATA PROCESSING
Line broadening 0.3 Hz
FT size 65536
Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2916.666	7.296	13.6	40	1487.769	3.721	6.3	79	716.983	1.793	14.4
2	2915.301	7.292	14.9	41	1483.480	3.711	7.0	80	712.305	1.782	11.8
3	2908.479	7.275	46.2	42	1480.361	3.703	6.8	81	703.922	1.761	10.7
4	2904.970	7.266	29.3	43	1476.852	3.694	7.2	82	696.905	1.743	35.3
5	2902.630	7.261	64.5	44	1472.759	3.684	6.5	83	692.421	1.732	26.2
6	2900.096	7.254	59.8	45	1468.665	3.674	5.9	84	686.963	1.718	20.1
7	2898.147	7.249	57.8	46	1465.936	3.667	4.0	85	678.385	1.697	17.2
8	2892.104	7.234	48.5	47	1269.828	3.176	3.5	86	674.097	1.686	19.2
9	2885.281	7.217	17.3	48	1264.175	3.162	3.9	87	670.588	1.677	17.3
10	2882.357	7.210	5.9	49	1256.182	3.142	7.7	88	648.950	1.623	10.3
11	2877.873	7.199	6.2	50	1250.529	3.128	8.2	89	642.907	1.608	8.5
12	2873.975	7.189	12.2	51	1239.028	3.099	17.0	90	638.813	1.598	9.4
13	2870.271	7.180	13.5	52	1233.180	3.085	19.6	91	635.304	1.589	8.2
14	2869.101	7.177	13.0	53	1223.628	3.061	4.5	92	586.570	1.467	626.4
15	2866.567	7.170	18.9	54	1217.585	3.046	3.8	93	566.101	1.416	3.7
16	2863.058	7.162	40.5	55	1031.224	2.579	6.8	94	556.939	1.393	14.8
17	2855.261	7.142	32.2	56	1026.740	2.568	7.3	95	542.513	1.357	17.7
18	2844.734	7.116	34.0	57	1018.163	2.547	7.7	96	529.842	1.325	18.4
19	2843.369	7.112	32.1	58	1013.679	2.536	7.9	97	522.435	1.307	7.9
20	2835.962	7.094	23.4	59	1004.517	2.513	3.6	98	520.291	1.301	8.2
21	2830.113	7.079	17.8	60	1000.423	2.502	3.4	99	516.977	1.293	9.8
22	2822.706	7.061	15.4	61	969.038	2.424	3.0	100	510.544	1.277	3.0
23	2581.762	6.458	4.7	62	961.826	2.406	5.5	101	503.136	1.259	4.9
24	2573.965	6.438	5.0	63	956.952	2.394	8.4	102	473.310	1.184	8.4
25	2527.764	6.323	4.7	64	949.155	2.374	7.8	103	468.827	1.173	9.5
26	2519.967	6.303	4.9	65	944.086	2.362	8.1	104	461.614	1.155	17.5
27	2011.763	5.032	9.2	66	936.094	2.342	3.8	105	458.105	1.146	16.4
28	2004.160	5.013	10.7	67	931.220	2.329	3.1	106	449.918	1.125	15.8
29	1880.959	4.705	6.7	68	870.984	2.179	6.3	107	446.409	1.117	15.5
30	1875.111	4.690	8.6	69	866.306	2.167	6.2	108	442.510	1.107	9.5
31	1810.002	4.528	17.1	70	858.118	2.146	11.2	109	434.128	1.086	8.5
32	1801.035	4.505	19.4	71	853.440	2.135	9.7	110	423.016	1.058	4.1
33	1785.829	4.467	10.0	72	845.253	2.114	6.9	111	0.000	0.000	40.0
34	1776.862	4.445	11.5	73	840.379	2.102	5.2				
35	1675.689	4.192	10.1	74	817.766	2.046	5.4				
36	1669.646	4.176	23.6	75	759.285	1.899	9.2				
37	1666.917	4.170	9.7	76	748.953	1.873	9.9				
38	1660.484	4.154	19.1	77	729.654	1.825	9.1				
39	1491.863	3.732	5.8	78	724.976	1.813	11.4				

C13 LF-III-130b#3

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

File: C13LF-III-130b#3

INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
2304 repetitions
OBSERVE C13, 100.5240747 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 1 hr, 55 min, 32 sec

LF-III-145ab

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 22.0 C / 295.1 K

File: LF-III-145ab

INOVA-500 "wittig"

Pulse 74.6 degrees

Acq. time 1.892 sec

Width 8000.0 Hz

8 repetitions

OBSERVE H1, 499.9172554 MHz

DATA PROCESSING

FT size 32768

Total time 0 min, 15 sec

6e

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	3632.324	7.266	28.0	40	638.184	1.277	47.0
2	3573.730	7.149	11.6	41	633.789	1.268	134.5
3	3568.848	7.139	7.1	42	628.418	1.257	68.7
4	2196.289	4.393	43.9	43	622.070	1.244	43.1
5	2187.012	4.375	48.4	44	612.305	1.225	162.0
6	2115.723	4.232	17.2	45	609.863	1.220	155.8
7	2108.398	4.217	53.1	46	605.469	1.211	148.3
8	2101.074	4.203	44.9	47	602.539	1.205	138.7
9	2094.238	4.189	19.0	48	593.750	1.188	9.2
10	2055.176	4.111	47.9	49	440.430	0.881	33.0
11	2045.898	4.092	41.2	50	433.594	0.867	83.2
12	2041.504	4.084	12.8	51	426.270	0.853	37.5
13	2035.645	4.072	12.2	52	-0.000	-0.000	63.0
14	2023.437	4.048	32.6				
15	2017.578	4.036	32.2				
16	2004.395	4.009	31.5				
17	1999.023	3.999	33.0				
18	1985.840	3.972	11.0				
19	1980.957	3.963	10.8				
20	1308.105	2.617	13.4				
21	1301.270	2.603	16.0				
22	1293.945	2.588	13.5				
23	929.199	1.859	9.4				
24	921.875	1.844	9.4				
25	920.410	1.841	11.0				
26	916.992	1.834	11.7				
27	916.016	1.832	12.6				
28	908.203	1.817	9.4				
29	903.809	1.808	8.9				
30	850.098	1.700	9.3				
31	845.703	1.692	9.6				
32	837.891	1.676	15.7				
33	836.426	1.673	14.4				
34	833.984	1.668	16.3				
35	824.707	1.650	12.8				
36	820.801	1.642	8.2				
37	675.293	1.351	8.4				
38	647.949	1.296	86.2				
39	640.625	1.281	135.7				

C13 LF-III-145ab

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 22.0 C / 295.1 K
User: 1-14-87
File: C13LF-III-145ab
INNOVA-500 "wittig"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
256 repetitions
OBSERVE C13, 125.7042667 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 11 min, 59 sec

LF-III-124e

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 22.0 C / 295.1 K
File: LF-III-124e
INOVA-500 "wittig"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 3.000 sec
Width 6387.7 Hz
8 repetitions
OBSERVE H1, 399.7773396 MHz
DATA PROCESSING
Line broadening 0.3 Hz
FT size 65536
Total time 0 min, 32 sec

6f

INDEX	FREQUENCY	PPM	HEIGHT
1	2907.893	7.274	4.4
2	2577.278	6.447	5.0
3	1763.801	4.412	8.7
4	1754.834	4.390	9.7
5	1622.081	4.057	9.4
6	1613.114	4.035	8.4
7	805.485	2.015	56.3
8	724.975	1.813	3.5
9	715.423	1.790	3.4
10	712.889	1.783	3.3
11	639.982	1.601	3.6
12	539.004	1.348	162.1
13	519.900	1.300	4.6
14	502.551	1.257	25.4
15	479.158	1.199	3.1
16	352.838	0.883	9.6
17	346.405	0.866	20.7
18	339.387	0.849	9.0
19	-0.000	-0.000	3.4

C13 LF-III-124e

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp: 22.0 C / 295.1 K
File: C13LF-III-124e
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240712 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

6f

LF-III-131c

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

File: LF-III-131c

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773442 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	2950.585	7.381	12.1
2	2946.102	7.369	25.9
3	2942.593	7.361	4.3
4	2938.889	7.351	4.9
5	2935.380	7.343	4.3
6	2903.605	7.263	7.7
7	2540.825	6.356	4.0
8	2057.963	5.148	13.7
9	1796.746	4.494	7.2
10	1787.779	4.472	8.0
11	1648.983	4.125	9.1
12	1640.016	4.102	8.2
13	1615.648	4.041	3.3
14	1609.995	4.027	3.5
15	1604.927	4.015	5.1
16	1599.664	4.001	5.0
17	673.512	1.685	5.2
18	672.342	1.682	3.5
19	531.597	1.330	151.2
20	519.901	1.300	3.2
21	512.493	1.282	5.4
22	500.212	1.251	19.2
23	353.229	0.884	7.4
24	346.601	0.867	19.9
25	339.583	0.849	8.2
26	-0.584	-0.001	11.9

C13 LF-III-169b

Pulse Sequence: s2pul

Solvent: CDC13
Temp. 22.0 C / 295.1 K
User: 1-14-87
File: C13LF-III-169b
INOVA-500 "wolff"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
460 repetitions
OBSERVE C13, 125.7042675 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 21 min, 32 sec

LF-III-89e#2

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl3

Temp. 21.0 C / 294.1 K

File: LF-III-89e#2

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773429 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2904.774	7.266	48.6	40	522.629	1.307	5.7
2	2843.369	7.112	4.9	41	519.315	1.299	46.2
3	2120.343	5.304	4.7	42	517.171	1.294	6.3
4	1740.993	4.355	19.9	43	515.612	1.290	9.3
5	1731.831	4.332	27.8	44	512.103	1.281	92.7
6	1696.547	4.244	25.0	45	508.399	1.272	7.2
7	1693.233	4.235	11.1	46	505.085	1.263	48.8
8	1689.724	4.227	4.4	47	501.576	1.255	10.9
9	1686.216	4.218	34.4	48	491.829	1.230	10.8
10	1682.707	4.209	3.8	49	488.710	1.222	10.7
11	1679.003	4.200	32.7	50	485.786	1.215	6.0
12	1676.274	4.193	3.1	51	483.057	1.208	9.1
13	1671.790	4.182	11.2	52	479.548	1.200	13.4
14	1634.557	4.089	5.2	53	474.285	1.186	5.8
15	1628.904	4.075	5.1	54	470.971	1.178	9.4
16	1616.428	4.043	19.7	55	465.123	1.163	3.3
17	1610.775	4.029	20.1	56	462.588	1.157	4.6
18	1606.681	4.019	20.0	57	459.664	1.150	5.1
19	1601.028	4.005	20.0	58	454.206	1.136	3.0
20	1588.552	3.974	4.7	59	450.697	1.127	4.4
21	1582.898	3.959	4.6	60	447.773	1.120	4.2
22	1192.632	2.983	3.5	61	437.831	1.095	3.1
23	1142.533	2.858	3.8	62	369.603	0.925	4.9
24	877.417	2.195	3.3	63	366.289	0.916	5.3
25	844.667	2.113	8.4	64	357.127	0.893	5.1
26	833.166	2.084	6.5	65	353.423	0.884	6.3
27	813.867	2.036	4.7	66	0.000	0.000	88.0
28	808.799	2.023	162.1	67	-3.314	-0.008	3.1
29	716.203	1.792	5.7				
30	702.167	1.756	11.1				
31	693.590	1.735	8.1				
32	690.666	1.728	8.9				
33	687.352	1.719	6.6				
34	680.334	1.702	8.7				
35	666.299	1.667	9.2				
36	663.765	1.660	9.6				
37	651.678	1.630	8.9				
38	645.246	1.614	6.4				
39	539.004	1.348	13.9				

C13 LF-III-89e#3

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 22.0 C / 295.1 K
User: 1-14-87
File: C13LF-III-89e#3
INOVA-500 "wolff"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
256 repetitions
OBSERVE C13, 125.7042667 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 11 min, 59 sec

LF-III-160

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 21.0 C / 294.1 K

File: LF-III-160a

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773413 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	2906.724	7.271	4.7
2	1721.499	4.306	7.7
3	1712.337	4.283	10.9
4	1670.621	4.179	9.8
5	1661.458	4.156	7.0
6	1046.428	2.618	3.5
7	1039.411	2.600	4.9
8	1032.393	2.582	3.7
9	696.904	1.743	3.8
10	694.565	1.737	4.4
11	685.793	1.715	3.8
12	682.869	1.708	3.6
13	649.534	1.625	4.3
14	647.585	1.620	4.3
15	640.762	1.603	3.4
16	638.423	1.597	3.3
17	536.665	1.342	162.1
18	495.728	1.240	3.8
19	494.363	1.237	3.6
20	480.913	1.203	34.6
21	478.768	1.198	34.0
22	474.090	1.186	33.1
23	471.750	1.180	35.3
24	0.000	0.000	7.9

C13 LF-III-160a

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 21.0 C / 294.1 K
File: C13LF-III-160a
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240716 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

LF-IV-30b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 22.0 C / 295.1 K

File: LF-IV-30b

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773446 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	2975.537	7.443	9.4
2	2967.545	7.423	12.9
3	2937.329	7.347	6.0
4	2930.116	7.329	12.6
5	2922.124	7.309	7.6
6	2910.817	7.281	5.4
7	2903.410	7.263	13.3
8	2595.992	6.494	3.6
9	2010.593	5.029	9.0
10	2001.626	5.007	9.5
11	1714.677	4.289	9.6
12	1705.904	4.267	9.1
13	843.693	2.110	55.3
14	518.536	1.297	162.1
15	0.000	0.000	11.9

C13 LF-IV-30b

Pulse Sequence: s2pul

Solvent: CDC13
Temp. 21.0 C / 294.1 K
User: 1-14-87
File: C13LF-IV-30b
INOVA-500 "wittig"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
256 repetitions
OBSERVE C13, 125.7042682 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 11 min, 59 sec

LF-III-155e

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl3
Temp. 21.0 C / 294.1 K
File: LF-III-155e
INOVA-500 "wittig"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 3.000 sec
Width 6387.7 Hz
8 repetitions
OBSERVE H1, 399.7773419 MHz
DATA PROCESSING
Line broadening 0.3 Hz
FT size 65536
Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	2906.139	7.269	6.9
2	1785.049	4.465	7.7
3	1776.082	4.443	8.4
4	1613.114	4.035	9.3
5	1604.342	4.013	8.5
6	805.290	2.014	53.7
7	573.508	1.435	49.2
8	538.029	1.346	162.0
9	0.000	0.000	11.8

C13 LF-III-155e#2

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 21.0 C / 294.1 K
File: C13LF-III-155e#2
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
528 repetitions
OBSERVE C13, 100.5241035 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 26 min, 28 sec

STANDARD-1H OBSERVE

4-III-153f

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Temp. 22.0 C / 295.1 K

File: LF-III-153f

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773431 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

6l

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	3245.721	8.119	4.6	40	1642.354	4.108	5.5
2	3244.552	8.116	5.5	41	1636.701	4.094	5.5
3	3237.534	8.098	6.3	42	1624.225	4.063	23.6
4	3236.169	8.095	5.2	43	1618.572	4.049	23.5
5	3200.496	8.006	3.6	44	1614.283	4.038	23.9
6	3198.741	8.001	20.6	45	1608.825	4.024	23.7
7	3197.377	7.998	25.7	46	1596.154	3.993	5.5
8	3196.207	7.995	11.7	47	1590.501	3.978	5.4
9	3192.503	7.986	7.7	48	647.195	1.619	162.1
10	3190.359	7.980	31.5	49	512.103	1.281	45.9
11	3188.994	7.977	24.1	50	505.085	1.263	95.4
12	3014.135	7.540	3.0	51	497.872	1.245	45.8
13	3012.770	7.536	5.4	52	353.033	0.883	3.8
14	3011.601	7.533	3.3	53	-0.000	-0.000	23.9
15	3007.702	7.523	4.2				
16	3005.557	7.518	15.4				
17	3003.413	7.513	4.9				
18	2999.319	7.502	7.4				
19	2998.150	7.500	12.4				
20	2996.590	7.496	6.5				
21	2993.666	7.488	4.5				
22	2985.869	7.469	6.4				
23	2978.071	7.449	24.2				
24	2976.707	7.446	9.9				
25	2971.638	7.433	17.6				
26	2970.274	7.430	32.1				
27	2964.620	7.416	5.5				
28	2963.061	7.412	13.6				
29	2962.086	7.409	8.3				
30	2942.008	7.359	5.1				
31	2904.579	7.265	15.1				
32	1884.273	4.713	25.3				
33	1875.501	4.691	27.9				
34	1712.727	4.284	36.1				
35	1703.955	4.262	32.5				
36	1689.140	4.225	12.4				
37	1682.122	4.208	38.7				
38	1674.909	4.190	39.1				
39	1667.696	4.172	12.7				

C13 LF-III-153f

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 22.0 C / 295.1 K
File: C13LF-III-153f
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240727 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec

6l

LF-III-262#3

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

File: LF-III-262a#3

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 43.8 degrees

Acq. time 3.000 sec

Width 4789.3 Hz

16 repetitions

OBSERVE H1, 299.7611665 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 1 min, 12 sec

INDEX	FREQUENCY	PPM	HEIGHT
1	3428.112	11.436	9.9
2	2310.450	7.708	4.6
3	2308.842	7.702	4.6
4	2302.703	7.682	5.0
5	2300.949	7.676	4.9
6	2236.494	7.461	2.5
7	2234.886	7.456	2.3
8	2229.186	7.437	4.3
9	2228.163	7.433	4.7
10	2227.579	7.431	4.4
11	2220.855	7.409	3.2
12	2219.248	7.403	2.8
13	2177.154	7.263	8.2
14	2113.430	7.050	6.6
15	2105.099	7.023	5.8
16	2082.737	6.948	4.2
17	2075.429	6.924	6.2
18	2074.845	6.922	6.4
19	2067.683	6.898	3.5
20	1869.786	6.238	2.7
21	1400.184	4.671	8.6
22	1391.268	4.641	9.8
23	1270.981	4.240	10.3
24	1261.919	4.210	9.0
25	477.495	1.593	50.8
26	412.309	1.375	5.4
27	405.732	1.354	157.9
28	-0.000	-0.000	13.3

C13 LF-III-262a

Pulse Sequence: s2pul

Solvent: CDCl₃
Temp. 20.0 C / 293.1 K
User: 1-14-87
File: C13LF-III-262a
INOVA-500 "wittig"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
256 repetitions
OBSERVE C13, 125.7042682 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 11 min, 59 sec

LF-III-21b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13

Ambient temperature

File: LF-IV-21a

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773440 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	4546.349	11.372	7.2	40	515.807	1.290	49.2
2	3074.955	7.692	13.4	41	508.594	1.272	97.9
3	3073.201	7.687	14.2	42	501.381	1.254	46.8
4	3066.963	7.672	14.2	43	-0.000	-0.000	40.3
5	3065.403	7.668	14.8				
6	2977.876	7.449	7.8				
7	2976.122	7.444	7.9				
8	2970.469	7.430	9.5				
9	2969.104	7.427	12.6				
10	2967.739	7.423	10.0				
11	2962.281	7.410	9.5				
12	2960.527	7.405	9.2				
13	2903.995	7.264	38.6				
14	2818.222	7.049	16.0				
15	2817.442	7.048	17.1				
16	2809.839	7.029	14.6				
17	2809.060	7.027	15.1				
18	2770.657	6.931	15.1				
19	2769.682	6.928	15.6				
20	2762.664	6.911	19.3				
21	2755.452	6.892	9.5				
22	2754.477	6.890	9.2				
23	1882.129	4.708	27.8				
24	1873.161	4.686	30.9				
25	1708.828	4.274	32.8				
26	1699.861	4.252	30.3				
27	1692.649	4.234	13.6				
28	1685.436	4.216	41.4				
29	1678.223	4.198	41.3				
30	1671.205	4.180	13.9				
31	1639.041	4.100	6.4				
32	1633.387	4.086	6.4				
33	1620.911	4.055	21.6				
34	1615.063	4.040	21.1				
35	1607.266	4.020	21.2				
36	1601.612	4.006	21.5				
37	1588.941	3.975	6.4				
38	1583.483	3.961	6.2				
39	662.400	1.657	151.4				

C13 LF-IV-21b

Pulse Sequence: s2pul

Solvent: CDC13
Ambient temperature
User: 1-14-87
File: C13LF-IV-21b#2
INOVA-500 "woodward"

Relax. delay 1.500 sec
Pulse 55.1 degrees
Acq. time 1.300 sec
Width 25000.0 Hz
512 repetitions
OBSERVE C13, 125.7042690 MHz
DECOUPLE H1, 499.9197456 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 65536
Total time 23 min, 58 sec

LF-III-33a#2

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

File: LF-IV-33a#3

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 3.000 sec

Width 6387.7 Hz

8 repetitions

OBSERVE H1, 399.7773462 MHz

DATA PROCESSING

Line broadening 0.3 Hz

FT size 65536

Total time 0 min, 32 sec

7a

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	3178.663	7.951	30.0	40	965.724	2.416	8.6
2	3171.450	7.933	32.6	41	958.121	2.397	6.4
3	3062.090	7.659	6.7	42	796.518	1.992	11.8
4	3054.487	7.640	16.8	43	792.424	1.982	11.3
5	3047.079	7.622	11.2	44	706.261	1.767	9.5
6	3007.702	7.523	22.6	45	702.752	1.758	10.3
7	2999.904	7.504	35.0	46	697.879	1.746	9.9
8	2992.302	7.485	15.8	47	693.395	1.734	12.2
9	2901.655	7.258	8.6	48	690.081	1.726	12.0
10	2896.977	7.246	11.6	49	662.790	1.658	5.9
11	2889.179	7.227	27.7	50	658.891	1.648	5.2
12	2881.967	7.209	25.2	51	653.628	1.635	5.9
13	2859.159	7.152	13.2	52	649.924	1.626	6.8
14	2853.506	7.138	48.4	53	585.399	1.464	5.2
15	2845.708	7.118	32.6	54	582.086	1.456	7.3
16	2584.491	6.465	9.8	55	578.967	1.448	7.7
17	2576.498	6.445	9.9	56	575.263	1.439	8.6
18	2068.100	5.173	21.9	57	571.949	1.431	9.3
19	2057.378	5.146	24.5	58	568.440	1.422	8.9
20	1890.901	4.730	24.8	59	565.321	1.414	9.1
21	1880.179	4.703	22.4	60	562.202	1.406	7.8
22	1558.921	3.899	6.3	61	554.014	1.386	4.5
23	1554.827	3.889	5.9	62	550.700	1.378	4.1
24	1550.734	3.879	6.3	63	529.647	1.325	3.5
25	1175.283	2.940	162.3	64	526.333	1.317	3.9
26	1081.127	2.704	3.3	65	518.146	1.296	9.7
27	1075.474	2.690	6.3	66	516.196	1.291	9.4
28	1070.406	2.678	8.1	67	514.247	1.286	9.7
29	1063.193	2.659	20.0	68	507.229	1.269	14.3
30	1054.616	2.638	16.5	69	502.161	1.256	12.8
31	1051.107	2.629	17.8	70	499.042	1.248	13.5
32	1046.428	2.618	5.6	71	486.761	1.218	7.3
33	1039.995	2.601	10.5	72	0.000	0.000	12.2
34	1036.292	2.592	10.2				
35	1031.223	2.579	8.1				
36	1023.426	2.560	3.9				
37	980.929	2.454	6.5				
38	975.081	2.439	6.9				
39	968.648	2.423	7.7				

LF-IV-33a#2

Sample directory:

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

File: C13LF-IV-33a#2

INOVA-500 "wittig"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 2.000 sec

Width 25157.2 Hz

256 repetitions

OBSERVE C13, 100.5240770 MHz

DECOUPLE H1, 399.7793569 MHz

Power 38 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 0.5 Hz

FT size 131072

Total time 12 min, 50 sec

7a

LF-III-116b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13
Ambient temperature
File: LF-III-116b
INOVA-500 "wittig"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 3.000 sec
Width 6387.7 Hz
8 repetitions
OBSERVE H1, 399.7773501 MHz
DATA PROCESSING
Line broadening 0.3 Hz
FT size 65536
Total time 0 min, 32 sec

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2957.798	7.399	7.4	40	1044.479	2.613	5.6	79	544.073	1.361	4.4
2	2950.585	7.381	19.7	41	825.368	2.065	134.3	80	540.564	1.352	3.2
3	2945.906	7.369	7.5	42	816.791	2.043	4.2	81	494.753	1.238	4.0
4	2943.567	7.363	27.1	43	808.604	2.023	6.2	82	486.566	1.217	8.0
5	2939.668	7.353	3.0	44	802.951	2.008	6.0	83	483.057	1.208	7.7
6	2933.625	7.338	35.6	45	796.128	1.991	5.7	84	478.768	1.198	9.6
7	2930.701	7.331	18.7	46	790.474	1.977	7.5	85	475.649	1.190	10.9
8	2926.802	7.321	22.6	47	781.312	1.954	3.3	86	467.072	1.168	8.1
9	2922.709	7.311	15.2	48	777.024	1.944	4.4	87	463.758	1.160	7.2
10	2919.395	7.303	9.0	49	773.905	1.936	4.2	88	-0.000	-0.000	5.7
11	2917.835	7.299	8.6	50	756.555	1.892	8.2				
12	2913.936	7.289	12.5	51	751.682	1.880	7.8				
13	2906.724	7.271	28.0	52	744.079	1.861	9.5				
14	2899.121	7.252	21.7	53	739.401	1.850	7.9				
15	2897.172	7.247	8.8	54	730.239	1.827	3.5				
16	2878.068	7.199	9.6	55	691.836	1.731	6.5				
17	2870.855	7.181	13.6	56	687.742	1.720	7.3				
18	2868.516	7.175	4.5	57	682.674	1.708	7.5				
19	2862.668	7.161	25.4	58	678.385	1.697	8.8				
20	2861.498	7.158	26.1	59	674.291	1.687	8.8				
21	2854.480	7.140	19.8	60	670.003	1.676	7.5				
22	1808.832	4.525	7.3	61	666.299	1.667	7.5				
23	1797.330	4.496	27.3	62	656.552	1.642	4.3				
24	1790.313	4.478	26.2	63	652.848	1.633	4.5				
25	1778.616	4.449	7.0	64	648.754	1.623	3.6				
26	1534.944	3.839	4.4	65	643.686	1.610	4.0				
27	1530.655	3.829	3.8	66	639.982	1.601	4.5				
28	1526.171	3.818	4.4	67	636.473	1.592	3.0				
29	1502.389	3.758	9.7	68	569.025	1.423	3.5				
30	1490.303	3.728	14.8	69	565.516	1.415	5.2				
31	1450.535	3.628	14.4	70	562.397	1.407	5.3				
32	1438.449	3.598	9.3	71	558.888	1.398	5.8				
33	1082.102	2.707	5.7	72	557.328	1.394	5.3				
34	1077.424	2.695	6.0	73	555.379	1.389	5.8				
35	1069.626	2.676	5.7	74	553.819	1.385	5.6				
36	1064.558	2.663	5.8	75	552.065	1.381	5.6				
37	1062.608	2.658	5.2	76	548.751	1.373	5.3				
38	1056.955	2.644	5.3	77	547.387	1.369	5.1				
39	1049.937	2.626	5.9	78	545.632	1.365	5.0				

C13 LF-III-116b

Sample directory:

Pulse Sequence: s2pul

Solvent: CDC13
Ambient temperature
File: C13LF-III-116b
INOVA-500 "wolff"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 2.000 sec
Width 25157.2 Hz
256 repetitions
OBSERVE C13, 100.5240800 MHz
DECOUPLE H1, 399.7793569 MHz
Power 38 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 0.5 Hz
FT size 131072
Total time 12 min, 50 sec