Cobalt-Catalyzed Reductive Coupling of Saturated Alkyl Halides with Activated Alkenes

Paritosh Shukla, Yun Chu Hsu and Chien-Hong Cheng*

chcheng@mx.nthu.edu.tw

Department of Chemistry, National Tsing Hua University, Hsinchu, 30013, Taiwan

SUPPORTING INFORMATION

List of Contents

1.	General Synthetic Methods	S2
2.	Spectral Data for All the Compounds	S2-S5
3.	References	S6
4.	¹ HNMR, ¹³ C and DEPT Spectra of Selected Compounds	S7-S32

Procedure for the Reductive Coupling of (2-Bromoethyl)benzene **1a with Methyl Acrylate **2a**.** A sealed tube (20 mL) containing $\text{CoI}_2(\text{dppe})$ (0.10 mmol) and zinc powder (2.5 mmol) was evacuated and purged with nitrogen three times. Freshly distilled CH_3CN (2.5 mL), (2-bromoethyl)benzene **1a** (1.0 mmol), methyl acrylate **2a** (4.0 mmol) and H_2O (1.0 mmol) were added to the sealed tube via syringes. The reaction mixture was heated with stirring at 80 °C for 12 h and was then cooled, diluted with dichloromethane and stirred in the air for 10 min. The mixture was filtered through a Celite and silica gel pad and washed with dichloromethane. The filtrate was concentrated and the residue was purified on a silica gel column using hexane-ethyl acetate as eluent to afford the desired product **3a**.

Products **3b-m** were prepared according to similar procedure except when the iodo compounds were used the reaction time was reduced to 6 h and only 5 mol% of $\text{CoI}_2(\text{dppe})$ and 2-3 equiv of acrylate (2.0-3.0 mmol) was employed. Compounds **3a**,¹ **3b**,² **3c**,⁸ **3d**,³ **3e**,⁹ **3f**,² **3g**,⁶ **3h**,² **3j**,⁴ **3k**⁵ and **3l**⁷ are previously reported. Important spectral data of these compounds are listed below.

(3a) CAS registry No: 20620-59-1. ^1H NMR (400MHz, CDCl_3): δ 7.26 (m, 2H), 7.16 (t, 3H, $J = 6.4$ Hz), 3.64 (s, 3H), 2.61 (t, 2H, $J = 6.8$ Hz), 2.32 (t, 2H, $J = 6.4$ Hz), 1.63-1.66 (m, 4H). ^{13}C NMR (400 MHz, CDCl_3): δ 174.0, 142.1, 128.3, 128.3, 125.8, 51.4, 35.5, 33.9, 24.5. HRMS calcd for $\text{C}_{12}\text{H}_{16}\text{O}_2$ 192.1150; found 192.1155.

(3b) CAS registry No: 28267-29-0. ^1H NMR (400MHz, CDCl_3): δ 4.10 (q, 2H, $J = 7.2$ Hz), 2.27 (t, 2H, $J = 7.0$ Hz), 1.42-1.66 (m, 3H), 1.19-1.40 (m, 20H), 0.87 (t, 3H, $J = 6.8$ Hz). ^{13}C NMR (400 MHz, CDCl_3): δ 174.1, 60.3, 34.6, 32.1, 29.8, 29.7, 29.6 (3C), 29.5, 29.4, 25.2, 22.9, 14.5, 14.3. HRMS calcd for $\text{C}_{15}\text{H}_{30}\text{O}_2$ 242.2246; found 242.2243.

(3c) CAS registry No: 92156-72-4. ^1H NMR (400MHz, CDCl_3): δ 7.24-7.30 (m, 2H), 6.88-6.95 (m, 3H), 3.95 (t, 2H, $J = 6.6$ Hz), 3.68 (s, 3H), 2.31 (t, 2H, $J = 7.2$ Hz), 1.75 (m, 2H), 1.68 (m, 2H), 1.51 (m, 2H). ^{13}C NMR (400 MHz, CDCl_3): δ 173.9, 158.9, 129.3, 120.4, 114.4, 67.4, 51.4, 33.9, 28.9, 25.6, 24.6. HRMS calcd for $\text{C}_{13}\text{H}_{18}\text{O}_3$ 222.1256; found 222.1251.

(3d) CAS registry No: 3289-28-9. ^1H NMR (400MHz, CDCl_3): δ 4.08 (q, 2H, $J = 7.2$ Hz), 2.26 (t, 2H, $J = 7.0$ Hz), 1.59-1.67 (m, 5H), 1.47 (m, 2H), 1.08-1.28 (m, 7H), 0.81-0.89 (m, 2H). ^{13}C NMR (400 MHz, CDCl_3): δ 174.4, 60.4, 37.4, 33.2 (2C), 32.6, 32.2, 26.7, 26.4(2C), 14.5. HRMS calcd for $\text{C}_{11}\text{H}_{20}\text{O}_2$ 184.1463; found 184.1465

(3e) CAS registry No: 59339-36-5. ^1H NMR (400MHz, CDCl_3): δ 7.22-7.28 (m, 2H), 7.13-7.18 (m, 3H), 3.63 (s, 3H), 2.62 (t, 2H, $J = 6.4$ Hz), 2.43 (m, 1H), 1.57-1.69 (m, 3H), 1.42-1.49 (m, 1H), 1.13 (d, 3H, $J = 6.2$ Hz). ^{13}C NMR (400 MHz, CDCl_3): δ 177.1, 142.1, 125.7, 128.3, 51.4, 39.3, 35.7, 33.5, 29.0, 17.0. HRMS calcd for $\text{C}_{13}\text{H}_{18}\text{O}_2$ 206.1307; found 206.1311.

(3f) CAS registry No: 50623-57-9. ^1H NMR (400MHz, CDCl_3): δ 4.0 (t, 2H, $J = 6.8$ Hz), 2.26 (t, 2H, $J = 7.2$ Hz), 1.56-1.61 (m, 4H), 1.32-1.38 (m, 2H), 1.24-1.31 (m, 14H), 0.91 (t, 3H, $J = 7.0$ Hz), 0.85 (t, 3H, $J = 7.2$ Hz). ^{13}C NMR (400 MHz, CDCl_3):

δ 174.0, 64.1, 34.4, 31.8, 30.7, 29.2(2C), 29.1, 25.0, 22.6, 19.1, 14.1, 13.7, HRMS calcd for $C_{13}H_{26}O_2$ 214.1933; found 214.1934.

(3g) CAS registry No: 126391-29-5. 1H NMR (400MHz, $CDCl_3$): δ 4.03 (t, 2H, J = 6.4 Hz), 2.28 (m, 2H), 1.56 (m, 2H), 1.37 (m, 6H), 0.91 (t, 3H, J = 6.8 Hz), 0.84 (m, 6H). ^{13}C NMR (400 MHz, $CDCl_3$): δ 174.3, 64.1, 33.9, 32.2, 31.5, 30.7, 29.1, 19.1, 18.8, 13.7, 11.2. HRMS calcd for $C_{11}H_{22}O_2$ 186.1620; found 186.1624.

(3h) CAS registry No: 26718-87-6 1H NMR (400 MHz, $CDCl_3$): δ 4.04 (t, 2H, J = 6.2 Hz), 2.26 (t, 2H, J = 6.8 Hz), 1.59 (m, 4H), 1.36 (m, 2H), 1.26 (m, 30H), 0.91 (t, 3H, J = 6.8Hz), 0.86 (t, 3H, J = 7.0 Hz). ^{13}C NMR (400 MHz, $CDCl_3$): δ 174.0, 64.1, 34.4, 32.1, 31.9, 30.7, 29.7(3C), 29.5, 29.4, 29.3, 29.2, 27.2, 25.0, 22.7, 19.1, 14.1, 13.7

(3i) 1H NMR (400 MHz, $CDCl_3$): δ 4.04 (t, 2H, J = 6.5), 2.25 (t, 2H, J = 6.2 Hz), 1.45-1.51 (m, 4H), 1.31-1.38 (m, 2H), 0.91 (t, 3H, J = 7.2 Hz), 0.86 (s, 9H). ^{13}C NMR (400 MHz, $CDCl_3$): δ 174.6, 64.2, 38.6, 30.7, 30.1, 30.0, 28.9(3C), 19.1, 13.7. HRMS calcd for $C_{11}H_{26}O_2$ 186.1620; found 186.1622.

(3j) CAS registry No: 7726-45-6. 1H NMR (400 MHz, $CDCl_3$): δ 7.26-7.30 (m, 2H), 7.15-7.21 (m, 3H), 2.65 (t, 2H, J = 7.0 Hz), 2.33 (t, 2H, J = 7.2 Hz), 1.76 (m, 2H), 1.65 (m, 2H). ^{13}C NMR (400 MHz, $CDCl_3$): δ 141.2, 128.4, 128.3, 126.0, 34.9, 30.2, 24.8, 17.0. HRMS calcd for $C_{11}H_{13}N$ 159.1048; found 159.1048.

(3k) CAS registry No: 14171-89-2. ^1H NMR (400MHz, CDCl_3): δ 7.26 (m, 2H), 7.14-7.18 (m, 3H), 2.60 (t, 2H, $J = 6.8$ Hz), 2.43 (t, 2H, $J = 6.4$ Hz), 2.1(s, 3H), 1.57-1.62 (m, 4H). ^{13}C NMR (400 MHz, CDCl_3): δ 217.0, 142.2, 128.4, 128.3, 125.8, 43.6, 35.7, 30.9, 29.8, 23.5.

(3l) CAS registry No: 34009-05-7. ^1H NMR (400 MHz, CDCl_3): δ 7.88 (m, 2H), 7.63 (m, 1H), 7.55 (m, 2H), 3.05 (t, 2H, $J = 6.4$ Hz), 1.63-1.69 (m, 2H), 1.28-1.33 (m, 2H), 1.19-1.23 (m, 10H), 0.83 (t, 3H, $J = 6.8$ Hz). ^{13}C NMR (400 MHz, CDCl_3): δ 139.3, 133.6, 129.2, 128.0, 56.3, 31.6, 28.9, 28.8, 28.2, 22.6, 22.5, 13.9. HRMS calcd for $\text{C}_{11}\text{H}_{16}\text{O}_2\text{S}$ 212.0871; found 212.0875.

(3m) ^1H NMR (400 MHz, CDCl_3): δ 4.03 (m, 4H), 2.26 (t, 3H, $J = 6.4$ Hz), 2.01 (s, 3H), 1.50-1.59 (m, 6H), 1.32-1.39 (m, 6H), 0.89 (t, 3H, $J = 7.0$ Hz). ^{13}C NMR (400 MHz, CDCl_3): δ 173.7, 171.1, 64.4, 64.1, 34.2, 30.7, 28.7, 28.4, 25.6, 24.8, 20.9, 19.1, 13.6. HRMS calcd for $\text{C}_{10}\text{H}_{18}\text{O}_4$ 202.1205; found 202.1207.

References:

1. (a) Toda, S.; Miyamoto, M.; Kinoshita, H.; Inomata, K. *Bull. Chem. Soc. Jpn.* **1991**, *64*, 3600.
2. (a) Bureau, N.; Defiolle, D.; de Hemptinne, J. -C. *Fluid Phase Equilibria* **2002**, *194-197*, 831-846.
(b) Marosi, L.; Schlenk, W. Jr. *Justus Liebigs Annalen der Chemie* **1973**, *4*, 584-598.
3. (a) Baban, J. A.; Roberts, B. P.; Ingold, C. J. *Chem Soc, Perkin Trans. 2* **1988**, 1195-1200. (b) Tomonori, Y.; Hideo, T. *Synlett* **2004**, *9*, 1604-1606.
4. (a) Huo, S. *Org. Lett.* **2003**, *5*, 423-425. (b) Wipf, P.; Venkataraman, S. *J. Org. Chem.* **1993**, *58*, 3455-3458.
5. (a) Donkor, I. O.; Li, H.; Queener, S. F. *Eur. J. Med. Chem.* **2003**, *38*, 605-611. (b) Tan, Z.; Qu, Z.; Chen, B.; Wang, J. *Tetrahedron* **2000**, *56*, 7457-7461.
6. (a) Heinsman, N. W. J. T.; Orrenius, S. C.; Marcelis, C. L. M.; De Sousa Teixeira, A.; Franssen, M. C. R.; Van Der Padt, A.; Jongejan, J. A.; De Groot, A. *Biocatalysis and Biotransformation* **1998**, *16*, 145-162. (b) Kim, H. J.; Lindsay, R. C. *J. Food Composition and Analysis* **1989**, *2*, 118-131. (c) Vasi, I. G.; Nanavati, N. T. *J. Inst. Chemists (India)* **1976**, *48*, Pt. 4, 198-201.
7. (a) Hu, Y.; Chen, Z. -C.; Le, Z. -G; Zheng, Q. -G. *Synth. Commun.* **2004**, *34*, 4031-4035. (b) King, J. F.; Rathore, R.; Guo, Z.; Li, M.; Payne, N. C. *J. Am. Chem. Soc.* **2000**, *122*, 10308-10324. (c) Russell, G. A.; Shi, B. Z.; Jiang, W.; Hu, S.; Kim, B. H.; Baik, W. *J. Am. Chem. Soc.* **1995**, *117*, 3952-3962.
8. Hauptmann, S.; Brandes, F.; Brauer, E.; Gabler, W. *Journal fuer Praktische Chemie (Leipzig)* **1964**, *25*, 56-68.
9. Aono, M.; Terao, Y.; Achiwa, K. *Heterocycles* **1995**, *40*, 249-260.

¹H NMR spectrum of 3a

^{13}C NMR spectrum of 3a

7.252

4.138
4.128
4.103
4.100
4.085

2.292
2.273
2.254
1.656
1.619
1.602
1.585
1.417
1.398
1.283
1.280
1.271
1.266
1.260
1.257
1.243
1.225
1.193
0.867
0.850

expl stdh

SAMPLE
date Mar 19 2003
solvent Mer CDC13
file exp
ACQUISITION
tfrq 400.461
at 2.684
nt 32016
sv 6009.6
fb 3400
bs 4
tpwr 59
pw 6.0
di 1.000
tcf 5000
nt 100
ct 68
alock not used
gain not used
FLAGS
il n
in n
dp n
sp -207.3
vp 4204.5
v6 152
vc 0
sc 0
wv 250
hzm 16.82
is 121.86
rf1 511.0
rfp 0
th 4
ins 10.000
nm ph

DEC. & VT
dfrq 400.460
dn H1
dper 43
dof 8
dm mnn
dwm 11106
dwy PROCESSING
lb 6.18
wtfile
proc ft
fn not used
werr
wbp
wbs
wnt
wft aph

0.63
0.49
0.05
0.49
0.96

0 1 2 3 4 5 6 7 8 9

ppm

^{13}C NMR spectrum of 3b

¹H NMR spectrum of 3c

¹³C NMR spectrum of 3c

[illegible]

¹³C NMR spectrum of 3d

¹H NMR spectrum of 3e

¹³C NMR and DEPT spectrum of 3e

¹H NMR spectrum of 3f

¹³C NMR spectrum of 3f

5-236-A-1
 exp1 std1h
 date Mar 13 2005
 solvent CDCl3
 file ACQUISITION exp
 ddr 42
 ddr 42
 sfrq 400.455
 tn H1
 at 2.664
 np 32016
 sw 6009.6
 lb 3400
 lb 3400
 tavr 50
 pw 6.0
 dl 1.000
 tof 500.0
 nt 100
 clock 20
 gain not used
 flags not used
 n n
 in n
 dp n
 sp -215.0
 wp 4004.2
 vs 146
 sc 8
 wc 250
 hzmm 10.01
 f1 350.14
 f2 350.14
 rfp 2899.3
 th 10
 ins 100.000
 ns ph

DEC. & VT
 dfrq 400.454
 dn H1
 ddr 42
 ddr 42
 dm nnn
 dm c
 def 8000
 lb 0.10
 wfile
 wproc
 ft
 not used
 wft aph

7.248
 4.046
 4.029
 4.013
 1.398
 1.390
 1.383
 1.372
 1.364
 1.353
 1.344
 1.315
 1.309
 1.297
 1.290
 1.278
 1.273
 1.141
 1.130
 1.120
 0.917
 0.898
 0.879
 0.854
 0.841
 0.835
 0.825
 0.810
 0.803

9 8 7 6 5 4 3 2 1 0 ppm
 8.84
 6.23
 14.19 8.25
 28.55 36.94

CCCCCCCCC(=O)OCC(C)C

Chemical structure: CCCCCCCCN1CCN(C1)C(=O)C

¹H NMR spectrum (CDCl₃) showing peaks at approximately 7.8 (broad, 1H), 4.5 (multiplet, 2H), 3.5 (singlet, 2H), 2.0 (multiplet, 2H), 1.5 (singlet, 3H), and 0.8-1.2 (multiplet, 7H).

¹H NMR spectrum of 3h

¹³C NMR spectrum of 3h

¹H NMR spectrum of 3i

¹³C NMR spectrum of 3i

¹³C NMR spectrum of 3j

^1H NMR spectrum of 3k

¹³C NMR spectrum of 3k

[illegible]

¹³C NMR and DEPT spectrum of 3l

¹H NMR spectrum of 3m

¹³C NMR and DEPT spectrum of 3m