Supporting Information

Compressed Liquid Densities of Squalane and Pentaerythritol Tetra(2-ethylhexanoate). Olivia Fandiño, Alfonso S. Pensado, Luis Lugo, María J.P. Comuñas* and Josefa Fernández, *J. Chem. Eng. Data* **2005**, 50, 939 – 946.

Table 1. Experimental densities at different temperatures T , and pressures p .

		T/ K								
		278.15	283.15	293.15	303.15	313.15	323.15	333.15	343.15	353.15
		$\rho/(\text{g}\cdot\text{cm}^{-3})$								
p/MPa		Heptane								
0.1		0.69636	0.69223	0.68379	0.67535	0.66686	0.65790	0.64877	0.63969	0.63049
1		0.69701	0.69301	0.68460	0.67616	0.66770	0.65885	0.64992	0.64093	0.63183
5		0.70047	0.69639	0.68822	0.68006	0.67191	0.66324	0.65480	0.64623	0.63760
10		0.70435	0.70044	0.69249	0.68463	0.67680	0.66853	0.66046	0.65233	0.64413
15		0.70803	0.70424	0.69652	0.68892	0.68135	0.67344	0.66566	0.65790	0.65011
20		0.71154	0.70785	0.70034	0.69296	0.68563	0.67794	0.67049	0.66304	0.65553
25		0.71488	0.71127	0.70398	0.69680	0.68969	0.68225	0.67503	0.66786	0.66064
30		0.71817	0.71456	0.70762	0.70052	0.69353	0.68630	0.67930	0.67237	0.66538
35		0.72123	0.71781	0.71090	0.70400	0.69719	0.69015	0.68335	0.67661	0.66983
40		0.72419	0.72080	0.71410	0.70730	0.70067	0.69383	0.68719	0.68063	0.67408
45		0.72705	0.72372	0.71714	0.71051	0.70402	0.69733	0.69085	0.68447	0.67804
p/MPa		Squalane								
0.1		0.81811	0.81476	0.80827	0.80188	0.79554	0.78907	0.78273	0.77632	0.77003
		(0.81841)	(0.81501)	(0.80845)	(0.80201)	(0.79563)	(0.78914)	(0.78279)	(0.77636)	(0.77006)
1		0.81861	0.81526	0.80881	0.80243	0.79612	0.78969	0.78338	0.77701	0.77073
		(0.81890)	(0.81551)	(0.80899)	(0.80256)	(0.79622)	(0.78976)	(0.78343)	(0.77705)	(0.77076)
5		0.82073	0.81745	0.81109	0.80487	0.79865	0.79235	0.78619	0.77993	0.77385
		(0.82104)	(0.81772)	(0.81129)	(0.80501)	(0.79875)	(0.79243)	(0.78625)	(0.77998)	(0.77388)
10		0.82334	0.82016	0.81388	0.80778	0.80168	0.79555	0.78956	0.78346	0.77751
		(0.82367)	(0.82045)	(0.81409)	(0.80793)	(0.80179)	(0.79563)	(0.78962)	(0.78351)	(0.77755)
15		0.82586	0.82273	0.81657	0.81058	0.80461	0.79863	0.79276	0.78681	0.78102
		(0.82620)	(0.82304)	(0.81680)	(0.81075)	(0.80473)	(0.79872)	(0.79283)	(0.78687)	(0.78107)
20		0.828230	0.82523	0.81918	0.81328	0.80743	0.80159	0.79584	0.79003	0.78436
		(0.82866)	(0.82555)	(0.81942)	(0.81346)	(0.80756)	(0.80168)	(0.79591)	(0.79009)	(0.78441)
25		0.83066	0.82765	0.82167	0.81591	0.810216	0.80445	0.79879	0.79313	0.78757
		(0.83103)	(0.82798)	(0.82193)	(0.81610)	(0.81030)	(0.80456)	(0.79887)	(0.79319)	(0.78762)
30		0.83296	0.82998	0.82414	0.81845	0.81278	0.80717	0.80162	0.79609	0.79067
		(0.83334)	(0.83033)	(0.82441)	(0.81865)	(0.81293)	(0.80729)	(0.80171)	(0.79615)	(0.79072)

Table 1. Continued

		T/ K								
		278.15	283.15	293.15	303.15	313.15	323.15	333.15	343.15	353.15
		$\rho/(\text{g}\cdot\text{cm}^{-3})^{\text{a}}$								
35	0.83520	0.83229	0.82650	0.82092	0.81535	0.80984	0.80440	0.79895	0.79362	
	(0.83559)	(0.83265)	(0.82678)	(0.82113)	(0.81551)	(0.80996)	(0.80449)	(0.79902)	(0.79368)	
40	0.83736	0.83448	0.82882	0.82329	0.81781	0.81242	0.80703	0.80171	0.79647	
	(0.83776)	(0.83485)	(0.82912)	(0.82351)	(0.81798)	(0.81255)	(0.80713)	(0.80179)	(0.79654)	
45	0.83949	0.83664	0.83106	0.82561	0.82022	0.81491	0.80962	0.80440	0.79925	
	(0.83990)	(0.83702)	(0.83137)	(0.82585)	(0.82040)	(0.81505)	(0.80973)	(0.80448)	(0.79931)	
p/MPa	Pentaerythritol tetra(2-ethylhexanoate) (PEB8)									
0.1	0.97227	0.96868	0.96167	0.95472	0.947876	0.94045	0.93358	0.92649	0.91946	
	(0.97276)	(0.96915)	(0.96207)	(0.95503)	(0.94798)	(0.94062)	(0.93371)	(0.92659)	(0.91953)	
1	0.97277	0.96919	0.96221	0.95527	0.94835	0.94124	0.93421	0.92717	0.92014	
	(0.97326)	(0.96967)	(0.96261)	(0.95558)	(0.94857)	(0.94141)	(0.93434)	(0.92727)	(0.92022)	
5	0.97502	0.97150	0.96461	0.95780	0.95097	0.94386	0.93714	0.93023	0.92334	
	(0.97552)	(0.97198)	(0.96502)	(0.95812)	(0.95121)	(0.94404)	(0.93727)	(0.93034)	(0.92342)	
10	0.97776	0.97435	0.967554	0.96084	0.95413	0.94720	0.94066	0.93390	0.92719	
	(0.97826)	(0.97483)	(0.96797)	(0.96118)	(0.95439)	(0.94740)	(0.94081)	(0.93401)	(0.92728)	
15	0.98042	0.97707	0.97040	0.96380	0.95723	0.95044	0.94402	0.93742	0.93084	
	(0.98092)	(0.97756)	(0.97083)	(0.96416)	(0.95750)	(0.95065)	(0.94418)	(0.93754)	(0.93094)	
20	0.98302	0.97971	0.97314	0.96667	0.96021	0.95354	0.94727	0.94081	0.93438	
	(0.98352)	(0.98021)	(0.97359)	(0.96704)	(0.96049)	(0.95376)	(0.94744)	(0.94094)	(0.93447)	
25	0.98551	0.98228	0.97581	0.96944	0.96310	0.95657	0.95040	0.94409	0.93777	
	(0.98601)	(0.98278)	(0.97626)	(0.96983)	(0.96340)	(0.95680)	(0.95058)	(0.94423)	(0.93788)	
30	0.98798	0.98479	0.97843	0.97215	0.96590	0.95948	0.95341	0.94723	0.94106	
	(0.98848)	(0.98529)	(0.97889)	(0.97255)	(0.96622)	(0.95973)	(0.95360)	(0.94737)	(0.94117)	
35	0.99037	0.98725	0.98096	0.97478	0.96863	0.96231	0.95637	0.95027	0.94419	
	(0.99088)	(0.98775)	(0.98143)	(0.97519)	(0.96896)	(0.96257)	(0.95657)	(0.95042)	(0.94431)	
40	0.99271	0.98961	0.98344	0.97734	0.97127	0.96507	0.95921	0.95323	0.94727	
	(0.99322)	(0.99011)	(0.98392)	(0.97776)	(0.97162)	(0.96534)	(0.95942)	(0.95340)	(0.94740)	
45	0.99501	0.99194	0.98585	0.97984	0.97384	0.96775	0.96198	0.95609	0.95024	
	(0.99552)	(0.99245)	(0.98633)	(0.98027)	(0.97420)	(0.96803)	(0.96220)	(0.95626)	(0.95037)	

^a The values in parentheses are the direct experimental measurements without consideration of the correction factor due to viscosity sample

Table 2. A_i , B_i , and C Coefficients and Standard Deviations, σ^* and σ , Obtained from the Tammann-Tait Density Correlation against Both the Temperature and the Pressure (Equation 2)

Parameters	Heptane	Squalane	PEB8
$A_0 / \text{g}\cdot\text{cm}^{-3}$	0.86217	1.00755	1.16539
$10^4 A_1 / \text{g}\cdot\text{cm}^{-3}\text{K}^{-1}$	-3.736	-7.137	-6.869
$10^7 A_2 / \text{g}\cdot\text{cm}^{-3}\text{K}^{-2}$	-8.001	1.1634	-0.2700
$\sigma^* / \text{g}\cdot\text{cm}^{-3}$	$10\cdot 10^{-5}$	$5\cdot 10^{-5}$	$9\cdot 10^{-5}$
C	0.08559	0.07964	0.08070
B_0 / MPa	304.06	410.21	431.35
$B_1 / \text{MPa}\cdot\text{K}^{-1}$	-1.1299	-1.4319	-1.4084
$10^3 B_2 / \text{MPa}\cdot\text{K}^{-2}$	1.0449	1.3828	1.2566
$\sigma / \text{g}\cdot\text{cm}^{-3}$	$6\cdot 10^{-5}$	$4\cdot 10^{-5}$	$5\cdot 10^{-5}$

Table 3. B and C Coefficients and Standard Deviations, σ , Obtained by Correlating, at Each Constant Temperature, the Density against Pressure, $\rho(p)$

Fluids		Squalane		PEB8		
T / K	B / MPa	C	$\sigma / \text{g}\cdot\text{cm}^{-3}$	B / MPa	C	$\sigma / \text{g}\cdot\text{cm}^{-3}$
278.15	119.49	0.07988	$7\cdot 10^{-6}$	139.83	0.08211	$1\cdot 10^{-5}$
283.15	111.63	0.07741	$1\cdot 10^{-5}$	130.06	0.07916	$1\cdot 10^{-5}$
293.15	111.76	0.08125	$9\cdot 10^{-6}$	128.56	0.08194	$9\cdot 10^{-6}$
303.15	102.36	0.07908	$9\cdot 10^{-6}$	122.73	0.08229	$8\cdot 10^{-6}$
313.15	99.48	0.08083	$6\cdot 10^{-6}$	116.56	0.08228	$1\cdot 10^{-5}$
323.15	92.56	0.08026	$8\cdot 10^{-6}$	105.56	0.07962	$5\cdot 10^{-5}$
333.15	84.61	0.07805	$1\cdot 10^{-5}$	99.89	0.07958	$1\cdot 10^{-5}$
343.15	82.27	0.08020	$8\cdot 10^{-6}$	94.18	0.07948	$9\cdot 10^{-6}$
353.15	77.07	0.07969	$1\cdot 10^{-5}$	91.95	0.08154	$2\cdot 10^{-5}$

Table 4. Isobaric Thermal Expansivity and Isothermal Compressibility for Squalane and PEB8

p/MPa	$10^4 \alpha_p/ (\text{K}^{-1})$			$10^4 \kappa_T/ (\text{MPa}^{-1})$		
	293.15	323.15	343.15	293.15	323.15	343.15
Squalane						
1	7.95	8.05	8.11	7.23	8.58	9.64
10	7.61	7.64	7.65	6.72	7.88	8.77
20	7.28	7.25	7.23	6.24	7.23	7.97
30	7.00	6.92	6.87	5.83	6.68	7.31
Pentaerythritol tetra(2-ethylhexanoate) (PEB8)						
1	7.28	7.49	7.57	6.33	7.45	8.32
10	6.99	7.11	7.18	5.95	6.92	7.67
20	6.72	6.78	6.82	5.58	6.42	7.06
30	6.47	6.50	6.50	5.25	5.99	6.55

FIGURE 4

FIGURE 5