Control of Stereochemistry: A General Synthesis of *cis*- or *trans*- β,γ -Disubstituted- γ -butyrolactones following Z-Crotylboration

P. Veeraraghavan Ramachandran, Debarshi Pratihar and Debanjan Biswas*

560 Oval Drive, Department of Chemistry, Purdue University, West Lafayette, Indiana 47907-2084

E-mail: chandran@purdue.edu

Supporting Information

1. General Information.....	S2
2. Experimental Section	S2
3. Copies of ^1H and ^{13}C NMR spectra	S3

1. General Information

Unless otherwise noted, all manipulations were carried out under inert atmosphere in flame-dried glassware. Tetrahydrofuran (THF) was freshly distilled before use from sodium benzophenone ketyl and anhydrous diethyl ether and toluene were purchased from Mallinckrodt chemicals. Other chemicals were used without further purification, unless otherwise noted.

The ^1H and ^{13}C nuclear magnetic resonance (NMR) spectra were plotted on a Varian Gemini-300 spectrometer with a Nalorac-quad probe. Mass spectra were recorded using a Hewlett Packard 5989B mass spectrometer/5890 series II gas chromatograph or a Flash chromatography⁴ was performed on 40-60 μm silica gel (230-400 mesh).

2. Experimental Section

General Procedure for $\text{In}(\text{OTf})_3$ -catalyzed crotylboration of aldehydes: All of the operations were carried out under an inert atmosphere. To a solution of crotylboronate **1** (240mg, 1mmol) or **2** (302 mg, 1 mmol) and $\text{In}(\text{OTf})_3$ (20%) in toluene (2ml), benzaldehyde **3a-n** (159 mg, 1.5 mmol) was added and the solution was stirred at rt. The reaction was followed by ^{11}B NMR spectroscopy. Upon completion of the reaction (change of δ from 32 ppm for crotylboronate to 22 ppm for methoxypinacolborane) (6–18 h), the mixture was washed with water and the product was extracted with ether (3X5ml). The combined organic layer was washed with brine, dried over anhydrous MgSO_4 , and concentrated in vacuo. The crude product was purified by column chromatography (silica gel, Hexanes:Ethyl acetate :: 95:5) to obtain **4a-n** or **5a-n** in 80-98% yield.

3. Copies of ^1H and ^{13}C NMR spectra

300 MHz ^1H NMR of compound *trans*-4a in CDCl_3

S3

75 MHz ^{13}C NMR of compound *trans*-4a in CDCl_3

S4

S 4

300 MHz ^1H NMR of compound *trans*-4b in CDCl_3

S5

S 5

75 MHz ^{13}C NMR of compound *trans*-**4b** in CDCl_3

300 MHz ^1H NMR of compound *trans*-**4c** in CDCl_3
S7

75 MHz ^{13}C NMR of compound *trans*-**4c** in CDCl_3
S8

300 MHz ^1H NMR of compound *trans*-**4d** in CDCl_3

S9

S 9

75 MHz ^{13}C NMR of compound *trans*-**4d** in CDCl_3

S10

S 10

300 MHz ¹H NMR of compound *trans*-4e in CDCl₃

S11

S 11

75 MHz ^{13}C NMR of compound *trans*-4e in CDCl_3

S12

300 MHz ^1H NMR of compound *trans*-**4f** in CDCl_3

S13

S 13

75 MHz ¹³C NMR of compound *trans*-**4f** in CDCl₃

S14

S 14

300 MHz ^1H NMR of compound *trans*-**4g** in CDCl_3

S15

S 15

75 MHz ^{13}C NMR of compound *trans*-**4g** in CDCl_3

S16

S 16

300 MHz ^1H NMR of compound *cis*-**4i** in CDCl_3

S17

S 17

75 MHz ^{13}C NMR of compound *cis*-**4i** in CDCl_3

S18

300 MHz ^1H NMR of compound *cis*-4j in CDCl_3

S19

75 MHz ^{13}C NMR of compound *cis*-4j in CDCl_3

S20

S 20

300 MHz ¹H NMR of compound *trans*-4j in CDCl₃

S21

S 21

75 MHz ^{13}C NMR of compound *trans*-4j in CDCl_3

S22

300 MHz ¹H NMR of compound *cis*-4k in CDCl₃
S23

S 23

75 MHz ^{13}C NMR of compound *cis*-**4k** in CDCl_3

S24

S 24

300 MHz ^1H NMR of compound *cis*-4l in CDCl_3

S25

75 MHz ^{13}C NMR of compound *cis*-**4l** in CDCl_3

S26

300 MHz ^1H NMR of compound *trans*-**4I** in CDCl_3

S27

S 27

300 MHz ^1H NMR of compound *cis*-**4m** in CDCl_3

S28

S 28

75 MHz ^{13}C NMR of compound *cis*-**4m** in CDCl_3

S29

300 MHz ^1H NMR of compound *cis*-**4n** in CDCl_3

S30

S 30

75 MHz ^{13}C NMR of compound *cis*-**4n** in CDCl_3

S31

S 31

300 MHz ¹H NMR of compound *trans*-5a CDCl₃

S32

S 32

75 MHz ^{13}C NMR of compound *trans*-5a CDCl_3

S33

S 33

300 MHz ¹H NMR of compound *trans*-**5b** in CDCl₃

S34

75 MHz ¹³C NMR of compound *trans*-**5b** in CDCl₃

S35

300 MHz ¹H NMR of compound *trans*-**5e** in CDCl₃

S36

S 36

75 MHz ¹³C NMR of compound *trans*-5e in CDCl₃

S37

300 MHz ^1H NMR of compound *trans*-**5f** in CDCl_3

S38

S 38

75 MHz ^{13}C NMR of compound *trans*-**5f** in CDCl_3

S39

300 MHz ^1H NMR of compound *trans*-5g in CDCl_3

S40

S 40

75 MHz ^{13}C NMR of compound *trans*-**5g** in CDCl_3

S41

S 41

300 MHz ¹H NMR of compound *cis*-**5j** in CDCl₃

S42

75 MHz ¹³C NMR of compound *cis*-**5j** in CDCl₃

S43

S 43

300 MHz ¹H NMR of compound *cis*-**5l** in CDCl₃

S44

S 44

75 MHz ^{13}C NMR of compound *cis*-**5I** in CDCl_3

S45

S 45

300 MHz ^1H NMR of compound *cis*-5m in CDCl_3

S46

S 46