Copper(I) Alkoxide-Catalyzed Alkynylation of Trifluoromethyl Ketones

Rie Motoki, Motomu Kanai,* and Masakatsu Shibasaki*

General: NMR spectra were recorded on a JEOL JNM-LA500 spectrometer, operating at 500 MHz for ^1H NMR, 125.65 MHz for ^{13}C NMR, and 470.4 MHz for ^{19}F NMR. For ^1H and ^{13}C NMR, chemical shifts were reported in the scale relative to the solvent used as an internal reference. ^{19}F NMR was measured using $\text{CF}_3\text{CO}_2\text{H}$ as an external standard (−79 ppm). Optical rotations were measured on a JASCO P-1010 polarimeter. Column chromatographies were performed with silica gel Merck 60 (230-400 mesh ASTM). The enantiomeric excess (ee) was determined by GC analysis (SHIMADZU GC-14A). In general, reactions were carried out in dry solvents under an argon atmosphere, unless noted otherwise. Normal glassware was used for reactions described in this paper. Aromatic trifluoromethyl ketones (**3a**, **3c-3g**) are commercially available, and used after distillation. Aliphatic trifluoromethyl ketones (**3b**, **3h**) were synthesized following the reported procedure.¹ (*R*)-DTBM-SEGPHOS (**9**) was provided from Takasago International Corporation. Pybox (**10**) was synthesized following the reported procedure.²

A typical procedure for catalytic alkynylation using CuF–phosphine complex (Table 1, entry 1): To a $\text{CuF} \cdot 1/2\text{benzene}$ (5 mg, 0.02 mmol), KO^tBu (2.2 mg, 0.02 mmol) and xantphos (11.6 mg, 0.02 mmol) in THF (0.2 mL), trifluoroacetophenone (**3a**: 28 μL , 0.2 mmol) and alkyne (**4a**: 44 μL , 0.4 mmol) were added at room temperature. The mixture was warmed up to 60 °C. After 22 h, the reaction mixture was diluted with AcOEt, and SiO_2 was added. Filtration, removal of the solvent gave crude product as brown oil. NMR yield was determined using $(\text{CHCl}_2)_2$ as an internal standard. Further purification using SiO_2 (AcOEt/hexane = 1/20) column chromatography afforded **5aa** as pale yellow oil in quantitative yield.

A Typical Procedure for Copper Catalyzed Alkynylation of Trifluoromethyl Ketones Using Cu–Diamine Catalyst (Table 3, entry 1): To a toluene solution (0.2 mL) of $\text{Cu}(\text{OTf})_2$ (7.2 mg, 0.02 mmol), KO^tBu (4.5 mg, 0.04 mmol) and 1,10-phenanthroline (3.6 mg, 0.02 mmol), trifluoromethyl ketone (**3a**: 28 μL , 0.2 mmol) and phenylacetylene (**4a**: 44 μL , 0.4 mmol) were added at room temperature. Then, the mixture was heated at 100 °C. After 14 hr, the reaction mixture was diluted with AcOEt, and SiO_2 was added. After filtration, removal of the solvent gave crude product as brown oil. Workup and purification as described above gave the product **5aa** in 95% yield. The absolute configuration was determined by comparison of the optical rotations to the reported value.

Spectroscopic data and GC condition of the products:

1,1,1-Trifluoro-4-phenyl-2-phenylbut-3-yn-2-ol (5aa): Racemic compound is known.³ $[\alpha]_D^{26} +12.2$ (*c* 2.25, CHCl₃) (42% ee). CP CHIRALSIL DEX CB, column temperature = 180 °C, injector temperature = 200 °C, detector temperature = 250 °C, *t_R* = 13.7 min (minor for *S* isomer) and 14.9 min (major for *S* isomer).

1,1,1-Trifluoro-4-phenyl-2-*p*-tolylbut-3-yn-2-ol (5ca): ¹H NMR (500 MHz, CDCl₃) δ 2.29 (s, 3H), 3.02 (s, 1H), 7.15 (d, *J* = 8.0 Hz, 2H), 7.25-7.32 (m, 3H), 7.44 (d, *J* = 6.9 Hz, 2H), 7.61 (d, *J* = 8.0 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.2; ¹³C NMR (125 MHz, CDCl₃) δ 21.1, 73.3 (q, *J* = 32.2 Hz), 84.6, 87.9, 121.0, 123.4 (q, *J* = 284.9 Hz), 127.1, 128.4, 129.0, 129.5, 132.0, 132.4; IR (neat, cm⁻¹) 3548, 3460, 3034, 2925, 2233, 1184, 821, 757, 734; EI-HRMS Calcd for C₁₇H₁₃F₃O⁺ (M⁺) 290.0913, Found 290.0916.

1,1,1-Trifluoro-2-(4-methoxyphenyl)-4-phenylbut-3-yn-2-ol (5da): ¹H NMR (500 MHz, CDCl₃) δ 3.22 (s, 1H), 3.84 (s, 3H), 6.96 (d, *J* = 8.6 Hz, 2H), 7.35-7.43 (m, 3H), 7.54 (d, *J* = 6.9 Hz, 2H), 7.75 (d, *J* = 8.6 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.4; ¹³C NMR (125 MHz, CDCl₃) δ 55.3, 73.1 (q, *J* = 32.6 Hz), 84.6, 87.9, 113.5, 121.0, 123.4 (q, *J* = 285.3 Hz), 127.4, 128.4, 128.6, 129.5, 132.0, 160.4; IR (neat, cm⁻¹) 3420, 3059, 2938, 2841, 2233, 1170, 758, 757, 690; EI-HRMS Calcd for C₁₇H₁₃F₃O₂⁺ (M⁺) 306.0862, Found 306.0860.

2-(4-Chlorophenyl)-1,1,1-trifluoro-4-phenylbut-3-yn-2-ol (5ea): ¹H NMR (500 MHz, CDCl₃) δ 3.22 (s, 1H), 7.35-7.43 (m, 3H), 7.42 (d, *J* = 8.6 Hz, 2H), 7.53 (d, *J* = 7.0 Hz, 2H), 7.75 (d, *J* = 8.6 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.3; ¹³C NMR (125 MHz, CDCl₃) δ 72.9 (q, *J* = 32.6 Hz), 83.9, 88.4, 120.7, 123.2 (q, *J* = 285.7 Hz), 128.4, 128.5, 128.7, 129.7, 132.0, 133.8, 135.7; IR (neat, cm⁻¹) 3547, 3447, 3063, 2234, 1190, 757, 689; EI-HRMS Calcd for C₁₆H₁₀ClF₃O⁺ (M⁺) 310.0367, Found 310.0367.

2-(4-Bromophenyl)-1,1,1-trifluoro-4-phenylbut-3-yn-2-ol (5fa): ¹H NMR (500 MHz, CDCl₃) δ 3.21 (s, 1H), 7.35-7.44 (m, 3H), 7.54 (d, *J* = 6.9 Hz, 2H), 7.58 (d, *J* = 8.6 Hz, 2H), 7.70 (d, *J* = 8.6 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.2; ¹³C NMR (125 MHz, CDCl₃) δ 73.0 (q, *J* = 32.6 Hz), 83.9, 88.4, 120.7, 123.2 (q, *J* = 286.1 Hz), 120.7, 124.0, 128.5, 129.0, 129.7, 131.4, 132.1, 134.5; IR (neat, cm⁻¹) 3432, 3083, 3060, 2926, 2234, 1188, 824, 757; EI-HRMS Calcd for C₁₆H₁₀BrF₃O⁺ (M⁺) 353.9862, Found 353.9860.

1,1,1-Trifluoro-4-phenyl-2-*o*-tolylbut-3-yn-2-ol (5ia): ¹H NMR (500 MHz, CDCl₃) δ 2.73 (s, 3H), 3.21 (s, 1H), 7.26-7.45 (m, 6H), 7.54 (d, *J* = 7.4 Hz, 2H), 7.89 (d, *J* = 8.0 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -78.9; ¹³C NMR (125 MHz,

CDCl₃) δ 21.7, 73.9 (q, J = 33.4 Hz), 85.0, 88.6, 121.1, 124.0 (q, J = 286.1 Hz), 125.7, 128.5, 128.6, 129.3, 129.5, 131.9, 132.5, 132.7, 137.8; IR (neat, cm⁻¹) 3541, 3063, 2935, 2231, 1184, 757, 733, 689; EI-HRMS Calcd for C₁₇H₁₃F₃O⁺ (M⁺) 290.0913, Found 290.0913.

1,1,1-Trifluoro-4-phenyl-2-*m*-tolylbut-3-yn-2-ol (5ja): ¹H NMR (500 MHz, CDCl₃) δ 2.43 (s, 3H), 3.22 (s, 1H), 7.26 (d, J = 6.9 Hz, 2H), 7.32-7.44 (m, 4H), 7.55 (d, J = 8.0 Hz, 2H), 7.63 (d, J = 6.3 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.1; ¹³C NMR (125 MHz, CDCl₃) δ 21.5, 73.3 (q, J = 33.4 Hz), 84.5, 87.9, 121.0, 123.4 (q, J = 284.9 Hz), 124.3, 127.6, 128.1, 128.4, 129.5, 130.3, 132.0, 135.2, 138.0; IR (neat, cm⁻¹) 3465, 3059, 2925, 2234, 1188, 835, 757, 730, 690; EI-HRMS Calcd for C₁₇H₁₃F₃O⁺ (M⁺) 290.0913, Found 290.0914.

1,1,1-Trifluoro-4-phenyl-2-(thiophen-3-yl)but-3-yn-2-ol (5ga): ¹H NMR (500 MHz, CDCl₃) δ 3.17 (s, 1H), 7.35-7.42 (m, 5H), 7.53 (d, J = 8.0 Hz, 2H), 7.70 (s, 1H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.4; ¹³C NMR (125 MHz, CDCl₃) δ 71.3 (q, J = 33.4 Hz), 84.0, 87.6, 120.8, 123.2 (q, J = 286.1 Hz), 125.4, 126.2, 126.4, 128.5, 129.6, 132.0, 136.6; IR (neat, cm⁻¹) 3433, 3114, 2926, 2235, 1186, 757, 725; EI-HRMS Calcd for C₁₄H₉F₃OS⁺ (M⁺) 282.0321, Found 282.0315.

3-Trifluoromethyl-1,5-diphenylpent-1-yn-3-ol (5ba): ¹H NMR (500 MHz, CDCl₃) δ 2.16-2.27 (m, 2H), 2.74 (s, 1H), 3.02 (t, J = 8.6 Hz, 2H), 7.19-7.40 (m, 8H), 7.48 (d, J = 6.9 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -81.3; ¹³C NMR (125 MHz, CDCl₃) δ 29.8, 36.6, 72.2 (q, J = 31.8 Hz), 83.3, 87.9, 121.0, 124.1 (q, J = 284.9 Hz), 126.2, 128.46, 128.48, 128.6, 129.4, 132.0, 140.9; IR (neat, cm⁻¹) 3432, 3029, 2939, 2238, 1183, 756, 690; EI-HRMS Calcd for C₁₈H₁₅F₃O⁺ (M⁺) 304.1070, Found 304.1073.

3-Trifluoromethyl-1-phenyltridecan-1-yn-3-ol (5ha): ¹H NMR (500 MHz, CDCl₃) δ 0.89-0.91 (m, 3H), 1.25-1.44 (m, 14H), 1.67-1.72 (m, 2H), 1.87-1.92 (m, 2H), 2.64 (s, 1H), 7.31-7.39 (m, 3H), 7.45-7.50 (m, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -81.4; ¹³C NMR (125 MHz, CDCl₃) δ 14.1, 22.7, 23.3, 29.3, 29.44, 29.48, 29.55, 29.57, 72.4 (q, J = 31.0 Hz), 83.7, 87.3, 121.2, 124.2 (q, J = 286.1 Hz), 128.4, 129.3, 132.0; IR (neat, cm⁻¹) 3407, 2926, 2855, 2237, 2237, 1182, 756, 689; EI-HRMS Calcd for C₂₀H₂₇F₃O⁺ (M⁺) 340.2009, Found 340.2005.

1,1,1-Trifluoro-2,6-diphenylhex-3-yn-2-ol (5ab): ¹H NMR (500 MHz, CDCl₃) δ 2.53 (t, J = 7.3 Hz, 2H), 2.79 (t, J = 7.3 Hz, 2H), 2.81 (s, 1H), 7.12-7.17 (m, 3H), 7.18-7.29 (m, 5H), 7.53 (d, J = 7.6 Hz, 2H); ¹⁹F NMR (466 MHz, CDCl₃) δ -80.4; ¹³C NMR (125 MHz, CDCl₃) δ 20.8, 34.3, 72.8 (q, J =

32.2 Hz), 77.2, 88.7, 123.4 (q, $J = 285.5$ Hz), 126.5, 127.2, 128.1, 128.5, 128.6, 129.3, 135.5, 139.9; IR (neat, cm^{-1}) 3530, 3030, 2931, 2248, 1173, 761, 698; EI-HRMS Calcd for $\text{C}_{18}\text{H}_{15}\text{F}_3\text{O}^+$ (M^+) 304.1070, Found 304.1067.

1-Triethylsilyl-3-phenyl-3-trifluoromethylprop-1-yn-3-ol (5ac): ^1H NMR (500 MHz,

CDCl_3) δ 0.60 (q, $J = 8.0$ Hz, 6H), 0.96 (t, $J = 8.0$ Hz, 9H), 2.95 (s, 1H), 7.32-7.36 (m, 3H), 7.66-7.69 (m, 2H); ^{19}F NMR (466 MHz, CDCl_3) δ -80.4; ^{13}C NMR (125 MHz, CDCl_3) δ 3.8, 7.3, 73.0 (q, $J = 32.3$ Hz), 92.0, 101.4, 123.2 (q, $J = 287.3$ Hz), 127.2, 128.1, 129.4, 135.1; IR (neat, cm^{-1}) 3467, 3074, 2958, 2878, 2178, 1261, 1186, 769, 698; EI-HRMS Calcd for $\text{C}_{16}\text{H}_{21}\text{F}_3\text{OSi}^+$ (M^+) 314.1308, Found 314.1311.

4-Triethylsilyl-2-triethylsilyloxy-1,1,1-trifluoromethyl-2-phenylbut-3-yne (Et₃Si-5ac):

^1H NMR (500 MHz, CDCl_3) δ 0.67-0.81 (m, 12H), 0.95 (t, $J = 7.9$ Hz, 1H), 0.95 (d, $J = 7.9$ Hz, 2H), 7.38-7.41 (m, 8H), 7.75-7.79 (m, 2H); ^{19}F NMR (466 MHz, CDCl_3) δ -80.7; ^{13}C NMR (125 MHz, CDCl_3) δ 4.0, 5.8, 6.6, 7.3, 74.3 (q, $J = 32.2$ Hz), 93.1, 101.9, 123.3 (q, $J = 286.1$ Hz), 127.5, 127.8, 129.0; IR (neat, cm^{-1}) 2957, 2878, 2170, 1459, 1415, 1266, 1184, 846, 846, 742, 698; EI-HRMS Calcd for $\text{C}_{22}\text{H}_{35}\text{F}_3\text{OSi}_2^+$ (M^+) 428.2173, Found 428.2168.

5-Trifluoromethyl-1,7-diphenylhept-3-yn-5-ol (5bb): ^1H NMR (500 MHz, CDCl_3) δ

1.88-2.03 (m, 2H), 2.39 (s, 1H), 2.49 (t, $J = 7.4$ Hz, 2H), 2.71-2.80 (m, 4H), 7.08-7.16 (m, 6H), 7.19-7.24 (m, 4H); ^{19}F NMR (466 MHz, CDCl_3) δ -81.7; ^{13}C NMR (125 MHz, CDCl_3) δ 20.7, 29.6, 34.4, 36.5, 71.6 (q, $J = 31.4$ Hz), 75.9, 88.3, 124.0 (q, $J = 284.1$ Hz), 126.1, 126.5, 128.4, 128.5, 139.9, 141.0; IR (neat, cm^{-1}) 3530, 3443, 3029, 2937, 2245, 1176, 750, 700; EI-HRMS Calcd for $\text{C}_{20}\text{H}_{19}\text{F}_3\text{O}^+$ (M^+) 332.1383, Found 332.1384.

1-Triethylsilyl-3-trifluoromethyl-5-phenylpent-1-yn-3-ol (5bc): ^1H NMR (500 MHz,

CDCl_3) δ 0.58 (q, $J = 8.0$ Hz, 6H), 0.95 (t, $J = 8.0$ Hz, 9H), 1.96-2.09 (m, 2H), 2.50 (s, 1H), 2.88 (t, $J = 8.6$ Hz, 2H), 7.12-7.17 (m, 3H), 7.23 (t, $J = 8.0$ Hz, 2H); ^{19}F NMR (466 MHz, CDCl_3) δ -81.6; ^{13}C NMR (125 MHz, CDCl_3) δ 3.8, 7.3, 29.8, 36.6, 72.0 (q, $J = 31.4$ Hz), 91.5, 100.6, 123.9 (q, $J = 284.9$ Hz), 126.2, 128.4, 128.6, 141.0; IR (neat, cm^{-1}) 3451, 3029, 2958, 2877, 2174, 1260, 1183, 1065, 729, 701; EI-HRMS Calcd for $\text{C}_{18}\text{H}_{25}\text{F}_3\text{OSi}^+$ (M^+) 342.1621, Found 342.1618.

1-Triethylsilyl-3-triethylsilyloxy-3-trifluoromethyl-5-phenylpent-1-yn (Et₃Si-5bc): ^1H

NMR (500 MHz, CDCl_3) δ 0.64 (q, $J = 8.0$ Hz, 6H), 0.73-0.79 (m, 6H), 0.97 (t, $J = 8.6$ Hz, 9H), 1.01 (d, $J = 8.6$ Hz, 9H), 1.53 (s, 1H), 2.01-2.13 (m, 2H), 2.78-2.90 (m, 2H), 7.18 (d, $J = 7.6$ Hz, 2H), 7.19 (t,

$J = 7.6$ Hz, 1H), 7.28 (t, $J = 7.6$ Hz, 2H); ^{19}F NMR (466 MHz, CDCl_3) δ -80.2; ^{13}C NMR (125 MHz, CDCl_3) δ 4.0, 5.8, 6.8, 7.3, 30.1, 40.1, 72.8 (q, $J = 31.0$ Hz), 91.9, 101.7, 124.0 (q, $J = 279.0$ Hz), 126.1, 128.4, 128.5, 141.0; IR (neat, cm^{-1}) 2956, 2876, 2371, 1179, 1099, 739, 699; EI-HRMS Calcd for $\text{C}_{24}\text{H}_{39}\text{F}_3\text{OSi}_2^+$ (M^+) 456.2486, Found 456.2489.

2-Cyclohexyl-1,1,1-trifluoro-4-phenylbut-3-yn-2-ol(5ka): ^1H NMR (500 MHz, CDCl_3) δ

1.12-1.45 (m, 5H), 1.68-1.76 (m, 1H), 1.79-1.90 (m, 2H), 1.91-2.03 (m, 2H), 2.09-2.15 (m, 1H), 2.67 (s, 1H), 7.31-7.40 (m, 3H), 7.48 (d, $J = 8.0$ Hz, 2H); ^{19}F NMR (466 MHz, CDCl_3) δ -76.5; ^{13}C NMR (125 MHz, CDCl_3) δ 25.9, 26.0, 26.8, 27.40, 27.42, 43.1, 75.1 (q, $J = 31.1$ Hz), 83.3, 87.7, 121.3, 124.4 (q, $J = 288.4$ Hz), 128.4, 129.2, 132.0; IR (neat, cm^{-1}) 3452, 3057, 2932, 2857, 2234, 1170, 756, 690; EI-HRMS Calcd for $\text{C}_{16}\text{H}_{17}\text{F}_3\text{O}^+$ (M^+) 282.1226, Found 282.1231.

Table S1. Screening of Diphosphine Ligands for Racemic Catalytic Alkynylation of Trifluoroacetophenone (**3a**):

Table S2. Screening of Diphosphine Ligands for Catalytic Asymmetric Alkynylation of Trifluoroacetophenone (**3a**):

Table S3. Screening of Amine Ligands for Catalytic Asymmetric Alkynylation of Trifluoroacetophenone (**3a**):

Determination of Absolute Configuration of **5aa**

To a solution of **5aa** (60 mg, 0.22 mmol) in ether (5 mL), Red-Al (3M in toluene, 0.22 mL, 0.65 mmol) was added at 0 °C, and the mixture was stirred for 1 h. 1 M HCl was added, and the products were extracted with AcOEt. Combined organic layers were washed with brine, and dried over Na_2SO_4 . Filtration and evaporation of the solvent afforded the corresponding allylic alcohol, which was subjected to standard ozonolysis conditions at -78 °C. Addition of NaBH_4 afforded the diol in 68% yield (3 steps).⁴

¹ Singh, R. P.; Cao, G.; Kirchmeier, R. L.; Shreeve, J. M. *J. Org. Chem.* **1999**, *64*, 2873-2876.

-
- ² Evans, D. A.; Song, H.-J.; Fandrick, K. R. *Org. Lett.* **2006**, *8*, 3351-3354.
- ³ Linderman, R. J.; Lonikar, M. *J. Org. Chem.* **1988**, *53*, 6013-6022.
- ⁴ Moreno-Dorado, F. J.; Guerra, F. M.; Ortega, M. J.; Zubia, E.; Massanet, G. M. *Tetrahedron: Asymmetry* **2003**, *14*, 503-510.

5.1847

3.0245

2.2941

DFIL: C:\My Documents\Gausei\m021-2-2.1
 COMNT: single_pulse
 DATIM: 19-01-2007 16:34:58
 OBNUC: 1H
 EXMOD: single_pulse.ex2
 OFFRQ: 495.13 MHz
 OBSRT: 4.38 kHz
 OFBIN: 9.64 Hz
 POINT: 16384
 FRECU: 9286.78 Hz
 SCANS: 6
 ACQTM: 1.7642 sec
 PD: 5.0000 sec
 PW1: 6.20 usec
 IRNUC: 1H
 CTEMP: 21.4 c
 SLVNT: CDCl3
 EXREF: 0.00 ppm
 BF: 1.20 Hz
 RGAIN: 40

DFILE C:\MY Documents\spgousei\hotok\RM1021-2-3-carbon13.1
 COUNT single pulse decoupled gated NOE
 DATIM 20-01-2007 06:32:54
 ORNUC 13C
 EXMOD single pulse dec
 ORFRQ 124.51 MHz
 ORSET 3.45 kHz
 ORFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 9000
 ACQTM 0.8889 sec
 PD 2.0000 sec
 PW1 3.57 usec
 IRNUC 1H
 CTEMP 22.3 c
 SLVNT CDCl3
 EXREF 77.00 ppm
 BF 0.10 Hz
 RGAIN 60

0.1039

DFILE C:\MY Documents\Gausei\motoki\RM1048-2.1
CONMT single pulse
DATIM 13-01-2007 23:14:40
ORNUC 1H
EXMOC single pulse, ex2
ORFID 495.13 MHz
ORSET 9.64 Hz
POINT 16384
FRECU 9286.78 Hz
SCANS 8
ACQTM 1.7642 sec
PD 5.0000 sec
PM1 6.20 usec
IRNUC 1H
CTEMP 21.4 C
SLVNT CDCl3
EXREF 7.26 ppm
BF 0.12 Hz
RGAIN 40

DFILE C:\MY Documents\pousei\motoki\ai\ce\RM1048-2-carbon13.a1s
 COMNT single pulse decoupled gated NOE
 DATIM 14-01-2007 09:35:36
 OBNUC 13C
 EXHND single_pulse_dec
 OFRQ 124.51 MHz
 OBSRT 3.45 Hz
 OFBIN 6.00 Hz
 POINT 26214
 FREQU 31249.52 Hz
 SCANS 18000
 ACQTM 0.8889 sec
 PD 2.0000 sec
 PWT 3.57 usec
 IRNUC 1H
 CTEMP 22.3 c
 SLYNT CDCl3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 58

FILE C:\Documents and Settings\NMRmanager\
COMNT 1H Line
DATIM Mon Jan 22 13:06:33 2007
1H
EXMOD non
OBFRO 500.00 MHz
OBSER 160.00 KHz
OBFIN 2160.0 Hz
POINT 32768
FREQU 10000.0 Hz
SCANS 8
ACQTM 3.277 sec
PD 3.723 sec
PWL 5.7 us
IRNUC 1H
CTEMP 27.2 C
SLVNT CDCL3
EXREF 7.26 ppm
RGAIN 0.00 Hz
16

DE FILE C:\MY Documents\spGouset\hnotok\1RM1023-2-2-carbon13.1
 COMMENT single pulse decoupled gated NOE
 DATIM 22-01-2007 14:09:38
 ORNUC 13C
 EXMOD single pulse dec
 OFFRQ 124.51 MHz
 OBSSET 3.45 KHz
 OFBIN 6.00 Hz
 POINT 32768
 FREOU 39062.50 Hz
 SCANS 1464
 ACQTM 0.8889 sec
 PD 2.0000 sec
 PM1 3.57 usec
 IRNUC 1H
 CTMP 22.3 c
 SLVIT CDCL3
 EXREF 77.00 ppm
 BR 0.10 Hz
 RGAIN 56

7.7053
7.6881
7.5851
7.5668
7.5439
7.5302
7.4260
7.4111
7.3917
7.3768
7.3630
7.2600

3.2086

DFILE
COMNT
DATIM
OBNUC
EXMOD
OBFRO
OBSET
OBFIN
POINT
FREQU
SCANS
ACQTM
PD
PW1
IRNUC
CTEMP
SLVNT
EXREF
BF
RGAIN

C:\My Documents\Pgousei\mot
single_pulse
02-02-2007 21:33:45
1H
single_pulse.ex2
495.13 MHz
4.38 KHz
9.64 Hz
16384
9286.78 Hz
8
1.7642 sec
5.0000 sec
6.20 usec
1H
21.8 C
CDCL3
7.26 ppm
0.12 Hz
40

134.3349
132.0656
132.0465
132.0177
131.4241
129.7198
128.9538
128.6857
128.5037
126.5504
124.2525
124.0035
121.9545
120.6140
119.6756
88.4325
83.7791
77.2585
77.0000
76.7511
73.3807
73.1126
72.8540
72.6051

134.3349
132.0656
132.0465
132.0177
131.4241
129.7198
128.9538
128.6857
128.5037
126.5504
124.2525
124.0035
121.9545
120.6140
119.6756

DFILE C:\My Documents\PGousei\mot
COMNT single pulse decoupled gate
DATIM 03-02-2007 11:38:50
OBNUC 13C
EXMOD single_pulse_dec
OBFRO 124.51 MHz
OBSET 3.45 KHz
OBFIN 6.00 Hz
POINT 32768
FREQU 39062.50 Hz
SCANS 958
ACQTM 0.8389 sec
PD 2.0000 sec
PWL 3.57 usec
IRNUC 1H
CTEMP 22.3 C
SLVNT CDCL3
EXREF 77.00 ppm
BF 0.12 Hz
RGAIN 56

5.7358

3.2104

2.9780

2.7262

1.9202

1.6901

0.3816

DFILE C:\MY Documents\Ghouse\hmtok\RM1265-2-2.1
 COUNT single pulse
 DATIM 20-06-2007 16:42:49
 OBNUC 1H
 EXMOD single pulse ex2
 OBFRQ 495.13 MHz
 OBSET 4.38 kHz
 OBFIN 9.64 Hz
 POINT 16384
 FREOU 9286.78 Hz
 SCANS 8
 AQCIM 1.7642 sec
 PD 5.0000 sec
 PFI 6.20 usec
 IRNUC 1H
 CTMP 20.1 c
 SLVIT CDCL3
 EXREF 3.21 ppm
 BF 0.12 Hz
 RGAIN 42

DF1E C:\My Documents\Ghouse\1\NMR\265-2-carbon13.1
 COMNT single pulse decoupled gated NOE
 DATIM 20-06-2007 13:27:07
 13C
 EXMOD single pulse dec
 OFFRD 124.51 MHz
 OBSET 3.45 kHz
 OF-IN 6.00 Hz
 POINT 32768
 FREOU 39062.50 Hz
 SCANS 720
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PM1 3.57 usec
 1H
 INNUC 21.5 c
 CTMP
 SLWT
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 50

DFILE C:\My Documents\Gousei\motoki\PM1271-2-carbon13.1
 COMMENT single pulse decoupled gated NOE
 DATE 20-06-2007 11:12:08
 INSTR 13C
 PULPROG zgpg30
 EXPT 13C
 F2 124.51 MHz
 OBSET 3.45 KHz
 OFIN 6.00 Hz
 POINT 32768
 FREQ 39062.50 Hz
 SCANS 680
 ACQTM 0.8889 sec
 PD 2.0000 sec
 PWT 3.57 usec
 IRNUC 1H
 CTEMP 21.6 C
 SLYNT CDCl3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 50

7.7030
7.5370
7.5210
7.4111
7.3962
7.3802
7.3630
7.3516
7.2589

3.1743

0.0959

5.185
2.228
1.000

0.950

DF-FILE C:\MY Documents\PGousei\motoki\RM1087-2.1
COMNT single.pulse
DATIM 01-02-2007 10:42:08
ORNUC 1H
EXMOD single.pulse.ex2
OBSFQ 495.13 MHz
OBSSET 4.38 kHz
OBSFIN 9.64 Hz
POINT 16384
FRECU 9286.78 Hz
SCANS 8
ACQTM 1.7642 sec
PD 5.0000 sec
PWI 6.20 usec
IRNUC 1H
CTEMP 21.3 c
SLVNT CDCl3
EXREF 7.26 ppm
BF 0.12 Hz
RGAIN 44

DEFILE C:\My Documents\Ghouse\1\NMR\1087-2-2-carbon13.1
COMNT single pulse decoupled gated NDE
DATIN 01-02-2007 12:05:25
13C
OBNUC string pulse dec
OBNUC 124.51 MHz
OBSFQ 3.45 KHz
OBSFQ 6.00 Hz
POINT 32768
FREQD 39062.50 Hz
SCANS 1700
ACQTM 0.8389 sec
PD 2.0000 sec
PMT 3.57 usec
IRNUC 1H
CTEMP 22.2 c
SLVMT CDCL3
EXREF 77.00 ppm
RGAIN 0.12 Hz
58

DFILE C:\MY Documents\spGousei\knotoki\RM1069-2.1
 COMMENT single_pulse
 DATIM 19-01-2007 10:42:49
 ORNUC 1H
 EXMOD single_pulse.ex2
 ORFRQ 495.13 MHz
 OBSSET 4.38 Hz
 OBSFIN 9.64 Hz
 POINT 16384
 FREQU 9286.78 Hz
 SCANS 8
 ACQTM 1.7642 sec
 PD 5.0000 sec
 PM1 6.20 usec
 IRNUC 1H
 CTEMP 21.3 c
 SLVNT CDCl3
 EXREF 7.26 ppm
 BR 1.20 Hz
 RGAIN 40

DFILE C:\My Documents\pGhouse\hnotok1\RM1069-2-carbon13.1
 COUNT single pulse decoupled gated NOE
 DATIM 19-01-2007 12:03:30
 OBNUC 13C
 EXMOD single pulse dec
 OBFREQ 124.51 MHz
 OBSFET 3.45 kHz
 OBFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 1579
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PM1 3.57 usec
 IRNUC 1H
 CTMP 22.2 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 1.20 Hz
 RGAIN 68

DFILE C:\My Documents\Pgousei\mot
 COMNT single pulse decoupled gate
 DATIM 10-02-2007 17:50:33
 13C
 EXMOD single_pulse_dec
 OBFRO 124.51 MHz
 OBSET 3.45 KHz
 OBFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 1500
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PW1 3.57 usec
 IRNUC 1H
 CTEMP 22.3 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 1.20 Hz
 RGAIN 58

DFILE E:\1001-2000\savedata1064-2
COMNT 1064-2
DATIM Tue Jan 16 18:20:42 2007
OBNUC 1H
EXMOD non
OBFRO 500.00 MHZ
OBSET 160.00 KHZ
OBFIN 2160.00 Hz
POINT 32768
FREQU 10000.00 Hz
SCANS 4
ACQTM 3.2768 sec
PD 3.7232 sec
PW1 5.70 usec
IRNUC 1H
CTEMP 27.1 C
SLVNT CDCL3
EXREF 0.00 ppm
BF 0.12 Hz
RGAIN 13

DFILE C:\MY Documents\pGousei\motok1\RM1064-2-carbon13.1
COUNT 17-01-2007 08:53:53
DATIM 17-01-2007 08:53:53
EXMOD single pulse dec
OBNUC 13C
OBSF 124.51 MHz
OBSF 3.46 KHz
OBSF 6.00 Hz
POINT 32768
FREQU 39062.50 Hz
SCANS 12500
ACQTM 0.8389 sec
PD 2.0000 sec
PM1 3.57 usec
IRNUC 1H
CTEMP 22.2 c
SLVNT CDCl3
EXREF 77.00 ppm
RGAIN 0.12 Hz
56

1210-4

Date : Fri Apr 13 15:23:03 2007

Filename : savedata1210-4.nmdata
 Comment : 1210-4
 SliceHistory : non
 EXMODE :

POINT : 32768 points
 SAMPD : 32768 points
 FREQU : 10000.0 Hz
 FILTR : 5000 Hz
 DELAY : 40.0 usec
 DEADT : 57.1 usec
 INTVL : 100.0 usec
 TIMES : 128 times
 DUMMY : 1 times
 PD : 3.7232 sec
 ACQTM : 3276.7998 msec
 PREDL : 0.0100 msec
 INIWT : 1000.0000 msec
 RESOL : 0.31 Hz
 PW1 : 5.70 usec
 OBNUC : ¹H
 OBFREQ : 500.00 MHz
 OBSET : 162160.00 Hz
 RGAIN : 17
 SCANS : 8 times
 SLVNT : CDCl₃
 SPINNING : 13 Hz
 TEMP : 24.9 C

FILE C:\MY Documents\Ghouse\1\m01\1210-4-carbon13.1
 COMMENT sumimasen
 DATE 14-04-2007 06:14:17
 ORN 13C
 EXMOD single pulsed dec
 ORFREQ 124.51 MHz
 ORSET 3.45 kHz
 ORFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 8192
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PWT 3.57 usec
 IRNUC 1H
 CTEMP 20.3 c
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 56

7.7738
7.7658
7.4003
7.3936
7.3894
7.3881
7.2759

1.5404
1.2018
1.0925
1.0767
1.0608
1.0297
1.0138
0.9638
0.9479
0.9321
0.8131
0.7978
0.7826
0.7679
0.7521
0.7362
0.7197
0.7039
0.6880
0.6728
0.6569

DFILE E:\1001-2000\save\data1065-2\save\data1065-2.nm1.d
CONNT 1H Line
DATIM Tue Jan 23 11:14:12 2007
OBNUC 1H
EXMOD non
OBSFQ 500.00 MHz
OBSIN 160.00 kHz
POINT 2160.00 Hz
FREQ 32768
SCANS 10000.00 Hz
ACQTM 8
PD 3.2768 sec
P1 3.7232 sec
IRNUC 1H
CTEMP 26.5 c
SLVNT CDCl3
XREF 7.26 ppm
BF 0.10 Hz
RGAIN 13

DFILE C:\MY Documents\pGausei\motok\1\PM1065-2-carbon13.1
 COMNT single pulse decoupled gated NOE
 DATIM 23-01-2007 12:17:10
 OBNUC 13C
 EXMOD single pulse dec
 OBFREQ 124.51 MHz
 OBFSET 3.45 KHz
 OBFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 1806
 ACQTM 0.8889 sec
 PD 2.0000 sec
 PWT 3.57 usec
 IRNUC 1H
 CTEMP 22.2 c
 SLYNT 77.00 ppm
 EXREF 0.10 Hz
 BF 58
 RGAIN

DFILE C:\MY Documents\PGousei\khotoki\RM1072-2.1
 COMMENT single_pulse
 DATIM 24-01-2007 09:54:18
 DBNUC 1H
 EXMOD single_pulse.ex2
 OBFRQ 495.13 MHz
 OBSET 9.64 Hz
 OBFIN 16384
 POINT 9286.78 Hz
 FREQ 8
 SCANS 1
 ACQTM 1.7642 sec
 PD 5.0000 sec
 PW1 6.20 usec
 IRNUC 1H
 CTEMP 21.4 c
 SOLVENT CDCl3
 EXREF 0.00 ppm
 BR 0.12 Hz
 RGAIN 40

DEFILE C:\MY Documents\spgousei\knotoki\RM1072-2-carbon13.1
 CONNT single pulse decoupled gated NOE
 DATIM 24-01-2007 10:32:40
 DBNUC 13C
 EXMOD single pulse dec
 OBFRQ 124.51 MHz
 OBSET 3.45 KHz
 OBFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 693
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PW1 3.57 usec
 IRNUC 1H
 CTEMP 22.3 c
 SLVNT CDCl3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 58

DFILE C:\MY Documents\pGousei\knotok1\RM1073-2.1
 CONNT single pulse
 DATIM 24-01-2007 09:45:44
 DBNOC 1H
 EXMOD single pulse, ex2
 OBSFQ 495.13 MHz
 OBSSET 4.38 KHz
 OBSFIN 9.64 Hz
 POINT 16384
 FREQ 9286.78 Hz
 SCANS 8
 ACQTM 1.7642 sec
 PD 5.0000 sec
 PWT 6.20 usec
 IRNUC 1H
 CTEMP 21.3 c
 SLVNT CDCl3
 EXREF 0.00 ppm
 BF 0.12 Hz
 RGAIN 36

DFILE C:\My Documents\Houset\Houset\1H-13C-2-carbon13.1
COMMIT single pulse decoupled gated NOE
DATE 24-01-2007 11:55:54
EXREF
RGAIN 56

EXMOD single pulse dec
OBSFQ 124.51 MHz
OBSFQ 3.45 kHz
POINT 6.00 Hz
FREQ 32768
FREQ 39062.50 Hz
SCANS 1653
ACQTM 0.8389 sec
PD 2.0000 sec
PWI 3.57 usec
IRNUC 1H
CTEMP 22.2 c
SLVNT CDCL3
EXREF 77.00 ppm
RGAIN 0.12 Hz
56

FILE C:\MY Documents\Gousei\motoki\RM1073-4.1
 NAME single pulse
 DATE 30-01-2007 22:51:31
 INSTR 1H
 EXMOD single pulse, ex2
 OBFRQ 495.13 MHz
 OBSET 4.38 KHz
 OFPIN 9.64 Hz
 POINT 16384
 FREQ 9286.78 Hz
 SCANS 8
 ACQTM 1.7642 sec
 PD 5.0000 sec
 PW1 6.20 usec
 TRNLC 1H
 CTMP 21.3 c
 SLVT CDCl3
 EXREF 7.24 ppm
 BF 0.12 Hz
 RGAIN 50

DFILE C:\My Documents\PGousei\mot
 COMNT single pulse decoupled gate
 DATIM 31-01-2007 09:13:37
 OBNUC 13C
 EXMOD single_pulse_dec
 OBFRO 124.51 MHz
 OBSET 3.45 KHz
 OBFIN 6.00 Hz
 POINT 32768
 FREQU 39062.50 Hz
 SCANS 13000
 ACQTM 0.8389 sec
 PD 2.0000 sec
 PW1 3.57 usec
 IRNUC 1H
 CTEMP 22.2 C
 SLVNT CDCL3
 EXREF 77.00 ppm
 BF 0.12 Hz
 RGAIN 58

DFILE C:\MY Documents\spouse\knotok\RM1280-4.1
 COUNT single pulse
 DATIM 27-06-2007 16:11:49
 OBNUC 1H
 EXMOD single pulse ex2
 OBFRQ 485.13 MHz
 OBSET 4.38 kHz
 OBFIN 9.64 Hz
 POINT 16384
 FREQU 9286.78 Hz
 SCANS 12
 ACQTM 1.7642 sec
 PD 5.0000 sec
 PM1 6.20 usec
 TRNUC 1H
 CTENP 19.8 c
 SLVIT CDCL3
 EXREF 7.26 ppm
 RF 1.20 Hz
 RGAIN 42

DFILE C:\MY Documents\spousei\hmtok\1RM1280-4-carbon13.1
COMNT single pulse decoupled gated NOE
DATIM 27-06-2007 17:06:23
OBNUC 13C
EXMOD single pulse dec
OBSFQ 124.51 MHz
OBSFQ 3.45 kHz
OBSFQ 6.00 Hz
OBSFQ 32768
OBSFQ 39062.50 Hz
SCANS 1044
ACQTM 0.888 sec
PD 2.000 sec
PM1 3.57 usec
TNUC 1H
CTEMP 21.6 C
SLVNT CDCL3
EXREF 77.00 ppm
BF 1.20 Hz
RGAIN 60