Copper(I)-Catalyzed Chlorine Atom Transfer Radical Cyclization Reactions of Unsaturated α -Chloro β -Keto Esters

Dan Yang,* Yi-Long Yan, Bao-Fu Zheng, Qiang Gao and Nian-Yong Zhu

Department of Chemistry, The University of Hong Kong, Pokfulam Road, Hong Kong

yangdan@hku.hk

Supporting Information

Table of Content

General Procedure	S2
Preparation of Substrates	S3–17
NOESY Spectrum of Compound 4f	S18
X-Ray Analysis of Compound 3b	S19–25
X-Ray Analysis of Compound 3g	S26–32
NMR Spectra	S33–74

General procedure:

All reactions were performed in oven-dried flasks. THF was distilled from sodium metal-benzophenone ketyl before use. Flash column chromatography was performed on E. Merck silica gel 60 (230–400 mesh ASTM) using ethyl acetate/*n*-hexane as eluting solvents. Nuclear magnetic resonance spectra were recorded in deuteriochloroform (CDCl_3) with tetramethylsilane (TMS) as the internal standard at ambient temperature on a 300MHz or 400MHz Bruker Avance Fourier Transform Spectrometer. Infrared absorption spectra were recorded as a solution in CH_2Cl_2 with a Bio-Rad FTS 165 Fourier Transform Spectrophotometer. Mass spectra were recorded with a Finnigan MAT 95 mass spectrometer for both low resolution and high-resolution mass spectra. Melting points were determined by Axiolab ZEISS microscope apparatus and were uncorrected. Optical rotations were recorded on a Perkin Elmer 343 Polarimeter.

Preparation of Substrates 1a–f

Reagents and conditions: (a) NaH, *n*-BuLi, THF, 0°C; (b) alkyl bromide, 0°C, overall yield 30–60% for two steps (a and b); (c) Method A: NaH, NCS, THF, 0°C, 70–90% yield; Method B: NCS, Mg(ClO₄)₂, EtOAc, rt, yield 70–90%.

Typical procedure for alkylation of β -keto ester dianion (Preparation of 1c): To a suspension of NaH (60% oil dispersion, 1.41 g, 59 mmol) in THF (100 mL) was added ethyl 2-chloroacetoacetate (6.1 mL, 43 mmol) slowly at 0 °C. After 30 min, *n*-BuLi (1.42 M in hexane, 50 mL, 47 mmol) was added slowly at 0 °C. 4-Bromo-2-methyl-2-butene (90%, 5.0 mL, 39 mmol) was added dropwise 0.5 h later. The reaction was then stirred at room temperature for 7 h. After removal of solvents, the residue was diluted with water and extracted with Et₂O. The combined extracts were washed with water, dried over MgSO₄, and then concentrated. The crude product was purified by flash column chromatography to give **1c** (4.56 g, 19.6 mmol, 46%) as a light yellow oil. Analytical TLC (silica gel 60), 5% EtOAc in *n*-hexane, *R_f* = 0.38; ¹H NMR (300 MHz, CDCl₃) δ 12.4 (s, 0.2×1H, enol), 5.17 – 5.04 (m, 1H), 4.78 (s, keto, 0.8×1H), 4.29 (q, *J* = 7.2 Hz, 2H), 2.82 – 2.64 (m, 0.8×2H), 2.56 – 2.39 (m, 0.2×2H), 2.34 – 2.27 (m, 2H), 1.68 (s, 3H),

1.62 (s, 3H), 1.32 (t, $J = 7.1$ Hz, 3H); ^{13}C NMR (68 MHz, CDCl_3 ; DEPT) major δ 198.7 (C), 165.1 (C), 133.5 (C), 121.8 (CH), 63.1 (CH_2), 61.1 (CH), 39.1 (CH_2), 25.7 (CH_3), 22.3 (CH_2), 17.7 (CH_3), 14.0 (CH_3); IR (CH_2Cl_2) 2972, 2933, 1760, 1730, 1604 cm^{-1} ; LRMS for $\text{C}_{11}\text{H}_{17}\text{ClO}_3$ (EI, 20 eV) m/z 197 ($\text{M}^+ - \text{Cl}$, 50), 151 (44), 49 (100); HRMS (EI) for $\text{C}_{11}\text{H}_{17}\text{O}_3$ ($\text{M}^+ - \text{Cl}$): calcd 197.1178, found 197.1169.

Compound **6d**

Compound **6d**: Prepared similarly to **1c**. Yield 21%, a light yellow oil; analytical TLC (silica gel 60), 60% EtOAc in *n*-hexane, $R_f = 0.38$; ^1H NMR (300 MHz, CDCl_3) δ 12.42 (s, 0.2 $\times$ 1H, enol), 5.14 – 5.05 (m, 1H), 4.78 (s, keto, 0.8 $\times$ 1H), 4.29 (q, $J = 7.1$ Hz, 2H), 2.78 – 2.70 (m, 2H), 2.09 – 1.97 (m, 2H), 1.62 – 1.72 (m, 2H), 1.69 (s, 3H), 1.59 (s, 3H), 1.31 (t, $J = 7.1$ Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 199.1 (C), 166.1 (C), 132.9 (C), 123.3 (CH), 63.1 (CH), 61.0 (CH_2), 38.4 (CH_2), 27.1 (CH_2), 25.7 (CH_3), 23.7 (CH_2), 17.7 (CH_3), 14.0 (CH_3); IR (CH_2Cl_2) 2977, 2939, 1765, 1729 cm^{-1} ; LRMS for $\text{C}_{12}\text{H}_{19}\text{ClO}_3$ (EI, 20 eV) m/z 248 (M^+ , 3), 246 (M^+ , 9), 211 ($\text{M}^+ - \text{Cl}$, 100), 210 ($\text{M}^+ - \text{HCl}$, 24), 165 (45); HRMS (EI) for $\text{C}_{12}\text{H}_{19}\text{ClO}_3$ (M^+): calcd 246.1023, found 246.1017.

Compound **6f**

Compound **6f**: Prepared similarly to **1c**. Yield 61%, a colorless yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, $R_f = 0.44$; ^1H NMR (300 MHz, CDCl_3) δ 12.39 (s, 0.3×1H, enol), 5.85 – 5.76 (m, 1H), 5.19 – 5.15 (m, 1H), 5.03 – 4.91 (m, 2H), 4.79 (s, 0.7×1H, keto), 4.29 (q, $J = 7.1$ Hz, 2H), 2.87 – 2.59 (m, 2H), 2.30 (t, $J = 7.2$ Hz, 2H), 2.09 – 2.07 (m, 4H), 1.68 – 1.61 (m, 3H), 1.38 – 1.29 (2t, $J = 7.1$ Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ major 198.9 (C), 165.4 (C), 138.7 (CH), 133.5 (C), 125.4 (CH), 114.9 (CH_2), 63.4 (CH_2), 61.3 (CH), 38.1 (CH_2), 34.1 (CH_2), 33.5 (CH_2), 27.7 (CH_2), 16.4 (CH_3), 14.3 (CH_3); IR (CH_2Cl_2) 2980, 2932, 1752, 1730, 1640 cm^{-1} ; LRMS for $\text{C}_{14}\text{H}_{21}\text{ClO}_3$ (EI, 20 eV) m/z 272 (M^+ , 3), 237 ($\text{M}^+ - \text{Cl}$, 42), 205 (61), 191 (52), 177 (58), 109 (100); HRMS (EI) for $\text{C}_{14}\text{H}_{21}\text{ClO}_3$ (M^+): calcd 272.1179, found 272.1176.

Compound **6g**

Compound **6g**: Prepared similarly to **1c**. Yield 40%, a light yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, $R_f = 0.47$; ^1H NMR (300 MHz, CDCl_3) δ 12.39 (s, 0.4×1H, enol), 5.87 – 5.73 (m, 1H), 5.21 – 5.14 (m, 1H), 4.96 – 4.92 (m, 2H), 4.79 (s, 0.6×1H, keto), 4.29 (q, J

= 7.2 Hz, 2H), 2.84 – 2.77 (m, 1H), 2.64 – 2.59 (m, 1H), 2.37 – 2.27 (m, 2H), 2.07 – 1.96 (m, 4H), 1.73 – 1.60 (m, 3H, keto and enol CH₃), 1.47 – 1.29 (m, 5H); ¹³C NMR (75 MHz, CDCl₃; DEPT) keto and enol δ 198.9 (C), 175.7 (C, enol), 169.9 (C, enol), 165.4 (C), 139.2 (CH), 133.7 (C), 126.0 (CH), 114.8 (CH₂), 114.7 (CH₂), 139.1 (CH), 133.3 (C), 63.4 (CH₂), 62.3 (CH₂), 61.3 (CH), 38.1 (CH₂), 35.8 (CH₂), 33.6 (3×CH₂), 32.3 (CH₂), 29.2 (CH₂), 27.7 (CH₂), 16.3 (CH₃), 16.2 (CH₃), 14.5 (CH₃), 14.3 (CH₃); IR (CH₂Cl₂) 3078, 2984, 2934, 1732, 1642 cm⁻¹; LRMS for C₁₅H₂₃ClO₃ (EI, 20 eV) *m/z* 286 (M⁺, 9), 268 (9), 251 (70), 205 (87), 164 (76), 122 (52); HRMS (EI) for C₁₅H₂₃ClO₃ (M⁺): calcd 286.1336, found 286.1331.

Typical procedure for α-chlorination of olefinic β-keto esters by NCS/NaH (method A): To a suspension of NaH (60% oil dispersion, 790 mg, 19.8 mmol) in THF (50 mL) was added slowly the THF (10 mL) solution of compound **6a** (3.50 g, 16.5 mmol) at 0°C. After 30 min, *N*-chlorosuccinimide (2.48 g, 18.2 mmol) was added in one portion at 0°C. The mixture was stirred for 3.5 h. After removal of THF, the residue was extracted with Et₂O. The combined extracts were washed with water, dried over MgSO₄ and then concentrated. The crude product was purified by flash column chromatography to give **1a** (3.52 g, 14.3 mmol, 86%) as a colorless oil. Analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, *R_f* = 0.48; ¹H NMR (300 MHz, CDCl₃) δ 5.07 (t, *J* = 7.2 Hz, 1H), 4.27 (q, *J* = 7.1 Hz, 2H), 2.86 – 2.75 (m, 1H), 2.71 – 2.61 (m, 1H), 2.30 (q, *J* = 7.2 Hz, 2H), 1.82 (s, 3H), 1.68 (s, 3H), 1.62 (s, 3H), 1.30 (t, *J* = 7.1 Hz, 3H); ¹³C

NMR (75 MHz, CDCl₃; DEPT) δ 201.0 (C), 168.1 (C), 133.2 (C), 122.2 (C), 70.9 (C), 63.0 (CH₂), 37.7 (CH₂), 25.7 (CH₃), 24.4 (CH₃), 22.8 (CH₂), 17.7 (CH₃), 13.9 (CH₃); IR (CH₂Cl₂) 2973, 1750, 1730 cm⁻¹; LRMS for C₁₂H₁₉ClO₃ (EI, 20 eV) m/z 245 (M⁺ – H, 14), 211 (M⁺ – Cl, 5), 136 (20), 69 (100); HRMS (EI) for C₁₂H₁₉O₃ (M⁺ – Cl): calcd 211.1334, found 211.1343.

Typical procedure for the Lewis acid-catalyzed α -chlorination of olefinic β -keto ester with

NCS (method B): To a stirred solution of substrate **6f** (630 mg, 2.3 mmol) in EtOAc (30 mL) was added Lewis acid Mg(ClO₄)₂ (268 mg, 1.2 mmol) at room temperature. Solid NCS (370 mg, 0.28 mmol) was added to the above mixture 5 min later. The reaction was completed 1 h later. The reaction mixture was diluted with Et₂O and washed with water then dried over MgSO₄. After concentration, the crude product was purified by flash column chromatography using EtOAc/*n*-hexane as eluents to give **1f** (605 mg, 85%) as a colorless oil; Analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, R_f = 0.38; ¹H NMR (300 MHz, CDCl₃) δ 5.84 – 5.76 (m, 1H), 5.20 – 5.18 (m, 1H), 5.04 – 4.93 (m, 2H), 4.37 (q, J = 7.1 Hz, 2H), 2.94 – 2.87 (m, 2H), 2.35 (t, J = 7.6 Hz, 2H), 2.09 – 2.07 (m, 4H), 1.63 (s, 3H), 1.35 (t, J = 7.1 Hz, 3H); ¹³C NMR (75 MHz, CDCl₃; DEPT) δ 194.1 (C), 163.8 (C), 138.7 (CH), 133.3 (C), 125.7 (CH), 114.9 (CH₂), 82.2 (C), 64.9 (CH₂), 35.1 (CH₂), 34.3 (CH₂), 34.0 (CH₂), 27.7 (CH₂), 16.3 (CH₃), 14.1 (CH₃); IR (CH₂Cl₂) 2984, 1755 cm⁻¹; LRMS for C₁₄H₂₀Cl₂O₃ (EI, 20 eV) m/z 306 (M⁺, 1), 273 (M⁺ – Cl, 2), 271 (M⁺ – Cl, 5), 241 (14), 239 (20), 151 (29), 109 (100); HRMS (EI) for C₁₄H₂₀Cl₂O₃ (M⁺): calcd 306.0790, found 306.0778.

Compound **1b**

Compound **1b**: Prepared from **1c** similarly to **1a** (method A). Yield 82%, a light yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, R_f = 0.63; ^1H NMR (300 MHz, CDCl_3) δ 5.09 (t, J = 7.2 Hz, 1H), 4.36 (q, J = 7.3 Hz, 2H), 2.84 (t, J = 7.3 Hz, 2H), 2.36 (q, J = 7.2 Hz, 2H), 1.68 (s, 3H), 1.63 (s, 3H), 1.35 (t, J = 7.1 Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 194.1 (C), 163.8 (C), 134.0 (C), 121.9 (CH), 82.3 (C), 64.9 (CH_2), 36.4 (CH_2), 26.0 (CH_3), 23.3 (CH_2), 18.0 (CH_3), 14.1 (CH_3); IR (CH_2Cl_2) 2974, 1765, 1749 cm^{-1} ; LRMS for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 265 ($\text{M}^+ - \text{H}$, 13), 231 ($\text{M}^+ - \text{Cl}$, 69), 230 ($\text{M}^+ - \text{HCl}$, 24), 195 (24), 143 (100); HRMS (EI) for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (M^+): calcd 266.0477, found 266.0468.

Compound **1d**

Compound **1d**: Prepared from **6d** similarly to **1a** using method A. Yield 76%, a light yellow oil; analytical TLC (silica gel 60), 5% EtOAc in *n*-hexane, R_f = 0.56; ^1H NMR (400 MHz, CDCl_3) δ 5.11 – 5.06 (m, 1H), 4.36 (q, J = 7.2 Hz, 2H), 2.82 (t, J = 7.3 Hz, 2H), 2.03 (q, J = 7.2 Hz, 2H), 1.76 – 1.71 (m, 2H), 1.70 (s, 3H), 1.69 (s, 3H), 1.35 (t, J = 7.1 Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3 ; DEPT) δ 194.6 (C), 163.8 (C), 133.3 (C), 123.4 (CH), 82.2 (C), 64.9 (CH_2), 35.5 (CH_2),

27.3 (CH₂), 26.0 (CH₃), 24.7 (CH₂), 18.0 (CH₃), 14.1 (CH₃); IR (CH₂Cl₂) 2970, 1765, 1748 cm⁻¹; LRMS for C₁₂H₁₉Cl₂O₃ (EI, 20 eV) *m/z* 280 (M⁺, 1), 245 (M⁺ – Cl, 69), 244 (M⁺ – HCl, 24), 209 (42), 163 (34), 125 (100); HRMS (EI) for C₁₂H₁₈Cl₂O₃ (M⁺): calcd 280.0633, found 280.0631.

Compound **1g**

Compound **1g**: Prepared from **6g** similarly to **1f** using method B. Yield 61%, light yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, *R_f* = 0.46; ¹H NMR (300 MHz, CDCl₃) δ 5.85 – 5.75 (m, 1H), 5.19 (t, *J* = 7.2 Hz, 1H), 5.03 – 4.93 (m, 2H), 4.37 (q, *J* = 7.2 Hz, 2H), 2.92 (t, *J* = 8.0 Hz, 2H), 2.33 (t, *J* = 7.7 Hz, 2H), 2.08 – 1.96 (m, 4H), 1.62 (s, 3H), 1.35 (t, *J* = 7.1 Hz, 3H), 1.43 (p, *J* = 7.3 Hz, 2H); ¹³C NMR (75 MHz, CDCl₃; DEPT) δ 194.1 (C), 163.8 (C), 139.1 (CH), 133.1 (C), 126.3 (CH), 114.8 (CH), 82.2 (C), 64.9 (CH₂), 36.1 (CH₂), 34.3 (CH₂), 33.6 (CH₂), 29.2 (CH₂), 27.7 (CH₂), 16.3 (CH₃), 14.1 (CH₃); IR (CH₂Cl₂) 2980, 2932, 1754, 1642 cm⁻¹; LRMS for C₁₅H₂₂Cl₂O₃ (EI, 20 eV) *m/z* 287 (M⁺ – Cl, 7), 285 (M⁺ – Cl, 27), 249 (6), 239 (45), 203 (30), 165 (100); HRMS (EI) for C₁₅H₂₂ClO₃ (M⁺ – Cl): calcd 285.1257, found 285.1256.

Preparation of Substrate 1e

Reagents and conditions: (a) 3-Methyl-2-buten-1-ol, DMAP, toluene, reflux, 60% yield; (b) NCS (2.5 equiv), Mg(ClO₄)₂ (0.5 equiv), EtOAc, rt, 83% yield.

Preparation of 6e: Methyl acetoacetate (2.35 g, 20 mmol), 3-methyl-2-buten-1-ol (2.07 g, 24 mmol) and DMAP (1.22 g, 10 mmol) were mixed in toluene (30 mL). The mixture was heated to reflux for 20 h. After removal of solvent, the residue was extracted with Et₂O. The extract was washed with water and then dried over MgSO₄. After concentration, the crude product was purified by flash column chromatography to give **6e** (2.07 g, 60%) as light yellow oil. Analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, *R_f* = 0.32; ¹H NMR (300 MHz, CDCl₃) δ 12.09 (s, 0.1×1H, enol), 5.35 (t, *J* = 7.3 Hz, 1H), 4.98 (s, 0.1×1H, enol), 4.64 (d, *J* = 7.3 Hz, 2H), 3.45 (s, 0.9×2H, keto), 2.27 (s, 3H), 1.77 (s, 3H), 1.72 (s, 3H); ¹³C NMR (75 MHz, CDCl₃; DEPT) δ major 200.9 (C), 167.4 (C), 140.1 (C), 118.3 (CH), 62.5 (CH₂), 50.4 (CH₂), 30.3 (CH₃), 21.4 (CH₃), 18.3 (CH₃); IR (CH₂Cl₂) 2976, 1741, 1716, 1649 cm⁻¹; LRMS for C₉H₁₄O₃ (EI, 20 eV) *m/z* 170 (M⁺, 4), 169 (M⁺ – H, 100), 153, 147; HRMS (EI) for C₉H₁₄O₃ (M⁺): calcd 170.0943, found 170.0944.

Compound **1e**

Compound **1e**: Prepared from **6e** similarly to **1f** using method B with 2.5 equiv of NCS. Yield 83%, light yellow oil; analytical TLC (silica gel 60), 5% EtOAc in *n*-hexane, R_f = 0.35; ^1H NMR (300 MHz, CDCl_3) δ 5.37 (t, J = 7.4 Hz, 1H), 4.79 (d, J = 7.3 Hz, 2H), 2.47 (s, 3H), 1.78 (s, 3H), 1.74 (s, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 191.4 (C), 163.6 (C), 142.2 (C), 116.9 (CH), 80.8 (C), 65.5 (CH_2), 26.0 (CH_3), 23.8 (CH_3), 18.4 (CH_3); IR (CH_2Cl_2) 2969, 1756, 1725 cm^{-1} ; LRMS for $\text{C}_9\text{H}_{12}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 205 ($\text{M}^+ - \text{Cl}$, 32), 203 ($\text{M}^+ - \text{Cl}$, 45), 153 (94), 136 (100), 106 (59); HRMS (EI) for $\text{C}_9\text{H}_{12}\text{ClO}_3$ ($\text{M}^+ - \text{Cl}$): calcd 203.0475, found 203.0463.

Typical procedure for CuCl catalyzed chlorine transfer radical cyclization reactions (entry 11, Table 2): A solution of **1b** (80 mg, 0.3 mmol) in 1,2-dichloroethane (DCE, 10 mL) was deoxygenated with argon at room temperature. Bipyridine ligand **L3** (16.6 mg, 0.1 mmol) was added followed by copper (I) chloride (10 mg, 0.1 mmol). The reaction heated to 80°C (oil-bath) and stirred in a sealed system. The reaction finished 24 h later. The mixture was diluted with Et_2O and washed with water. The organic layer was dried over MgSO_4 and concentrated. The crude product was purified by column chromatography to give **2b** (21.8 mg, 27%) and **3b** (32.0 mg, 40%).

Compound **2b**: A colorless oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, $R_f = 0.32$; ^1H NMR (400 MHz, CDCl_3) δ 4.32 (q, $J = 7.3$ Hz, 2H), 3.39 (dd, $J = 5.9, 12.63$ Hz, 1H), 2.79 – 2.72 (m, 1H), 2.52 – 2.42 (m, 1H), 2.39 – 2.32 (m, 1H), 2.26 – 2.17 (m, 1H), 1.74 (s, 3H), 1.71 (s, 3H), 1.33 (t, $J = 7.1$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3 ; DEPT) δ 204.5 (C), 167.8 (C), 73.1 (C), 70.2 (C), 63.8 (CH_2), 57.9 (CH), 35.8 (CH_2), 32.0 (CH_3), 31.5 (CH_3), 22.3 (CH_2), 14.3 (CH_3); IR (CH_2Cl_2) 2984, 1770, 1752 cm^{-1} ; LRMS for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 268 (M^+ , 4), 266 (M^+ , 6), 230 ($\text{M}^+ - \text{HCl}$, 3), 195 (54), 149 (100); HRMS (EI) for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (M^+): calcd 266.0477, found 266.0475.

Compound **3b**: A colorless oil (crystallized slowly, m. p. 78 – 79°C); analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, $R_f = 0.25$; ^1H NMR (400 MHz, CDCl_3) δ 4.29 – 4.14 (m, 2H), 2.84 – 2.76 (m, 1H), 2.73 – 2.68 (m, 1H), 2.54 – 2.39 (m, 2H), 2.36 – 2.30 (m, 1H), 1.86 (s, 3H), 1.70 (s, 3H), 1.29 (t, $J = 7.2$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3 ; DEPT) δ 206.7 (C), 165.9 (C), 73.4 (C), 70.5 (C), 63.6 (CH_2), 62.8 (CH), 35.7 (CH_2), 34.1 (CH_3), 31.3 (CH_3), 22.6 (CH_2), 14.0 (CH_3); IR (CH_2Cl_2) 2983, 1771, 1752 cm^{-1} ; LRMS for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 268 (M^+ , 9), 266 (M^+ , 15), 230 ($\text{M}^+ - \text{HCl}$, 7), 195 (76), 149 (100); HRMS (EI) for $\text{C}_{11}\text{H}_{16}\text{Cl}_2\text{O}_3$ (M^+): calcd 266.0477, found 266.0473.

Compound **2a**

Compound **2a**: A colorless oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, R_f = 0.22; ^1H NMR (300 MHz, CDCl_3) δ 4.21 (q, J = 7.1 Hz, 2H), 3.12 (dd, J = 6.0, 12.7 Hz, 1H), 2.61 – 2.40 (m, 2H), 2.37 – 2.23 (m, 1H), 2.13 – 1.98 (m, 1H), 1.66 (s, 3H), 1.60 (s, 3H), 1.38 (s, 3H), 1.25 (t, J = 7.1 Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 214.5 (C), 172.6 (C), 70.6 (C), 61.7 (CH_2), 60.6 (C), 55.5 (CH), 36.9 (CH_2), 33.2 (CH_3), 31.5 (CH_3), 22.3 (CH_2), 14.6 (CH_3), 14.1 (CH_3); IR (CH_2Cl_2) 2984, 1753, 1728 cm^{-1} ; LRMS for $\text{C}_{12}\text{H}_{19}\text{ClO}_3$ (EI, 20 eV) m/z 248 (M^+ , 4), 246 (M^+ , 4), 210 ($\text{M}^+ - \text{HCl}$, 17), 182 (14), 155 (100); HRMS (EI) for $\text{C}_{12}\text{H}_{19}\text{ClO}_3$ (M^+): calcd 246.1023, found 246.1019.

Compound **2d**

Compound **2d**: A light yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, R_f = 0.33; ^1H NMR (300 MHz, CDCl_3) δ 4.39 – 4.20 (m, 2H), 3.17 (dd, J = 3.3, 12.0 Hz, 1H), 2.94 (dt, J = 6.2, 14.4 Hz, 1H), 2.40 – 2.48 (m, 1H), 2.29 – 2.22 (m, 1H), 2.19 – 2.10 (m, 1H), 2.09 – 1.98 (m, 1H), 1.76 – 1.61 (m, 1H), 1.73 (s, 3H), 1.68 (s, 3H), 1.35 (t, J = 7.1 Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 199.6 (C), 168.2 (C), 76.5 (C), 72.7 (C), 63.4 (CH_2), 54.7 (CH), 36.4 (CH_2), 32.0 (CH_3), 31.6 (CH_3), 24.2 (CH_2), 23.6 (CH_2), 14.2 (CH_3); IR (CH_2Cl_2) 2984, 1756,

1723 cm^{-1} ; LRMS for $\text{C}_{12}\text{H}_{18}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 282 (M^+ , 23), 280 (M^+ , 36), 245 ($\text{M}^+ - \text{Cl}$, 7), 244 ($\text{M}^+ - \text{HCl}$, 22), 209 (97), 163 (100); HRMS (EI) for $\text{C}_{12}\text{H}_{18}\text{Cl}_2\text{O}_3$ (M^+): calcd 280.0633, found 280.0651.

Compound **3d**

Compound **3d**: A light yellow oil; analytical TLC (silica gel 60), 10% EtOAc in *n*-hexane, R_f = 0.28; ^1H NMR (300 MHz, CDCl_3) δ 4.15 – 4.34 (m, 2H), 2.82 (m, 2H), 2.58 (dd, J = 3.5, 11.7 Hz, 1H), 2.35 – 2.24 (m, 2H), 2.22 – 2.06 (m, 1H), 1.88 – 1.78 (m, 1H), 1.82 (s, 3H), 1.80 (s, 3H), 1.32 (t, J = 7.2 Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT δ 200.3 (C), 165.9 (C), 80.8 (C), 73.2 (C), 63.7 (CH_2), 60.9 (CH), 37.6 (CH_2), 35.3 (CH_3), 31.6 (CH_3), 25.1 (CH_2), 21.7 (CH_2), 14.0 (CH_3); IR (CH_2Cl_2) 2985, 1755, 1730 cm^{-1} ; LRMS for $\text{C}_{12}\text{H}_{19}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 282 (M^+ , 17), 280 (M^+ , 26), 244 ($\text{M}^+ - \text{HCl}$, 15), 209 (80), 181 (79), 163 (100); HRMS (EI) for $\text{C}_{12}\text{H}_{18}\text{Cl}_2\text{O}_3$ (M^+): calcd 280.0633, found 280.0650.

Compound **2e/3e** (isomer 1)

Compound **2e/3e** (isomer 1): A light yellow oil; analytical TLC (silica gel 60), 15% EtOAc in *n*-hexane, R_f = 0.28; ^1H NMR (300 MHz, CDCl_3) δ 4.62 – 4.51 (m, 2H), 3.93 (dd, J = 7.5, 10.1 Hz,

1H), 2.64 (s, 3H), 1.70 (s, 6H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 200.4 (C), 169.6 (C), 70.6 (C), 68.1 (CH_2), 66.9 (C), 53.6 (CH), 33.0 (CH_3), 31.6 (CH_3), 27.9 (CH_3); IR (CH_2Cl_2) 2996, 1786, 1723 cm^{-1} ; LRMS for $\text{C}_9\text{H}_{12}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 239 (M^+ , 1), 196 (20), 121 (29), 119 (100); HRMS (EI) for $\text{C}_9\text{H}_{13}\text{Cl}_2\text{O}_3$ ($\text{M}^+ + \text{H}$): calcd 239.0242, found 239.0261.

Compound **2e/3e** (isomer 2)

Compound **2e/3e** (isomer 2): A light yellow oil; analytical TLC (silica gel 60), 15% EtOAc in *n*-hexane, R_f = 0.15; ^1H NMR (300 MHz, CDCl_3) δ 4.62 – 4.50 (m, 2H), 3.24 (dd, J = 7.8, 10.6 Hz, 1H), 2.59 (s, 3H), 1.85 (s, 3H), 1.64 (s, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 200.7 (C), 170.7 (C), 73.3 (C), 67.7 (CH_2), 66.3 (C), 63.2 (CH), 33.2 (CH_3), 32.0 (CH_3), 30.5 (CH_3); IR (CH_2Cl_2) 2988, 1797, 1713 cm^{-1} ; LRMS for $\text{C}_9\text{H}_{12}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 241 ($\text{M}^+ + \text{H}$, 1), 239 ($\text{M}^+ + \text{H}$, 1), 203 ($\text{M}^+ - \text{Cl}$, 1), 196 (17), 121 (26), 119 (100); HRMS (EI) for $\text{C}_9\text{H}_{12}\text{ClO}_3$ (M^+): calcd 239.0242, found 239.0264.

Compound **4f**

Compound **4f**: A light yellow oil; analytical TLC (silica gel 60), 15% EtOAc in *n*-hexane, R_f = 0.56; ^1H NMR (300 MHz, CDCl_3) δ 12.30 (s, OH), 4.31 – 4.11 (m, 2H), 3.67 (dd, J = 5.5, 10.6

Hz, 1H), 3.42 (dd, $J = 7.9, 10.6$ Hz, 1H), 2.46 – 2.37 (m, 1H), 2.34 – 2.15 (m, 3H), 2.10 – 1.94 (m, 2H), 1.75 – 1.66 (m, 1H), 1.57 – 1.39 (m, 2H), 1.31 (t, $J = 7.1$ Hz, 3H), 1.23 – 1.32 (m, 1H), 0.99 (s, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 173.3 (C), 171.3 (C), 101.0 (C), 60.6 (CH_2), 50.3 (CH), 47.7 (CH_2), 45.1 (CH), 32.5 (CH_2), 32.2 (CH_2), 29.5 (CH_2), 26.5 (CH_2), 20.6 (CH_3), 14.6 (CH_3); IR (CH_2Cl_2) 3017, 2965, 1739, 1649 cm^{-1} ; LRMS for $\text{C}_{14}\text{H}_{21}\text{ClO}_3$ (EI, 20 eV) m/z 274 (M^+ , 19), 272 (M^+ , 65), 237 ($\text{M}^+ - \text{Cl}$, 88), 225 (30), 191 (100); HRMS (EI) for $\text{C}_{14}\text{H}_{21}\text{ClO}_3$ (M^+): calcd 272.1179, found 272.1177.

Compound **3g**

Compound **3g**: A light yellow oil; analytical TLC (silica gel 60), 15% EtOAc in *n*-hexane, $R_f = 0.31$; ^1H NMR (300 MHz, CDCl_3) δ 4.23 (q, $J = 7.2$ Hz, 2H), 3.73 (dd, $J = 7.0, 10.7$ Hz, 1H), 3.20 (dd, $J = 9.6, 10.7$ Hz, 1H), 2.96 (dt, $J = 6.0, 14.7$ Hz, 1H), 2.73 – 2.66 (m, 1H), 2.28 – 2.23 (m, 1H), 2.20 – 2.12 (m, 1H), 2.09 – 2.02 (m, 1H), 1.99 – 1.96 (m, 2H), 1.82 – 1.77 (m, 1H), 1.63 (dd, $J = 5.5, 14.4$ Hz, 1H), 1.45 – 1.40 (m, 1H), 1.30 (t, $J = 7.1$ Hz, 3H), 1.38 – 1.21 (m, 2H), 0.95 (s, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 198.7 (C), 168.2 (C), 78.2 (C), 63.1 (CH_2), 59.3 (CH), 52.8 (CH), 45.9 (CH_2), 39.9 (C), 39.1 (CH_2), 37.1 (CH_2), 26.6 (CH_2), 26.1 (CH_2), 24.8 (CH_2), 14.1 (CH_3), 12.7 (CH_3); IR (CH_2Cl_2) 2942, 1744, 1733, 1719 cm^{-1} ; LRMS for $\text{C}_{15}\text{H}_{22}\text{Cl}_2\text{O}_3$ (EI, 20 eV) m/z 322 (M^+ , 23), 320 (M^+ , 25), 285 ($\text{M}^+ - \text{Cl}$, 100), 239 (72), 193 (92), 183 (79); HRMS (EI) for $\text{C}_{15}\text{H}_{22}\text{Cl}_2\text{O}_3$ (M^+): calcd 320.0946, found 320.0934.

Compound **4g**

Compound **4g**: A colorless oil; analytical TLC (silica gel 60), 20% EtOAc in *n*-hexane, $R_f = 0.30$; ^1H NMR (400 MHz, CDCl_3) δ 4.27 – 4.19 (m, 2H), 3.79 (dd, $J = 3.2, 10.7$ Hz, 1H), 3.24 (dd, $J = 9.9, 10.6$ Hz, 1H), 3.21 (d, $J = 12.9$ Hz, 1H), 2.47 – 2.43 (m, 2H), 2.12 – 2.06 (m, 2H), 2.02 – 1.94 (m, 1H), 1.86 – 1.81 (m, 1H), 1.67 – 1.66 (m, 1H), 1.58 – 1.43 (m, 1H), 1.43 – 1.23 (m, 4H), 1.28 (t, $J = 7.1$ Hz, 3H), 1.02 (s, 3H); ^{13}C NMR (75 MHz, CDCl_3 ; DEPT) δ 205.4 (C), 170.0 (C), 61.3 (CH_2), 60.0 (CH), 51.0 (CH), 48.4 (CH), 46.3 (CH_2), 37.8 (CH_2), 37.7 (CH_2), 36.7 (C), 27.3 (CH_2), 25.8 (CH_2), 25.7 (CH_2), 14.5 (CH_3), 12.2 (CH_3); IR (CH_2Cl_2) 2938, 1741, 1712 cm^{-1} ; LRMS for $\text{C}_{15}\text{H}_{23}\text{ClO}_3$ (EI, 20 eV) m/z 288 (M^+ , 4), 286 (M^+ , 13), 251 ($\text{M}^+ - \text{Cl}$, 40), 232 (23), 223 (28), 144 (35), 143 (100); HRMS (EI) for $\text{C}_{15}\text{H}_{23}\text{ClO}_3$ (M^+): calcd 286.1336, found 286.1338.

Figure S1. The NOESY spectrum of compound 4f

<p style="text-align: center;">4f</p>	<p>The assignment of protons was based on ^1H NMR, ^{13}C NMR, DEPT, CH-COSY, and NOESY spectra.</p> <p>$\text{H}_d\text{---H}_a$: strong NOE, <i>cis</i>;</p> <p>$\text{H}_d\text{---H}_b$: no NOE, <i>trans</i>;</p> <p>$\text{H}_c\text{---H}_d$: strong NOE, <i>cis</i>;</p> <p>$\text{H}_c\text{---H}_b$: no NOE, <i>trans</i>.</p>
--	--

Figure S2. X-ray analysis of compound 3b

Table 1. Crystal data and structure refinement for mar677a.

Identification code	mar677a	
Empirical formula	C ₁₁ H ₁₆ Cl ₂ O ₃	
Formula weight	267.14	
Temperature	253(2) K	
Wavelength	0.71073 Å	
Crystal system	Monoclinic	
Space group	P 2 ₁ /c	
Unit cell dimensions	a = 13.035(3) Å	α = 90°.
	b = 8.1030(16) Å	β = 97.73(3)°.
	c = 12.377(3) Å	γ = 90°.
Volume	1295.4(4) Å ³	
Z	4	
Density (calculated)	1.370 Mg/m ³	
Absorption coefficient	0.491 mm ⁻¹	
F(000)	560	
Crystal size	0.30 x 0.20 x 0.10 mm ³	
Theta range for data collection	2.97 to 25.58°.	
Index ranges	-15 ≤ h ≤ 15, -9 ≤ k ≤ 9, -14 ≤ l ≤ 14	
Reflections collected	6828	
Independent reflections	2377 [R(int) = 0.0326]	
Completeness to theta = 25.58°	97.4 %	
Absorption correction	None	
Max. and min. transmission	0.9525 and 0.8667	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	2377 / 0 / 148	
Goodness-of-fit on F ²	1.137	
Final R indices [I > 2σ(I)]	R1 = 0.0373, wR2 = 0.1081	
R indices (all data)	R1 = 0.0493, wR2 = 0.1123	
Largest diff. peak and hole	0.383 and -0.260 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar677a. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U^{ij} tensor.

	x	y	z	$U(\text{eq})$
Cl(1)	4250(1)	164(1)	8048(1)	45(1)
Cl(2)	1256(1)	-583(1)	9730(1)	66(1)
O(1)	4259(1)	3808(2)	8598(1)	62(1)
O(2)	2046(1)	706(2)	7313(1)	51(1)
O(3)	1895(1)	2755(2)	8495(1)	52(1)
C(1)	3393(1)	1188(2)	8833(1)	33(1)
C(2)	3877(2)	2900(2)	9198(2)	40(1)
C(3)	3798(2)	3154(3)	10376(2)	49(1)
C(4)	3157(2)	1735(2)	10718(2)	45(1)
C(5)	3316(2)	322(2)	9938(1)	35(1)
C(6)	2622(2)	-1193(2)	9987(2)	45(1)
C(7)	2770(2)	-2505(3)	9145(2)	62(1)
C(8)	2794(2)	-1916(3)	11139(2)	69(1)
C(9)	2365(2)	1485(2)	8109(2)	38(1)
C(10)	852(2)	3124(4)	7976(3)	90(1)
C(11)	325(3)	4031(5)	8751(4)	122(1)

Table 3. Bond lengths [Å] and angles [°] for mar677a.

Cl(1)-C(1)	1.7817(19)	C(8)-C(6)-C(5)	109.32(18)
Cl(2)-C(6)	1.833(2)	C(7)-C(6)-Cl(2)	106.22(15)
O(1)-C(2)	1.200(2)	C(8)-C(6)-Cl(2)	106.43(16)
O(2)-C(9)	1.196(2)	C(5)-C(6)-Cl(2)	109.99(13)
O(3)-C(9)	1.320(2)	O(2)-C(9)-O(3)	125.58(18)
O(3)-C(10)	1.454(3)	O(2)-C(9)-C(1)	125.53(18)
C(1)-C(9)	1.527(3)	O(3)-C(9)-C(1)	108.89(16)
C(1)-C(5)	1.552(2)	C(11)-C(10)-O(3)	108.0(2)
C(1)-C(2)	1.565(3)		
C(2)-C(3)	1.489(3)		
C(3)-C(4)	1.515(3)		
C(4)-C(5)	1.530(3)		
C(5)-C(6)	1.531(3)		
C(6)-C(7)	1.519(3)		
C(6)-C(8)	1.529(3)		
C(10)-C(11)	1.452(4)		
C(9)-O(3)-C(10)	116.92(18)		
C(9)-C(1)-C(5)	115.65(15)		
C(9)-C(1)-C(2)	108.53(15)		
C(5)-C(1)-C(2)	102.63(14)		
C(9)-C(1)-Cl(1)	108.53(12)		
C(5)-C(1)-Cl(1)	112.91(12)		
C(2)-C(1)-Cl(1)	108.16(13)		
O(1)-C(2)-C(3)	127.63(19)		
O(1)-C(2)-C(1)	123.35(18)		
C(3)-C(2)-C(1)	109.01(16)		
C(2)-C(3)-C(4)	106.44(16)		
C(3)-C(4)-C(5)	105.34(15)		
C(4)-C(5)-C(6)	116.34(16)		
C(4)-C(5)-C(1)	104.35(14)		
C(6)-C(5)-C(1)	120.46(16)		
C(7)-C(6)-C(8)	110.82(18)		
C(7)-C(6)-C(5)	113.77(17)		

Symmetry transformations used to generate equivalent atoms:

Table 4. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar677a. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
Cl(1)	44(1)	57(1)	35(1)	-4(1)	10(1)	8(1)
Cl(2)	42(1)	71(1)	88(1)	19(1)	14(1)	-5(1)
O(1)	75(1)	58(1)	56(1)	2(1)	16(1)	-26(1)
O(2)	49(1)	61(1)	41(1)	-5(1)	-7(1)	-4(1)
O(3)	41(1)	53(1)	59(1)	-2(1)	-5(1)	13(1)
C(1)	34(1)	38(1)	26(1)	-1(1)	3(1)	2(1)
C(2)	38(1)	41(1)	39(1)	0(1)	2(1)	-3(1)
C(3)	61(1)	43(1)	42(1)	-9(1)	3(1)	-2(1)
C(4)	55(1)	52(1)	30(1)	-2(1)	8(1)	7(1)
C(5)	35(1)	39(1)	30(1)	3(1)	4(1)	4(1)
C(6)	46(1)	44(1)	47(1)	11(1)	9(1)	1(1)
C(7)	72(2)	40(1)	74(2)	-2(1)	13(1)	-8(1)
C(8)	79(2)	68(2)	61(2)	32(1)	11(1)	-1(1)
C(9)	37(1)	40(1)	36(1)	5(1)	5(1)	-2(1)
C(10)	56(2)	101(2)	103(2)	-8(2)	-26(2)	37(2)
C(11)	61(2)	123(3)	184(4)	22(3)	24(2)	38(2)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar677a.

	x	y	z	U(eq)
H(3A)	3464	4199	10485	58
H(3B)	4480	3155	10799	58
H(4A)	2432	2039	10656	55
H(4B)	3392	1418	11467	55
H(5)	4018	-80	10182	42
H(7A)	2570	-2067	8427	93
H(7B)	2348	-3447	9252	93
H(7C)	3484	-2830	9224	93
H(8A)	3516	-2159	11337	104
H(8B)	2398	-2911	11159	104
H(8C)	2578	-1131	11643	104
H(10A)	879	3781	7325	108
H(10B)	483	2109	7767	108
H(11A)	329	3391	9404	183
H(11B)	-377	4243	8437	183
H(11C)	675	5059	8923	183

Figure S3. X-ray analysis of compound 3g

Table 1. Crystal data and structure refinement for mar793.

Identification code	mar793	
Empirical formula	C ₁₅ H ₂₂ Cl ₂ O ₃	
Formula weight	321.23	
Temperature	253(2) K	
Wavelength	0.71073 Å	
Crystal system	Triclinic	
Space group	P $\bar{1}$ (#2)	
Unit cell dimensions	a = 8.154(2) Å	= 105.69(3)°.
	b = 8.433(2) Å	= 96.24(3)°.
	c = 12.531(3) Å	= 94.71(3)°.
Volume	819.0(3) Å ³	
Z	2	
Density (calculated)	1.303 Mg/m ³	
Absorption coefficient	0.400 mm ⁻¹	
F(000)	340	
Crystal size	0.5 x 0.2 x 0.1 mm ³	
Theta range for data collection	1.70 to 25.15°.	
Index ranges	-8 ≤ h ≤ 9, -9 ≤ k ≤ 9, -13 ≤ l ≤ 13	
Reflections collected	2350	
Independent reflections	1600 [R(int) = 0.0331]	
Completeness to theta = 25.15°	54.7 %	
Absorption correction	None	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	1600 / 0 / 183	
Goodness-of-fit on F ²	1.020	
Final R indices [I > 2σ(I)]	R1 = 0.0553, wR2 = 0.1640	
R indices (all data)	R1 = 0.0756, wR2 = 0.1853	
Largest diff. peak and hole	0.274 and -0.337 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar793. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U^{ij} tensor.

	x	y	z	$U(\text{eq})$
Cl(1)	8056(2)	5488(2)	4296(1)	117(1)
Cl(2)	-575(2)	2114(2)	519(1)	107(1)
O(1)	5919(6)	7682(5)	5448(3)	127(2)
O(2)	8101(5)	6825(4)	2183(4)	104(1)
O(3)	7380(4)	8961(4)	3457(3)	87(1)
C(1)	6421(5)	6287(5)	3568(3)	63(1)
C(2)	5469(7)	7345(6)	4455(4)	83(2)
C(3)	3899(8)	7844(6)	3976(5)	102(2)
C(4)	2763(6)	6334(6)	3213(4)	80(1)
C(5)	3617(5)	5305(4)	2253(3)	55(1)
C(6)	5211(5)	4802(5)	2783(3)	58(1)
C(7)	6066(6)	3612(5)	1919(4)	79(1)
C(8)	4919(6)	2000(6)	1381(5)	97(2)
C(9)	3335(6)	2374(5)	818(4)	78(1)
C(10)	2462(5)	3636(5)	1635(4)	63(1)
C(14)	3944(6)	6330(5)	1434(4)	73(1)
C(11)	7404(6)	7359(6)	2976(4)	68(1)
C(12)	8255(9)	10126(7)	2948(5)	109(2)
C(13)	9912(11)	10577(11)	3456(6)	192(4)
C(15)	867(6)	3939(6)	1042(5)	90(2)

Table 3. Bond lengths [Å] and angles [°] for mar793.

Cl(1)-C(1)	1.811(4)	C(6)-C(5)-C(14)	113.2(3)
Cl(2)-C(15)	1.781(5)	C(6)-C(5)-C(4)	107.8(3)
O(1)-C(2)	1.207(5)	C(14)-C(5)-C(4)	109.3(3)
O(2)-C(11)	1.199(5)	C(6)-C(5)-C(10)	106.3(3)
O(3)-C(11)	1.325(5)	C(14)-C(5)-C(10)	110.9(3)
O(3)-C(12)	1.485(6)	C(4)-C(5)-C(10)	109.2(3)
C(1)-C(11)	1.543(6)	C(7)-C(6)-C(5)	112.4(3)
C(1)-C(2)	1.549(7)	C(7)-C(6)-C(1)	113.3(3)
C(1)-C(6)	1.559(5)	C(5)-C(6)-C(1)	114.2(3)
C(2)-C(3)	1.495(8)	C(8)-C(7)-C(6)	110.0(4)
C(3)-C(4)	1.532(7)	C(9)-C(8)-C(7)	109.5(4)
C(4)-C(5)	1.550(5)	C(8)-C(9)-C(10)	112.0(4)
C(5)-C(6)	1.538(5)	C(15)-C(10)-C(9)	110.1(4)
C(5)-C(14)	1.540(5)	C(15)-C(10)-C(5)	112.1(3)
C(5)-C(10)	1.582(6)	C(9)-C(10)-C(5)	113.2(3)
C(6)-C(7)	1.536(5)	O(2)-C(11)-O(3)	123.9(4)
C(7)-C(8)	1.529(7)	O(2)-C(11)-C(1)	124.9(4)
C(8)-C(9)	1.501(7)	O(3)-C(11)-C(1)	111.3(4)
C(9)-C(10)	1.543(6)	C(13)-C(12)-O(3)	110.8(5)
C(10)-C(15)	1.502(6)	C(10)-C(15)-Cl(2)	112.7(3)
C(12)-C(13)	1.405(9)		
C(11)-O(3)-C(12)	116.5(4)		
C(11)-C(1)-C(2)	111.9(3)		
C(11)-C(1)-C(6)	115.7(3)		
C(2)-C(1)-C(6)	109.4(3)		
C(11)-C(1)-Cl(1)	102.4(3)		
C(2)-C(1)-Cl(1)	107.9(3)		
C(6)-C(1)-Cl(1)	108.9(3)		
O(1)-C(2)-C(3)	122.8(5)		
O(1)-C(2)-C(1)	123.0(6)		
C(3)-C(2)-C(1)	114.1(4)		
C(2)-C(3)-C(4)	111.3(4)		
C(3)-C(4)-C(5)	113.1(4)		

Symmetry transformations used to generate equivalent atoms:

Table 4. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar793. The anisotropic displacement factor exponent takes the form: $-2 \left[h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12} \right]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
Cl(1)	104(1)	111(1)	130(1)	62(1)	-51(1)	-20(1)
Cl(2)	61(1)	96(1)	137(1)	3(1)	-11(1)	-2(1)
O(1)	171(4)	133(3)	51(2)	10(2)	3(2)	-60(3)
O(2)	99(3)	94(3)	122(3)	27(2)	52(3)	-5(2)
O(3)	106(3)	60(2)	95(2)	26(2)	20(2)	-8(2)
C(1)	67(3)	63(3)	59(3)	25(2)	-5(2)	-4(2)
C(2)	99(4)	76(3)	60(3)	12(3)	10(3)	-32(3)
C(3)	104(4)	91(4)	93(4)	-14(3)	48(4)	2(3)
C(4)	74(3)	83(3)	72(3)	4(3)	22(3)	3(2)
C(5)	58(3)	57(2)	52(2)	17(2)	10(2)	4(2)
C(6)	62(3)	57(2)	57(2)	21(2)	3(2)	-1(2)
C(7)	61(3)	65(3)	103(3)	10(3)	4(3)	13(2)
C(8)	68(3)	66(3)	133(4)	-7(3)	-3(3)	15(3)
C(9)	64(3)	71(3)	81(3)	-6(2)	6(3)	7(2)
C(10)	55(3)	67(3)	67(3)	20(2)	7(2)	2(2)
C(14)	73(3)	82(3)	70(3)	37(2)	6(3)	2(2)
C(11)	64(3)	69(3)	71(3)	22(3)	9(3)	-4(2)
C(12)	127(5)	83(4)	124(4)	53(3)	11(4)	-15(3)
C(13)	160(8)	225(9)	183(7)	120(7)	-57(7)	-118(7)
C(15)	60(3)	84(3)	115(4)	18(3)	-12(3)	5(2)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for mar793.

	x	y	z	U(eq)
H(3A)	4165	8614	3552	122
H(3B)	3320	8405	4580	122
H(4A)	1783	6709	2892	96
H(4B)	2404	5628	3659	96
H(6)	4839	4153	3272	70
H(7A)	6339	4128	1347	95
H(7B)	7091	3373	2282	95
H(8A)	5463	1251	835	117
H(8B)	4675	1463	1949	117
H(9A)	2592	1354	507	93
H(9B)	3579	2812	205	93
H(10)	2166	3122	2212	76
H(14A)	4713	7293	1812	109
H(14B)	2919	6668	1168	109
H(14C)	4404	5667	813	109
H(12A)	8229	9606	2154	131
H(12B)	7689	11112	3035	131
H(13A)	9939	11041	4248	287
H(13B)	10433	11385	3150	287
H(13C)	10496	9614	3318	287
H(15A)	1110	4366	424	108
H(15B)	364	4776	1556	108

Current Data Parameters
NAME: YL-348
PROCNO: 1
F2 - Acquisition Parameters
Date_: 11/01/01
Time: 17:22
INSTRUM: spect
PROBHD: 5 mm QNP 1H/13
PULPROG: zgpg30
PCPDPRG: zgpg30
SOLVENT: DMSO
NS: 65
DS: 4
SWH: 6472.829 Hz
FIDRES: 0.166560 Hz
AQ: 2.642250 sec
RG: 327.5
DE: 11.500 mm
TE: 300.2 K
CE: 4.00 mm
F4: 1.0000000 sec
F5: 9.00 mm
F6: 4.00 mm
SFO1: 300.136324 MHz
NUC1: 13C
NUC2: 1H
PC: 1.00
F2 - Processing parameters
SI: 32768
SF: 300.136324 MHz
WDW: EM
SSB: 0
GB: 0
PC: 1.00
F3 - Wavelet parameters
CR: 26.25 cm
L1: 16.44 cm
L2: 10.00 cm
L3: 6.25 cm
F4: -2.00 cm
F5: -4.124 cm
F6: -2.071 cm
F7: 0.000 cm
F8: 0.000 cm
F9: 0.000 cm
F10: 0.000 cm
F11: 0.000 cm
F12: 0.000 cm
F13: 0.000 cm
F14: 0.000 cm
F15: 0.000 cm
F16: 0.000 cm
F17: 0.000 cm
F18: 0.000 cm
F19: 0.000 cm
F20: 0.000 cm
F21: 0.000 cm
F22: 0.000 cm
F23: 0.000 cm
F24: 0.000 cm
F25: 0.000 cm
F26: 0.000 cm
F27: 0.000 cm
F28: 0.000 cm
F29: 0.000 cm
F30: 0.000 cm
F31: 0.000 cm
F32: 0.000 cm
F33: 0.000 cm
F34: 0.000 cm
F35: 0.000 cm
F36: 0.000 cm
F37: 0.000 cm
F38: 0.000 cm
F39: 0.000 cm
F40: 0.000 cm
F41: 0.000 cm
F42: 0.000 cm
F43: 0.000 cm
F44: 0.000 cm
F45: 0.000 cm
F46: 0.000 cm
F47: 0.000 cm
F48: 0.000 cm
F49: 0.000 cm
F50: 0.000 cm
F51: 0.000 cm
F52: 0.000 cm
F53: 0.000 cm
F54: 0.000 cm
F55: 0.000 cm
F56: 0.000 cm
F57: 0.000 cm
F58: 0.000 cm
F59: 0.000 cm
F60: 0.000 cm
F61: 0.000 cm
F62: 0.000 cm
F63: 0.000 cm
F64: 0.000 cm
F65: 0.000 cm
F66: 0.000 cm
F67: 0.000 cm
F68: 0.000 cm
F69: 0.000 cm
F70: 0.000 cm
F71: 0.000 cm
F72: 0.000 cm
F73: 0.000 cm
F74: 0.000 cm
F75: 0.000 cm
F76: 0.000 cm
F77: 0.000 cm
F78: 0.000 cm
F79: 0.000 cm
F80: 0.000 cm
F81: 0.000 cm
F82: 0.000 cm
F83: 0.000 cm
F84: 0.000 cm
F85: 0.000 cm
F86: 0.000 cm
F87: 0.000 cm
F88: 0.000 cm
F89: 0.000 cm
F90: 0.000 cm
F91: 0.000 cm
F92: 0.000 cm
F93: 0.000 cm
F94: 0.000 cm
F95: 0.000 cm
F96: 0.000 cm
F97: 0.000 cm
F98: 0.000 cm
F99: 0.000 cm
F100: 0.000 cm

Current Data Parameters
NAME 16-533
EXPNO 2
PROCNO 1
F2 - Acquisition Parameters
Date_ 20091113
Time 11:05:05
INSTRUM spect
PROBHD 5mm
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
DS 1
SWH 18632.362 Hz
FIDRES 0.24749 Hz
AQ 0.070044 sec
RG 6192
GB 26.1500 uHz
CW 18.1500 uHz
TE 300.2 K
D1 2.50000000 sec
d11 0.03000000 sec
===== CHANNEL f1 =====
NUC1 13C
P1 7.00 uHz
PL1 -5.00 dB
SFO1 75.4762054 MHz
===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
P2 100.00 uHz
PL2 120.00 dB
PL12 18.00 dB
SFO2 300.1312025 MHz
F2 - Processing parameters
SI 32768
SF 75.4775714 MHz
WDW EM
SSB 0
GB 1.00 Hz
PC 1.40
LO MW 210 parameters
CX 25.00 Hz
F1P 224.464 MHz
F2P 17709.36 Hz
F3P 116.616 MHz
F2 -1122.51 Hz
PUNCH 5.99159 sec/cha
NUCN 253.25976 Hz/cha

6e

1
 1
 F2 - Acquisition Parameters
 Date_ 20021025
 Time 18.05
 INSTRUM spect
 PROCNO 091300
 PROGNO DUAL SWH
 PULPROG zgpg30
 TO 32768
 SOLVENT CDCl3
 NS 2
 DS 2
 SWH 5905.204 Hz
 FIDRES 0.162959 Hz
 AQ 2.7329011 sH
 RG 71.80
 GB 0.000000 Hz
 BE 6.000000 Hz
 TE 300.0 K
 B1 1.00000000 sH
 ===== CHANNEL f1 =====
 NUC1 13C
 P1 9.00 uH
 PL1 -6.00 dB
 SF01 300.1318534 MHz
 F2 - Processing parameters
 SI 32768
 SF 300.1360030 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00
 =====
 10 MHz plot parameters
 CA 20.00 Hz
 CB 10.00 Hz
 PC 20.00 Hz
 F1 200.1318534 MHz
 F2 200.1360030 MHz
 F3 143.955 Hz
 PPM0 0.35707 sH
 HZ00 107.16976 Hz

1f

Current Data Parameters
 NAME: VIL-014C
 EXNO: 1
 PRGNO: 1

F2 - Acquisition Parameters
 Date_ Time: 20080821 00:00:00
 INSTRUM: dx-500
 PROBNM: 5 ml DMS-D3
 PULPROG: zgpg30
 ID SOLVENT: DMS-D3
 NS: 16
 DS: 4
 SWH: 5172.539 Hz
 FIDRES: 0.188396 Hz
 AQ: 2.1584368 sec
 RG: 327.68
 DW: 81.000 nsec
 DE: 4.50 nsec
 TE: 300.2 K
 D1: 1.00000000 sec

===== CHANNEL f1 =====
 NUC1: 13C
 P1: 9.00 nsec
 PL1: -6.00 dB
 SFO1: 300.1318504 MHz

F2 - Processing parameters
 SI: 32768
 SF: 300.1300004 MHz
 WDW: EM
 SSB: 0
 LB: 0.30 Hz
 GB: 0
 PC: 1.00

1D NMR plot parameters
 SI: 32768
 SF: 300.1300004 MHz
 F1: 2425.01 Hz
 F2: -0.313 Hz
 SFO1: 300.1300004 MHz
 PRON: 0.31973 sec/can
 MDN: 95.81126 Hz/can

1b

Integral

ppm

1b

Current Date Parameters
 NAME YNL-015B
 EXPNO 4
 PROCNO 1

F2 - Acquisition Parameters

Date_ 20020709
 Time 20.55
 INSTRUM av400
 PULPROG zgpg30
 TO 32768
 SOLVENT CDCl3
 NS 11
 DS 2
 SWH 8012.820 Hz
 FIDRES 0.244532 Hz
 AQ 2.0447931 SEC
 RG 650
 DA 62.400 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec

===== CHANNEL f1 =====

NUC1 ¹H
 P1 10.50 usec
 PL1 -4.00 dB
 SF01 400.1324008 MHz

F2 - Processing parameters

SF 32768
 SF 400.1300024 MHz
 WDW EM
 SSB 0
 GB 0
 PC 1.00

1D NMR plot parameters

CX 25.00 cm
 CY 11.15 cm
 FIP 8.061 ppm
 F1 3225.34 Hz
 F2P -0.307 ppm
 F2 -122.70 Hz
 PPMON 0.33470 ppm/cm
 HZCN 133.92168 Hz/cm

1d

Current Data Parameters
NAME YYL-D158
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters

Date_ 20020709
Time 21:00
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 26126.695 Hz
FIDRES 0.765773 Hz
AQ 0.6521132 sec
RG 1146.4
RW 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.00000000 sec
d11 0.03000000 sec
d12 0.00020000 sec

***** CHANNEL f1 *****
NUC1 13C
P1 6.10 usec
PL1 -5.00 dB
SFO1 100.6237964 MHz

***** CHANNEL f2 *****
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 -4.00 dB
PL12 13.60 dB
PL13 14.00 dB
SFO2 400.1316005 MHz

F2 - Processing parameters
SI 32768
SF 100.6127966 MHz
WDW EN
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters
CX 25.00 cm
C1 10.51 cm
F1 232.176 ppm
F2 23022.83 Hz
F3 14.138 ppm
F4 -1502.55 Hz
RG 9.9805 cm/cm
HZCM 1005.02521 Hz/cm

35.547
35.438
27.328
26.983
26.005
24.707
23.881
18.028
14.163
14.091

82.224
77.672
77.353
77.036
64.878

194.615
163.790
133.252
123.412

1d

Current Data Parameters
NAME YYL-E15
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20021005
Time 12.50
INSTRUM bw400
PROBHD 5 mm JNP 3H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 128
DS 2
SWH 8012.800 Hz
FIDRES 0.244632 Hz
AQ 2.0447731 sec
RG 128
DM 62.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

***** CHANNEL f1 *****
NUC1 1H
P1 10.50 usec
PL1 -4.00 dB
SF01 400.1324088 MHz

F2 - Processing parameters
SI 32768
SF 400.1300551 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 25.00 cm
CY 10.92 cm
F1P 8.214 ppm
F1 3286.64 Hz
F2P -0.575 ppm
F2 -230.101 Hz
P1PCW 0.38155 ppm/cps
NUC2 13C

1g

Current Data Parameters
 NAME YN-E35
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20021126
 Time 19.48
 INSTRUM av400
 PROBHD 5 mm QNP 1H/13
 PULPROG zg30
 TD 32768
 SOLVENT CDCl3
 NS 17
 DS 2
 SWH 8012.300 Hz
 FIDRES 0.244532 Hz
 AQ 2.0447731 sec
 RG 45.3
 DW 52.400 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec

***** CHANNEL f1 *****
 NUC1 1H
 P1 10.50 usec
 PL1 -4.00 dB
 SFO1 400.1324008 MHz

F2 - Processing parameters
 SI 32768
 SF 400.1259980 MHz
 NCM EN
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

1D NMR plot parameters
 CX 25.00 cm
 CY 11.65 cm
 F1P 8.000 ppm
 F1 3201.04 Hz
 F2P -0.356 ppm
 F2 -142.36 Hz
 PPM0 0.33423 ppm/cm
 NUCN 133.75689 Hz/cm

1e

Current Data Parameters
NAME YL-E35
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 2002126
Time 19:52
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT DMS
DS 2
SWH 25125.629 MHz
FIDRES 0.156773 Hz
AQ 0.662133 sec
RG 1149.4
DA 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.00000000 sec
d11 0.03000000 sec
d12 0.00020000 sec

***** CHANNEL f1 *****
NUC1 13C
P1 6.20 usec
PL1 -5.00 dB
SFO1 100.6237964 MHz

***** CHANNEL f2 *****
CPOPRG2 waltz16
NUC2 1H
P2 100.00 usec
PL2 120.00 dB
PL12 14.00 dB
PL13 14.00 dB
SFO2 400.1316005 MHz

F2 - Processing parameters
SI 32768
SF 100.6127399 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters
CX 25.00 cm
CY 10.45 cm
F1 234.765 ppm
F2 23600.34 Hz
F3 14.951 ppm
F4 -150.89 Hz
NUC1 100.6237964 ppm/cm
NUC2 1005.02508 Hz/cm
H2CM

Current Data Parameters
 NAME YL-0142-1
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters

Date_ 20020613
 Time 16.35
 INSTRUM av400
 PROBHD 5 mm QNP 1H/13
 PULPROG zgpg30
 TO 32768
 SOLVENT CDCl3
 NS 21
 DS 2
 SWH 8012.890 Hz
 FIDRES 0.244532 Hz
 AQ 2.0447731 sec
 RG 503.2
 DW 62.400 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec

===== CHANNEL f1 =====

NUC1 1H
 P1 10.40 usec
 PL1 -4.00 dB
 SFO1 400.1324008 MHz

F2 - Processing parameters

SF 32768
 SF0 400.130066 MHz
 KW EN
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

1D NMR plot parameters

CH 25.00 cm
 C1 9.68 cm
 F1P 7.853 dB
 F1 3142.313 Hz
 F2P -0.251 dB
 F2 -1.182 Hz
 PRACH 0.32617 dB/cm
 HZCN 131.31000 Hz/cm

2b

Current Data Parameters
NAME YYL-D142-1
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters

Date_ 20020613
Time 16:41
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 161
DS 2
SMH 25125.629 Hz
FIDRES 0.765773 Hz
AQ 0.6521332 sec
RG 1149.4
DM 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.0000000 sec
d11 0.0300000 sec
d12 0.0002000 sec

***** CHANNEL f1 *****

NUC1 13C
P1 6.20 usec
PL1 -5.00 dB
SF01 100.6237564 MHz

***** CHANNEL f2 *****

CPDPRG2 waltz16
NUC2 1H
P2 100.00 usec
PL2 120.00 dB
PL12 14.00 dB
PL13 14.00 dB
SF02 400.1316005 MHz

F2 - Processing parameters

SI 32768
SF 100.6127350 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters

CX 25.00 cm
CY 10.08 cm
F1P 234.803 ppm
F1 23624.17 Hz
F2P -14.923 ppm
F2 -1501.46 Hz
PPHM 9.99805 ppm/cm
HZCM 1005.02515 Hz/cm

2b

Current Data Parameters
NAME YYL-0142-2
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020613
Time 15:55
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 13
DS 2
SWH 8012.826 Hz
FIDRES 0.244532 Hz
AQ 2.041731 sec
RG 406.4
DM 62.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

***** CHANNEL f1 *****
NUC1 1H
P1 10.40 usec
PL1 -4.00 dB
SFO1 400.1324008 MHz

F2 - Processing parameters
SI 32768
SF 400.1300260 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 25.00 cm
CY 10.31 cm
FIP 8.207 dBm
F1 3283.95 Hz
F2 -0.421 dBm
FZ -168.47 Hz
PPOCK 0.34513 dBm/cm
HZCK 138.03671 Hz/cm

3b

Current Data Parameters
NAME YYL-0142-2
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020613
Time 17.02
INSTRUM v4400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 511
DS 2
SWH 25125.629 Hz
FIDRES 0.766773 Hz
AQ 0.6521332 sec
RG 1149.4
DN 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

***** CHANNEL f1 *****
NUC1 13C
P1 8.60 usec
PL1 -3.00 dB
SFO1 100.6230564 MHz

***** CHANNEL f2 *****
CPDPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 120.00 dB
PL12 14.00 dB
PL13 14.00 dB
SFO2 400.1316005 MHz

F2 - Processing parameters
SI 32769
SF 100.6127335 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters
CX 25.00 cm
CY 10.45 cm
F1P 231.565 ppm
F1 23298.42 Hz
F2P -5.649 ppm
F2 -568.40 Hz
PPMCH 9.48659 ppm/cm
HZCM 954.67310 Hz/cm

169.389
128.146
127.906

77.679
77.361
77.043
73.422
70.475
53.626
62.751

39.726
34.156
34.320
30.968
30.917
22.639
17.483
13.980

3b

Current Data Parameters
 EXPNO 1
 F1 - CHLOR 1
 PREPRO 1
 F2 - Acquisition Parameters
 Date_ 20020718
 Time 21:47
 Operator
 PROGNO DUK 5000
 PULPROG zgpg30
 TO 32768
 SOLVENT CDCl3
 NS 1
 DS 2
 SWH 5995.264 Hz
 FIDRES 0.180959 Hz
 AQ 2.1755000 sec
 RG 208.1 Wz
 DM 83.400 unrec
 DE 6.00 unrec
 TE 300.2 K
 D1 1.50000000 sec
 ===== CHANNEL f1 =====
 NUCL1
 P1 9.00 unrec
 PL1 0.00 dB
 SFO1 300.136200 MHz
 F2 - Processing parameters
 SI 300.136200 MHz
 SF 300.136200 MHz
 EQ4 EA
 L2 0
 L3 0.30 Hz
 LB 0
 GB 0
 PC 1.00
 10 MHz p131 parameters
 CX 25.00 cm
 F1 25.00 MHz
 F2 25.00 MHz
 F3 25.00 MHz
 F4 -10.361 MHz
 F5 -114.46 MHz
 F6 0.00000000 MHz
 F7 0.00000000 MHz
 F8 0.00000000 MHz
 F9 0.00000000 MHz
 F10 0.00000000 MHz

Current Data Parameters
NAME YYL-0163-2
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020718
Time 15.04
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 165
DS 2
SWH 25125.629 Hz
FIDRES 0.766773 Hz
AQ 0.6521332 sec
RG 1148.4
DM 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.00000000 sec
d11 0.03000000 sec
d12 0.00002000 sec

***** CHANNEL f1 *****
NUC1 13C
P1 6.10 usec
PL1 -5.00 dB
SFO1 100.6237964 MHz

***** CHANNEL f2 *****
CQDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 4.00 dB
PL3 13.80 dB
PL13 1.00 dB
SFO2 400.1316005 MHz

F2 - Processing parameters
SI 32768
SF 100.6127365 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters
CX 25.00 cm
CY 9.91 cm
F1P 234.788 ppm
F1 23622.63 Hz
F2P -14.936 ppm
F2 -1502.95 Hz
PPMCM 9.98905 ppm/cm
HZCM 1005.02521 Hz/cm

3d

Current Data Parameters
NAME YL-E40-1
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20021130
Time 13.02
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 17
DS 2
SWH 8012.820 Hz
FIDRES 0.24532 Hz
AQ 2.0447731 sec
RG 62.400 usec
DM 62.400 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

***** CHANNEL f1 *****
NUC1 13C
P1 10.50 usec
PL1 -4.00 dB
SFO1 400.1324008 MHz

F2 - Processing parameters
S1 32768
SF 400.130065 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 25.00 cm
CY 11.54 cm
F1P 8151.000
F1 3261.33 Hz
F2P -0.317 ppm
F2 -126.85 Hz
PPH0 0.33871 ppm/ca
HZCM 135.52747 Hz/ca

2e/3e
isomer1

Current Data Parameters
 NAME: VYL-E-40-2
 EXPNO: 1
 PROCNO: 1
 F2 - Acquisition Parameters
 Date_ : 20050727
 Time : 19.42
 INSTRUM: spect
 PROBHD: QNP 5mm
 PULPROG: zgpg30
 TD: 32768
 SFO: 500.136
 AQ: 13
 DS: 2
 SWH: 10000.000 Hz
 FIDRES: 0.000000 Hz
 AQ: 2.7395011 sec
 RG: 409.1
 ACQ: 10.000000 sec
 DE: 8.000000 sec
 TE: 300.2 K
 D1: 1.0000000 sec
 ===== CHANNEL f1 =====
 NUC1: ¹H
 P1: 12.000000 sec
 PL1: -1.00 dB
 SFO1: 500.1361834 MHz
 F2 - Processing parameters
 SI: 32768
 SF: 500.1360948 MHz
 DS: 2
 SWH: 10000.000 Hz
 LG: 0.36 Hz
 GB: 0
 PC: 1.00
 3D NMR Data Parameters
 F1A: 500.1361834 MHz
 F1B: 500.1360948 MHz
 F1: 500.1360948 MHz
 F2: 500.1360948 MHz
 F3: 500.1360948 MHz
 PRQCH: 0.00015 sec/cycle
 HSCN: 100.00000 Hz/cycle

2e/3e
isomer 2

Current Data Parameters	
NAME	YVL-640-2
EXPNO	2
PROCNO	1

```

F2 - Acquisition Parameters
Date_      20021207
Time       19.46
INSTRUM    opx300
PROBHD     QUA1.5mm

```

PULPHOG	2000	
TO	32768	
SOLVENT	CDC13	
NS	1441	
D5	3	
SWA	18832.393	HZ
FIRMS	0.874719	HZ
AG	0.8700404	SEC
RG	8192	
DN	20.550	USRC
DC	6.00	USRC
TE	300.0	K
O1	2.50000000	SEC
d11	0.03000000	SEC

```
***** CHANNEL 1 *****
NUC1      13C
P1         7.00 USRC
PL1        -6.00 dB
SF01       75.1760204 MHz
```

```
----- CHANNEL 12 -----
CP0P02
NUC2
PCP02 100.00 USBC
PL2 320.00 DB
PL2 18.00 DB
SF02 300.1312005 MW
```

F2 - Processing parameters	
SI	32768
SF	75.4677219 MHz
MODE	EW
SSB	0
LB	1.00 Hz
CB	0
PC	1.40

1D NMR pict parameters	
CX	25.00 ca
F1P	233.475 00e
F1	17619.79 Hz
F2P	-13.597 00e
F2	-1026.14 Hz
PPHOM	9.88266 ppm/°C
H2CN	745.63722 Hz/°C

Current Data Parameters
 Name: 4f
 EXPNO: 2
 PROCNO: 1
 F2 - Acquisition Parameters
 Date_: 20021111
 Time: 11:38
 INSTRUM: spect
 PULPROG: zgpg30
 DUAL: 500
 F1: 500.136197 MHz
 F2: 125.761154 MHz
 F3: 62.880577 MHz
 F4: 31.440288 MHz
 F5: 15.720144 MHz
 F6: 7.860072 MHz
 F7: 3.930036 MHz
 F8: 1.965018 MHz
 F9: 9.825090 MHz
 F10: 4.912545 MHz
 F11: 2.456272 MHz
 F12: 1.228136 MHz
 F13: 0.614068 MHz
 F14: 0.307034 MHz
 F15: 0.153517 MHz
 F16: 0.076758 MHz
 F17: 0.038379 MHz
 F18: 0.019189 MHz
 F19: 0.009594 MHz
 F20: 0.004797 MHz
 F21: 0.002398 MHz
 F22: 0.001199 MHz
 F23: 0.000599 MHz
 F24: 0.000299 MHz
 F25: 0.000149 MHz
 F26: 7.00 MHz
 F27: 3.50 MHz
 F28: 1.75 MHz
 F29: 0.875 MHz
 F30: 0.4375 MHz
 F31: 0.21875 MHz
 F32: 0.109375 MHz
 F33: 0.0546875 MHz
 F34: 0.02734375 MHz
 F35: 0.013671875 MHz
 F36: 0.0068359375 MHz
 F37: 0.00341796875 MHz
 F38: 0.001708984375 MHz
 F39: 0.0008544921875 MHz
 F40: 0.00042724609375 MHz
 F41: 0.000213623046875 MHz
 F42: 0.0001068115234375 MHz
 F43: 5.3000000 MHz
 F44: 2.6500000 MHz
 F45: 1.3250000 MHz
 F46: 0.6625000 MHz
 F47: 0.3312500 MHz
 F48: 0.1656250 MHz
 F49: 0.0828125 MHz
 F50: 0.0414062 MHz
 F51: 0.0207031 MHz
 F52: 0.0103515 MHz
 F53: 0.0051757 MHz
 F54: 0.0025879 MHz
 F55: 0.0012939 MHz
 F56: 0.0006469 MHz
 F57: 0.0003234 MHz
 F58: 0.0001617 MHz
 F59: 7.00 MHz
 F60: 3.50 MHz
 F61: 1.75 MHz
 F62: 0.875 MHz
 F63: 0.4375 MHz
 F64: 0.21875 MHz
 F65: 0.109375 MHz
 F66: 0.0546875 MHz
 F67: 0.02734375 MHz
 F68: 0.013671875 MHz
 F69: 0.0068359375 MHz
 F70: 0.00341796875 MHz
 F71: 0.001708984375 MHz
 F72: 0.0008544921875 MHz
 F73: 0.00042724609375 MHz
 F74: 0.000213623046875 MHz
 F75: 0.0001068115234375 MHz
 F76: 5.3000000 MHz
 F77: 2.6500000 MHz
 F78: 1.3250000 MHz
 F79: 0.6625000 MHz
 F80: 0.3312500 MHz
 F81: 0.1656250 MHz
 F82: 0.0828125 MHz
 F83: 0.0414062 MHz
 F84: 0.0207031 MHz
 F85: 0.0103515 MHz
 F86: 0.0051757 MHz
 F87: 0.0025879 MHz
 F88: 0.0012939 MHz
 F89: 0.0006469 MHz
 F90: 0.0003234 MHz
 F91: 0.0001617 MHz
 F92: 7.00 MHz
 F93: 3.50 MHz
 F94: 1.75 MHz
 F95: 0.875 MHz
 F96: 0.4375 MHz
 F97: 0.21875 MHz
 F98: 0.109375 MHz
 F99: 0.0546875 MHz
 F100: 0.02734375 MHz
 F101: 0.013671875 MHz
 F102: 0.0068359375 MHz
 F103: 0.00341796875 MHz
 F104: 0.001708984375 MHz
 F105: 0.0008544921875 MHz
 F106: 0.00042724609375 MHz
 F107: 0.000213623046875 MHz
 F108: 0.0001068115234375 MHz
 F109: 5.3000000 MHz
 F110: 2.6500000 MHz
 F111: 1.3250000 MHz
 F112: 0.6625000 MHz
 F113: 0.3312500 MHz
 F114: 0.1656250 MHz
 F115: 0.0828125 MHz
 F116: 0.0414062 MHz
 F117: 0.0207031 MHz
 F118: 0.0103515 MHz
 F119: 0.0051757 MHz
 F120: 0.0025879 MHz
 F121: 0.0012939 MHz
 F122: 0.0006469 MHz
 F123: 0.0003234 MHz
 F124: 0.0001617 MHz
 F125: 7.00 MHz
 F126: 3.50 MHz
 F127: 1.75 MHz
 F128: 0.875 MHz
 F129: 0.4375 MHz
 F130: 0.21875 MHz
 F131: 0.109375 MHz
 F132: 0.0546875 MHz
 F133: 0.02734375 MHz
 F134: 0.013671875 MHz
 F135: 0.0068359375 MHz
 F136: 0.00341796875 MHz
 F137: 0.001708984375 MHz
 F138: 0.0008544921875 MHz
 F139: 0.00042724609375 MHz
 F140: 0.000213623046875 MHz
 F141: 0.0001068115234375 MHz
 F142: 5.3000000 MHz
 F143: 2.6500000 MHz
 F144: 1.3250000 MHz
 F145: 0.6625000 MHz
 F146: 0.3312500 MHz
 F147: 0.1656250 MHz
 F148: 0.0828125 MHz
 F149: 0.0414062 MHz
 F150: 0.0207031 MHz
 F151: 0.0103515 MHz
 F152: 0.0051757 MHz
 F153: 0.0025879 MHz
 F154: 0.0012939 MHz
 F155: 0.0006469 MHz
 F156: 0.0003234 MHz
 F157: 0.0001617 MHz
 F158: 7.00 MHz
 F159: 3.50 MHz
 F160: 1.75 MHz
 F161: 0.875 MHz
 F162: 0.4375 MHz
 F163: 0.21875 MHz
 F164: 0.109375 MHz
 F165: 0.0546875 MHz
 F166: 0.02734375 MHz
 F167: 0.013671875 MHz
 F168: 0.0068359375 MHz
 F169: 0.00341796875 MHz
 F170: 0.001708984375 MHz
 F171: 0.0008544921875 MHz
 F172: 0.00042724609375 MHz
 F173: 0.000213623046875 MHz
 F174: 0.0001068115234375 MHz
 F175: 5.3000000 MHz
 F176: 2.6500000 MHz
 F177: 1.3250000 MHz
 F178: 0.6625000 MHz
 F179: 0.3312500 MHz
 F180: 0.1656250 MHz
 F181: 0.0828125 MHz
 F182: 0.0414062 MHz
 F183: 0.0207031 MHz
 F184: 0.0103515 MHz
 F185: 0.0051757 MHz
 F186: 0.0025879 MHz
 F187: 0.0012939 MHz
 F188: 0.0006469 MHz
 F189: 0.0003234 MHz
 F190: 0.0001617 MHz
 F191: 7.00 MHz
 F192: 3.50 MHz
 F193: 1.75 MHz
 F194: 0.875 MHz
 F195: 0.4375 MHz
 F196: 0.21875 MHz
 F197: 0.109375 MHz
 F198: 0.0546875 MHz
 F199: 0.02734375 MHz
 F200: 0.013671875 MHz
 F201: 0.0068359375 MHz
 F202: 0.00341796875 MHz
 F203: 0.001708984375 MHz
 F204: 0.0008544921875 MHz
 F205: 0.00042724609375 MHz
 F206: 0.000213623046875 MHz
 F207: 0.0001068115234375 MHz
 F208: 5.3000000 MHz
 F209: 2.6500000 MHz
 F210: 1.3250000 MHz
 F211: 0.6625000 MHz
 F212: 0.3312500 MHz
 F213: 0.1656250 MHz
 F214: 0.0828125 MHz
 F215: 0.0414062 MHz
 F216: 0.0207031 MHz
 F217: 0.0103515 MHz
 F218: 0.0051757 MHz
 F219: 0.0025879 MHz
 F220: 0.0012939 MHz
 F221: 0.0006469 MHz
 F222: 0.0003234 MHz
 F223: 0.0001617 MHz
 F224: 7.00 MHz
 F225: 3.50 MHz
 F226: 1.75 MHz
 F227: 0.875 MHz
 F228: 0.4375 MHz
 F229: 0.21875 MHz
 F230: 0.109375 MHz
 F231: 0.0546875 MHz
 F232: 0.02734375 MHz
 F233: 0.013671875 MHz
 F234: 0.0068359375 MHz
 F235: 0.00341796875 MHz
 F236: 0.001708984375 MHz
 F237: 0.0008544921875 MHz
 F238: 0.00042724609375 MHz
 F239: 0.000213623046875 MHz
 F240: 0.0001068115234375 MHz
 F241: 5.3000000 MHz
 F242: 2.6500000 MHz
 F243: 1.3250000 MHz
 F244: 0.6625000 MHz
 F245: 0.3312500 MHz
 F246: 0.1656250 MHz
 F247: 0.0828125 MHz
 F248: 0.0414062 MHz
 F249: 0.0207031 MHz
 F250: 0.0103515 MHz
 F251: 0.0051757 MHz
 F252: 0.0025879 MHz
 F253: 0.0012939 MHz
 F254: 0.0006469 MHz
 F255: 0.0003234 MHz
 F256: 0.0001617 MHz
 F257: 7.00 MHz
 F258: 3.50 MHz
 F259: 1.75 MHz
 F260: 0.875 MHz
 F261: 0.4375 MHz
 F262: 0.21875 MHz
 F263: 0.109375 MHz
 F264: 0.0546875 MHz
 F265: 0.02734375 MHz
 F266: 0.013671875 MHz
 F267: 0.0068359375 MHz
 F268: 0.00341796875 MHz
 F269: 0.001708984375 MHz
 F270: 0.0008544921875 MHz
 F271: 0.00042724609375 MHz
 F272: 0.000213623046875 MHz
 F273: 0.0001068115234375 MHz
 F274: 5.3000000 MHz
 F275: 2.6500000 MHz
 F276: 1.3250000 MHz
 F277: 0.6625000 MHz
 F278: 0.3312500 MHz
 F279: 0.1656250 MHz
 F280: 0.0828125 MHz
 F281: 0.0414062 MHz
 F282: 0.0207031 MHz
 F283: 0.0103515 MHz
 F284: 0.0051757 MHz
 F285: 0.0025879 MHz
 F286: 0.0012939 MHz
 F287: 0.0006469 MHz
 F288: 0.0003234 MHz
 F289: 0.0001617 MHz
 F290: 7.00 MHz
 F291: 3.50 MHz
 F292: 1.75 MHz
 F293: 0.875 MHz
 F294: 0.4375 MHz
 F295: 0.21875 MHz
 F296: 0.109375 MHz
 F297: 0.0546875 MHz
 F298: 0.02734375 MHz
 F299: 0.013671875 MHz
 F300: 0.0068359375 MHz
 F301: 0.00341796875 MHz
 F302: 0.001708984375 MHz
 F303: 0.0008544921875 MHz
 F304: 0.00042724609375 MHz
 F305: 0.000213623046875 MHz
 F306: 0.0001068115234375 MHz
 F307: 5.3000000 MHz
 F308: 2.6500000 MHz
 F309: 1.3250000 MHz
 F310: 0.6625000 MHz
 F311: 0.3312500 MHz
 F312: 0.1656250 MHz
 F313: 0.0828125 MHz
 F314: 0.0414062 MHz
 F315: 0.0207031 MHz
 F316: 0.0103515 MHz
 F317: 0.0051757 MHz
 F318: 0.0025879 MHz
 F319: 0.0012939 MHz
 F320: 0.0006469 MHz
 F321: 0.0003234 MHz
 F322: 0.0001617 MHz
 F323: 7.00 MHz
 F324: 3.50 MHz
 F325: 1.75 MHz
 F326: 0.875 MHz
 F327: 0.4375 MHz
 F328: 0.21875 MHz
 F329: 0.109375 MHz
 F330: 0.0546875 MHz
 F331: 0.02734375 MHz
 F332: 0.013671875 MHz
 F333: 0.0068359375 MHz
 F334: 0.00341796875 MHz
 F335: 0.001708984375 MHz
 F336: 0.0008544921875 MHz
 F337: 0.00042724609375 MHz
 F338: 0.000213623046875 MHz
 F339: 0.0001068115234375 MHz
 F340: 5.3000000 MHz
 F341: 2.6500000 MHz
 F342: 1.3250000 MHz
 F343: 0.6625000 MHz
 F344: 0.3312500 MHz
 F345: 0.1656250 MHz
 F346: 0.0828125 MHz
 F347: 0.0414062 MHz
 F348: 0.0207031 MHz
 F349: 0.0103515 MHz
 F350: 0.0051757 MHz
 F351: 0.0025879 MHz
 F352: 0.0012939 MHz
 F353: 0.0006469 MHz
 F354: 0.0003234 MHz
 F355: 0.0001617 MHz
 F356: 7.00 MHz
 F357: 3.50 MHz
 F358: 1.75 MHz
 F359: 0.875 MHz
 F360: 0.4375 MHz
 F361: 0.21875 MHz
 F362: 0.109375 MHz
 F363: 0.0546875 MHz
 F364: 0.02734375 MHz
 F365: 0.013671875 MHz
 F366: 0.0068359375 MHz
 F367: 0.00341796875 MHz
 F368: 0.001708984375 MHz
 F369: 0.0008544921875 MHz
 F370: 0.00042724609375 MHz
 F371: 0.000213623046875 MHz
 F372: 0.0001068115234375 MHz
 F373: 5.3000000 MHz
 F374: 2.6500000 MHz
 F375: 1.3250000 MHz
 F376: 0.6625000 MHz
 F377: 0.3312500 MHz
 F378: 0.1656250 MHz
 F379: 0.0828125 MHz
 F380: 0.0414062 MHz
 F381: 0.0207031 MHz
 F382: 0.0103515 MHz
 F383: 0.0051757 MHz
 F384: 0.0025879 MHz
 F385: 0.0012939 MHz
 F386: 0.0006469 MHz
 F387: 0.0003234 MHz
 F388: 0.0001617 MHz
 F389: 7.00 MHz
 F390: 3.50 MHz
 F391: 1.75 MHz
 F392: 0.875 MHz
 F393: 0.4375 MHz
 F394: 0.21875 MHz
 F395: 0.109375 MHz
 F396: 0.0546875 MHz
 F397: 0.02734375 MHz
 F398: 0.013671875 MHz
 F399: 0.0068359375 MHz
 F400: 0.00341796875 MHz
 F401: 0.001708984375 MHz
 F402: 0.0008544921875 MHz
 F403: 0.00042724609375 MHz
 F404: 0.000213623046875 MHz
 F405: 0.0001068115234375 MHz
 F406: 5.3000000 MHz
 F407: 2.6500000 MHz
 F408: 1.3250000 MHz
 F409: 0.6625000 MHz
 F410: 0.3312500 MHz
 F411: 0.1656250 MHz
 F412: 0.0828125 MHz
 F413: 0.0414062 MHz
 F414: 0.0207031 MHz
 F415: 0.0103515 MHz
 F416: 0.0051757 MHz
 F417: 0.0025879 MHz
 F418: 0.0012939 MHz
 F419: 0.0006469 MHz
 F420: 0.0003234 MHz
 F421: 0.0001617 MHz
 F422: 7.00 MHz
 F423: 3.50 MHz
 F424: 1.75 MHz
 F425: 0.875 MHz
 F426: 0.4375 MHz
 F427: 0.21875 MHz
 F428: 0.109375 MHz
 F429: 0.0546875 MHz
 F430: 0.02734375 MHz
 F431: 0.013671875 MHz
 F432: 0.0068359375 MHz
 F433: 0.00341796875 MHz
 F434: 0.001708984375 MHz
 F435: 0.0008544921875 MHz
 F436: 0.00042724609375 MHz
 F437: 0.000213623046875 MHz
 F438: 0.0001068115234375 MHz
 F439: 5.3000000 MHz
 F440: 2.6500000 MHz
 F441: 1.3250000 MHz
 F442: 0.6625000 MHz
 F443: 0.3312500 MHz
 F444: 0.1656250 MHz
 F445: 0.0828125 MHz
 F446: 0.0414062 MHz
 F447: 0.0207031 MHz
 F448: 0.0103515 MHz
 F449: 0.0051757 MHz
 F450: 0.0025879 MHz
 F451: 0.0012939 MHz
 F452: 0.0006469 MHz
 F453: 0.0003234 MHz
 F454: 0.0001617 MHz
 F455: 7.00 MHz
 F456: 3.50 MHz
 F457: 1.75 MHz
 F458: 0.875 MHz
 F459: 0.4375 MHz
 F460: 0.21875 MHz
 F461: 0.109375 MHz
 F462: 0.0546875 MHz
 F463: 0.02734375 MHz
 F464: 0.013671875 MHz
 F465: 0.0068359375 MHz
 F466: 0.00341796875 MHz
 F467: 0.001708984375 MHz
 F468: 0.0008544921875 MHz
 F469: 0.00042724609375 MHz
 F470: 0.000213623046875 MHz
 F471: 0.0001068115234375 MHz
 F472: 5.3000000 MHz
 F473: 2.6500000 MHz
 F474: 1.3250000 MHz
 F475: 0.6625000 MHz
 F476: 0.3312500 MHz
 F477: 0.1656250 MHz
 F478: 0.0828125 MHz
 F479: 0.0414062 MHz
 F480: 0.0207031 MHz
 F481: 0.0103515 MHz
 F482: 0.0051757 MHz
 F483: 0.0025879 MHz
 F484: 0.0012939 MHz
 F485: 0.0006469 MHz
 F486: 0.0003234 MHz
 F487: 0.0001617 MHz
 F488: 7.00 MHz
 F489: 3.50 MHz
 F490: 1.75 MHz
 F491: 0.875 MHz
 F492: 0.4375 MHz
 F493: 0.21875 MHz
 F494: 0.109375 MHz
 F495: 0.0546875 MHz
 F496: 0.02734375 MHz
 F497: 0.013671875 MHz
 F498: 0.0068359375 MHz
 F499: 0.00341796875 MHz
 F500: 0.001708984375 MHz
 F501: 0.0008544921875 MHz
 F502: 0.00042724609375 MHz
 F503: 0.000213623046875 MHz
 F504: 0.0001068115234375 MHz
 F505: 5.3000000 MHz
 F506: 2.6500000 MHz
 F507: 1.3250000 MHz
 F508: 0.6625000 MHz
 F509: 0.3312500 MHz
 F510: 0.1656250 MHz
 F511: 0.0828125 MHz
 F512: 0.0414062 MHz
 F513: 0.0207031 MHz
 F514: 0.0103515 MHz
 F515: 0.0051757 MHz
 F516: 0.0025879 MHz
 F517: 0.0012939 MHz
 F518: 0.0006469 MHz
 F519: 0.0003234 MHz
 F520: 0.0001617 MHz
 F521: 7.00 MHz
 F522: 3.50 MHz
 F523: 1.75 MHz
 F524: 0.875 MHz
 F525: 0.4375 MHz
 F526: 0.21875 MHz
 F527: 0.109375 MHz
 F528: 0.0546875 MHz
 F529: 0.02734375 MHz
 F530: 0.013671875 MHz
 F531: 0.0068359375 MHz
 F532: 0.00341796875 MHz
 F533: 0.001708984375 MHz
 F534: 0.0008544921875 MHz
 F535: 0.00042724609375 MHz
 F536: 0.000213623046875 MHz
 F537: 0.0001068115234375 MHz
 F538: 5.3000000 MHz
 F539: 2.6500000 MHz
 F540: 1.3250000 MHz
 F541: 0.6625000 MHz
 F542: 0.3312500 MHz
 F543: 0.1656250 MHz
 F544: 0.0828125 MHz
 F545: 0.0414062 MHz
 F546: 0.0207031 MHz
 F547: 0.0103515 MHz
 F548: 0.0051757 MHz
 F549: 0.0025879 MHz
 F550: 0.0012939 MHz
 F551: 0.0006469 MHz
 F552: 0.0003234 MHz
 F553: 0.0001617 MHz
 F554: 7.00 MHz
 F555: 3.50 MHz
 F556: 1.75 MHz
 F557: 0.875 MHz
 F558: 0.4375 MHz
 F559: 0.21875 MHz
 F560: 0.109375 MHz
 F561: 0.0546875 MHz
 F562: 0.02734375 MHz
 F563: 0.013671875 MHz
 F564: 0.0068359375 MHz
 F565: 0.00341796875 MHz
 F566: 0.001708984375 MHz
 F567: 0.0008544921875 MHz
 F568: 0.00042724609375 MHz
 F569: 0.000213623046875 MHz
 F570: 0.0001068115234375 MHz
 F571: 5.3000000 MHz
 F572: 2.6500000 MHz
 F573: 1.3250000 MHz
 F574: 0.6625000 MHz
 F575: 0.3312500 MHz
 F576: 0.1656250 MHz
 F577: 0.0828125 MHz
 F578: 0.0414062 MHz
 F579: 0.0207031 MHz
 F580: 0.0103515 MHz
 F581: 0.0051757 MHz
 F582: 0.0025879 MHz
 F583: 0.0012939 MHz
 F584: 0.0006469 MHz
 F585: 0.0003234 MHz
 F586: 0.0001617 MHz
 F587: 7.00 MHz
 F588: 3.50 MHz
 F589: 1.75 MHz
 F590: 0.875 MHz
 F591: 0.4375 MHz
 F592: 0.21875 MHz
 F593: 0.109375 MHz
 F594: 0.0546875 MHz
 F595: 0.02734375 MHz
 F596: 0.013671875 MHz
 F597: 0.0068359375 MHz
 F598: 0.00341796875 MHz
 F599: 0.001708984375 MHz
 F600: 0.0008544921875 MHz
 F601: 0.00042724609375 MHz
 F602: 0.0002136

Current Data Parameters
NAME: YH-436-2
EXPNO: 1
PROCNO: 1

F2 - Acquisition Parameters
Date_ : 20060601
Time : 20.13
INSTRUM : spect
PROBHD : QNP 5mm
PULPROG : zgpg30
PCPDPRG : zgpg30
SOLVENT : CDCl3
NS : 19
DS : 2
SWH : 5000.200 Hz
FIDRES : 0.180299 Hz
AQ : 2.7329611 sec
RG : 327.00
DE : 0.30000000
TE : 300.2 K
D1 : 1.00000000 sec

===== CHANNEL f1 =====

NUC1 : 13C
P1 : 3.00 usec
PL1 : -0.00 dB
SFO1 : 300.1315934 MHz

F2 - Processing parameters
SI : 32768
WDW : EM
SSB : 0
LB : 0.30 Hz
GB : 0
PC : 1.00

1D NMR data parameters
EX : 25.00 cm
F1P : 8.180 GHz
F2P : 250.132 MHz
F3P : -9.487 MHz
F4 : -148.14 Hz
NUC2 : 13C
NUC3 : 1H
PCPDPRG : zgpg30

Current Data Parameters
 NAME YXL-E39-2
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20021125
 Time 18.55
 INSTRUM av400
 PROBHD 5 mm QNP 1H/13
 PULPROG zg30
 TO 32768
 SOLVENT CDCl3
 NS 12
 DS 2
 SWH 8012.820 Hz
 FIDRES 0.244532 Hz
 AQ 2.0447731 sec
 RG 80.6
 DM 62.400 usec
 DE 6.00 usec
 TE 300.0 K
 D1 1.00000000 sec

***** CHANNEL f1 *****
 NUC1 1H
 P1 10.50 usec
 PL1 -4.00 dB
 SF01 400.1324008 MHz

F2 - Processing parameters
 SI 32768
 SF 400.1300045 MHz
 AQ 2.0447731 sec
 EN 1.00
 LB 0.30 Hz
 GB 0
 PC 1.00

1D NMR plot parameters
 CX 25.00 cm
 CY 11.25 cm
 F1P 8.156 cm
 F1 3263.29 Hz
 F2P -0.433 cm
 F2 -173.07 Hz
 PPMCN 0.34352 cm/cm
 MZCM 137.45439 Hz/cm

Current Data Parameters
NAME YL-E39-2
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20021121
Time 19.00
INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 162
DS 2
SWH 25125.629 Hz
FIDRES 0.766773 Hz
AQ 0.6621332 sec
RG 1140.4
DN 19.900 usec
DE 6.00 usec
TE 300.0 K
D1 3.00000000 sec
d11 0.03000000 sec
d12 0.00002000 sec

300 K 400

1/0.020

77.675
77.358
77.040
57.316
49.981
41.043
48.377
46.293
37.835
37.748
36.710
27.812
26.837
26.053
14.614
12.162

4g

===== CHANNEL f1 =====
NUC1 13C
P1 6.20 usec
PL1 -5.00 dB
SFO1 100.6217554 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 120.00 dB
PL12 14.00 dB
PL13 14.00 dB
SFO2 400.1316005 MHz

F2 - Processing parameters
SI 32768
SF 100.6127556 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 0.70

1D NMR plot parameters
CX 25.00 cm
CY 10.17 cm
FIP 234.795 ppm
F1 23693.41 Hz
F2p -14.931 ppm
F2 -1502.22 Hz
F2nu 9.96955 ppm/cm
H2CN 1005.02521 Hz/cm