Supporting Information

Cyclization of 1-Bromo-2,7- and 2,8-Enynes Mediated by Indium

Phil Ho Lee,[†] Sundae Kim,[†] Kooyeon Lee,[†] Dong Seomoon,[†] Hyunseok Kim,[†]
Seokju Lee,[†] Misook Kim,[†] Mijeong Han,[†] Kwanghyun Noh,[†] and Tom Livinghouse[‡]*

[†]Department of Chemistry, Kangwon National University, Chunchon 200-701,
Republic of Korea

[‡]Department of Chemistry, Montana State University, Bozeman, Montana 59717

phlee@kangwon.ac.kr

Table of Contents

Experimental procedure and data of compounds **10-18, 23-26, 28-30** : S2-S11

¹H and ¹³C NMR spectra for compounds **10-18, 23-26, 28-30** : S12-S43

Experimental Section

Typical experimental procedure of cyclization of terminal 1,6-enynes: Indium metal (23mg, 0.2 mmol) and potassium iodide (99.6 mg, 0.6 mmol) are weighed into a test tube fitted with a septum. The test tube is free of oxygen by three cycles of evacuating and filling with nitrogen. To the tube is added a solution of *N*-(*E*)-4-bromo-2-butenyl-*N*-propagyl-*p*-toluenesulfonamide (69 mg, 0.2 mmol) in DMF (2 mL). The reaction mixture was stirred at room temperature under nitrogen for 1h. The reaction mixture was quenched with NaHCO₃ (sat. aq.). The aqueous layer was extracted with ether (3 x 20 mL), and the combined organic phase was washed with water and brine, dried with MgSO₄, filtered and concentrated under reduced pressure. The residue was purified by silica gel column chromatography (EtOAc:Hexane = 1:5) to give 3-methylene-1-tosyl-4-vinylpyrrolidine (43 mg, 83%). ¹H NMR (400 MHz, CDCl₃) δ 7.71 (d, *J* = 8.13 Hz, 2H), δ 7.34 (d, *J* = 8.13 Hz, 2H), δ 5.51 (ddd, *J* = 16.7 Hz, *J* = 10.4 Hz, *J* = 8.11 Hz, 1H), δ 5.11 (d, *J* = 18.2 Hz, 1H), δ 5.10 (d, *J* = 9.66 Hz, 1H), δ 4.98 (d, *J* = 2.34 Hz, 1H), δ 4.87 (d, *J* = 2.34 Hz, 1H), δ 4.00 (d, *J* = 14.06 Hz, 1H), δ 3.73 (dd, *J* = 14.06 Hz, *J* = 2.00 Hz, 1H), δ 3.62 (dd, *J* = 9.30 Hz, *J* = 7.93 Hz, 1H), δ 3.27-3.21 (m, 1H), δ 2.87 (dd, *J* = 9.30 Hz, *J* = 8.20 Hz, 1H), δ 2.44 (s, 3H); ¹³C NMR (100 MHz, CDCl₃) δ 146.6, 143.7, 135.6, 134.9, 132.7, 129.7, 127.8, 118.0, 108.2, 53.1, 51.8, 47.7; IR (film) 2925, 1597, 1345, 1162 cm⁻¹

Typical experimental procedure of cyclization of internal 1,6-enynes and terminal 1,7-enynes: Indium metal (23 mg, 0.2 mmol) is weighed into a test tube fitted with a

septum. The test tube is free of oxygen by three cycles of evacuating and filling with nitrogen. To the tube is added a solution of diethyl (*E*)-4-bromo-2-butenyl 3-trimethylsilyl-2-propynylmalonate (80.6 mg, 0.2 mmol) in DMF (2 mL). The reaction mixture was stirred at 100 °C under nitrogen for 1h. After cooling to room temperature, the reaction was quenched with NaHCO₃ (sat. aq.). The aqueous layer was extracted with ether (3 x 20 mL), and the combined organic phase was washed with water and brine, dried with MgSO₄, filtered and concentrated under reduced pressure. The residue was purified by silica gel column chromatography (EtOAc:Hexane = 1:10) to give diethyl 3-((*E*)-trimethylsilylmethylene)-4-vinylcyclopentane-1,1-dicarboxylate (41 mg, 63%) ¹H NMR (400 MHz, CDCl₃) δ 5.59 (ddd, *J* = 18.2 Hz, *J* = 10.3 Hz, *J* = 8.34 Hz, 1H), δ 5.33 (dd, *J* = 4.5 Hz, *J* = 2.18 Hz, 1H), δ 5.08 (d, *J* = 10.3 Hz, 1H), δ 5.04 (d, *J* = 18.2 Hz, 1H), δ 4.21 (q, *J* = 7.09 Hz, 2H), δ 4.19 (q, *J* = 7.09 Hz, 2H), δ 3.16-3.08 (m, 2H), δ 2.90 (dt, *J* = 17.1 Hz, *J* = 4.81 Hz, 1H), δ 2.56 (dd, *J* = 12.9 Hz, *J* = 7.77 Hz, 1H), δ 1.97 (dd, *J* = 12.9 Hz, *J* = 11.2 Hz, 1H), δ 1.27 (t, *J* = 7.09 Hz, 3H), δ 1.24 (t, *J* = 7.09 Hz, 3H), δ 0.10 (s, 9H); ¹³C NMR (100 MHz, CDCl₃) δ 172.1, 159.4, 140.0, 122.2, 116.7, 62.0, 62.0, 59.4, 40.4, 39.9, 14.5, 0.0; IR (film) 1732, 1638, 1248 cm⁻¹

3-Methylene-1-tosyl-4-vinylpyrrolidine (10) ¹H NMR (400 MHz, CDCl₃) δ 7.71 (d, *J* = 8.13 Hz, 2H), δ 7.34 (d, *J* = 8.13 Hz, 2H), δ 5.51 (ddd, *J* = 16.7 Hz, *J* = 10.4 Hz, *J* = 8.11 Hz, 1H), δ 5.11 (d, *J* = 18.2 Hz, 1H), δ 5.10 (d, *J* = 9.66 Hz, 1H), δ 4.98 (d, *J* = 2.34 Hz, 1H), δ 4.87 (d, *J* = 2.34 Hz, 1H), δ 4.00 (d, *J* = 14.06 Hz, 1H), δ 3.73 (dd, *J* = 14.06 Hz, *J* = 2.00 Hz, 1H), δ 3.62 (dd, *J* = 9.30 Hz, *J* = 7.93 Hz, 1H), δ 3.27-3.21 (m,

1H), δ 2.87 (dd, $J = 9.30$ Hz, $J = 8.20$ Hz, 1H), δ 2.44 (s, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 146.6, 143.7, 135.6, 134.9, 132.7, 129.7, 127.8, 118.0, 108.2, 53.1, 51.8, 47.7; IR (film) 2925, 1597, 1345, 1162 cm^{-1}

3-Methylene-4-vinyltetrahydrofuran (11) ^1H NMR (400 MHz, CDCl_3) δ 5.65 (ddd, $J = 17.5$ Hz, $J = 8.81$ Hz, $J = 8.56$ Hz, 1H), δ 5.16 (d, $J = 17.5$ Hz, 1H), δ 5.14 (d, $J = 9.70$ Hz, 1H), δ 5.01 (d, $J = 2.31$ Hz, 1H), δ 4.93 (d, $J = 2.31$ Hz, 1H), δ 4.42 (d, $J = 13.3$ Hz, 1H), δ 4.31 (dd, $J = 13.3$ Hz, $J = 2.00$ Hz, 1H), δ 4.10 (t, $J = 8.39$ Hz, 1H), δ 3.55 (t, $J = 8.39$ Hz, 1H), δ 3.34-3.27 (m, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 151.0, 136.8, 126.3, 117.6, 105.6, 73.8, 66.2, 49.5, 15.6; IR (film) 3294, 2852, 1097 cm^{-1}

2-Methyl-3-methylene-4-vinyltetrahydrofuran (12) Major A ^1H NMR (400 MHz, CDCl_3) δ 5.62 (ddd, $J = 17.0$ Hz, $J = 10.1$ Hz, $J = 8.20$ Hz, 1H), δ 5.15 (d, $J = 10.1$ Hz, 1H), δ 5.11 (d, $J = 17.0$ Hz, 1H), δ 4.92 (t, $J = 4.89$ Hz, 1H), δ 4.89 (t, $J = 4.89$ Hz, 1H), δ 4.40-4.37 (m, 1H), δ 4.13 (t, $J = 16.0$ Hz, 1H), δ 3.98 (t, $J = 16.0$ Hz, 1H), δ 3.36-3.34 (m, 1H), δ 1.33 (d, $J = 6.32$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 156.0, 136.8, 117.6, 105.5, 77.8, 72.3, 49.7, 21.0; IR (film) 3297, 2986, 2858, 1103 cm^{-1} **Minor B** ^1H NMR (400 MHz, CDCl_3) δ 5.76-5.69 (m, 1H), δ 5.12-5.03 (m, 1H), δ 4.93 (t, $J = 4.89$ Hz, 1H), δ 4.89 (t, $J = 4.89$ Hz, 1H), δ 4.50-4.45 (m, 1H), δ 3.91 (dd, $J = 11.5$ Hz, $J = 6.40$ Hz, 1H), δ 3.67 (dd, $J = 8.66$ Hz, $J = 6.63$ Hz, 1H), δ 1.30 (d, $J = 6.43$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 156.0, 138.1, 116.7, 106.0, 77.8, 71.4, 49.7, 20.5; IR (film) 3297, 2986, 2858, 1103 cm^{-1}

3-Methylene-2-phenyl-4-vinyltetrahydrofuran (13) Major A ^1H NMR (400 MHz, CDCl_3) δ 7.36-7.33 (m, 5H), δ 5.69 (ddd, $J = 17.2$ Hz, $J = 10.8$ Hz, $J = 8.30$ Hz, 1H), δ 5.26 (d, $J = 2.1$ Hz, 1H), δ 5.20 (d, $J = 16.1$ Hz, 1H), δ 5.19 (d, $J = 9.3$ Hz, 1H), δ 4.98 (t, $J = 2.4$ Hz, 1H), δ 4.86 (t, $J = 2.4$ Hz, 1H), δ 4.34 (t, $J = 8.1$ Hz, 1H), δ 3.64 (t, $J = 8.9$ Hz, 1H), 3.53-3.49 (m, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 152.9, 140.1, 127.0, 125.5, 116.4, 106.5, 71.1, 50.0, 48.1; IR (film) 2978, 1639, 1061, 918 cm^{-1} **Minor B** ^1H NMR (400 MHz, CDCl_3) δ 7.36-7.33 (m, 5H), δ 5.77 (ddd, $J = 17.2$ Hz, $J = 10.8$ Hz, $J = 8.30$ Hz, 1H), δ 5.32 (s, 1H), δ 5.20-5.13 (m, 1H), δ 5.03 (t, $J = 2.4$ Hz, 1H), δ 4.76 (t, $J = 2.4$ Hz, 1H), δ 4.17 (t, $J = 16.3$ Hz, 1H), δ 3.89 (dd, $J = 8.7$ Hz, $J = 6.8$ Hz, 1H), 3.53-3.49 (m, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 152.5, 139.8, 126.4, 125.9, 115.3, 107.3, 70.7, 49.5, 47.8; IR (film) 2978, 1639, 1061, 918 cm^{-1}

Diethyl 3-methylene-4-vinylcyclopentane-1,1-dicarboxylate (14) ^1H NMR (400 MHz, CDCl_3) δ 5.69 (ddd, $J = 17.5$ Hz, $J = 11.1$ Hz, $J = 8.16$ Hz, 1H), δ 5.09-5.05 (m, 1H), δ 4.98 (d, $J = 2.20$ Hz, 1H), δ 4.82 (d, $J = 2.20$ Hz, 1H), δ 4.20 (q, $J = 7.18$ Hz, 2H), δ 4.19 (q, $J = 7.18$ Hz, 2H), 3.20-3.14 (m, 1H), δ 3.07 (d, $J = 17.5$ Hz, 1H), δ 2.94 (dq, $J = 17.5$ Hz, $J = 2.30$ Hz, 1H), δ 2.57 (dd, $J = 13.0$ Hz, $J = 7.65$ Hz, 1H), δ 2.00 (dd, $J = 13.0$ Hz, $J = 10.9$ Hz, 1H), δ 1.26 (t, $J = 7.08$ Hz, 3H), δ 1.25 (t, $J = 7.08$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 172.1, 171.9, 151.0, 139.5, 116.3, 108.3, 61.9, 61.9, 58.9, 48.0, 40.5, 14.4; IR (film) 2982, 1732, 1658, 1640, 1465, 1446, 1266, 1189 cm^{-1}

1,1-Di(phenylsulfonyl)-3-methylene-4-vinylcyclopentane (15) ^1H NMR (400 MHz, CDCl_3) δ 8.09 (d, $J = 7.51$ Hz, 2H), δ 8.03 (d, $J = 7.51$ Hz, 2H), δ 7.72 (t, $J = 7.51$ Hz,

1H), δ 7.71 (t, $J = 7.51$ Hz, 1H), δ 7.61 (t, $J = 7.51$ Hz, 2H), δ 7.58 (t, $J = 7.51$ Hz, 2H), δ 5.55 (ddd, $J = 17.0$ Hz, $J = 10.1$ Hz, $J = 8.39$ Hz, 1H), δ 5.12 (d, $J = 10.1$ Hz, 1H), δ 5.09 (d, $J = 17.0$ Hz, 1H), δ 4.88 (d, $J = 2.23$ Hz, 1H), δ 4.76 (d, $J = 2.23$ Hz, 1H), δ 3.37-3.34 (m, 1H), δ 3.31-3.29 (m, 1H), δ 2.76 (dd, $J = 15.1$ Hz, $J = 8.50$ Hz, 1H), δ 2.48 (dd, $J = 15.1$ Hz, $J = 10.7$ Hz, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 148.5, 137.9, 136.9, 136.5, 135.1, 135.0, 131.6, 131.6, 129.2, 129.1, 118.1, 109.1, 91.7, 48.4, 38.4, 37.9, 32.0; IR (film) 1583, 1447, 1329, 1310, 1145 cm^{-1}

1-Benzenesulfonyl-1-methoxycarbonyl-3-methylene-4-vinylcyclopentane (16)

Major A ^1H NMR (400 MHz, CDCl_3) δ 7.86-7.81 (m, 2H), δ 7.71-7.67 (m, 1H), δ 7.58-7.55 (m, 2H), δ 5.67 (ddd, $J = 17.1$ Hz, $J = 10.1$ Hz, $J = 8.10$ Hz, 1H), δ 5.14-5.05 (m, 2H), δ 5.03 (d, $J = 2.20$ Hz, 1H), δ 4.86 (d, $J = 2.20$ Hz, 1H), δ 3.68 (s, 3H), δ 3.25 (ddd, $J = 19.0$ Hz, $J = 5.05$ Hz, $J = 2.51$ Hz, 1H), δ 3.16 (d, $J = 19.0$ Hz, 1H), δ 3.06-2.97 (m, 1H), δ 2.62 (dd, $J = 12.5$ Hz, $J = 8.86$ Hz, 1H), δ 2.31 (dd, $J = 12.5$ Hz, $J = 12.5$ Hz, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 168.8, 148.5, 138.5, 134.6, 130.3, 130.0, 129.2, 117.3, 109.8, 53.8, 48.0, 38.3, 38.1; IR (film) 2926, 2853, 1734, 1465, 1260, 1189 cm^{-1}

Minor B ^1H NMR (400 MHz, CDCl_3) δ 7.86-7.81 (m, 2H), δ 7.71-7.67 (m, 1H), δ 7.58-7.55 (m, 2H), δ 5.67 (ddd, $J = 17.3$ Hz, $J = 10.1$ Hz, $J = 7.71$ Hz, 1H), δ 5.14-5.05 (m, 2H), δ 5.03 (d, $J = 2.20$ Hz, 1H), δ 4.86 (d, $J = 2.20$ Hz, 1H), δ 3.52-3.44 (m, 1H), δ 3.30 (d, $J = 21.4$ Hz, 1H), δ 3.11 (d, $J = 18.7$ Hz, 1H), δ 2.82 (dd, $J = 14.4$ Hz, $J = 8.86$ Hz, 1H), δ 2.25 (dd, $J = 14.4$ Hz, $J = 8.10$ Hz, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 169.1, 149.2, 138.8, 134.6, 130.3, 130.0, 129.2, 116.9, 109.3, 53.6, 47.6, 38.5, 38.3; IR (film) 2926, 2853, 1734, 1465, 1260, 1189 cm^{-1}

Diethyl 4-methylene-5-vinylcyclohexane-1,1-dicarboxylate (17) ^1H NMR (400 MHz, CDCl_3), δ 5.82 (ddd, $J = 17.7$ Hz, $J = 10.2$ Hz, $J = 7.71$ Hz, 1H), δ 5.11 (d, $J = 8.65$ Hz, 1H), δ 5.08 (d, $J = 16.4$ Hz, 1H), δ 4.75 (s, 1H), δ 4.64 (s, 1H), δ 4.31-4.20 (m, 2H), δ 4.16 (q, $J = 7.10$ Hz, 2H), δ 2.87-2.85 (m, 1H), δ 2.47-2.34 (m, 3H), δ 2.23-2.16 (m, 1H), δ 1.78 (td, $J = 13.0$ Hz, $J = 4.35$ Hz, 1H), δ 1.68 (t, $J = 13.0$ Hz, 1H), δ 1.28 (t, $J = 7.04$ Hz, 3H), δ 1.23 (t, $J = 7.04$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 172.1, 171.3, 149.2, 139.6, 116.0, 108.2, 61.8, 61.6, 55.2, 43.8, 38.0, 32.7, 32.3, 14.5, 14.4; IR (film) 3080, 2980, 1731, 1239 cm^{-1}

4-Methylene-1-tosyl-5-vinylpiperidine (18) ^1H NMR (400 MHz, CDCl_3), δ 7.64 (d, $J = 8.19$ Hz, 2H), δ 7.32 (d, $J = 8.19$ Hz, 2H), δ 5.79 (ddd, $J = 17.2$ Hz, $J = 10.6$ Hz, $J = 7.50$ Hz, 1H), δ 5.18 (d, $J = 9.86$ Hz, 1H), δ 5.17 (d, $J = 17.2$ Hz, 1H), δ 4.77 (s, 1H), δ 4.71 (s, 1H), δ 3.40-3.33 (m, 2H), δ 3.01-2.96 (m, 1H), δ 2.78-2.72 (m, 1H), δ 2.63 (dd, $J = 11.0$ Hz, $J = 8.54$ Hz, 1H), δ 2.43 (s, 3H), δ 2.40-2.38 (m, 1H), δ 2.32 (ddd, $J = 13.8$ Hz, $J = 9.03$ Hz, $J = 4.67$ Hz, 1H); ^{13}C NMR (100 MHz, CDCl_3) δ 146.0, 143.9, 136.7, 133.6, 130.0, 128.0, 118.0, 110.4, 51.8, 47.9, 46.4, 33.5, 21.9; IR (film) 2846, 1356, 1339, 1165 cm^{-1}

Diethyl 3-((E)-and (Z)-methylmethylenes)-4-vinylcyclopentane-1,1-dicarboxylate (23) Major A ^1H NMR (400 MHz, CDCl_3), δ 5.58 (ddd, $J = 15.4$ Hz, $J = 11.5$ Hz, $J = 8.58$ Hz, 1H), δ 5.24-5.18 (m, 1H), δ 5.04 (d, $J = 11.5$ Hz, 1H), δ 5.03 (d, $J = 15.4$ Hz, 1H), δ 4.20 (q, $J = 7.06$ Hz, 2H), δ 4.19 (q, $J = 7.06$ Hz, 2H), δ 3.15-3.04 (m, 1H), δ 3.01 (d, $J = 17.4$ Hz, 1H), δ 2.82 (d, $J = 17.4$ Hz, 1H), δ 2.53 (dd, $J = 12.9$ Hz, $J = 8.40$

Hz, 1H), δ 1.94 (dd, $J = 12.9$ Hz, $J = 11.7$ Hz, 1H), δ 1.61 (d, $J = 6.37$ Hz, 3H), δ 1.26 (t, $J = 7.13$ Hz, 3H), δ 1.25 (t, $J = 7.13$ Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 170.8, 138.7, 116.8, 114.7, 60.4, 57.6, 46.8, 39.3, 35.6, 13.0; IR (film) 2980, 1732, 1262, 1178 cm^{-1} **Minor B** ^1H NMR (400 MHz, CDCl_3), δ 5.69 (ddd, $J = 17.2$ Hz, $J = 10.0$ Hz, $J = 7.52$ Hz, 1H), δ 5.51-5.43 (m, 1H), δ 5.02 (d, $J = 17.2$ Hz, 1H), δ 4.97 (d, $J = 10.0$ Hz, 1H), δ 4.18 (q, $J = 7.21$ Hz, 4H), δ 3.40-3.26 (m, 1H), δ 3.01-2.96 (m, 1H), δ 2.80-2.76 (m, 1H), δ 2.71 (dd, $J = 13.2$ Hz, $J = 9.75$ Hz, 1H), δ 1.98 (dd, $J = 13.2$ Hz, $J = 7.23$ Hz, 1H), δ 1.54 (d, $J = 6.37$ Hz, 3H), δ 1.29-1.22 (m, 6H); ^{13}C NMR (100 MHz, CDCl_3) δ 170.8, 140.3, 118.3, 112.8, 60.4, 57.6, 42.5, 40.7, 39.5, 13.6; IR (film) 2980, 1732, 1262, 1178 cm^{-1}

Diethyl 3-((E)-and (Z)-phenylmethylene)-4-vinylcyclopentane-1,1-dicarboxylate (24) **Major A** ^1H NMR (400 MHz, CDCl_3), δ 7.35-7.17 (m, 5H), δ 6.20 (d, $J = 2.5$ Hz, 1H), δ 5.73 (ddd, $J = 18.6$ Hz, $J = 10.6$ Hz, $J = 8.51$ Hz, 1H), δ 5.18-5.14 (m, 1H), δ 5.06-4.98 (m, 1H), δ 3.40-3.30 (m, 1H), δ 3.20 (dt, $J = 17.7$ Hz, $J = 2.75$ Hz, 1H), δ 2.99 (d, $J = 16.3$ Hz, 1H), δ 2.60 (dd, $J = 13.0$ Hz, $J = 11.4$ Hz, 1H), δ 1.25 (t, $J = 7.11$ Hz, 6H); ^{13}C NMR (100 MHz, CDCl_3) δ 171.5, 139.3, 137.0, 128.5, 128.2, 128.0, 126.4, 123.8, 116.7, 61.7, 59.4, 49.7, 42.8, 38.6, 14.0; IR (film) 2982, 1731, 1256, 1189 cm^{-1} **Minor B** ^1H NMR (400 MHz, CDCl_3), δ 7.35-7.17 (m, 5H), δ 6.48 (s, 1H), δ 5.77 (ddd, $J = 15.3$ Hz, $J = 10.2$ Hz, $J = 7.23$ Hz, 1H), δ 5.18-5.14 (m, 1H), δ 5.06-4.98 (m, 1H), δ 3.73-3.68 (m, 1H), δ 3.21 (dt, $J = 17.7$ Hz, $J = 2.75$ Hz, 1H), δ 3.85 (dd, $J = 13.3$ Hz, $J = 5.58$ Hz, 1H), δ 3.03 (d, $J = 16.5$ Hz, 1H), δ 2.26 (dd, $J = 13.3$ Hz, $J = 4.87$ Hz, 1H), δ 1.26 (t, $J = 7.11$ Hz, 6H); ^{13}C NMR (100 MHz, CDCl_3) δ 171.6, 138.7, 137.7, 128.5,

128.2, 128.0, 126.3, 124.6, 115.0, 61.5, 58.0, 44.0, 40.8, 39.6, 14.0; IR (film) 2982, 1731, 1256, 1189 cm^{-1}

Diethyl 3-((*E*)-bromomethylene)-4-vinylcyclopentane-1,1-dicarboxylate (25) ^1H NMR (400 MHz, CDCl_3) δ 5.87 (dd, $J = 5.29$ Hz, $J = 2.60$ Hz, 1H), δ 5.84 (ddd, $J = 16.9$ Hz, $J = 15.0$ Hz, $J = 8.16$ Hz, 1H), δ 5.11 (d, $J = 11.2$ Hz, 1H), δ 5.11 (d, $J = 11.2$ Hz, 1H), δ 4.20 (q, $J = 7.68$ Hz, 4H), 3.25-3.18 (m, 1H), δ 3.16 (d, $J = 8.01$ Hz, 1H), δ 2.92 (dt, $J = 18.5$ Hz, $J = 2.68$ Hz, 1H), δ 2.62 (dd, $J = 12.9$ Hz, $J = 7.2$ Hz, 1H), δ 2.05 (dd, $J = 12.9$ Hz, $J = 11.9$ Hz, 1H), δ 1.27 (t, $J = 7.09$ Hz, 6H); ^{13}C NMR (100 MHz, CDCl_3) δ 171.7, 171.4, 147.9, 137.8, 117.7, 101.2, 62.1, 58.4, 49.1, 41.41, 40.68, 14.4; IR (film) 2916, 2848, 1736, 1209, 1149 cm^{-1}

Diethyl 3-((*E*)-trimethylsilylmethylene)-4-vinylcyclopentane-1,1-dicarboxylate (26) ^1H NMR (400 MHz, CDCl_3) δ 5.59 (ddd, $J = 18.2$ Hz, $J = 10.3$ Hz, $J = 8.34$ Hz, 1H), δ 5.33 (dd, $J = 4.5$ Hz, $J = 2.18$ Hz, 1H), δ 5.08 (d, $J = 10.3$ Hz, 1H), δ 5.04 (d, $J = 18.2$ Hz, 1H), δ 4.21 (q, $J = 7.09$ Hz, 2H), δ 4.19 (q, $J = 7.09$ Hz, 2H), δ 3.16-3.08 (m, 2H), δ 2.90 (dt, $J = 17.1$ Hz, $J = 4.81$ Hz, 1H), δ 2.56 (dd, $J = 12.9$ Hz, $J = 7.77$ Hz, 1H), δ 1.97 (dd, $J = 12.9$ Hz, $J = 11.2$ Hz, 1H), δ 1.27 (t, $J = 7.09$ Hz, 3H), δ 1.24 (t, $J = 7.09$ Hz, 3H), δ 0.10 (s, 9H); ^{13}C NMR (100 MHz, CDCl_3) δ 172.1, 159.4, 140.0, 122.2, 116.7, 62.0, 62.0, 59.4, 40.4, 39.9, 14.5, 0.0; IR (film) 1732, 1638, 1248 cm^{-1}

Diethyl 2,3-butadien-1-yl propargylmalonate (28)

^1H NMR (400 MHz, CDCl_3) δ 4.98-4.91 (m, 1H), δ 4.70-4.67 (m, 2H), δ 4.21 (q, J = 7.01 Hz, 4H), δ 2.86 (d, J = 2.99 Hz, 2H), δ 2.78 (d, J = 7.98 Hz, 2H), δ 2.02-2.00 (m, 1H), δ 1.26 (t, J = 6.98 Hz, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 210.6, 170.0, 84.2, 79.2, 75.2, 71.8, 62.1, 57.4, 31.9, 22.9, 14.4; IR (film) 3290, 2983, 1956, 1735 cm^{-1}

3-((*E*)-4-nitrobenzylidene)-1-tosyl-4-vinylpyrrolidine (29)

^1H NMR (400 MHz, CDCl_3) δ 8.14 (d, J = 8.75 Hz, 2H), δ 7.73 (d, J = 8.75 Hz, 2H), δ 7.38-7.34 (m, 4H), δ 6.50 (s, 1H), δ 5.63 (ddd, J = 16.8 Hz, J = 10.2 Hz, J = 6.16 Hz, 1H), δ 5.10 (d, J = 10.2 Hz, 1H), δ 5.07 (d, J = 17.1 Hz, 1H), δ 4.18 (d, J = 14.7 Hz, 1H), δ 3.91 (dd, J = 14.6 Hz, J = 1.66 Hz, 1H), δ 3.63-3.60 (m, 1H), δ 3.46 (dd, J = 9.61 Hz, J = 2.08 Hz, 1H), δ 3.32 (dd, J = 9.61 Hz, J = 6.61 Hz, 1H), δ 2.44 (s, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 146.9, 144.3, 143.2, 142.8, 136.1, 133.2, 130.1, 129.4, 128.3, 124.0, 123.5, 117.7, 54.9, 53.8, 45.1, 21.9; IR (film) 1595, 1515, 1343, 1158 cm^{-1}

3-((*E*)-Iodomethylene)-1-tosyl-4-vinylpyrrolidine (30) ^1H NMR (400 MHz, CDCl_3) δ 7.70 (d, $J = 8.16$ Hz, 2H), δ 7.34 (d, $J = 8.16$ Hz, 2H), δ 6.17 (d, $J = 1.43$ Hz, 1H), δ 5.63 (ddd, $J = 17.1$ Hz, $J = 10.2$ Hz, $J = 6.94$ Hz, 1H), δ 5.18 (d, $J = 17.1$ Hz, 1H), δ 5.13 (d, $J = 10.2$ Hz, 1H), δ 3.96 (dd, $J = 14.0$ Hz, $J = 1.34$ Hz, 1H), δ 3.70 (dd, $J = 14.0$ Hz, $J = 1.43$ Hz, 1H), δ 3.46 (dd, $J = 9.33$ Hz, $J = 1.43$ Hz, 1H), δ 3.34-3.32 (m, 1H), δ 3.29 (dd, $J = 9.33$ Hz, $J = 6.68$ Hz, 1H), δ 2.44 (s, 3H); ^{13}C NMR (100 MHz, CDCl_3) δ 148.3, 144.4, 134.3, 132.8, 130.1, 128.2, 117.5, 73.4, 53.2, 52.9, 50.2, 21.9; IR (film) 2917, 2849, 1348, 1255 cm^{-1}

Current Data Parameters
 NAME Jan-03
 EXPNO 236
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20030120
 Time 15:29
 INSTRUM spect
 PROBNM 5 mm DAI 13
 PULPROG zgpg30
 TO 3258
 SOLVENT CDCl3
 NS 20
 DS 0
 SMH 8223.685 Hz
 FIDRES 0.25067 Hz
 AQ 1.362344 sec
 RG 574.7
 DW 60.800 usec
 DE 5.00 usec
 TE 300.0 K
 D1 1.0000000 sec

===== CHANNEL f1 =====
 NUC1 ¹H
 P1 11.50 usec
 PL1 -2.00 dB
 SFO1 400.1324710 MHz

F2 - Processing parameters
 SI 16384
 SF 400.130064 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

1D NMR plot parameters
 CX 30.00 cm
 F1P 8.100 ppm
 F1 3241.05 Hz
 F2P -40.01 Hz
 F2 0.27333 ppm/cm
 FWHM 109.36888 Hz/cm

-S13-

DJ-437

11

Current Data Parameters
NAME: DJ-437
EXPNO: 14
PROCNO: 1

F2 - Acquisition Parameters
Date_: 20040310
Time: 13.52
INSTRUM: spect
PROBHD: 5 mm Dual 13
PULPROG: zgpg30
TO: 32768
SOLVENT: CDCl3
NS: 400
DS: 4
SWH: 8223.665 Hz
FIDRES: 0.250867 Hz
AQ: 1.9923444 sec
RG: 382
DM: 60.800 usec
DE: 6.00 usec
TE: 300.0 K
D1: 1.00000000 sec

***** CHANNEL f1 *****
NUC1: 1H
P1: 11.50 usec
PL1: -2.00 dB
SFO1: 400.1324710 MHz

F2 - Processing parameters
SI: 16384
SF: 400.130057 MHz
WDW: EM
SSB: 0
LB: 0.30 Hz
GB: 0
PC: 1.00

10 NMR plot parameters
CX: 30.00 cm
F1P: 6.100 ppm
F1: 3241.05 Hz
F2P: -0.100 ppm
F2: -40.01 Hz
PPMCM: 0.2733 ppm/cm
HZCM: 109.35688 Hz/cm

DU-437

Current Data Parameters
NAME may-04
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040510
Time 16.32
INSTRUM spect
PROBHD 5 mm Dual 13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1960
DS 2
SWH 31847.133 Hz
FIDRES 0.485949 Hz
AQ 1.028952 sec
RG 812.7
DW 15.700 usec
DE 6.00 usec
TE 300.0 K
D1 2.0000000 sec
D11 0.0300000 sec
D12 0.0000200 sec

===== CHANNEL f1 =====
NUC1 13C
P1 130 usec
PL1 -2.00 dB
SFO1 100.625059 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
P2 100.00 usec
PL2 -2.00 dB
SFO2 400.1324708 MHz

F2 - Processing parameters
SI 32768
SF 100.6127290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

10 NMR plot parameters
CX 30.00 cm
F1P 205.000 ppm
F1 20625.61 Hz
F2P -5.000 ppm
F2 -503.06 Hz
PNUC1 7.00000 ppm/cm
HZCM 704.28906 Hz/cm

Current Data Parameters

NAME	VALUE
EXPNO	12
PROCNO	1

F2 - Acquisition Parameters

NAME	VALUE
Date_	20040510
Time	13.39
INSTRUM	spect
PROBHD	5 mm Dui1 13
PULPROG	zg30
TD	32768
SOLVENT	CDCl3
NS	16
DS	0
SWH	8223.685 Hz
FIDRES	0.250957 Hz
AQ	1.9923444 sec
RG	362
DM	60.800 usac
DE	6.00 usac
TE	300.0 K
QT	1.00000000 sec

===== CHANNEL f1 =====

NAME	VALUE
MU1	11.50 usac
PL1	-2.00 dB
SFO1	400.1324710 MHz

F2 - Processing parameters

NAME	VALUE
SI	400.130060 MHz
WDW	EM
SSB	0
LB	0.30 Hz
GB	0
PC	1.00

1D NMR plot parameters

NAME	VALUE
CX	30.00 cm
F1P	8.100 ppm
F1	3241.05 Hz
F2P	-40.01 Hz
F2	0.27333 ppm/cm
PPMCM	109.36888 Hz/cm
HZCM	

DU-436

Current Data Parameters
NAME May-04
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040510
Time 14.39
INSTRUM spect
PROBHD 5 mm Dui1 13
PULPROG zgpg30
TO 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 31847.133 Hz
FIDRES 0.485949 Hz
AQ 1.0289652 sec
RG 1625.5
DW 15.700 usec
DE 6.00 usec
TE 300.0 K
D1 2.00000000 sec
D11 0.03000000 sec
D12 0.00020000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SFO1 100.6284598 MHz

===== CHANNEL f2 =====
CPROG2 waltz16
NUC2 1H
PCPG2 100.00 usec
PL2 -2.00 dB
PL12 15.00 dB
PL13 17.00 dB
SFO2 400.1324708 MHz

F2 - Processing parameters
SI 32768
SF 100.6127290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1D NMR plot parameters
CX 30.00 cm
F1P 205.000 ppm
F1 20625.61 Hz
F2P -5.000 ppm
F2 -503.06 Hz
PPMCH 7.00000 ppm/cm
HZCM 704.28906 Hz/cm

DU-277

Current Data Parameters
NAME Jun-93
EXPNO 3
PROCNO 1
F2 - Acquisition Parameters
Date_ 20030602
Time 15 30
INSTRUM spect
PROBHD 5 mm DUB-13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 20
DS 0
SWH 8223.665 Hz
FIDRES 0.250867 Hz
AQ 1.9523444 sec
RG 181
DW 60.800 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec
***** CHANNEL f1 *****
NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SFO1 400.1324710 MHz
F2 - Processing parameters
SI 16384
SF 400.1300134 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
FID NMR plot parameters
CX 30.00 cm
FIP 8.100 ppm
F1 3241.05 Hz
F2 -40.01 Hz
PPMCM 0.27353 ppm/cm
HZCM 109.36888 Hz/cm

DJ-277-1

Current Data Parameters
 NAME DJ-277-1
 EXPNO 96
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20031030
 Time 2.56
 INSTRUM spect
 PROBRD 5 mm Dual 13
 PULPROG zgpg30
 TO 65536
 SOLVENT CDCl3
 NS 10240
 DS 2
 SMH 31847.133 Hz
 FIDRES 0.485949 Hz
 AQ 1.0289652 sec
 RG 1625.5
 DM 15.700 usec
 DE 6.00 usec
 TE 300.0 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 D12 0.0002000 sec

===== CHANNEL f1 =====
 NUC1 13C
 P1 9.50 usec
 PL1 -2.00 dB
 SF01 100.624358 MHz

===== CHANNEL f2 =====
 CHRG2 waltz16
 NUC2 1H
 P2 100.00 usec
 PL2 -2.00 dB
 PL12 15.00 dB
 PL13 17.00 dB
 SF02 400.132408 MHz

F3 - Processing parameters
 SI 32768
 SF 100.612677 MHz
 WHW 64
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40

10 NMR plot parameters
 CX 30.00 cm
 F1P 205.000 ppm
 F1 20625.65 Hz
 F2P -5.000 ppm
 F2 -503.06 Hz
 PPMH 7.0000 ppm/cm
 HZCM 704.29028 Hz/cm

DJ-193

Current Data Parameters
NAME jan-03
EXPNO 371
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030128
Time 13.35
INSTRUM spect
PROBHD 5 mm Dui1 13
PULPROG zg30
TD 32768
SOLVENT CDCl3
NS 20
DS 0
SWH 8223.665 Hz
FIDRES 0.250967 Hz
AQ 1.9923444 sec
RG 181
DE 60.800 usec
TE 300.0 K
D1 1.00000000 sec

***** CHANNEL f1 *****
NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SFO1 400.1324710 MHz

F2 - Processing parameters
SI 16384
SF 400.130073 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 30.00 cm
FV 0.000 ppm
F1 3241.06 Hz
F2 40.000 ppm
PCPCH 0.2723 ppm/cm
HZCM 109.35688 Hz/cm

DJ-240

14

Current Data Parameters
NAME fab-03
EXPNO 300
PROCNO 1
F2 - Acquisition Parameters
Date_ 20030226
Time 15.01
INSTRUM spect
PROBHD 5 mm QNP 1H
PULPROG zgpg30
TD 268536
TO SOLVENT CDCl3
NS 2048
DS 2
SWH 31842.133 Hz
FIDRES 0.46894 Hz
AQ 1.028882 sec
RG 1635.5
DE 15.700 usec
TE 300.0 K
D1 2.00000000 sec
D11 0.03000000 sec
D12 0.00020000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SF01 100.6254359 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 19.00 dB
PL12 15.00 dB
PL13 17.00 dB
SF02 400.1264708 MHz

F2 - Processing Parameters
SI 32768
SF 100.617290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

10 NMR plot parameters
CX 30.00 cm
F1P 205.000 ppm
F1 20625.61 Hz
F2P -5.000 ppm
F2 -503.86 Hz
FREQMH 704.26906 MHz/cm

DJ-308

Current Data Parameters
NAME DJ-308
EXPNO 68
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030731
Time 14.40
INSTRUM spect
PROBHD 5 mm QNP 13
PULPROG zgpg30
TO 2930
SOLVENT CDCl3
NS 20
DS 0
SWH 8223.695 Hz
FIDRES 0.250967 Hz
AQ 1.3923444 sec
RG 256
DE 60.800 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SFO1 400.1324710 MHz

F2 - Processing parameters
SI 16384
SF 400.1300694 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CY 30.00 cm
FIP 8.500 ppm
F1 3401.10 Hz
F2P -40.01 Hz
PCNCH 0.28667 cm/cm
HZCH 114.70354 Hz/cm

DJ-308

Current Data Parameters
 Date: 2003/7/31
 Time: 14:56
 INSTRUM: spect
 P1: 5 mm Dual 13
 PULPROG: zgpg30
 TO: 65936
 SOLVENT: CDCl3
 NS: 1080
 DS: 2
 SWH: 31847.133 Hz
 FIDRES: 0.465949 Hz
 AQ: 1.0269552 sec
 RG: 1635.5
 DW: 15.700 usec
 DE: 6.00 usec
 TE: 300.0 K
 D1: 2.0000000 sec
 D11: 0.0300000 sec
 D12: 0.0000000 sec

===== CHANNEL f1 =====
 NUC1: 13C
 P1: 9.50 usec
 PL1: -2.00 dB
 SFO1: 100.6254559 MHz

===== CHANNEL f2 =====
 CPDPRG2: waltz16
 NUC2: 1H
 PCPD2: 100.00 usec
 PL2: -2.00 dB
 PL12: 15.00 dB
 PL13: 17.00 dB
 SFO2: 400.1254708 MHz

F2 - Processing Parameters
 SI: 32768
 SF: 100.6127250 MHz
 KW: EN
 SSB: 1.00 Hz
 LB: 0
 GB: 1.40
 PC: 1.40

10 MHz plot parameters
 CX: 30.00 cm
 F1P: 205.000 ppm
 F1: 20625.61 Hz
 F2P: -5.000 ppm
 F2: -503.06 Hz
 PPMCH: 7.00000 ppm/cm
 HZCH: 704.28906 Hz/cm

Current Data Parameters

NAME	sep-03
EXPNO	3
PROCNO	1

F2 - Acquisition Parameters

Date_	20030901
Time	14.32
INSTRUM	spect
PROBHD	5 mm Dual 13
PULPROG	zgpg30
TD	32768
SOLVENT	CDCl3
NS	20
DS	0
SWH	8223.685 Hz
FIDRES	0.250967 Hz
AQ	1.9923444 sec
RG	362
DM	60.800 usec
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec

***** CHANNEL f1 *****

MUCL	3H
NUC1	13C
PC1	11.50 usec
PL1	-2.00 dB
STO1	400.1324710 MHz

F2 - Processing parameters

SI	16384
SF	400.130067 MHz
WDW	EM
SSB	0
LB	0.30 Hz
GB	0
PC	1.00

1D NMR plot parameters

CX	30.00 cm
F1P	8.100 ppm
F1	3241.05 Hz
F2P	-0.100 ppm
F2	-40.01 Hz

PPMCH 0.2733 ppm/cm

HZCH 109.36888 Hz/cm

DJ-322-2

Current Data Parameters
NAME sep-03
EXPNO 4
PROCNO 1
F2 - Acquisition Parameters
Date_ 20030901
Time 14.37
INSTRUM spect
PROBHD 5 mm Dui1 13
PULPROG zgpg30
TO 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 31847.133 Hz
FIDRES 0.465949 Hz
AQ 1.026952 sec
RG 652.7
DE 15.700 usec
TE 300.1
TD 2.0000000 sec
D1 0.0300000 sec
D12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SFO1 100.6254359 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 -2.00 dB
PL12 15.00 dB
PL13 17.00 dB
SFO2 400.1524708 MHz

F2 - Processing parameters
SI 32768
SF 100.6127290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1D NMR plot parameters
CX 30.00 cm
F1P 1.000 ppm
F1 625.51 Hz
F2P -5.000 ppm
F2 -503.06 Hz
PRGCM 7.00000 ppm/cm
NICH 704.28906 Hz/cm

DJ-387

Hz

Current Data Parameters
NAME DJ-387
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040211
Time 8.30
INSTRUM spect
PROBHD 5 mm Dui1 13
PULPROG zg30
TD 32768
SOLVENT CDCl3
NS 32
DS 0
SWH 8223.685 Hz
FIDRES 0.250967 Hz
AQ 1.9923444 sec
RG 90.5
DM 60.800 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====

NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SFO1 400.132710 MHz

F2 - Processing parameters
SI 16384
SF 400.130033 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 30.00 cm
CP 8.100 ppm
F1 3241.03 Hz
F2 -40.01 Hz
FREQH 0.27333 ppm/cm
HZCM 109.36888 Hz/cm

DJ-387

Current Data Parameters
NAME Feb-04
EXPNO 25
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040211
Time 9.14
INSTRUM spect
PROBHD 5 mm Dui1 13
PULPROG zgpg30
TO 65536
SOLVENT CDCl3
NS 797
DS 2
SMH 31847.133 Hz
FIDRES 0.485949 Hz
AQ 1.028952 sec
RG 3649.1
DM 15.700 usec
DE 300.0 K
TE 6.00 usec
D1 2.0000000 sec
D11 0.0300000 sec
D12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SF01 100.6254359 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 -2.00 dB
PL12 15.00 dB
PL13 17.00 dB
SF02 400.1324708 MHz

F2 - Processing parameters
SI 32768
SF 100.6172290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1D NMR plot parameters
CX 30.00 cm
F1P 205.000 ppm
F1 20625.61 Hz
F2P -5.000 ppm
F2 -503.06 Hz
P1PCMH 7.00000 ppm/cm
HZCM 704.28906 Hz/cm

DJ-405

Current Data Parameters
NAME mor-104
EXPNO 39
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040319
Time 13:36
INSTRUM spect
PROBHD 5 mm Dui-13
PULPROG zg30
TO 32768
SOLVENT CDCl3
NS 20
DS 0
SWH 8223.685 Hz
FIDRES 0.250967 Hz
AQ 1.9923444 sec
RG 181
DE 60.800 usec
OE 6.00 usec
TE 300.0 K
O1 1.0000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SF01 400.1324710 MHz

F2 - Processing parameters
SI 16384
SF 400.130064 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

10 NMR plot parameters
CX 30.00 cm
F1P 8.100 ppm
F1 3241.05 Hz
F2P -0.100 ppm
F2 -40.01 Hz
PPHOM 0.27333 ppm/cm
HZCM 103.36888 Hz/cm

DJ-405

Current Data Parameters
NAME: DJ-405
EXPNO: 40
PROCNO: 1

F2 - Acquisition Parameters
Date_: 20040319
Time: 13.41
INSTRUM: spect
PROBHD: 5 mm Dual 13
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 1006
DS: 2
SWH: 31847.133 Hz
FIDRES: 0.485949 Hz
AQ: 1.0289652 sec
RG: 3649.1
DM: 15.700 usec
DE: 6.00 usec
TE: 300.0 K
D1: 2.0000000 sec
D11: 0.0300000 sec
D12: 0.0002000 sec

===== CHANNEL f1 =====
NUC1: 13C
P1: 9.50 usec
PL1: -2.00 dB
SFO1: 100.6254358 MHz

===== CHANNEL f2 =====
CPOPRG2: waltz16
NUC2: 1H
PCPD2: 100.00 usec
PL2: -2.00 dB
PL12: 15.00 dB
PL13: 17.00 dB
SFO2: 400.1324708 MHz

F2 - Processing parameters
SI: 32768
SF: 100.6127290 MHz
WDW: EM
SSB: 0
LB: 1.00 Hz
GB: 0
PC: 1.40

10 NMR plot parameters
CX: 30.00 cm
CY: 205.000 ppm
F1: 20825.61 Hz
F2: -5.000 ppm
F3: -503.06 Hz
PCPDCH: 7.00000 ppm/cm
HZCH: 704.28906 Hz/cm

DU-374-1

Current Data Parameters
NAME jmr-04
EXPNO 19
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040127
Time 10:55
INSTRUM spect
PROBHD 5 mm Dual 13
PULPROG zgpg30
TD 32768
SOLVENT CDCl₃
NS 20
DS 4
SWH 8223.658 Hz
FIDRES 0.250891 Hz
AQ 1.392344 sec
RG 60.800 usec
DE 5.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 ¹H
P1 11.50 usec
PL1 -2.00 dB
SFO1 400.1324710 MHz

F2 - Processing parameters
SI 16384
SF 400.1300652 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

10 NMR plot parameters
CX 30.00 cm
F1P 8.100 ppm
F1 3241.05 Hz
F2P -40.01 ppm
F2 0.27333 ppm/cm
PPOCM 109.36888 Hz/cm

DJ-374

Current Data Parameters
NAME: DJ-374
EXPNO: 22
PROCNO: 1

F2 - Acquisition Parameters
Date_: 20040128
Time: 16.18
INSTRUM: spect
PROBHD: 5 mm Dui1 13
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 15360
DS: 2
SWH: 31847.133 Hz
FIDRES: 0.465949 Hz
AQ: 1.028962 sec
RG: 1149.4
DE: 15.700 usec
TE: 300.0 K
D1: 2.00000000 sec
D11: 0.02000000 sec
D12: 0.00000000 sec

===== CHANNEL f1 =====
NUC1: 13C
P1: 9.50 usec
PL1: -2.00 dB
SFO1: 100.625358 MHz

===== CHANNEL f2 =====
CPDPRG2: waltz16
NUC2: 1H
PCPD2: 100.00 usec
PL2: -2.00 dB
PL12: 15.00 dB
PL13: 17.00 dB
SFO2: 400.1324708 MHz

F2 - Processing parameters
SI: 32768
SF: 100.6180702 MHz
WDW: EM
SSB: 0
LB: 1.00 Hz
GB: 0
PC: 1.40

1D NMR Plot parameters
CX: 30.00 cm
F1P: 205.000 ppm
F1: 20625.64 Hz
F2P: -5.000 ppm
F2: -503.06 Hz
PWCN: 7.00000 ppm/cm
HZCN: 704.28004 Hz/cm

DJ-422

24

Current Data Parameters
NAME apr-04
EXPNO 27
PROCNO 1

F2 - Acquisition Parameters
Date_ 20060419
Time 15:30
INSTRUM spect
PROBHD 5 mm Dui-13
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 20
DS 0
SWH 8223.665 Hz
FIDRES 0.250067 Hz
AQ 1.9923444 sec
RG 362
DW 60.800 usec
DE 6.00 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 11.50 usec
PL1 -2.00 dB
SF01 400.1324710 MHz

F2 - Processing parameters
SI 16384
SF 400.1300091 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 30.00 cm
F1p 8.100 ppm
F1 3241.05 Hz
F2p -0.100 ppm
F2 -40.01 Hz
PNUC1 0.27333 ppm/cm
HZCM 109.35888 Hz/cm

DJ-422

Current Data Parameters

NAME	apr-04
EXPNO	28
PROCNO	1

F2 - Acquisition Parameters

Date_	20040620
Time	7:05
INSTRUM	spec
PROBHD	5 mm Bui 13
PULPROG	zgpg30
TD	65536
SD MEHT	00013
MC	18651
DS	2
SM	31847.133 Hz
FIDRES	0.485949 Hz
AQ	1.028662 sec
RG	3649.1
DM	15.700 usec
DE	6.00 usec
TE	300.0 K
D1	2.00000000 sec
D11	0.03000000 sec
D12	0.00002000 sec

===== CHANNEL f1 =====

MU1	13C
P1	9.50 usec
PL1	-2.00 dB
SFO1	100.6254559 MHz

===== CHANNEL f2 =====

MU2	1H
P2	100.00 usec
PL2	-2.00 dB
SFO2	400.1324708 MHz

F2 - Processing parameters

SI	32768
SF	100.6121671 MHz
WDW	EM
SSB	0
LB	1.00 Hz
GB	0
PC	1.40

1D NMR Plot Parameters

CX	30.00 cm
F1P	205.000 ppm
F1	20629.82 Hz
F2P	-5.000 ppm
F2	-303.06 Hz
NUC1	13C
NUC2	1H
WDCM	704.63337 Hz/cm

DJ-431

Current Data Parameters
NAME: may-04
EXPNO: 8
PROCNO: 1

F2 - Acquisition Parameters
Date_: 20040504
Time: 18.35
INSTRUM: spect
PROBHD: 5 mm QNP1 13
PULPROG: zg30
TD: 32768
SOLVENT: CDCl3
NS: 16
DS: 0
SWH: 8223.685 Hz
FIDRES: 0.220967 Hz
AQ: 1.952344 sec
RG: 327.68
DM: 60.800 usec
DE: 5.00 usec
TE: 300.0 K
D1: 1.00000000 sec

===== CHANNEL f1 =====
NUC1: 1H
P1: 11.50 usec
PL1: -2.00 dB
SFO1: 400.1324710 MHz

F2 - Processing parameters
SI: 16384
SF: 400.1300951 MHz
WDW: EM
SSB: 0
LB: 0.30 Hz
GB: 0
PC: 1.00

1D NMR Plot parameters
CX: 30.00 cm
F1P: 8.100 ppm
F1: 3241.05 Hz
F2P: -0.100 ppm
F2: -40.01 Hz
PPMCH: 0.27333 ppm/cm
HZCM: 109.36888 Hz/cm

DJ-431

Current Data Parameters
NAME DJ-431
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20040304
Time 18.44
INSTRUM spect
PROBHD 5 mm Dual 1H
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 385
DS 2
SMH 31847.133 Hz
FIDRES 0.485049 Hz
AQ 1.028652 sec
RG 1625.5
DM 15.700 usec
DE 6.00 usec
TE 300.0 K
D1 2.00000000 sec
D11 0.03000000 sec
D12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SFO1 100.6254359 MHz

===== CHANNEL f2 =====
CPOPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 -2.00 dB
PL12 15.00 dB
PL13 17.00 dB
SFO2 400.1324708 MHz

F2 - Processing parameters
SI 32768
SF 100.6127290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

10 NMR pilot parameters
CX 30.00 cm
F1P 205.000 ppm
F1 20825.61 Hz
F2P -5.000 ppm
F2 -503.06 Hz
FREQH 7.00000 ppm/cm
HZCM 704.28905 Hz/cm

DJ-386

Current Data Parameters

NAME	EXPNO	F2 - Acquisition Parameters
NAME	EXPNO	NAME
EXPNO	23	EXPNO
PROCNO	1	PROCNO

F2 - Acquisition Parameters

Date_	Time	INSTRUM	PROBHD	PULPROG	TD	SOLVENT	NS	DS	SWH	FIDRES	AQ	RG	DW	DE	TE	D1	D11	D12
20040211	8:21	SPECT	5 mm DAI 13	zgpg30	269832	CDCl3	1668	2	3197.133 Hz	0.46544 Hz	1.038662 sec	3649.1	15.700 usec	6.00 usec	300.0 K	2.00000000 sec	0.03000000 sec	0.0002000 sec

===== CHANNEL f1 =====

NUC1	P1	PL1	SFO1
13C	9.50 usec	-2.00 dB	100.6254359 MHz

===== CHANNEL f2 =====

CPDPRG2	WALTZ16	NUC2	P2	PL2	SFO2
waitz16	waitz16	1H	100.00 usec	-2.00 dB	400.1324708 MHz

F2 - Processing parameters

SI	SF	WDW	SSB	LB	GB	PC
32768	100.6127184 MHz	EM	0	1.00 Hz	0	1.40

1D NMR plot parameters:

CX	F1p	F2p	PPMCM	HZCM
30.00 cm	205.000 ppm	20625.61 Hz	-503.06 Hz	7.00000 ppm/cm
				704.28954 Hz/cm

DJ-496-1

Current Data Parameters

NAME	aug-04
EXPNO	33
PROCNO	1

F2 - Acquisition Parameters

Date_	20040820
Time	13.13
INSTRUM	spect
PROBHD	5 mm QNP 13
PULPROG	zgpg30
TD	32768
SOLVENT	CDCl3
NS	20
DS	0
SWH	8223.685 Hz
FIDRES	0.250907 Hz
AQ	1.5923444 sec
RG	60
RG2	60
DE	6.00 usec
TE	300.0 K
D1	1.00000000 sec

===== CHANNEL f1 =====

NUC1	¹ H
P1	11.50 usec
PL1	-2.00 dB
SFO1	400.1324710 MHz

F2 - Processing parameters

SI	16384
SF	400.1300042 MHz
WDW	EM
SSB	0
LB	0.30 Hz
GB	0
PC	1.00

1D NMR plot parameters

CX	30.00 cm
FIP	8.100 ppm
F1	3241.05 Hz
F2P	-40.01 Hz
PPMCM	0.27333 ppm/cm
HZCM	105.36888 Hz/cm

Current Data Parameters
NAME: aug-04
EXPNO: 25
PROCNO: 1

F2 - Acquisition Parameters
Date_ : 20060819
Time : 9.07
INSTRUM : spect
PROBHD : 5 mm QNP 13
PULPROG : zg30
TO : 32768
SOLVENT : CDCl3
NS : 20
DS : 0
SWH : 8223.665 Hz
FIDRES : 0.250567 Hz
AQ : 1.5923444 sec
RG : 362
RW : 60.800 usac
DE : 6.00 usac
TE : 300.2 K
D1 : 1.0000000 sec

===== CHANNEL f1 =====
NUC1 : 1H
P1 : 11.50 usac
PL1 : -2.00 dB
SFO1 : 400.1324710 MHz

F2 - Processing parameters
SI : 16384
SF : 400.1300064 MHz
WDW : EM
SSB : 0
LB : 0.30 Hz
GB : 0
PC : 1.00

1D NMR plot parameters
CX : 30.00 cm
F1P : 8.500 ppm
F1 : 3401.10 Hz
F2P : -40.100 ppm
F2 : -40.01 Hz
PNUC1 : 1H
PNUC2 : 13C
HZCM : 114.70394 Hz/cm

DJ-509-1

Current Data Parameters
NAME aug-04
EXPNO 26
PROCNO 1

F2 - Acquisition Parameters
Date_ 20060319
Time 9:47
INSTRUM spect
PROBHD 5 mm QNP 1H
PULPROG zgpg30
TO 65536
SOLVENT CDCl3
NS 1295
DS 2
SWH 31647.133 Hz
FIDRES 0.465949 Hz
AQ 1.0299562 sec
RG 1625.5
DE 15.700 usec
TE 300.2 K
D1 2.0000000 sec
D11 0.0300000 sec
D12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 -2.00 dB
SFO1 100.6254358 MHz

===== CHANNEL f2 =====
CPOPRG2 waltz16
NUC2 1H
PCPD2 100.00 usec
PL2 -2.00 dB
PL12 -15.00 dB
PL13 -17.00 dB
SFO2 400.1324708 MHz

F2 - Processing parameters
SI 32768
SF 100.6127290 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

10 NMR plot parameters
CX 30.00 cm
F1P 205.000 ppm
F2P 20625.81 Hz
F3P 503.000 ppm
NUC1 13C
NUC2 1H
PCPM 7.00000 ppm/cm
HCHM 704.26905 Hz/cm

DJ-362

Current Data Parameters
NAME: m37-04
EXPNO: 33
PROCNO: 1
F2 - Acquisition Parameters
Date_: 20060614
Time: 20.08
INSTRUM: spect
PROBHD: 5 mm Dui1 13
PULPROG: zg30
TO: 32768
SOLVENT: CDCl3
NS: 20
DS: 0
SWH: 8223.685 Hz
FIDRES: 0.259507 Hz
AQ: 1.592444 sec
RG: 382
DB: 60.800 usec
DE: 8.000 usec
TE: 300.2 K
D1: 1.00000000 sec
===== CHANNEL f1 =====
NUC1: 13H
P1: 11.50 usec
PL1: -2.00 dB
SFO1: 400.1324710 MHz
F2 - Processing parameters
SI: 15384
SF: 400.1300651 MHz
WDW: EM
SSB: 0
LB: 0.30 Hz
GB: 0
PC: 1.00
1D NMR Plot parameters
CX: 30.00 cm
FLP: 8.100 ppm
F1: 3241.05 Hz
F2P: -0.100 ppm
F2: -40.01 Hz
PNUC1: 0.27333 ppm/cm
HZCM: 109.36388 Hz/cm

Chemical structure of a bicyclic compound, specifically a norbornene derivative, with a TS-N group attached to the bridgehead carbon.

Current Data Parameters	
NAME	may-04
EXPNO	34
PROCNO	1
F2 - Acquisition Parameters	
Date_	20040601
Time	12.00
INSTRUM	PROBHD
PROBHD	5 mm DAI 13
PULPROG	zgpg30
TD	65536
SOLVENT	CDCl3
NS	5120
DS	2
SWH	31847.133 Hz
FIDRES	0.465345 Hz
AQ	1.0269562 sec
RG	3649.1
RM	13.00 usec
DE	13.00 usec
TE	300.0 K
U1	2.00000000 sec
U2	0.00000000 sec
U3	0.00000000 sec
U4	0.0002000 sec
===== CHANNEL f1 =====	
NUC1	¹³ C
P1	9.50 usec
PL1	-2.00 dB
SFO1	100.6253589 MHz
===== CHANNEL f2 =====	
CPDPRG2	MULTI6
NUC2	¹ H
PCPD2	100.00 usec
PL2	-2.00 dB
PL12	15.00 dB
PL13	17.00 dB
SFO2	400.1324708 MHz
F2 - Processing parameters	
SI	32768
SF	100.6127280 MHz
SSB	0
LB	1.00 Hz
GB	0
PC	1.40
1D NMR plot parameters	
IX	30.00 cm
F1P	205.000 ppm
F1	20625.61 Hz
F2P	-5.000 ppm
F2	-503.06 Hz
PPMCH	7.00000 ppm/cm
WID	704.483056 Hz/cm