Supplementary Material

Development of Highly Stereoselective Asymmetric 6π -Azaelectrocyclization of Conformationally Flexible Linear 1-Azatrienenes. From Determining Multi-Functional Chiral Amines, 7-Alkyl Substituted *cis*-1-Amino-2-indanols, To Application as a New Synthetic Strategy; Formal Synthesis of 20-Epiuleine

Katsunori Tanaka, Toyoharu Kobayashi, Hajime Mori, and Shigeo Katsumura*

School of Science and Technology

Kwansei Gakuin University,

Gakuen 2-1, Sanda, Hyogo 669-1337, Japan

katsumura@ksc.kwansei.ac.jp

Table of contents	page
Copies of ^1H and ^{13}C NMR spectra	S2 — S100

General experimental methods

All commercially available reagents were used without further purification. All solvents were used after distillation. Diethylether, hexane, and benzene were refluxed over and distilled from sodium. Dichloromethane and acetonitrile were refluxed over and distilled from P_2O_5 . Preparative separation was usually performed by column chromatography on silica gel and on aluminum oxide deactivated with 5 w/% of H_2O , and by thin layer chromatography on silica gel. ^1H NMR and ^{13}C NMR spectra were recorded on a 400 MHz spectrometer and chemical shifts were represented as δ -values relative to the internal standard TMS. Melting points were uncorrected.

```
DFILE : 1
SFILE : 1
```

COMNT	:	KATSUMURA-LAB.
EXMOD	:	SINGL
IRMOD	:	NON
POINT	:	32768
FREQU	:	7993.61 Hz
SCANS	:	16
DUMMY	:	4
ACQTM	:	4.0993 sec
PD	:	2.9007 sec
RGAIN	:	15
PW1	:	5.35 usec

```

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

```

```

IRNUC      : 1H
IRFRQ      : 399.65 MHz
IRSET      : 134500.00 Hz
IRATN      : 511
IRRPW      : 50.0 usec
IRBP1      : 27
IRBP2      : 6
IRANS      : 0

```

```

ADBIT : 16
CTEMP : 23.7 C
CSPED : 11 Hz
SLVNT : CDCL3

```

RESOL :	0.24 Hz
BF :	0.01 Hz
T1 :	0.00 %
T2 :	0.00 %
T3 :	90.00 %
T4 :	100.00 %
REFVL :	7.24 ppm
XE :	3237.89 Hz
XS :	423.37 Hz

operator

(-)-1a

S-2

28-JUL-1999 12:09:46.48

DFIL :
 SFIL :
 COMNT : KATSUMURA-LAB.
 EXMOD : STNGL
 IRMOD : BCM
 POINT : 32768
 FREQU : 27100.27 HZ
 SCANS : 629
 DUMMY : 4
 ACQTM : 1.2091 sec
 PD : 0.8000 sec
 RGAIN : 23
 PW1 : 4.75 usec

OBNUC : 13C
 OBFRQ : 100.40 MHz
 OBSFT : 135500.00 HZ

IRNUC : 1H
 IRFRQ : 399.65 MHz
 IRSEI : 134500.00 HZ
 IRATN : 511
 IRPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 6
 IRNS : 0

ADBIT : 16
 CTEMP : 24.0 C
 CSPED : 11 HZ
 SLVNT : CDCL3

RESOL : 0.83 HZ
 BF : 2.00 HZ
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 77.00 ppm
 XE : 16083.34 HZ
 XS : 1059.84 HZ
 operator

(-)-1a

9-DEC-1999 19:37:31.97

DFILE :
SFIL :

COMNT : KATSUMURA-LAB.
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 9
PW1 : 10.70 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0
ADBIT : 16
CTEMP : 24.6 C
CSPED : 15 Hz
SLVNT : CDCL3
RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz

S-4

KATSUMURA-LAB.

7-DEC-1999 18:33:50.50

DFILE :
SFILE :

COMNT : KATSUMURA-LAB.
 EXMOD : SINGL
 IRMOD : NON
 POINT : 32768
 FREQU : 7993.61 Hz
 SCANS : 16
 DUMMY : 4
 ACQTM : 4.0993 sec
 PD : 2.9007 sec
 RGAIN : 15
 PW1 : 10.60 usec

OBNUC : ¹H
 OBFRQ : 399.65 MHz
 OBSET : 134500.00 Hz

IRNUC : ¹H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 6
 IRBNS : 0

ADBIT : 16
 CTEMP : 24.8 C
 CSPED : 13 Hz
 SLVNT : CDCL3

RESOL : 0.24 Hz
 BF : 0.01 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 7.26 ppm
 XE : 3237.89 Hz

major

31-OCT-2001 00:33:01.29

```

OFFILE :
SFILE : katsu1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTIM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15

PW1 : 10.60 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 25.5 c
CSPED : 14 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFLV : 0.00 ppm
XE : 3237.89 Hz
XS : 413.85 Hz
operator

```

S-6

31-OCT-2001 00:31.03.48

DFILE :
SFIL : Katsu1
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 911
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 26.3 c
CSPED : 12 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 3070.78 Hz
operator

-5.288

18.374

25.942
26.32141.064
41.69751.072
52.862
56.264
56.831
59.71976.679
77.000
77.313123.697
125.244
126.420
126.774
128.173
128.263
132.434136.680
138.967
142.151

ppm

30-OCT-2001 23:12:30.34

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15
PW1 : 10.60 usec
OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
ADBIT : 16
CTEMP : 25.5 c
CSPED : 12 Hz
SLVNT : CDCL3
RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 413.85 Hz
operator

＜ATSUMURA-LAB＞

Year	Number of people (millions)
1970	141.705
1971	139.246
1972	136.762
1973	133.364
1974	131.932
1975	128.436
1976	126.445
1977	125.960
1978	125.524
1979	124.109

66.855	_____
65.967	_____
64.413	_____
63.325	_____
62.841	_____
77.321	_____
76.687	_____
68.855	_____
65.967	_____
64.413	_____
63.325	_____
62.841	_____
44.655	_____
41.780	_____
26.272	_____
25.924	_____
18.406	_____
-5.131	_____

```
IRNUC      : 1H
IRFAQ      : 399.65 MHz
IRSET      : 134500.00 Hz
IRATN      : 511
IRAPW      : 50.0. usec
IRBP1      : 27
IRBP2      : 6
IRANS      : 0
```

RESOL :	0.83 Hz
BF :	2.00 Hz
T1 :	0.00 %
T2 :	0.00 %
T3 :	90.00 %
T4 :	100.00 %
REFVL :	77.00 ppm
XE :	18093.86 Hz
XS :	3071.61 Hz
operator :	

operator

22-NOV-2001 16:43:39.47

COMNT : KATSUMURA-LAB
 EXMOD : SINGL
 IRMOD : NON
 POINT : 32768
 FREQU : 7993.61 Hz
 SCANS : 16
 DUMMY : 4
 ACQTM : 4.0993 sec
 PD : 2.9007 sec
 RGAIN : 18
 PW1 : 10.60 usec

OBNUC : 1H
 OBFRQ : 399.65 MHz
 OBSET : 134500.00 Hz
 IRNUC : 1H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRAIN : 511
 IRAPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 6
 IRRNS : 0

ADBIT : 16
 CTEMP : 25.9 C
 CSPED : 11 Hz
 SLVNT : CDCL3

RESOL : 0.24 Hz
 BF : 0.01 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %

major; (-)- 3a

26-NOV-2001 23.08.58.50

DFILE :
SFILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 14
PW1 : 10.60 usecOBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRAIN : 541
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 26.0 c
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 409.46 Hz
operatorppm
0
1
2
3
4
5
6
7

major; (-)-3a

26-NOV-2001 23:24:26.06

DFILE :
SFILE : KATSU2COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 317
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRS : 0ADBIT : 16
CTEMP : 26.5 C
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1058.60 Hz
operator

major; (-)- 3a

26-NOV-2001 22.28.30.65

DFILE :
SFIL :COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 17
PW1 : 5.30 usecOBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 25.9 c
CSPED : 14 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 411.17 Hz
operator

26-NOV-2001 22:53:08.42

DFILE :
SF FILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 397
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 544
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 26.5 c
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1061.09 Hz
operator

166.396
143.706
140.518
139.622
136.416
129.876
129.094
128.659
127.942
127.835
126.565
125.206
124.452
124.452
65.459
50.209
77.321
77.000
76.687
65.669
60.669
59.622
39.698
30.953
14.145

KATSUMURA-LAB

major

21-NOV-2001 16:18:19.28

DFILE :
SFIL : katsu1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 272
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRNS : 0
ADBIT : 16
CTEMP : 26.5 c
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15077.67 Hz
XS : 1561.03 Hz
operator25.156
41.862
41.864
62.496
66.297
66.552
70.254
76.679
77.000
77.218123.796
125.005
126.067
126.272
126.893
127.025
128.551
129.431
136.548
138.660
140.933
144.673

ppm

major

KATSUMURA-LAB

~~S-17~~

RESOL :	0.24 Hz
BF :	0.01 Hz
T1 :	0.00 %
T2 :	0.00 %
T3 :	90.00 %
T4 :	100.00 %
REFVL :	0.00 ppm
XE :	3237.89 Hz
XS :	411.41 Hz
operator

21-NOV-2001 15:36:01.96

DFILE :
SFILE : katsu1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM

POINT : 32768

FREQU : 27100.27 Hz

SCANS : 290

DUMMY : 4

ACQTM : 0.6046 sec

PD : 0.8000 sec

RGAIN : 23

PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRAIN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 26.6 c
CSPED : 11 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppmXE : 15077.67 Hz
XS : 1561.85 Hz

operator

26-FEB-2004 03:57:24.06

DFILE :
SFILE :

COMNT : KATSUMURA-LAP
 EXMOD : 5IN5L
 IRMOD : NON
 PCINT : 32768
 FREQ : 7993.61 HZ
 SCANS : 16
 DUMMY : 4
 ALGTM : 4.0003 SEC
 PD : 2.0007 SEC
 RGAIN : 16
 PW1 : 10.60 usec

QENUC : 1H
 QBFHQ : 399.65 MHz
 QBSFET : 134500.00 HZ

IRNUC : 1H
 IRFHQ : 399.65 MHz
 IRSFET : 134500.00 HZ
 TRATN : 514
 TRIPW : 50.0 usec
 TRBP1 : 27
 TRBP2 : 5
 TRBNS : 0

ADBIT : 16
 CTEMP : 23.8 C
 CSFED : 12 HZ
 SLVNT : CDCL3

RESOL : 0.24 HZ
 DF : 0.04 HZ
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %

major: (-)-2b

KATSUMURA-LAB

major: (-)-2h

8-JAN-2001 20:53:21.36

DFILE :
SFILE : KATSU2COMNT : KATSUMURA-LAB
EXMOD : SINGL

IRMSD : BCM

POINT : 32768

FREQU : 27100.27 HZ

SCANS : 1393

DUMMY : 4

ACQIM : 0.6046 sec

PD : 0.8000 sec

RGAIN : 23

PW1 : 9.50 usec

OBNUC : ¹³C
CBFREQ : 100.40 MHz
OBSET : 135500.00 HZIRNUC : ¹H
IRFREQ : 399.65 MHz
IRSET : 134500.00 HZ
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 25.1 C
CSPPD : 12 HZ
SLVNT : CDCL3RESOL : 0.83 HZ
BF : 2.00 HZ
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %REFVL : 77.00 ppm
XE : 20104.39 HZ
XS : 2064.69 HZ

operator

-5.812

14.211

18.147

25.457

25.910

29.608

59.846

60.538

62.808

74.068

74.968

76.679

77.000

77.218

86.256

124.673

124.767

126.318

129.345

130.081

132.695

136.581

137.523

137.669

143.167

166.100

ppm

major: (-)-2h

9-JAN-2001 03:30:29.39

DFILE :
SFILE :
COMNT :
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9307 sec
RGAIN : 13
PW1 : 10.00 usec

GBNUC : 1H
GBFRC : 399.65 MHz
OPSET : 134500.00 Hz

IRNUC : 1H
IRFRC : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRPW : 50.0 usec
IRBP1 : 27
IRBP2 : C
IRPNS : 0

ADBIT : 16
CTEMP : 24.9 C
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 415.07 Hz
operator

12-JAN-2001 02:53:25.08

DFILE : KATSU1
 COMNT : RH+1044CRD
 EXMOD : SINGL
 IRMOD : NON
 POINT : 32768
 FREGU : 7993.61 Hz
 SCANS : 16
 DUMMY : 4
 ACQTM : 4.0993 sec
 PD : 2.9007 sec
 PGAIN : 18
 PW1 : 10.60 usec

OBNUC : 1H
 OBFRQ : 399.65 MHz
 OBSET : 134500.00 Hz

IRNUC : 1H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 6
 IRRNS : 0

ADBIT : 16
 CTEMP : 24.8 C
 CSPED : 13 Hz
 SLVNT : CDCL3

RESOL : 0.24 Hz
 BF : 0.01 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 0.00 ppm
 XE : 3237.89 Hz
 XS : 414.59 Hz

operator

```

DFILE :
SFILE : KATSU1
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 2548
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

```

```
OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
```

```
IRNUC      : 1H
IRFRQ      : 399.65 MHz
IPSET      : 134500.00 Hz
IRAIN      : 511
IRBPW      : 50.0 usec
IRBP1      : 27
IRBP2      : 6
IRANS      : 0
```

```

ADBIT : 16
CTEMP : 25.0 c
CSPED : 13 Hz
SLVNT : CDCL3

```

```

RESOL : 0.83 Hz
BF      2.00 Hz
T1      0.00 %
T2      0.00 %
T3      90.00 %
T4      100.00 %
REFLV   77.00 ppm
XE       1586.18 Hz
XS       3324.27 Hz
operator

```

14-MAR-2001 22:23:38.92

DFILE :
SFILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 16
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 18

PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 24.4 C
CSPED : 11 Hz
SLVNT : COCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

KATSUMURA-LAB

7.447	7.432	7.427	7.417	7.412	7.405	7.396	7.390	7.385	7.371	7.367	7.360	7.355	7.351	7.346	7.330	7.325	7.319	7.315	7.311	7.301	7.295	7.281	7.262	7.255	7.249	7.243	7.237	7.231	7.225	7.215	7.202	7.198	7.185	7.180	7.167	7.162	7.149	7.144	7.125	7.116	7.110	7.101	7.092	7.079	7.068	7.064	7.055	7.040	7.030	7.024	7.016	7.002	6.998	6.992	6.986	6.982	6.976	6.970	6.964	6.958	6.952	6.946	6.940	6.934	6.928	6.922	6.916	6.910	6.904	6.898	6.892	6.886	6.880	6.874	6.868	6.862	6.856	6.850	6.844	6.838	6.832	6.826	6.820	6.814	6.808	6.802	6.796	6.790	6.784	6.778	6.772	6.766	6.760	6.754	6.748	6.742	6.736	6.730	6.724	6.718	6.712	6.706	6.700	6.694	6.688	6.682	6.676	6.670	6.664	6.658	6.652	6.646	6.640	6.634	6.628	6.622	6.616	6.610	6.604	6.598	6.592	6.586	6.580	6.574	6.568	6.562	6.556	6.550	6.544	6.538	6.532	6.526	6.520	6.514	6.508	6.502	6.496	6.490	6.484	6.478	6.472	6.466	6.460	6.454	6.448	6.442	6.436	6.430	6.424	6.418	6.412	6.406	6.400	6.394	6.388	6.382	6.376	6.370	6.364	6.358	6.352	6.346	6.340	6.334	6.328	6.322	6.316	6.310	6.304	6.298	6.292	6.286	6.280	6.274	6.268	6.262	6.256	6.250	6.244	6.238	6.232	6.226	6.220	6.214	6.208	6.202	6.196	6.190	6.184	6.178	6.172	6.166	6.160	6.154	6.148	6.142	6.136	6.130	6.124	6.118	6.112	6.106	6.100	6.094	6.088	6.082	6.076	6.070	6.064	6.058	6.052	6.046	6.040	6.034	6.028	6.022	6.016	6.010	6.004	5.998	5.992	5.986	5.980	5.974	5.968	5.962	5.956	5.950	5.944	5.938	5.932	5.926	5.920	5.914	5.908	5.902	5.896	5.890	5.884	5.878	5.872	5.866	5.860	5.854	5.848	5.842	5.836	5.830	5.824	5.818	5.812	5.806	5.800	5.794	5.788	5.782	5.776	5.770	5.764	5.758	5.752	5.746	5.740	5.734	5.728	5.722	5.716	5.710	5.704	5.698	5.692	5.686	5.680	5.674	5.668	5.662	5.656	5.650	5.644	5.638	5.632	5.626	5.620	5.614	5.608	5.602	5.596	5.590	5.584	5.578	5.572	5.566	5.560	5.554	5.548	5.542	5.536	5.530	5.524	5.518	5.512	5.506	5.500	5.494	5.488	5.482	5.476	5.470	5.464	5.458	5.452	5.446	5.440	5.434	5.428	5.422	5.416	5.410	5.404	5.398	5.392	5.386	5.380	5.374	5.368	5.362	5.356	5.350	5.344	5.338	5.332	5.326	5.320	5.314	5.308	5.302	5.296	5.290	5.284	5.278	5.272	5.266	5.260	5.254	5.248	5.242	5.236	5.230	5.224	5.218	5.212	5.206	5.200	5.194	5.188	5.182	5.176	5.170	5.164	5.158	5.152	5.146	5.140	5.134	5.128	5.122	5.116	5.110	5.104	5.098	5.092	5.086	5.080	5.074	5.068	5.062	5.056	5.050	5.044	5.038	5.032	5.026	5.020	5.014	5.008	5.002	4.996	4.990	4.984	4.978	4.972	4.966	4.960	4.954	4.948	4.942	4.936	4.930	4.924	4.918	4.912	4.906	4.900	4.894	4.888	4.882	4.876	4.870</
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	---------

752

1.8560	1.9918	3.4221	9512	1.108	0000	8310	8700	8247	5.
--------	--------	--------	------	-------	------	------	------	------	----

[The page contains faint, illegible markings and horizontal lines.]

major; (-)-3b

16-MAR-2002 16:18:25.24

DFILE :
SFIL : KATSU2COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1168
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRANS : 0ADBIT : 16
CTEMP : 27.6 C
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1061.09 Hz
operator

major; (-)- 3b

26-JAN-2001 06:49:24.79

DFILE
SFILE

COMNT : KATSUMURA-LAB
EXMOJ : SINGL
IRMCD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 16
DUMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 16

FW1 : 10.60 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSE1 : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : C

ADBIT : 16
CTEMP : 24.5 C
CSPED : 12 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

major 2c

27-FEB-2001 04:03:46.38

DFILE :
SFILE : katsu1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 3578
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 24.8 c
CSPED : 13 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 20104.39 Hz
XS : 2067.17 Hz
operator

15-MAR-2001 21:47:16.91

DFILE :
SFILE :

COMNT : KATSUMURA-LAB

EXMOD : SINGL

IRMOD : NON

POINT : 32768

FREQ : 7993.61 Hz

SCANS : 16

DUMMY : 4

ACQTM : 4.0993 sec

PD : 2.9007 sec

RGAIN : 18

PW1 : 5.30 usec

ORNUC : 1H

ORFRQ : 399.65 MHz

ORSET : 134500.00 Hz

IRNUC : 1H

IRFRQ : 399.65 MHz

IRSET : 134500.00 Hz

IRATN : 511

IRRPW : 50.0 usec

IRBP1 : 27

IRBP2 : 6

IRRNS : 0

ADBIT : 16

CTEMP : 24.2 C

CSPED : 13 Hz

SLVNT : CDCL3

RESOL : 0.24 Hz

BF : 0.01 Hz

T1 : 0.00 %

T2 : 0.00 %

T3 : 90.00 %

T4 : 100.00 %

major; 3c

19-MAR-2001 21:27:33.25

DFILE :
SFIL :
COMNT : KATSUMURA-LABEXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 16
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 19
PW1 : 5.30 usecOBNUC : ¹H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 24.0 C
CSPED : 13 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 413.12 Hz
operator

19-MAR-2001 23:02:30.14

DFILE :
SFIL :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 52768
FREQ : 27100.27 HZ
SCANS : 5070
DUMMY : 4
ACQTM : 0.0046 sec
PG : 0.0000 sec
RGAIN : 23
PW1 : 9.50 usec

QNUC : 13C
QBFRQ : 100.40 MHz
QBSET : 135500.00 HZ

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 HZ
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : C
IRBNS : C

ADBIT : 16
CTEMP : 24.2 C
CSFED : 13 HZ
SLVNT : CDCL3

RESOL : 0.83 HZ
BF : 2.00 HZ
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 HZ
XS : 1061.91 HZ
operator

major; 3c

14-FEB-2001 06:55:58.79

DFILE :
SFIL :
COUNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 16
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15
PW1 : 10.60 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRHPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
ADBIT : 16
CTEMP : 24.3 C
CPED : 12 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.04 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

major; (-)-2d

16-FEB-2001 04:22:55.08

major; (-)-2d

16-FEB-2001 05:54:13.96

DFTITLE :
SFIL : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
PCINT : 32768
FREQU : 27190.27 Hz
SCANS : 3560
DUMMY : 4
ACQTM : 0.6045 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecQBNUG : 13C
QBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 24.8 C
CSPED : 13 Hz
SLVNT : CDCl3RESOL : 0.89 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 0.00 %
T4 : 100.00 %
REF/L : 77.00 ppm
XE : 20164.39 Hz
XS : 73568.00 Hz
operator

14-MAR-2001 22:43:21.56

DFILE :
SFILE : KATSU1

COMNT : KATSUMURA-LAB
 EXMOD : SINGL
 IRMOD : NON
 POINT : 32768
 FREQU : 7993.61 Hz
 SCANS : 16
 DUMMY : 4
 ACQTM : 4.0993 sec
 PD : 2.9007 sec
 RGAIN : 18
 PW1 : 5.30 usec

OBNUC : ¹H
 OBFRQ : 399.65 MHz
 OBSET : 134500.00 Hz

IRNUC : ¹H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 uScc
 IRBP1 : 27
 IRBP2 : 6
 IRRNS : 0

ADBIT : 16
 CTEMP : 23.4 C
 CSPED : 10 Hz
 SLVNT : CDCL3

RESOL : 0.24 Hz
 BF : 0.01 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %

KATSUMURA-LAB

Year	Population (millions)
1960	18
1965	20
1970	22
1975	24
1980	26
1985	28
1990	38

```

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 23.5 c
CSPED : 12 Hz
SLVNT : CDCL3

```

RESOL :	0.24	Hz
BF	0.01	Hz
T1	0.00	%
T2	0.00	%
T3	90.00	%
T4	100.00	%
REFVL	0.00	ppm
XE	3237.89	Hz
XS	413.37	Hz

major; (-)-3d

15-MAR-2001 05:51:57.03

DFILE :
SFILE :
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 3165
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRNS : 0
ADBIT : 16
CTEMP : 24.1 C
CSPED : 12 Hz
SLVNT : CDCL3
RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1061.91 Hz
operator

ppm

major; (-)-3d

DFILE :
SFIL : KATSU1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 16
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15
PW1 : 10.60 usec

ORNUC : 1H
ORFRO : 399.05 MHz
ORSET : 134500.00 Hz
IRNUC : 1H
IRFRO : 399.05 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 25.1 C
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

major: 2e

25-FEB-2001 17:58:39.48

DFILE :
SFIL :
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 33
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 17
PW1 : 10.60 usec

ORNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 24.3 C
CSPED : 12 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 414.13 Hz

operator

25-FEB-2001 20:56:34.11

DTITLE :
 SFILF : KATSU1
 COMINT : KATSUMURA-LAB
 EXMOD : SINGL
 IRMOD : BCM
 POINT : 32768
 FREQU : 27100.27 Hz
 SCANS : 7111
 DUMMY : 4
 ACQTM : 0.6046 sec
 PD : 0.8000 sec
 RGAIN : 23
 PW1 : 9.50 usec

QNUC : ¹³C
 QBFO : 100.40 MHz
 QBSE : 135500.00 Hz

IRNUC : ¹H
 IRFO : 399.65 MHz
 IRSE : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 uscc
 IRBP1 : 27
 IRBP2 : 6
 IRRNS : 0

ADBIT : 1C
 CTEMP : 25.2 c
 CSPED : 12 Hz
 SLVNT : CDCL3

RESOL : 0.83 Hz
 BF : 2.00 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 77.00 ppm
 XE : 20104.39 Hz
 XS : 2056.00 Hz
 operator

18-MAR-2001 05:11:41.83

DFILE :
SFILE : katsu1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 16
DUMMY : 4
ACQTM : 4.0097 sec
PD : 2.9007 sec
RGAIN : 19
PW1 : 5.30 usec

CHNUC : 1H
CHFRQ : 399.65 MHz
CHSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 5
IRRNS : 0

ADBIT : 16
CTEMP : 24.5 C
CPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.14 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

KATSUM:JRA-!_AB

S-45

RESOL	:	0.24	Hz
BF	:	0.01	Hz
T1	:	0.00	%
T2	:	0.00	%
T3	:	90.00	%
T4	:	100.00	%
REFVL	:	0.00	rpm
XE	:	3.37.89	Hz
XS	:	413.37	Hz
operator	:

20-MAR-2001 23:04:25.00

DFILE :
SFILE : katsu1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : B7M
POINT : 3276°
FREQ : 27100.27 Hz
SCANS : 3513
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.0000 sec
RGAIN : 23
PW1 : 9.50 usec

CPNU2 : 130
CRFR3 : 100.40 MHz
CPSET : 135500.00 Hz

IRNU2 : 1H
IRFR3 : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 24.5 C
CSPED : 11 Hz
CLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 50.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1061.91 Hz
operator

major; 3e

44-FEB-2001 22:32:27.56

Время, часы	Число яиц на самку паразитоидов
0	100
1	20
2	20
3	25
4	28
5	30
6	32
7	34
8	36
9	38
10	40
11	40
12	40
13	40
14	40
15	40
16	40
17	40
18	40
19	40
20	40
21	40
22	40
23	40
24	40

0.037
0.034
0.032

274

000000

FILE : 3715

```

COMMIT : KATSUMIIRA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PPD : 2.9007 sec
RGAIN : 14
PW1 : 10.60 usec

```

```
OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
```

```
IRNUC : :1H      399.65 MHz
IRFRQ :      134500.00 Hz
IRSET  :      511
IRATN  :      50.0 usec
IRBPW  :      27
IRBP1  :      6
IRBP2  :      0
IRANS  :
```

```

ADBIT : 16
CTEMP : 24.5 C
CSPED : 13 Hz
SLVNT : CDDC3

```

RESOL	:	0.24	Hz
BF	:	0.01	Hz
T1	:	0.00	%
T2	:	0.00	%
T3	:	90.00	%
T4	:	100.00	%
PCFVL	:	0.00	ppm
XE	:	3237.89	Hz
XS	:	394.34	Hz
operator	:		

operator

6

14-FEB-2001 23:00:55.41

152.597
150.480
151.489
154.602
153.678
151.447

15574 —

— 276 —

```

DFILE :
SFILE : KARSU1

```

COMNT	:	KATSUMURA-LAB
EXMOD	:	SINGL
IRMOD	:	BCM
POINT	:	32768
FREQU	:	27100.27 HZ
SCANS	:	1023
DUMMY	:	4
ACQIM	:	0.6046 sec
PD	:	0.8000 sec
RGAIN	:	23
PW1	:	9.50 usec

```
OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
```

```

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

```

```
ADBLT : 16
CTEMP : 24.9 c
CSPED : 13 Hz
SLVNT : CDCL3
```

```

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15078.50 Hz
XS : 2565.46 Hz
operator

```

9

KATSUMURA-LAB

4.327
4.335
4.334
4.330
4.329
4.091
4.083
4.075

COMNT	:	KATSUMURA-LAB
EXMCD	:	SINGL
IRMOD	:	NON
POINT	:	32758
FREQU	:	7993.61 Hz
SCANS	:	8
DUMMY	:	4
ACGTM	:	4.0993 sec
PD	:	2.9007 sec
RGAIN	:	14
PW1	:	10.60 usec

```

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

INNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRHPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRHNS : 0

```

```

ADBIT : 16
CTEMP : 25.2 C
CSPED : 12 Hz
SLVNT : CDCL3

```

RESOL :	0.24 Hz
BF :	0.01 Hz
T1 :	0.00 %
T2 :	0.00 %
T3 :	90.00 %
T4 :	100.00 %
REFVL :	0.00 ppm
XE :	3237.89 Hz
XS :	403.12 Hz
operator	

operator

23-NOV-2000 22:42:09.44

DFILE :
SFILE : KATSU1
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 408
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
CBFQG : 100.40 MHz
OBSET : 13550.00 Hz

IRNUC : ¹H
IRFQG : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
TRNS : 0

ADBIT : 16
CTEMP : 25.9 C
CSPED : 12 Hz
SLVNT : CDCL3

RESCL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 16083.34 Hz
XS : 2059.73 Hz
operator

KATSUMURA-LAB

29-NOV-2000 21:46:07.47

DFILE :
SFILE : KATSU1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 15
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15
PW1 : 10.60 usec

CHNUC : 1H
CHFRQ : 399.65 MHz
CHSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 5
IRBP3 : 0

ADBIT : 16
CTEMP : 24.7 C
CSPED : 1.1 Hz
SLVNT : CDCL3

RESUL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.20 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 411.66 Hz
operator

(-)-b

29-NOV-2000 22:06:28.12

DFILE :
SFIL : KATSU1CGMT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 665
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : ¹³C
OBFRQ : 100.40 MHz
ORGET : 135500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 10
CTEMP : 24.8 C
CSPED : 12 Hz
SLVNT : CDCL₃RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15078.50 Hz
XS : 2565.46 Hz
operator

18.374

99.220

55.642

71.449

76.687
77.000
77.221

122.655

126.263
128.321

134.532

140.670

142.562

S-52

ppm

(-)-b

15-APR-2001 10:59:34.30

DFILE :
SF FILE :COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
PPOINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACGTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 16
PW1 : 10.60 usecOBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 514
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 7ADBIT : 16
CTEMP : 23.2 c
CSPED : 14 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 418.24 Hz

operator

15-APR-2001 20:33:37.46

DFILE :
SFILE :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 8000
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 23.6 C
CSPED : 14 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFL : 77.00 ppm
XE : 22114.91 Hz
XS : -948.61 Hz
operator

8

4-JAN-2004 17:36:08.46

DFILE :
SFILE : kobaisosilyCOMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON

POINT : 32768

FREQ : 7993.61 Hz

SCANS : 8

DUMMY : 4

ACQTM : 4.0993 sec

PD : 2.9007 sec

RGAIN : 15

PW1 : 11.00 usec

OBNUC : ¹H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 25.6 c
CSPED : 14 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 413.85 Hz
operator

S-55

4-JAN-2004 17:44:04.23

0.000
22.189
30.539
76.652
76.965
77.286
94.275
124.723
138.602
155.098

DFILE :
SFILE : kobaisosily

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM

POINT : 32768
FREQ : 27100.27 Hz
SCANS : 734

DUMMY : 4

ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 10.00 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 26.4 C
CSPED : 14 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %

REFVL : 0.00 ppm
XE : 17088.19 Hz
XS : 2567.94 Hz
operator

S-56

ppm

0 20 40 60 80 100 120 140

DFILE :
SFIL :COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 19

PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 23.2 c
CSPED : 13 Hz
SLVNT : ACETNRESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 2.04 ppm
XE : 3238.13 Hz
XS : 411.78 Hz
operator

```

DFILE :
SFILF : katsu1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 2000
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 9.50 usec

```

```

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 514
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRANS : 0

ADBIT : 16
CTEMP : 23.1 c
CSPED : 13 Hz
SLVNT : ACETN

```

```
RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 29.80 ppm
XE : 22114.91 Hz
X5 : -860.94 Hz
operator
```

DEFILE :
SF FILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 15
PW1 : 10.60 usecOBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 25.8 c
CSPED : 14 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3437.68 Hz
XS : 316.64 Hz
operator

16-OCT-2001 17:45:04.95

DFILE :
SFILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1737
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : ^{13}C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : ^1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 26.5 c
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 22114.91 Hz
XS : -950.26 Hz
operator

11-JUL-2001 06:54:14.26

KATSUMURA-LAB

DFILE :
SFIL : KATSU2

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 587
DUMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

CBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRHNS : 0

ADBIT : 16
CTEMP : 23.2 c
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 16083.34 Hz
XS : 2063.04 Hz
operator

KATSUMURA-LAB

25-SEP-2001 23:30:27.49

DFILE :
SFIL :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 14
PW1 : 10.60 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBPS : 0
ADBIT : 16
CTEMP : 25.7 c
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 100.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 398.97 Hz
operator

26-SEP-2001 00:12:40.26

DFILE :
SFILE : TOM-BIRCH0BCM
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1203
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRS : 0

ADBIT : 16
CTEMP : 26.5 C
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 14574.83 Hz
XS : 1813.27 Hz
operator

27-SEP-2001 08:08:37.45

DFILE :
SFILE :
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 14
PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 25.8 c
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 403.61 Hz
operator

DFILE :
SFILE : katsu1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 983
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 26.5 C
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15077.67 Hz
XS : 1559.37 Hz
operator

13-FEB-2001 05:28:21.45

7.258
7.248
7.241
7.230
7.226
7.211
7.183
7.138
7.049
7.002

4.276
4.258
4.241
4.239
4.234

3.412
3.409
3.406
3.403
3.400
3.397
3.394
3.391
3.388
3.385
3.382
3.379
3.376
3.373
3.370
3.367
3.364
3.361
3.358
3.355
3.352
3.349
3.346
3.343
3.340
3.337
3.334
3.331
3.328
3.325
3.322
3.319
3.316
3.313
3.310
3.307
3.304
3.301
3.298
3.295
3.292
3.289
3.286
3.283
3.280
3.277
3.274
3.271
3.268
3.265
3.262
3.259
3.256
3.253
3.250
3.247
3.244
3.241
3.238
3.235
3.232
3.229
3.226
3.223
3.220
3.217
3.214
3.211
3.208
3.205
3.202
3.200
3.197
3.194
3.191
3.188
3.185
3.182
3.179
3.176
3.173
3.170
3.167
3.164
3.161
3.158
3.155
3.152
3.149
3.146
3.143
3.140
3.137
3.134
3.131
3.128
3.125
3.122
3.119
3.116
3.113
3.110
3.107
3.104
3.101
3.098
3.095
3.092
3.089
3.086
3.083
3.080
3.077
3.074
3.071
3.068
3.065
3.062
3.059
3.056
3.053
3.050
3.047
3.044
3.041
3.038
3.035
3.032
3.029
3.026
3.023
3.020
3.017
3.014
3.011
3.008
3.005
3.002
3.000

2.212

1.217
1.200
1.183
1.166
1.149
1.132
1.115
1.098
1.081
1.064
1.047
1.030
1.013
0.996
0.979
0.962
0.945
0.928
0.911
0.894
0.877
0.860
0.843
0.826
0.809
0.792
0.775
0.758
0.741
0.724
0.707
0.690
0.673
0.656
0.639
0.622
0.605
0.588
0.571
0.554
0.537
0.520
0.503
0.486
0.469
0.452
0.435
0.418
0.401
0.384
0.367
0.350
0.333
0.316
0.299
0.282
0.265
0.248
0.231
0.214
0.197
0.180
0.163
0.146
0.129
0.112
0.095
0.078
0.061
0.044
0.027
0.010
0.000

0.000

DEFILE :
SFILE :

COMNT : KATSUMURA-LAB
EXMCD : SINGL
IRMOD : NUN
PCINT : 3275
FREQ : 7993.51 Hz
SCANS : 16
PUMY : 4
ACQIM : 4.0293 587
PD : 2.9307 585
RGAIN : 17

PW1 : 10.50 0580

CPNUC : 1H
OBFRQ : 99.65 MHz
OBSET : 134500.00 Hz

IPNUC : 1H
IPFRQ : 399.15 MHz
IPSET : 134500.00 Hz
IRATN : 544
IRHPW : 50.0 0590
IRBP2 : 6
IRBPS : 3

ADBIT : 16
GTEMP : 24.5
GSEED : 13 Hz
SLVNT : CDCl3

RESOL : 0.24 Hz
BF : 0.04 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 0.00 %
T4 : 100.00 %
PEFVL : 0.00 ppm
F2 : 2297.89 Hz
XS : 413.85 Hz
operator

S-67

(-)-d

12-FEB-2001 06:47:00.72

OFILE :
 SFILF : KATSU1
 COMNT : KATSUMURA-LAB
 EXMOD : STN5L
 IFMOD : BCM
 POINT : 32764
 FREQ : 27130.27 Hz
 SCAN : 2149
 DUMMY : 4
 ACQTM : 0.6045 sec
 PD : 0.0000 sec
 RSATN : 23
 PW1 : 9.50 sec
 CONDC : 120
 CREFQ : 100.40 MHz
 CDEET : 125500.00 Hz
 TRNUC : ¹H
 TRFRQ : 300.65 MHz
 TRPCT : 124500.00 Hz
 TRATN : 511
 TRAPW : 50.0 sec
 TRBPA : 27
 TRBPE : 5
 TRBNS : 0
 ADRTT : 16
 CTEMP : 25.5
 CDEED : 15 Hz
 SLVNT : CDCL3
 RESOL : 0.02 Hz
 BF : 2.00 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 32.00 %
 T4 : 100.00 %
 REFVL : 77.00 ppm
 XE : 15077.67 Hz
 XS : 1563.51 Hz
 operator

(-)-d

24-JAN-2001 08:27:22.12

DFILE :
SF FILE :

COMNT :
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 18
PW1 : 10.60 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 25.4 C
CSPED : 10 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 413.85 Hz
operator

0.003

1.262
1.261
1.201

2.119

2.666
2.665
2.703
2.721
2.740
2.759
2.770
2.778
2.790
2.810
2.829
2.812
2.831
2.852
2.870

4.245
4.264
4.320
4.345
4.365
4.382

7.031
7.050
7.061
7.060
7.179
7.197
7.216
7.258

2.5527

3.1955

1.1609

0.9415
1.0000

1.9108

0.8208

DFILE :
SFIL : KATSU1

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1513
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0
ADBIT : 16
CTEMP : 25.7 C
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 16083.34 Hz
XS : 2067.17 Hz
operator

S-70

25--FEB--2001 11: 12: 35.87

Year	Population (millions)
1957	7.257
1962	7.352
1967	7.451
1972	7.550
1977	7.650

८६८७. —

4. 4. 4

CCC C

DFILE : :
SFILE :

COMNT	:	KATSUMURA-LAB
EXMOD	:	SINGL
IRMOD	:	NON
POINT	:	32768
FREQU	:	7993.61 Hz
SCANS	:	8
DUMMY	:	4
ACQTM	:	4.0993 sec
PD	:	2.9007 sec
RGAIN	:	16
PW1	:	5.30 usec

```
OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
```

ADBIT	:	16	
CIEMP	:	24.2	c
CSPD	:	14	Hz
SLVNT	:	CDCL3	
RESOL	:	0.24	Hz
BF	:	0.01	Hz
T1	:	0.00	%
T2	:	0.00	%
T3	:	90.00	%
T4	:	100.00	%
REFVL	:	0.00	ppm
XE	:	3237.89	Hz
XS	:	413.37	Hz
operator			

operator

25-FEB-2001 11:36:03.94

DTITLE :
SF FILE :

COMPT : KATSUMURA-LAB
 EXMOD : SINGL
 IRMOD : BCM
 POINT : 32708
 FREQ : 27100.27 Hz
 SCANS : 736
 DUMMY : 4
 ACGTM : 0.0040 sec
 PD : 0.0000 sec
 RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
 OBFRQ : 100.40 MHz
 OBSET : 135500.00 Hz

IRNUC : 1H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 0
 IRRNS : 0

ADBIT : 16
 CTEMP : 24.8 C
 CSPED : 12 Hz
 SLVNT : CDCL3

RESOL : 0.83 Hz
 BF : 2.00 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 77.00 ppm
 XE : 15077.67 Hz
 XS : 1563.51 Hz
 operator

11-NOV-1999 06:16:02.54

11-NOV-1999 06:45:14.19

DFILE :
SFILE : ACOMNT : KATSUMURA-LAB.
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 536
DUMMY : 4
ACQTM : 1.2091 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 4.75 usecOPNUC : 13C
OBFRQ : 100.40 MHz
OBSE1 : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSE1 : 134500.00 Hz
IRATN : 511
IRRPW : 50.00 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0ADBIT : 16
CTEMP : 23.5 C
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 14072.82 Hz
XS : 2065.11 Hz
operator

13-OCT-2001 16.30.27.14

S-75

(-)-16

13-OCT-2001 16:42:13.65

DFILE :
SFILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 336
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 26.4 C
CSPED : 14 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 14072.82 Hz
XS : 2064.28 Hz
operator

4-DEC-2001 15:36:40.74

DFILE :
SF FILE :

COMNT : KATSUMURA-LAB

EXMOD : SINGL

IRMOD : NON

POINT : 32768

FREQ : 7993.61 Hz

SCANS : 8

DUMMY : 4

ACQTM : 4.0993 sec

PD : 2.9007 sec

RGAIN : 15

PW1 : 10.60 usec

OBNUC : ¹H
OBFRQ : 399.65 MHz
OBSET : 134500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 25.9 C
CSPED : 10 Hz
SLVNT : CDCL3RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 414.83 Hz

operator

S-77

4-DEC-2001 16:14:39.34

DFILE :
SFILE : KATSU3

COMNT : KATSUMURA-LAB

EXMOD : SINGL

IRMOD : BCM

POINT : 32768

FREQ : 27100.27 Hz

SCANS : 751

DUMMY : 4

ACQTM : 0.6046 sec

PD : 0.8000 sec

RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 26.7 C
CSPED : 10 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15077.67 Hz
XS : 1562.68 Hz
operator

25.635

41.335

57.664

66.367

76.675

77.000

77.321

122.023

127.547

128.518

127.794

137.642

142.735

S-78

ppm

(-)-17

25-MAY-2001 05:20:57.27

DFILE :
SFIL : 0.000

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 18
PW1 : 5.30 usec

OBNUC : ¹H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 23.4 c
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3637.71 Hz
XS : 212.23 Hz
operator

7.222
7.241
7.243
7.251
7.255
7.269
7.270
7.272
7.289
7.292
7.331
7.335
7.349
7.352
7.355
7.371
7.374
7.505
7.525
7.527
7.530
7.532
7.769
7.774
7.779
7.791
7.795
7.801
7.972
7.974
7.976
7.992
7.995
7.997
8.286
8.288

2.338

0.000

ppm

0 1 2 3 4 5 6 7 8

25-MAY-2001 05:45:34.72

DFILE :
SFILE : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 724
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usecOBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRAIN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
ADBIT : 16
CTEMP : 23.9 c
CSPED : 13 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15077.67 Hz
XS : 1562.68 Hz
operator

11-APR-2001 05:08:15.81

DFILE :
SFIL :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 20
PW1 : 5.30 usec

OBNUC : ¹H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 24.4 C
CSPED : 14 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3637.71 Hz
XS : 213.21 Hz
operator

7.980
7.978
7.976
7.959
7.957
7.955
7.794
7.787
7.773
7.768
7.763
7.649
7.648
7.641
7.630
7.628
7.625
7.379
7.376
7.361
7.358
7.355
7.341
7.337
7.313
7.310
7.294
7.292
7.291
7.290
7.275
7.272
7.257
7.244
7.223

2.344

3.257

2.4837

0.9205

3.7332

0.7477

0.9759

2.4833

1.0000

ppm
8
7
6
5
4
3
2
1
0

11-APR-2001 06:47:24.40

DFILE :
SFILE :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 689
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 4.80 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 25.3 C
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 15077.67 Hz
XS : 1563.51 Hz
operator

21-JAN-2002 16:35:41.19

DFILE :
 SFIL :
 COMNT :
 EXMOD : SINGL
 IRMOD : NON
 POINT : 32768
 FREQ : 7993.61 Hz
 SCANS : 8
 DUMMY : 4
 ACQTM : 4.0993 sec
 PD : 2.9007 sec
 RGAIN : 14
 PW1 : 10.60 usec
 OBNUC : ¹H
 OBFRQ : 399.65 MHz
 OBSET : 134500.00 Hz
 IRNUC : ¹H
 IRFRQ : 399.65 MHz
 IRSET : 134500.00 Hz
 IRATN : 511
 IRRPW : 50.0 usec
 IRBP1 : 27
 IRBP2 : 6
 IRBNS : 0
 ADBIT : 16
 CTEMP : 25.9 c
 CSPED : 12 Hz
 SLVNT : CDCL3
 RESOL : 0.24 Hz
 BF : 0.01 Hz
 T1 : 0.00 %
 T2 : 0.00 %
 T3 : 90.00 %
 T4 : 100.00 %
 REFVL : 0.00 ppm
 XE : 3437.68 Hz
 XS : 280.54 Hz
 operator

KATSUMURA-LAB

21-JAN-2002 13:59:55.12

DFILE :
SF FILE : MAKO-SN-1HCOMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM

POINT : 32768

FREQU : 27100.27 Hz

SCANS : 1244

DUMMY : 4

ACQTM : 0.6046 sec

PD : 0.8000 sec

RGAIN : 23

PW1 : 9.50 usec

OBNUC : 13C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 HzIRATN : 511
IRRPW : 50.0 usec

IRBP1 : 27

IRBP2 : 6

IRRNS : 0

ADBIT : 16

CTEMP : 26.9 c

CSPED : 11 Hz

SLVNT : CDCL3

RESOL : 0.83 Hz

BF : 2.00 Hz

T1 : 0.00 %

T2 : 0.00 %

T3 : 90.00 %

T4 : 100.00 %

REFVL : 77.00 ppm

XE : 15078.50 Hz

XS : 2567.94 Hz

operator

7.876
7.958
9.595
10.615
11.241
11.315
13.892
14.16921.508
27.012
27.284
27.555
29.110
29.21776.679
77.000
77.313113.660
120.423
122.702
123.393
123.483
124.758
126.832
129.012
129.843
131.702
135.240
135.503
136.515

144.898

-8-S

17-JAN-2004 14:06:00.23

7.505
7.493
7.480
7.266

4.375
4.362
4.311
4.293
4.276
4.257

1.349
1.313
1.313

0.00

OFIL :
SFIL : OLEFINE

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 19

PW1 : 11.00 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 26.3 c
CSPED : 10 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3237.89 Hz
XS : 416.54 Hz
operator

S-85

0.8182

1.9035
2.0000

ppm
0
1
2
3
4
5
6
7

17-JAN-2004 16:14:16.29

DFILE :
SFIL : OLEFINECOMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1505
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 10.00 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0ADBIT : 16
CTEMP : 27.2 °C
CSPED : 12 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 19098.71 Hz
XS : 1561.85 Hz
operator

22-MAY-2001 08:21:32.83

10. 176
10. 159

[illegible]

I-406
I-390
I-372

DEFILE
: :
ETIFS

COMNT	:	KATSUMURA-LAB
EXMOD	:	SINGL
IRMOD	:	NON
POINT	:	32768
FREQU	:	7993.61 Hz
SCANS	:	8
DUMMY	:	4
ACQTM	:	4.0993 sec
PD	:	2.9007 sec
RGAIN	:	18
PW1	:	10.60 usec

```
OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
```

```
IRNUC      : 1H
IRFRQ      : 399.65 MHz
IRSET      : 134500.00 Hz
IRATN      : 511
IRRPW      : 50.0 usec
IRBP1      : 27
IRBP2      : 6
IRBS       : 0
```

```

ADBIT : 16
CTEMP : 23.3 c
CSPED : 13 Hz
SLVNT : CDCL3

```

RESOL :	0.24	Hz
BF :	0.01	Hz
T1 :	0.00	%
T2 :	0.00	%
T3 :	90.00	%
T4 :	100.00	%
REFVL :	0.00	ppm
XE :	4437.37	Hz
XS :	-184.67	Hz
operator		

operator

22--MAY-2001 09: 05: 10. 92

```

DFILE :
SFILE : KATSU1

```

```

COMMT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 1504
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

```

```
OBNUC : 13C
OBFRQ : 100.40 MHZ
OBSET : 135500.00 HZ
```

```
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
```

```

ADBIT : 16
CTEMP : 24.0 c
CSPED : 12 Hz
SLVNT : CDCL3

```

```

RESOL : 0.83 Hz
BF      2.00 Hz
T1      0.00 %
T2      0.00 %
T3      90.00 %
T4      100.00 %
REFVL : 77.00 ppm
XE      21140.06 Hz
XS      -447.84 Hz
operator

```

3-JUL-2001 21:56:46.03

S-85

DFILE :
SFIL :
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 16
PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 22.7 c
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3637.71 Hz
XS : 212.72 Hz
operator

3-JUL-2001 22:35:04.95

DFILE :
SFIL : KATSU1COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 1133
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23

PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 HzIRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRNS : 0ADBIT : 16
CTEMP : 23.9 C
CSPED : 13 Hz
SLVNT : CDCL3RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1059.43 Hz
operator

(-)-48b

9-JAN-2002 13:08:20.26

```
DFILE :  
SFILE : katsu1
```

COMMT	:	KATSUMURA-LAB
EXMOD	:	SINGL
IRMOD	:	NON
POINT	:	32768
FREQU	:	7993.61 Hz
SCANS	:	8
DUMMY	:	4
ACQTM	:	4.0993 s
PD	:	2.9007 s
RGAIN	:	16

PW1 : 10.60 usec

```

OBNUC : 1H
OBFRQ : 399.65 MHZ
OBSET : 134500.00 HZ

```

```
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRAPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRANS : 0
```

```

ADBIT : 16
CTEMP : 26.2 c
CSPED : 10 Hz
SLVNT : CDCL3

```

RESOL	:	0.24	Hz
BF	:	0.01	Hz
T1	:	0.00	%
T2	:	0.00	%
T3	:	90.00	%
T4	:	100.00	%
REFVL	:	0.00	ppm
XE	:	3637.71	Hz
XS	:	212.48	Hz

operator

9-JAN-2002 12:51:16.38

165.993
147.589
145.112
143.130
137.412
135.964
135.643
135.240
129.991
129.473
128.790
126.914
125.367
124.956
124.446
123.319
122.998
121.830
121.649
119.372
86.618
77.321
77.000
76.679
74.869
74.252
60.702
54.425
39.493
27.596
25.630
22.479
22.232
21.508
14.169

DFILE :
SFIL : katsuf
COMT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 600
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0
ADBIT : 16
CTEMP : 25.9 c
CSPED : 27 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 18093.86 Hz
XS : 1061.09 Hz
operator

S-92

160 140 120 100 80 60 40 20

KATSUMURA-LAB

6-JUN-2001 04:31:30.76

DFILE :
SFIL :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON

POINT : 32768

FREQU : 7993.61 Hz

SCANS : 8

DUMMY : 4

ACQTM : 4.0993 sec

PD : 2.9007 sec

RGAIN : 18

PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz

IPATN : 511

IRRPW : 50.0 usec

IRBP1 : 27

IRBP2 : 6

IRRNS : 0

ADBIT : 16

CTEMP : 22.9 C

CSPED : 14 Hz

SLVNT : CDCL3

RESOL : 0.24 Hz

BF : 0.01 Hz

T1 : 0.00 %

T2 : 0.00 %

T3 : 90.00 %

T4 : 100.00 %

REFVL : 0.00 ppm

XE : 3637.71 Hz

XS : 214.92 Hz

operator

6--JUN-2001 05: 24: 39.43
DFILE :
SFIL : katsu1
COMT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQ : 27100.27 Hz
SCANS : 2017
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec
OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRNS : 0
ADBIT : 16
CTEMP : 23.6 C
CSPED : 14 Hz
SLVNT : CDCL3
RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 16083.34 Hz
XS : 2065.52 Hz
operator

20-JUN-2001 06:24:46.94

7.957
7.936
7.753
7.732
7.643
7.624
7.479
7.300
7.297
7.279
7.261
7.209
7.200
7.197
7.189
7.180
7.152
7.150

5.521

4.171
4.063
4.046
4.011
3.945

3.016
3.002
3.095
3.088
3.079
3.075
3.051
3.021
3.012
4.97
4.86
4.69
4.27
3.355
3.325
3.225
3.175
3.124
3.117
3.084
3.054
3.040
3.009
1.988

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREGU : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.5007 sec
RGAIN : 16
PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz

IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRBNS : 0

ADBIT : 16
CTEMP : 23.2 c
CSPED : 13 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3637.71 Hz
XS : 214.67 Hz
operator

S-95

ppm

0
1
2
3
4
5
6
7
8

KATSUMURA-LAB

```

20-JUN-2001 07:00:40.31
DFILE :
SFILE : KATSU1
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 1156
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

```

```
OBNUC : 13C
OBFHQ : 100.40 MHZ
OBSET : 135500.00 HZ
```

```

IRNUC      : 1H
IRFRQ      : 399.65 MHz
IRSET      : 134500.00 Hz
IRATN      : 511
IRBPW      : 50.0 usec
IRBP1      : 27
IRBP2      : 6
IRRNS      : 0

```

```
ADBIT : 16
CTEMP : 23.7
CSPED : 14
SLVNT : CDCL3
```

RESOL	:	0.83	Hz
BF	:	2.00	Hz
T1	:	0.00	%
T2	:	0.00	%
T3	:	90.00	%
T4	:	100.00	%
REFVL	:	77.00	ppm
XE	:	16083.34	Hz
XS	:	2063.86	Hz

TK-163CRD

22-JAN-2002 12:38:10.67

7.962 7.942 7.753 7.732 7.654 7.632 7.629 7.609 7.470 7.302 7.299 7.281 7.272 7.261 7.250 7.248 7.214 7.194 7.178 7.160

5.522 5.497 5.270 5.252 5.238 5.226 5.210 5.195 5.227 5.209 5.064 5.060 5.048 5.039 5.033 5.025 5.014 5.003 5.995 5.987 5.975 5.504 5.486 5.468 5.458 5.446 5.440 5.433 5.435 5.325 5.281 5.277 5.264 5.258 5.235 5.225 5.219 5.177 5.172 5.138 5.120 5.099 5.073 5.043 5.030 5.000 5.286 5.284

DFILE : KATSU11
SFIL :
COMNT : TK-163CRD
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQ : 7993.61 Hz
SCANS : 8
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 21
PW1 : 5.30 usec

OBNUC : 1H
OBFRQ : 399.65 MHz
OBSET : 134500.00 Hz
IRNUC : 1H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 26.2 C
CSPED : 11 Hz
SLVNT : CDCL3

RESOL : 0.24 Hz
BF : 0.01 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 0.00 ppm
XE : 3637.71 Hz
XS : 214.18 Hz
operator

22-JAN-2002 12:28:34.65
DFILE :
SFIL : KATSU11
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 2684
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec
OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz
IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRNS : 0
ADBIT : 16
CTEMP : 26.9 C
CSPED : 11 Hz
SLVNT : CDCL3
RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 16083.34 Hz
XS : 2068.00 Hz
operator

21.368
21.533
21.837
24.091
25.260

43.672
43.730

51.669
51.891

59.657
59.814

70.657
70.945

76.679
77.000
77.313

113.693
120.949
120.990
121.657
123.014
123.590
124.545
124.627
126.782
129.793
129.843

135.223
135.725

140.118

144.824

24-JAN-2002 07: 25: 21.19

```

OFFILE :
SFFILE :

COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : NON
POINT : 32768
FREQU : 7993.61 Hz
SCANS : 64
DUMMY : 4
ACQTM : 4.0993 sec
PD : 2.9007 sec
RGAIN : 22

PW1 : 5.30 usec

```

```
OBNUC : 1H
OBFRQ : 399.65 MHZ
OBSET : 134500.00 HZ
```

```
IRNUC : 1H
IRFRQ : 399.65 MHZ
IRSET : 134500.00 HZ
```

IRRPW	:	:	:	:	:	50.0	usec
IRBP1	:	:	:	:	:	27	
IRBP2	:	:	:	:	:	6	
IRRNS	:	:	:	:	:	0	

```

ADBIT : 16
CTEMP : 26.1 c
CSPED : 14 Hz
SLVNT : CDCL3

```

RESOL	:	0.24 Hz
BF	:	0.01 Hz
T1	:	0.00 %

T2	0.00	%
T3	90.00	%
T4	100.00	%
REFVL	0.00	ppm
XE	2595.58	Hz
XS	-149.29	Hz
operator

24-JAN-2002 11:17:02.67

DFILE :
SFILE : katsu22
COMNT : KATSUMURA-LAB
EXMOD : SINGL
IRMOD : BCM
POINT : 32768
FREQU : 27100.27 Hz
SCANS : 9018
DUMMY : 4
ACQTM : 0.6046 sec
PD : 0.8000 sec
RGAIN : 23
PW1 : 9.50 usec

OBNUC : ¹³C
OBFRQ : 100.40 MHz
OBSET : 135500.00 Hz

IRNUC : ¹H
IRFRQ : 399.65 MHz
IRSET : 134500.00 Hz
IRATN : 511
IRRPW : 50.0 usec
IRBP1 : 27
IRBP2 : 6
IRRNS : 0

ADBIT : 16
CTEMP : 26.9 C
CSPED : 12 Hz
SLVNT : CDCL3

RESOL : 0.83 Hz
BF : 2.00 Hz
T1 : 0.00 %
T2 : 0.00 %
T3 : 90.00 %
T4 : 100.00 %
REFVL : 77.00 ppm
XE : 22114.91 Hz
XS : -947.78 Hz
operator

(-)-30