Distribution and seasonal abundance of large cetaceans in the Durban whaling grounds off KwaZulu-Natal, South Africa, 1972–1975

African Journal of Marine Science 2016, 38(2): 249–262. DOI: 10.2989/1814232X.2016.1191042.

Supplementary Figures S1–S10 showing monthly distribution maps, by species

Figure S1: Monthly (February–October) distribution of blue whales (*Balaenoptera musculus*) – circles, sei whales (*Balaenoptera borealis*) – squares, and southern right whales (*Eubalaena australis*) – triangles, sighted in the Durban whaling grounds, 1972–1975

Figure S2: Monthly (February–October) distribution of fin whales (*Balaenoptera physalus*) sighted in the Durban whaling grounds, 1972–1975

Figure S3: Monthly (February–October) distribution of minke whales (*Balaenoptera acutorostrata/bonaerensis*) sighted in the Durban whaling grounds, 1972–1975

Figure S4: Monthly (February–October) distribution of humpback whales (*Megaptera novaeangliae*) sighted in the Durban whaling grounds, 1972–1975

Figure S5: Monthly (February–October) distribution of large sperm whales (*Physeter macrocephalus*) sighted in the Durban whaling grounds, 1972–1975

Figure S6: Monthly (February–October) distribution of medium-sized sperm whales (*Physeter macrocephalus*) sighted in the Durban whaling grounds, 1972–1975

Figure S7: Monthly (February–October) distribution of small sperm whales (*Physeter macrocephalus*) sighted in the Durban whaling grounds, 1972–1975

Figure S8: Monthly (February–October) distribution of undersize sperm whales (*Physeter macrocephalus*) sighted in the Durban whaling grounds, 1972–1975

Figure S9: Monthly (February–October) distribution of sightings of animals identified as ‘bottlenose whales’ (probably *Hyperoodon planifrons*) sighted in the Durban whaling grounds, 1972–1975

Figure S10: Monthly (February–October) distribution of killer whales (*Orcinus orca*) sighted in the Durban whaling grounds, 1972–1975