**Efficient Acyclic Stereocontrol Using the Tethered Aminohydroxylation
(TA) Reaction**

Timothy J. Donohoe*, Peter D. Johnson, Richard J. Pye,
and Martine Keenan

Supplementary Material

(2E)-1-Propyl-hexenyl carbamate (1)

Current Data Parameters
NAME M104-2004-59
EXPNO 2
PROCNO 1
F2 - Acquisition Parameters
Date_ 20020704
Time 11.07
INSTRUM svt400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
DS 2
SH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.5584243 sec
RG 50.8
DM 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec
===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.2000026 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
ID WFT plot parameters
CX 250.00 cm
CY 19.00 cm
FIP 11.000 ppm
F1 440.00 Hz
F2 440.00 Hz
PRCH 0.34285 sec/cm
HZCM 137.23143 Hz/cm

(2E)-1-Propyl-hexenyl carbamate (1)

Current Data Parameters
 NAME J0104-2002-59
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20020704
 Time 11.05
 INSTRUM av400
 PROBRD 5 mm QNP 1H/13
 PULPROG zgpg30
 SOLVENT DMSO
 NS 256
 DS 4
 SWH 26178.010 Hz
 FIDRES 0.399445 Hz
 AQ 1.2517875 sec
 RG 32768
 DW 19.100 usec
 DE 7.50 usec
 TE 300.0 K

CHS12 145.0000000
 CHS11 1.0000000
 D1 2.00000000 sec
 D12 0.0002000 sec
 D20 0.0008000 sec
 D21 0.0005000 sec
 P1 9.50 usec

===== CHANNEL f1 =====
 NUC1 13C
 P2 19.00 usec
 PL1 0.00 dB
 PL2 0.00 dB
 SFO1 100.620000 MHz

===== CHANNEL f2 =====
 CHPROG2 waltz16
 NUC2 1H
 P2 80.00 usec
 PL2 0.00 dB
 PL12 0.00 dB
 SFO2 400.200000 MHz

F2 - Processing parameters
 SI 32768
 SF 100.630718 MHz
 WDM 0
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40

1D NMR Plot parameters
 CX 35.00 cm
 CY 8.00 cm
 F1P 225.000 MHz
 F1 226.4184 MHz
 F2P -15.000 MHz
 F2 -1508.45 Hz
 PRNUCH 6.86714 ppm/cm
 HZCH 650.03567 Hz/cm

(1SR,4RS,5RS)-4-(1'-Hydroxybutyl)-5-propyloxazolidin-2-one (2)

2999.4
2617.1
2781.7

1854.3
1853.2
1845.5
1842.7
1841.1
1835.2
1833.3
1759.1
1754.4
1751.0
1748.9
1745.4
1741.6

1609.6
1607.5
1462.6
1460.7
1443.6
1439.0
1409.9
1395.3
1334.1
1330.6
1323.9

1032.8
799.1
798.0
779.9
764.5
764.5
699.9
698.9
642.0
637.2
632.4
627.1
623.7
618.7
615.0
613.6
609.3
604.9
600.5
596.7
593.9
591.3
573.2
571.2
569.8
565.6
560.4
557.7
555.4
554.4
552.3
548.7
545.4
543.7
536.4
534.3
529.9
525.2
521.7
518.2
514.9
510.7
506.5
502.2
498.7
494.4
490.1
485.8
481.5
477.2
472.9
468.6
464.3
460.0
455.7
451.4
447.1
442.8
438.5
434.2
429.9
425.6
421.3
417.0
412.7
408.4
404.1
399.8
395.5
391.2
386.9
382.6
378.3
374.0
369.7
365.4
361.1
356.8
352.5
348.2
343.9
339.6
335.3
331.0
326.7
322.4
318.1
313.8
309.5
305.2
300.9
296.6
292.3
288.0
283.7
279.4
275.1
270.8
266.5
262.2
257.9
253.6
249.3
245.0
240.7
236.4
232.1
227.8
223.5
219.2
214.9
210.6
206.3
202.0
197.7
193.4
189.1
184.8
180.5
176.2
171.9
167.6
163.3
159.0
154.7
150.4
146.1
141.8
137.5
133.2
128.9
124.6
120.3
116.0
111.7
107.4
103.1
98.8
94.5
90.2
85.9
81.6
77.3
73.0
68.7
64.4
60.1
55.8
51.5
47.2
42.9
38.6
34.3
30.0
25.7
21.4
17.1
12.8
8.5
4.2
0.0

Current Data Parameters
NAME JAI05-2002-40
EXPNO 2
PROCNO 1
F2 - Acquisition Parameters
Date_ 2002/05
Time 12:51
INSTRUM br400
PROBHD 5 mm DPX 1H/13
PULPROG zgpg30
TD 65536
SFO1 400.2024714 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
1D NMR Plot Parameters
CX 35.00 cm
CY 19.00 cm
F1P 11.000 ppm
F1 4402.20 Hz
F2P -1.000 ppm
F2 -405.20 Hz
PPHCA 0.34266 ppm/cm
PPHCB 137.21143 Hz/cm

===== CHANNEL f1 =====
NUC1 1H
P1 9.00 uSAC
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.200028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

(1SR,4RS,5RS)-4-(1'-Hydroxybutyl)-5-propyloxazolidin-2-one (2)

Current Data Parameters
 NAME J105-2002-40
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20020705
 Time 12.49
 INSTRUM av400
 PROBHD 5 mm DPX 1H/13
 PULPROG zgpg30
 TO 305.00
 SOLVENT CDCl3
 NS 256
 DS 4
 SWH 26178.010 Hz
 FIDRES 0.398445 Hz
 AQ 1.2517875 sec
 RG 32768
 DM 19.1600 usec
 DE 7.50 usec
 TE 300.0 K
 CHG12 145.0000000
 CHG11 1.0000000
 D1 2.00000000 sec
 d12 0.0002000 sec
 d20 0.00689655 sec
 d21 0.00050000 sec
 P1 9.50 usec

===== CHANNEL f1 =====
 NUC1 13C
 P2 19.00 usec
 PL0 3.13 usec
 PL1 0.00 dB
 SFO1 100.6409931 MHz

===== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 PCPD2 80.00 usec
 PL2 0.00 dB
 SFO2 400.2018008 MHz

F2 - Processing Parameters
 SI 32768
 SF 100.630718 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40

1D NMR plot parameters
 CX 35.00 cm
 CY 8.00 cm
 F1P 225.000 000
 F1 22641.84 Hz
 F2P -15.000 000
 F2 -1509.45 Hz
 PRPCH 5.65714 000/cm
 HZCM 630.03697 Hz/cm

4-(tert-Butyldiphenylsilyloxy)-1-methyl-but-2E-enyl carbamate (3)

1161.5
1158.7

957.1

845.4
844.1

269.6
263.1
216.2

Current Data Parameters
NAME Jun03-2004-48
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040603

Time 12.20

INSTRUM qdx200

PROBHD 5 mm Dual 13C/

PULPROG zgpg

TD 16384

SOLVENT CDCl3

NS 16

DS 2

SWH 3205.128 Hz

FTIDRES 0.195625 Hz

AO 2.5559540 sec

RG 161.3

DW 156.000 use

DE 6.00 use

TE 300.0 K

D1 1.0000000 sec

===== CHANNEL f1 =====

NUC1 1H

P1 7.80 use

PL1 -3.00 dB

SFO1 200.1310007 MHz

F2 - Processing Parameters

SI 16384

SF 200.1300125 MHz

WDW EM

SSB 0

LB 0.30 Hz

GB 0

PC 1.00

4-(tert-Butyldiphenylsilyloxy)-1-methyl-but-2E-enyl carbamate (3)

6

156.88
135.98
134.03
131.06
130.11
129.91
128.11

78.12
77.48
76.85
71.68

64.06

27.28
20.93
19.69

210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 ppm

Current Data Parameters
NAME Jun02-2004-28
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040604
Time 1.14

INSTRUM dpx200
PROBHD 5 mm Dual 13C/
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 512
DS 4

SWH 12077.295 Hz
FIDRES 0.368570 Hz
AQ 1.3566452 sec
RG 16384
DW 41.400 use

DE 30.00 use
TE 300.0 K
D1 1.00000000 sec
d11 0.03000000 sec
d12 0.00002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.30 use
PL1 0.00 dB
SFO1 50.3277413 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 110.00 use
PL2 -3.00 dB
PL12 19.00 dB
PL13 23.00 dB
SFO2 200.1308005 MHz

F2 - Processing Parameters
SI 32768
SF 50.3227090 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

(1S,4S,5S)-4-[2-(tert-Butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-5-methyloxazolidin-2-one (4)

3069.7
3068.2
3063.8
3062.1
3060.5
3057.9
3056.0
3054.4
2990.2
2986.7
2983.1
2981.3
2980.1
2976.1
2974.3
2971.0
2963.6
2957.1
2955.3
2909.5

2431.6
2386.8
1814.5
1808.3
1802.3
1796.5
1790.3
1781.1
1654.0
1646.9
1639.8
1620.4
1478.0
1473.4
1467.3
1437.2
1432.1
1427.2
1425.3
1422.3
1420.3
1416.9
1411.8
1406.4
1342.1
1335.1
1305.9
1299.0

878.2
819.3

558.6
552.9
550.0
546.5
543.7
532.9
530.6
498.6
494.5
432.4
368.8

Current Data Parameters
NAME Nov13-2003-22
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20031114
Time 22.03
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 260
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 32
DM 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec
===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.200028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

(1S,4S,5S)-4-[2'-(tert-Butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-5-methyloxazolidin-2-one (4)

Current Data Parameters
NAME Nov13-2003-22
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20031114

Time 22.18
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399645 Hz
AQ 1.2517875 sec
RG 32768
DM 19.100 usec
DE 7.50 usec
TE 300.0 K
D1 2.00000000 sec
d11 0.03000000 sec
d12 0.00002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
PL13 25.00 dB
SFO2 400.2016008 MHz

F2 - Processing parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

4-(tert-Butyldiphenylsilyloxy)-1-[2'-(tert-butyldimethylsilyloxy)-methyl]-but-2E-enyl carbamate (5)

Current Data Parameters
NAME Jun02-2004-12
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040603
Time 16.04
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 228.1
DM 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz

F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

4-(tert-Butyldiphenylsilyloxy)-1-[2'-(tert-butyldimethylsilyloxy)-methyl]-but-2E-enyl carbonate (5)

Current Data Parameters
NAME Jun02-2004-12
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040603
Time 16.19
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DW 19.100 usec
DE 7.50 usec
TE 300.0 K
D1 2.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
PL13 25.00 dB
SFO2 400.2016008 MHz

F2 - Processing parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

(1R,4R,5S)-5-(tert-Butyldimethylsilyloxy)-4-[2'-(tert-butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-oxazolidin-2-one (6)

Current Data Parameters
 NAME May13-2003-51
 EXFNO 1
 PROCNO 1
 Date_ 20030513
 F2 - Acquisition Parameters
 Time 15.14
 INSTRUM av400
 PROBHD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 sec
 RG 45.3
 DW 60.400 usec
 DE 7.50 usec
 TE 300.0 K
 D1 1.00000000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 usec
 PL1 0.00 dB
 SFO1 400.2024714 MHz

F2 - Processing parameters
 SI 32768
 SF 400.2000028 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

R,4R,5S)-5-(tert-Butyldimethylsilyloxy)-4-[2'-(tert-butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-oxazolidin-2-one (6)

158.93

135.76
135.64
135.52
135.44
132.43
132.31
130.17
130.12
128.08
128.00
127.98

78.34
77.34
77.23
76.70
71.90

65.26
63.12
56.22

26.88
25.73
19.37
19.13
18.15

-5.49

Current Data Parameters
NAME May13-205-51
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 200513

Time 5.28

INSTRUM v400

PROBHD 5 mm QNP H/13

PULPROG zgpg30

TD 5536

SOLVENT DC13

NS 256

DS 4

SWH 2617.010 Hz

FIDRES 0.39445 Hz

AQ 1.257875 sec

RG 2768

DW 1.100 usec

DE 7.50 usec

TE 00.0 K

D1 2.000000 sec

d11 0.030000 sec

d12 0.000200 sec

===== CHANNEL f1 =====

NUC1 13C

P1 9.50 usec

PL1 0.00 dB

SFO1 100.62931 MHz

===== CHANNEL f2 =====

CPDPRG2 waltz16

NUC2 1H

PCPD2 0.00 usec

PL2 0.00 dB

PL12 9.00 dB

PL13 5.00 dB

SFO2 400.26008 MHz

F2 - Processing parameters

SI 2768

SF 100.629318 MHz

WDW EM

SSB 0

LB 1.00 Hz

GB 0

PC 1.40

(2Z)-1-Propyl-hexenyl carbamate (7)

Current Data Parameters
 NAME Sep09-2002-41
 EXPNO 1
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20020909
 Time 21.54
 INSTRUM av400
 PROBHD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 sec
 RG 128
 DW 60.400 usec
 DE 7.50 usec
 TE 300.0 K
 D1 1.0000000 sec
 ===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 usec
 PL1 0.00 dB
 SFO1 400.2024714 MHz
 F2 - Processing parameters
 SI 32768
 SF 400.2000028 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

(2Z)-1-Propyl-hexenyl carbamate (7)

14

156.99
156.53

133.66
128.75
128.47

86.03
77.98
77.38
77.06
76.74
70.91
65.21

37.40
37.13
36.83
34.22
29.80
22.62
22.07
21.90
20.58
18.36
18.25
18.22
13.86
13.65
13.58
13.52
13.33

Current Data Parameters
NAME Dec01-2003-9
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20031202
Time 1.18

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30

TD 65536
SOLVENT CDCl3

NS 256
DS 4

SWH 26178.010 Hz
FIDRES 0.399445 Hz

AQ 1.2517875 sec
RG 32768

DM 19.100 usec
DE 7.50 usec

TE 300.0 K
D1 2.00000000 sec

d11 0.03000000 sec
d12 0.00002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 0.00 dB

SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB

PL12 19.00 dB
PL13 25.00 dB

SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz

WDW EM
SSB 0

LB 1.00 Hz
GB 0

PC 1.40

(1RS,4RS,5RS)-4-(1'-Hydroxybutyl)-5-propioxazolidin-2-one (8)

2909.2
2847.8
2773.1

1815.1
1810.9
1806.9
1802.8
1798.3
1793.9
1789.5
1785.1
1780.7
1776.3
1771.9
1767.5
1763.1
1758.7
1754.3
1749.9
1745.5
1741.1
1736.7
1732.3
1727.9
1723.5
1719.1
1714.7
1710.3
1705.9
1701.5
1697.1
1692.7
1688.3
1683.9
1679.5
1675.1
1670.7
1666.3
1661.9
1657.5
1653.1
1648.7
1644.3
1639.9
1635.5
1631.1
1626.7
1622.3
1617.9
1613.5
1609.1
1604.7
1600.3
1595.9
1591.5
1587.1
1582.7
1578.3
1573.9
1569.5
1565.1
1560.7
1556.3
1551.9
1547.5
1543.1
1538.7
1534.3
1529.9
1525.5
1521.1
1516.7
1512.3
1507.9
1503.5
1499.1
1494.7
1490.3
1485.9
1481.5
1477.1
1472.7
1468.3
1463.9
1459.5
1455.1
1450.7
1446.3
1441.9
1437.5
1433.1
1428.7
1424.3
1419.9
1415.5
1411.1
1406.7
1402.3
1397.9
1393.5
1389.1
1384.7
1380.3
1375.9
1371.5
1367.1
1362.7
1358.3
1353.9
1349.5
1345.1
1340.7
1336.3
1331.9
1327.5
1323.1
1318.7
1314.3
1309.9
1305.5
1301.1
1296.7
1292.3
1287.9
1283.5
1279.1
1274.7
1270.3
1265.9
1261.5
1257.1
1252.7
1248.3
1243.9
1239.5
1235.1
1230.7
1226.3
1221.9
1217.5
1213.1
1208.7
1204.3
1199.9
1195.5
1191.1
1186.7
1182.3
1177.9
1173.5
1169.1
1164.7
1160.3
1155.9
1151.5
1147.1
1142.7
1138.3
1133.9
1129.5
1125.1
1120.7
1116.3
1111.9
1107.5
1103.1
1098.7
1094.3
1089.9
1085.5
1081.1
1076.7
1072.3
1067.9
1063.5
1059.1
1054.7
1050.3
1045.9
1041.5
1037.1
1032.7
1028.3
1023.9
1019.5
1015.1
1010.7
1006.3
1001.9
997.5
993.1
988.7
984.3
979.9
975.5
971.1
966.7
962.3
957.9
953.5
949.1
944.7
940.3
935.9
931.5
927.1
922.7
918.3
913.9
909.5
905.1
900.7
896.3
891.9
887.5
883.1
878.7
874.3
869.9
865.5
861.1
856.7
852.3
847.9
843.5
839.1
834.7
830.3
825.9
821.5
817.1
812.7
808.3
803.9
799.5
795.1
790.7
786.3
781.9
777.5
773.1
768.7
764.3
759.9
755.5
751.1
746.7
742.3
737.9
733.5
729.1
724.7
720.3
715.9
711.5
707.1
702.7
698.3
693.9
689.5
685.1
680.7
676.3
671.9
667.5
663.1
658.7
654.3
649.9
645.5
641.1
636.7
632.3
627.9
623.5
619.1
614.7
610.3
605.9
601.5
597.1
592.7
588.3
583.9
579.5
575.1
570.7
566.3
561.9
557.5
553.1
548.7
544.3
539.9
535.5
531.1
526.7
522.3
517.9
513.5
509.1
504.7
500.3
495.9
491.5
487.1
482.7
478.3
473.9
469.5
465.1
460.7
456.3
451.9
447.5
443.1
438.7
434.3
429.9
425.5
421.1
416.7
412.3
407.9
403.5
399.1
394.7
390.3
385.9
381.5
377.1
372.7
368.3
363.9

Current Data Parameters
NAME Sep12-2002-18
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20020912
Time 10.38
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 2950
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 18
DW 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec
===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

(1RS,4RS,5RS)-4-(1'-Hydroxybutyl)-5-propioxazolidin-2-one (8)

Current Data Parameters
NAME Sep12-2002-18
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020912
Time 10.58
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DM 19.100 usec
DE 7.50 usec
TE 300.0 K
CNSR2 145.0000000
CNSR11 1.0000000
D1 2.0000000 sec
d12 0.0002000 sec
d20 0.00689655 sec
D21 0.0005000 sec
P1 9.50 usec

==== CHANNEL f1 =====
NUC1 13C
P2 19.00 usec
PL0 3.13 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

==== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
SFO2 400.2016008 MHz

F2 - Processing parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

4-(tert-butylphenylsilyloxy)-1-ethyl-but-2Z-enyl carbamate (9)

Current Data Parameters
 NAME Aug13-2003-5
 EXPNO 4
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20030813
 Time 16.12
 INSTRUM dpx400
 PROBD 5 mm Dual 1H/1
 PULPROG zgpg30
 TD 32768
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 5592.841 Hz
 FIDRES 0.170680 Hz
 AQ 2.929592 sec
 RG 128
 DW 89.400 use
 DE 11.00 use
 TE 300.0 K
 D1 1.0000000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 7.30 use
 PL1 0.00 dB
 SFO1 400.132007 MHz

F2 - Processing parameters
 SI 32768
 SF 400.1300176 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 0.60

4-(tert-butyldiphenylsilyloxy)-1-ethyl-but-2-enyl carbamate (9)

Current Data Parameters
NAME Jun02-2004-27
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040603
Time 8.23
INSTRUM dpx200
PROBHD 5 mm Dual 13C/
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 512
DS 4
SWH 12077.295 Hz
FIDRES 0.368570 Hz
AQ 1.3566452 sec
RG 16384
DW 41.400 use
DE 30.00 use
TE 300.0 K
D1 1.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.30 use
PL1 0.00 dB
SFO1 50.3277413 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 110.00 use
PL2 -3.00 dB
PL12 19.00 dB
PL13 23.00 dB
SFO2 200.1308005 MHz

F2 - Processing parameters
SI 32768
SF 50.3227090 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

(1RS,4RS,5RS)-4-[2'-(tert-Butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-5-ethylloxazolidin-2-one (10)

Current Data Parameters
 NAME Mari4-2003-1
 EXPNO 1
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20030315
 Time 8.24
 INSTRUM av400
 PROBD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 sec
 RG 22.6
 DW 60.400 usec
 DE 7.50 usec
 TE 300.0 K
 D1 1.0000000 sec
 D1 1.0000000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 usec
 PL1 0.00 dB
 SFO1 400.2024714 MHz

F2 - Processing parameters
 SI 32768
 SF 400.2000028 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

(1*R*,4*R*,5*R*)-4-[2-(*tert*-Butyldiphenylsilyloxy)-1'-hydroxy-ethyl]-5-ethylloxazolidin-2-one (10)

Current Data Parameters
NAME Mar14-2003-1
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030315
Time 8.39
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DW 19.100 usec
DE 7.50 usec
TE 300.0 K
D1 2.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
PL13 25.00 dB
SFO2 400.2016008 MHz

F2 - Processing parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1-(1'-methylene-propyl)-pentyl carbamate (11)

Current Data Parameters
 NAME Aug07-2002-58
 EXPNO 1
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20020607
 Time 17.52
 INSTRUM av-400
 PROBRD 5 mm QNP 1H/13
 PULPROG zgpg30
 TO 1850
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 sec
 RG 90.5
 DW 60.400 usec
 DE 7.50 usec
 TE 300.2 K
 D1 1.00000000 sec
 ===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 usec
 PL1 0.00 dB
 SFO1 400.2024714 MHz
 F2 - Processing parameters
 SI 32768
 SF 400.2090028 MHz
 KW 4
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00
 1D NMR plot parameters
 CX 35.00 cm
 CY 19.00 cm
 FIP 11.000 gpm
 F1 4402.20 Hz
 F2 -1.000 gpm
 F2 -400.20 Hz
 PPMCM 0.34266 ppm/cm
 HZCM 137.2143 Hz/cm

1-(1'-methylene-propyl)-pentyl carbamate (11)

Current Data Parameters
NAME Aug07-2002-59
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020907
Time 18.10

INSTRUM spect
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
SOLVENT DMSO
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DM 19.100 usec
DE 7.50 usec
TE 300.0 K
CHST2 146.0000000
CHST1 1.0000000
D1 2.00000000 sec
D12 0.00000000 sec
d20 0.0069655 sec
D21 0.00050000 sec
P1 9.50 usec

===== CHANNEL f1 =====
NUC1 13C
P2 19.00 usec
PL1 3.13 usec
PL2 0.00 dB
SFO1 100.626131 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
SFO2 400.2016008 MHz

F2 - Processing parameters
SI 32768
SF 100.626131 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

10 NMR plot parameters
CX 35.00 cm
CY 8.00 cm
F1P 225.000 ppm
F1 22541.84 Hz
F2P -15.000 ppm
F2 -1509.45 Hz
PNUC1 6.86714 ppm/Ce
HZCM 690.03687 Hz/Ce

(4*R*, 5*R*)-5-Butyl-4-ethyl-4-hydroxymethyl-oxazolidinone (12)

2809.8
2773.7
2719.7

1864.1
1861.5
1831.2
1791.2
1774.6
1718.6
1713.7
1708.1
1687.7
1682.3
1675.1
1673.0
1627.2
1622.2
1612.4
1608.5
1600.4
1584.7
1580.7
1543.1
1538.6
1531.2
1505.3
1493.8
144.8
735.2
728.0
712.7
689.2
680.1
653.8
649.5
646.4
632.0
624.3
617.1
613.3
610.5
600.5
593.8
588.5
586.1
571.3
568.2
565.0
549.6
543.2
536.1
527.2
524.1
508.4
507.0
504.1
497.2
492.3
482.8
475.9
469.7
463.3
453.4
443.3
433.4
423.5
413.6
403.7
393.8
383.9
374.0
364.1
354.2
344.3
334.4
324.5
314.6
304.7
294.8
284.9
275.0
265.1
255.2
245.3
235.4
225.5
215.6
205.7
195.8
185.9
176.0
166.1
156.2
146.3
136.4
126.5
116.6
106.7
96.8
86.9
76.0
66.1
56.2
46.3
36.4
26.5
16.6
6.7
5.8
4.9
4.0
3.1
2.2
1.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
1.6
1.7
1.8
1.9
2.0
2.1
2.2
2.3
2.4
2.5
2.6
2.7
2.8
2.9
3.0
3.1
3.2
3.3
3.4
3.5
3.6
3.7
3.8
3.9
4.0
4.1
4.2
4.3
4.4
4.5
4.6
4.7
4.8
4.9
5.0
5.1
5.2
5.3
5.4
5.5
5.6
5.7
5.8
5.9
6.0
6.1
6.2
6.3
6.4
6.5
6.6
6.7
6.8
6.9
7.0
7.1
7.2
7.3
7.4
7.5
7.6
7.7
7.8
7.9
8.0
8.1
8.2
8.3
8.4
8.5
8.6
8.7
8.8
8.9
9.0
9.1
9.2
9.3
9.4
9.5
9.6
9.7
9.8
9.9
10.0

Current Data Parameters
NAME Aug08-2002-59
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20020808
Time 23.44
INSTRUM av-400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TO 12900
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.5984243 sec
RG 18
DM 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec
***** CHANNEL f1 *****
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2624714 MHz
F2 - Processing parameters
SI 32768
SF 400.2600028 MHz
KW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
1D NMR plot parameters
CX 35.00 cm
CY 19.00 cm
F1P 11.000 ppm
F1 4402.20 Hz
F2P -1.000 ppm
F2 -400.20 Hz
PQCM 0.34266 ppm/cm
HZCM 137.2143 Hz/cm

(4R,5R)-5-Butyl-4-ethyl-4-hydroxymethyl-oxazolidinone (12)

```

Current Data Parameters
NAME      Jun04-2004-16
EXNO      1
PROCNO     1

F2 - Acquisition Parameters
Date_     20040604
Time      9.49
INSTRUM   dpx400
PROBHD    5 mm Dual 1H/1
PULPROG   zg60
TD         32768
SOLVENT    CDCl3
NS         16
DS         2
SWH        5592.841 Hz
FIDRES     0.170680 Hz
AQ         2.9295092 sec
RG         10.1
DW         89.400 use
DE         11.00 use
TE         300.0 K
D1         1.00000000 sec

===== CHANNEL f1 =====
NUC1       1H
P1         7.30 use
PL1        0.00 dB
SFO1       400.1320007 MHz

F2 - Processing parameters
SI         32768
SF         400.1300176 MHz
WDW        EM
SSB        0
LB         0.30 Hz
GB         0
PC         0.60
    
```

1-(1'-Methyl-prop-1Z-enyl) carbamate (13)

Current Data Parameters
NAME Jtm03-2004-25
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040603
Time 23.37

INSTRUM dpx200
PROBHD 5 mm Dual 13C/
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 512
DS 4

SWH 12077.295 Hz
FIDRES 0.368570 Hz
AQ 1.3566452 sec

RG 16384
DW 41.400 use
DE 30.00 use
TE 300.0 K
D1 1.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====

NUC1 13C
P1 7.30 use
PL1 0.00 dB
SFO1 50.3277413 MHz

===== CHANNEL f2 =====

CPDPRG2 waltz16
NUC2 1H
PCPD2 110.00 use
PL2 -3.00 dB
PL12 19.00 dB
PL13 23.00 dB
SFO2 200.1308005 MHz

F2 - Processing Parameters

SI 32768
SF 50.3227090 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

(1S,4R,5R)-4-(1-Hydroxyethyl)-4-methyl-5-propyl-oxazolidin-2-one (14)

Current Data Parameters
 NAME Sep11-2003-6
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20030912
 Time 8.18
 INSTRUM av400
 PROBRD 5 mm QNP 1H/13
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9584243 sec
 RG 25.4
 DW 60.400 usec
 DE 7.50 usec
 TE 300.0 K
 D1 1.00000000 sec

===== CHANNEL f1 =====
 NUC1 1H
 P1 9.00 usec
 PL1 0.00 dB
 SFO1 400.2024714 MHz

F2 - Processing parameters
 SF 400.2000028 MHz
 SR 32768
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

(1S,4R,5R)-4-(1-Hydroxyethyl)-4-methyl-5-propyl-oxazolidin-2-one (14)

Current Data Parameters
NAME Sep11-2003-6
EXNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030912
Time 8.32

INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 256
DS 4

SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec

RG 32768
DW 19.100 usec
DE 7.50 usec
TE 300.0 K

d1 2.00000000 sec
d11 0.03000000 sec
d12 0.00002000 sec

===== CHANNEL f1 =====

NUC1 13C
P1 9.50 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====

CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
PL13 25.00 dB

SFO2 400.2016008 MHz

F2 - Processing parameters

SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0

LB 1.00 Hz
GB 0
PC 1.40

1-Cyclohexene-1-yl-pentyl carbamate (15)

Instrument: DUK400
 Channel: 001
 Group: 116
 IV POU 112 crude
 Cyclohexenyl pentanol carbamate
 Name: 15
 Date: 20020815

Current Data Parameters
 Name: Aug15-2002-44
 EXPNO: 1
 PROCNO: 1
 Date_: 20020815
 Time: 19.05
 INSTRUM: av-400
 PULPROG: zgpg30
 FIDRES: 0.126314 Hz
 AQ: 3.9584243 sec
 RG: 360.5
 DM: 60.400 usec
 DE: 7.50 usec
 TE: 300.2 K
 D1: 1.00000000 sec
 ===== CHANNEL f1 =====
 NUC1: 1H
 P1: 9.00 usec
 PL1: 0.00 dB
 SFO1: 400.2634714 MHz
 F2 - Processing parameters
 SI: 32768
 SF: 400.2000028 MHz
 KW: EM
 SSB: 0
 LB: 0.30 Hz
 GB: 0
 PC: 1.00
 10 NMR plot parameters
 CX: 35.00 cm
 CY: 19.00 cm
 F1P: 11.000 ppm
 F1: 4402.20 Hz
 F2P: -1.000 ppm
 F2: -400.20 Hz
 PPMCM: 0.34285 ppm/cm
 HZCM: 137.2143 Hz/cm

1-Cyclohexene-1-yl-pentyl carbamate (15)

3030.3
3022.0
2909.3

1674.4
1671.9
1661.8
1661.1
1659.0
1642.9
1635.7
1633.8
1633.7
1628.6
1623.2
1620.8
1489.6
1409.5
1388.6
1379.5
1303.2
1293.7
1080.7
820.8
813.9
809.1
767.7
764.1
759.3
754.5
751.1
734.1
723.1
710.8
697.8
684.8
664.4
664.5
656.2
651.8
650.5
649.2
645.1
641.2
638.5
634.3
630.2
626.2
624.2
622.1
621.2
618.2
616.4
608.5
605.2
594.7
589.0
582.4
580.5
567.4
554.7
551.1
549.4
547.5
543.3
540.5
536.4
534.3
529.2
525.5
518.2
514.9
510.2
501.2
496.1
494.0
486.5
483.8
473.2
466.2
458.7
452.2
449.4

Current Data Parameters
NAME Sep03-2002-14
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20020903
Time 19.20
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 25.4
DW 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.0000000 sec
===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

Current Data Parameters
NAME Sep03-2002-14
EXPNO 3
PROCNO 1

F2 - Acquisition Parameters
Date_ 20020903
Time 19.39
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG apt.dp
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DW 19.100 usec
DE 7.50 usec
TE 300.0 K
CNS12 145.0000000
CNS11 1.0000000
D1 2.00000000 sec
d12 0.00002000 sec
d20 0.0068655 sec
D21 0.00050000 sec
P1 9.50 usec

===== CHANNEL f1 =====
NUC1 13C
P2 19.00 usec
PL1 3.13 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PL12 19.00 dB
SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

1-Vinyl-but-3-enyl carbamate (17)

Current Data Parameters
 NAME Jan20-2002-37
 EXPNO 2
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20020620
 Time 15.09
 INSTRUM av400
 P2PROB 5 mm QNP 1H/13
 PULPROG zgpg30
 TO 66536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 8278.146 Hz
 FIDRES 0.126314 Hz
 AQ 3.9864243 sec
 RG 181
 DW 60.400 usec
 DE 7.50 usec
 TE 300.0 K
 D1 1.00000000 sec
 ***** CHANNEL f1 *****
 NUC1 1H
 P1 9.30 usec
 PL1 0.00 dB
 SFO1 400.261714 MHz
 F2 - Processing parameters
 SI 32768
 SF 400.200028 MHz
 KW 64
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00
 10 NMR plot parameters
 CX 35.00 cm
 CY 15.00 cm
 F1P 11.000 ppm
 F1 4402.20 Hz
 F2P -1.000 ppm
 F2 -400.20 Hz
 PPMCH 0.34285 ppm/cm
 HZCH 137.21143 Hz/cm

1-Vinyl-but-3-enyl carbamate (17)

5-(RS)-Allyl-4-(RS)-hydroxymethyl-oxazolidin-2-one (18)

5-(RS)-Allyl-4-(RS)-hydroxymethyl-oxazolidin-2-one (18)

5-(Benzyloxy)-2-(tert-butylidimethylsilyloxy)-3E-pentenyl-4-(benzyloxy)-2E-butenyl carbamate (19)

Current Data Parameters
 NAME Jun03-2004-47
 EXPNO 1
 PROCNO 1
 F2 - Acquisition Parameters
 Date_ 20040603
 Time 12.15
 INSTRUM dpx200
 PROBD 5 mm Dual 13C/
 PULPROG zgpg30
 TD 16384
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 3205.128 Hz
 FIDRES 0.195625 Hz
 AQ 2.5559540 sec
 RG 406.4
 DW 156.000 use
 DE 6.00 use
 TE 300.0 K
 D1 1.00000000 sec
 ===== CHANNEL f1 =====
 NUC1 1H
 P1 7.80 use
 PL1 -3.00 dB
 SFO1 200.1310007 MHz
 F2 - Processing parameters
 SI 16384
 SF 200.1300125 MHz
 WDM EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

5-(Benzyloxy)-2-(tert-butyltrimethylsilyloxy)-3-E-pentenyl-4-(benzyloxy)-2-E-butenyl carbamate (19)

Current Data Parameters
NAME Jun04-2004-53
EXFNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040604
Time 10.07
INSTRUM dpx200
PROBHD 5 mm Dual 13C/
PULPROG zgpg30
TD 32768
SOLVENT CDCl3
NS 512
DS 4
SWH 12077.295 Hz
FIDRES 0.368570 Hz
AQ 1.3566452 sec
RG 16384
DW 41.400 use
DE 30.00 use
TE 300.0 K
D1 1.00000000 sec
d11 0.03000000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 7.30 use
PL1 0.00 dB
SFO1 50.3277413 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 110.00 use
PL2 -3.00 dB
PL12 19.00 dB
PL13 23.00 dB
SFO2 200.1308005 MHz

F2 - Processing parameters
SI 32768
SF 50.3227090 MHz
WDW EM
SSB 0
LB 2.00 Hz
GB 0
PC 1.40

2987.2
2985.2
2980.6
2977.1
2974.1
2971.2
2966.9
2964.5
2961.8
2958.6
2954.7
2917.7
2914.5

2448.9
2375.5
2369.8
2364.6
2359.7
2354.2
2349.0
2324.1
2318.7
2308.5
2302.7

1826.8
1814.7
1806.3
1788.8
1784.3
1778.7
1758.8
1751.9
1746.6
1678.5
1668.4
1657.2
1650.1
1625.0
1517.6
1506.9
1500.0
1498.9
1485.8
1452.3
1448.6
1444.9
1438.8
1434.8
1425.9
1421.2
1420.9
1416.1
1411.2
1406.4
1391.8
1383.9

850.8
829.2

522.7
515.6
508.9
375.2
362.8
365.9
357.6
354.1
345.2

59.5
51.3
49.2
48.9
35.4
35.1
23.7

Current Data Parameters
NAME Jun02-2003-56
EXPNO 1
PROCNO 1
F2 - Acquisition Parameters
Date_ 20030603
Time 4.09
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 8278.146 Hz
FIDRES 0.126314 Hz
AQ 3.9584243 sec
RG 25.4
DW 60.400 usec
DE 7.50 usec
TE 300.0 K
D1 1.00000000 sec
===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 0.00 dB
SFO1 400.2024714 MHz
F2 - Processing parameters
SI 32768
SF 400.2000028 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

159.31

138.17
137.33
137.00
130.82
129.67
128.59
128.43
128.05
127.90
127.71
127.6580.38
77.46
77.16
76.79
73.67
72.31
72.02
71.94
70.92
69.75
60.43
55.7825.78
21.06
18.13
14.214.41
4.90

Current Data Parameters
NAME Jun02-2003-56
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20030603
Time 4.24
INSTRUM av400
PROBHD 5 mm QNP 1H/13
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 256
DS 4
SWH 26178.010 Hz
FIDRES 0.399445 Hz
AQ 1.2517875 sec
RG 32768
DM 19.100 usec
DE 7.50 usec
TE 300.0 K
D1 2.0000000 sec
d11 0.0300000 sec
d12 0.0002000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 9.50 usec
PL1 0.00 dB
SFO1 100.6403931 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 80.00 usec
PL2 0.00 dB
PLA2 19.00 dB
PLA3 25.00 dB
SFO2 400.2016008 MHz

F2 - Processing Parameters
SI 32768
SF 100.6303718 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40