Supporting Information

Efficient Synthesis of Highly Functionalized Dihydroxyrido[2,3-*d*]pyrimidines by a Double Annulation Strategy from α -Alkenoyl- α -carbamoyl Ketene-(*S,S*)-Acetals

Lei Zhao, Fushun Liang, Xihe Bi, Shaoguang Sun, and Qun Liu**

Department of Chemistry, Northeast Normal University, Changchun, 130024, China

E-mail: liangfs112@nenu.edu.cn

Table of Contents

I. General	S2
II. Synthesis and analytical data of the substrates α-alkenoyl ketene-(<i>S,S</i>)-acetals	
1	S2
III. The analytical data of 2b - 2m	S4
IV. The analytical data of 3b - 3i, 4j - 4m and 5a, 5d	S8
V. Copies of NMR spectra for compounds 1j - 1m, 2a - 2m, 3a - 3i, 4j - 4m and 5a, 5d	S13
VI. ORTEP drawing of compound 5d	S73
VII. Crystal data for 5d	S73

I. General

All reagents were purchased from commercial sources and used without treatment, unless otherwise indicated. The products were purified by column chromatography over silica gel 300-400 mesh. ^1H (500 Hz) and ^{13}C (125 Hz) NMR spectra were recorded at 25 °C on a 500 MHz NMR spectrometer, and TMS as internal standard. IR spectra (KBr) were recorded in the range of 400 ~ 4000 cm^{-1} . Melting points were uncorrected.

II. Preparation of Substrates:

Synthesis of α -alkenoyl ketene-(*S,S*)-acetals **1**. These compounds were synthesized via the Claisen-Schmidt condensation of α -acyl ketene-(*S,S*)-acetals with aldehydes.

The spectra and analysis data of other compounds **1a-1i** have been reported in our previous paper: Bi, X.; Dong, D.; Liu, Q.; Pan, W.; Zhao, L.; Li, B. *J. Am. Chem. Soc.* **2005**, 127, 4578.

Typical procedure for the preparation of **1j-1m** (with **1j** as an example): To a solution of α -acylketene-(*S,S*)-acetals **Aj** (1165 mg, 5.0 mmol) and 4-methylbenzaldehyde (0.62 mL, 6.0 mmol) in *t*-BuOH (6.0 mL) at 0 °C was added *t*-BuOK (116.5mg, 1.2 mmol) in one portion. The reaction mixture was stirred at 0 °C for 10 min, followed by stirring at 25 °C for 0.5 h. After the starting material **Aj** was consumed as indicated by TLC, the resulting mixture was then poured onto ice-water (250 mL) under stirring. The precipitated solid was collected by filtration, washed with water (3 $\times$ 30 mL), and dried in *vacuo* to afford the product **1j** (1263 mg, 75.4%) as a yellow solid.

7.62 (d, $J = 16.0$ Hz, 1H). IR (KBr, cm^{-1}) 3420, 2359, 1653, 1647, 1635, 1668.

1m: Yellow solid, m.p. 109-111 °C. ^1H NMR (500 MHz, CDCl_3) δ 1.28 (m, 6H), 2.90 (m, 4H), 3.84 (s, 3H), 5.66 (s, 1H), 6.64 (s, 1H), 6.87 (d, $J = 16.0$ Hz, 1H), 6.91 (d, $J = 8.5$ Hz, 2H), 7.51 (d, $J = 8.5$ Hz, 2H), 7.58 (d, $J = 16.0$ Hz, 1H). IR (KBr, cm^{-1}) 3424, 2359, 1511, 1653, 1173, 1596.

III. The analytical data of 2b - 2m

2b: White solid, m.p. 174-176 °C. ^1H NMR (500 MHz, CDCl_3) δ 2.62-2.74 (m, 2H), 4.75 (t, $J = 13.0$ Hz, 1H), 7.09 (s, 1H), 7.30 (d, $J = 8.5$ Hz, 2H), 7.41 (d, $J = 8.5$ Hz, 2H), 7.46 (d, $J = 9.0$ Hz, 2H), 7.54 (d, $J = 8.5$ Hz, 2H), 7.87 (s, 1H), 9.81 (s, 1H), 12.57 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.9, 167.4, 164.5, 137.9, 137.1, 134.5, 129.3 (2C), 128.8 (2C), 128.4, 127.5 (2C), 122.2 (2C), 89.1, 53.4, 43.9. IR (KBr, cm^{-1}) 3720, 1518, 1490, 1646, 1401.

2c: White solid, m.p. 196-198 °C. ^1H NMR (500 MHz, CDCl_3) δ 2.56 (dd, $J = 3.5, 16$ Hz, 1H), 2.67 (dd, $J = 13, 16$ Hz, 1H), 4.50 (t, $J = 12$ Hz, 1H), 6.04 (s, 2H), 7.16-7.23 (m, 4H), 7.31-7.40 (m, 5H), 10.23 (s, 1H), 12.22 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3)

δ 188.4, 167.5, 164.4, 139.4, 137.3, 129.1 (2C), 128.8 (2C), 128.2, 126.2 (2C), 122.1 (2C), 89.1, 54.1, 44.1. IR (KBr, cm^{-1}) 3384, 1521, 1490, 1646, 1455. MS calcd m/z 341.1, found 342.2 $[(M+1)]^+$. Anal. calcd for $\text{C}_{18}\text{H}_{16}\text{ClN}_3\text{O}_2$: C, 63.25; H, 4.72; N, 12.29; Found: C, 63.21; H, 4.79; N, 12.46.

2d: White solid, m.p. 207-209 °C. ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 2.58 (m, 1H), 2.69 (m, 1H), 4.63 (m, 1H), 6.02 (d, $J = 1$ Hz, 2H), 6.86 (d, $J = 8.5$ Hz, 1H), 6.92 (d, $J = 8$ Hz, 1H), 6.97 (s, 1H), 7.01 (s, 1H), 7.30 (d, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 8.5$ Hz, 2H), 7.78 (s, 1H), 9.76 (s, 1H), 12.63 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO}-d_6$) δ 186.4, 167.4, 164.3, 147.9, 147.3, 138.9, 135.0, 129.1 (2C), 126.2, 121.4 (2C), 120.3, 108.7, 107.4, 101.6, 88.5, 52.2, 43.8. IR (KBr, cm^{-1}) 3384, 1489, 1520, 1635, 1240.

2e: White solid, m.p. 198-200 °C. ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 2.67 (m, 2H), 4.75 (m, 1H), 7.04 (s, 1H), 7.24 (dd, $J = 7.8, 7.8$ Hz, 2H), 7.30 (d, $J = 8.0$ Hz, 2H), 7.45 (s, 2H), 7.55 (d, $J = 8.0$ Hz, 2H), 7.85 (s, 1H), 9.79 (s, 1H), 12.61 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO}-d_6$) δ 188.1, 167.4, 164.3, 163.1, 161.2, 138.9, 37.5, 129.1 (2C), 129.0, 128.9, 126.2, 121.4 (2C), 116.0, 115.8, 88.6, 51.7, 43.6. IR (KBr, cm^{-1}) 3384, 1510, 1491, 1645, 1235.

2f: White solid, m.p. 253-255 °C. ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 2.74 (d, $J =$

7.5Hz, 2H), 4.82 (m, 1H), 7.11 (s, 1H), 7.31 (d, $J = 8.0$ Hz, 2H), 7.44 (s, 1H), 7.55 (d, $J = 8.5$ Hz, 2H), 7.82 (d, $J = 7.0$ Hz, 1H), 8.55 (s, 1H), 8.62 (s, 1H), 9.83 (s, 1H), 12.59 (s, 1H). ^{13}C NMR (125 MHz, DMSO- d_6) δ 187.9, 167.3, 164.4, 149.6, 148.6, 138.9, 136.8, 134.7, 129.1 (2C), 126.2, 124.2, 121.4 (2C), 88.6, 50.2, 43.0. IR (KBr, cm^{-1}) 3319, 1520, 1490, 1566, 1646. MS calcd m/z 342.1, found 343.3 $[(M+1)]^+$. Anal. calcd for $\text{C}_{17}\text{H}_{15}\text{ClN}_4\text{O}_2$: C, 59.57; H, 4.41; N, 16.34; Found: C, 59.47; H, 4.49; N, 16.40.

2g: White solid, m.p. 196-198 °C. ^1H NMR(500 MHz, DMSO- d_6) δ 2.66 (m, 1H), 2.85 (m, 1H), 5.03 (s, 1H), 7.01(m, 1H), 7.09 (d, $J = 3$ Hz, 2H), 7.30 (d, $J = 9$ Hz, 2H), 7.48 (t, $J = 5.0$ Hz, 1H), 7.55 (d, $J = 8.5$ Hz, 2H), 7.99 (s, 1H), 9.79 (s, 1H), 12.60 (s, 1H). ^{13}C NMR (125 MHz, DMSO- d_6) δ 187.7, 167.3, 163.8, 145.1, 138.9, 129.1 (2C), 127.4, 126.1, 125.9, 125.7, 121.4 (2C), 88.6, 48.2, 43.8. IR (KBr, cm^{-1}) 3396, 1521, 1490, 1635, 1558. MS calcd m/z 347.1, found 348.3 $[(M+1)]^+$. Anal. calcd for $\text{C}_{16}\text{H}_{14}\text{ClN}_3\text{O}_2\text{S}$: C, 55.25; H, 4.06; N, 12.08; Found: C, 55.34; H, 4.12; N, 12.06.

2h: White solid, m.p. 190-192 °C. ^1H NMR (500 MHz, DMSO- d_6) δ 2.61 (m, 1H), 2.79 (m, 1H), 4.81 (s, 1H), 6.33 (s, 1H), 6.44 (d, $J = 1.5$ Hz, 1H), 7.08 (s, 1H), 7.30 (t, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 8.5$ Hz, 2H), 7.68 (s, 1H), 7.93 (s, 1H), 9.79 (s, 1H), 12.60 (s, 1H). ^{13}C NMR (125 MHz, DMSO- d_6) δ 187.8, 167.4, 163.8, 153.6, 153.6, 143.4, 138.9, 129.1 (2C), 126.2, 121.4 (2C), 111.0, 107.1, 88.3, 46.1, 40.4. IR (KBr, cm^{-1}) 3392, 1521, 1491, 1635, 1558.

2i: White solid, m.p. 180-182 °C. ^1H NMR (500 MHz, $\text{DMSO-}d_6$) δ 0.89 (s, 9H), 2.26-2.39 (m, 2H), 3.17-3.20 (m, 1H), 6.99 (s, 1H), 7.11 (s, 1H), 7.27 (d, $J = 8.5\text{ Hz}$, 2H), 7.53 (d, $J = 8.0\text{ Hz}$, 2H), 9.62 (s, 1H), 12.62 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO-}d_6$) δ 189.8, 167.8, 165.1, 139.4, 129.5 (2C), 126.6, 121.8 (2C), 88.5, 57.9, 37.9, 34.1, 26.4 (3C). IR (KBr, cm^{-1}) 3356, 1508, 1490, 1645, 1399. MS calcd m/z 321.1, found 322.1 $[(\text{M}+1)]^+$. Anal. calcd for $\text{C}_{16}\text{H}_{20}\text{ClN}_3\text{O}_2$: C, 59.72; H, 6.26; N, 13.06; Found: C, 59.77; H, 6.24; N, 12.98.

2j: White solid, m.p. 230-232 °C. ^1H NMR (500 MHz, $\text{DMSO-}d_6$) δ 2.28 (s, 3H), 2.56 (m, 2H), 4.60 (m, 1H), 6.58 (s, 1H), 6.73 (s, 1H), 7.18 (d, $J = 10.0\text{ Hz}$, 2H), 7.25 (d, $J = 7.0\text{ Hz}$, 2H), 7.53 (s, 1H), 9.32 (s, 1H), 10.1 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO-}d_6$) δ 187.4, 171.1, 164.8, 138.6, 137.5, 129.6 (2C), 126.8 (2C), 88.3, 52.4, 44.1, 21.1. IR (KBr, cm^{-1}) 3333, 1539, 1634, 1375, 1457. MS calcd m/z 245.1, found 246.2 $[(\text{M}+1)]^+$.

2k: White solid, m.p. 240-242 °C. ^1H NMR (500 MHz, $\text{DMSO-}d_6$) δ 2.55 (m, 2H), 4.68 (m, 1H), 6.59 (s, 1H), 6.79 (s, 1H), 7.39 (d, $J = 7.5\text{ Hz}$, 2H), 7.45 (d, $J = 6.5\text{ Hz}$, 2H), 7.58 (s, 1H), 9.30 (s, 1H), 10.19 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO-}d_6$) δ 186.9, 171.0, 164.7, 140.8, 132.7, 129.1 (2C), 128.8 (2C), 88.4, 51.9, 43.8. IR (KBr, cm^{-1}) 3426, 3318, 3165, 1539, 1634, 1661, 3318.

2l: White solid, m.p. 220-222 °C. ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 2.55 (m, 2H), 4.65 (dd, $J = 6.5, 8.5$ Hz, 1H), 6.61 (d, $J = 4.5$ Hz, 1H), 6.75 (s, 1H), 7.32 (m, 1H), 7.39 (m, 4H), 7.58 (s, 1H), 7.33 (d, $J = 4.5$ Hz, 1H), 10.17 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO}-d_6$) δ 187.2, 171.1, 164.8, 141.7, 129.1 (2C), 128.3, 126.9 (2C), 88.3, 52.7, 44.1. IR (KBr, cm^{-1}) 3334, 1527, 1558, 1637, 1375.

2m: White solid, m.p. 224-226°C. ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 2.54 (m, 2H), 3.75 (s, 3H), 6.57 (m, 1H), 6.69 (s, 1H), 6.94 (d, $J = 7.5$ Hz, 2H), 7.30 (d, $J = 7.0$ Hz, 2H), 7.49 (s, 1H), 9.34 (s, 1H), 10.14 (s, 1H). ^{13}C NMR (125 MHz, $\text{DMSO}-d_6$) δ 187.5, 171.1, 164.7, 159.3, 133.5, 128.2 (2C), 114.4 (2C), 88.2, 55.6, 52.2, 44.3. IR (KBr, cm^{-1}) 3372, 1514, 1538, 1633, 1249. MS calcd m/z 261.1, found 262.3 $[(M+1)]^+$. Anal. calcd for $\text{C}_{13}\text{H}_{15}\text{N}_3\text{O}_3$: C, 59.76; H, 5.79; N, 16.08; Found: C, 59.82; H, 5.77; N, 16.03.

IV. The analytical data of 3b - 3i, 4j - 4m and 5a, 5d

3b: Yellow solid, m.p. 213-215 °C. ^1H NMR (500 MHz, CDCl_3) δ 6.83 (s, 1H), 7.23-7.29 (m, 4H), 7.35 (d, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 8.5$ Hz, 2H), 8.13 (s, 1H), 9.61 (s, 1H), 10.26 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.4, 160.8, 156.6, 155.5,

151.9, 141.5, 136.6, 135.7, 135.1, 134.2, 130.4 (2C), 129.4 (2C), 128.8 (2C), 128.3 (2C), 127.4, 102.3, 50.1. IR (KBr, cm^{-1}) 1686, 1489, 1601, 1662, 1441. MS calcd m/z 459.0, found 460.1 $[(M+1)]^+$. Anal. calcd for $\text{C}_{21}\text{H}_{12}\text{Cl}_3\text{N}_3\text{O}_3$: C, 54.75; H, 2.63; N, 9.12; Found: C, 54.72; H, 2.71; N, 9.20.

3c: Yellow solid, m.p. 216-218 °C. ^1H NMR (500 MHz, CDCl_3) δ 6.89 (s, 1H), 7.30 (s, 5H), 7.35 (d, $J = 8.5$ Hz, 2H), 7.54 (d, $J = 8.0$ Hz, 2H), 8.12 (s, 1H), 9.63 (s, 1H), 10.28 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.2, 160.5, 156.3, 155.4, 151.5, 140.9, 136.9, 136.2, 133.9, 129.9 (2C), 128.8 (2C), 128.7, 128.0 (2C), 127.5, 126.9(2C), 102.2, 50.3. IR (KBr, cm^{-1}) 3446, 1684, 1601, 1489, 1654. MS calcd m/z 425.0, found 426.4 $[(M+1)]^+$. Anal. calcd for $\text{C}_{21}\text{H}_{13}\text{Cl}_2\text{N}_3\text{O}_3$: C, 59.17; H, 3.07; N, 9.86; Found: C, 59.04; H, 3.13; N, 9.85.

3d: Yellow solid, m.p. 207-209 °C. ^1H NMR (500 MHz, CDCl_3) δ 5.94 (s, 2H), 6.71 (d, $J = 8.0$ Hz, 1H), 6.78 (s, 1H), 6.80 (d, $J = 8.5$ Hz, 1H), 6.84 (s, 1H), 7.36 (d, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 9.0$ Hz, 2H), 8.12 (s, 1H), 9.60 (s, 1H), 10.26 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.0, 160.4, 156.2, 155.1, 151.4, 147.9, 140.6, 136.2, 134.0, 130.9, 129.9 (2C), 127.9 (2C), 127.5, 120.9, 108.3, 107.7, 101.9, 101.2, 50.3 (One of the signals was not observed). IR (KBr, cm^{-1}) 3648, 3735, 1683, 1506, 1653, 1489. MS calcd m/z 469.0, found 470.1 $[(M+1)]^+$. Anal. calcd for $\text{C}_{22}\text{H}_{13}\text{Cl}_2\text{N}_3\text{O}_5$: C, 56.19; H, 2.79; N, 8.94; Found: C, 56.04; H, 2.81; N, 9.05.

3e: Yellow solid, m.p. 222-224 °C. ^1H NMR (500 MHz, CDCl_3) δ 6.84 (s, 1H), 6.98 (dd, $J = 8.5, 8.5$ Hz, 2H), 7.30 (m, 2H), 7.35 (d, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 9.0$ Hz, 2H), 8.13 (s, 1H), 9.61 (s, 1H), 10.26 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.1, 160.4, 156.3, 155.2, 151.6, 141.0, 136.3, 133.9, 130.0 (2C), 129.1, 128.9, 127.9 (2C), 127.3, 115.9, 115.7, 101.9, 49.8. IR (KBr, cm^{-1}) 1684, 1602, 1506, 1489, 1444.

3f: Yellow solid, m.p. undetected. ^1H NMR (500 MHz, CDCl_3) δ 6.87 (s, 1H), 7.25-7.27 (m, 1H), 7.36 (d, $J = 8.5$ Hz, 2H), 7.55 (d, $J = 8.5$ Hz, 2H), 7.68 (d, $J = 7.5$ Hz, 1H), 8.15 (s, 1H), 8.55 (m, 2H), 9.63 (s, 1H), 10.26 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 187.3, 160.6, 156.4, 155.6, 152.2, 150.4, 148.3, 141.8, 136.7, 135.5, 134.2, 133.3, 130.4 (2C), 128.4 (2C), 126.9, 124.0, 102.2, 49.1. IR (KBr, cm^{-1}) 1685, 1601, 1489, 1661, 1489, 1443. MS calcd m/z 426.0, found 427.2 $[(M+1)]^+$. Anal. calcd for $\text{C}_{20}\text{H}_{12}\text{Cl}_2\text{N}_4\text{O}_3$: C, 56.22; H, 2.83; N, 13.11; Found: C, 56.25; H, 2.88; N, 13.11.

3g: Yellow solid, m.p. 226-228 °C. ^1H NMR (500 MHz, CDCl_3) δ 6.90 (t, $J = 8.5$ Hz, 1H), 6.98 (d, $J = 3.0$ Hz, 1H), 7.05 (s, 1H), 7.22 (d, $J = 5.0$ Hz, 1H), 7.34 (t, $J = 8.5$ Hz, 2H), 7.54 (d, $J = 8.5$ Hz, 2H), 8.12 (s, 1H), 9.62 (s, 1H), 10.24 (d, $J = 0.5$ Hz, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 186.6, 160.0, 156.3, 154.7, 151.5, 141.1, 139.5, 136.2, 133.9, 129.9 (2C), 128.0 (2C), 127.2, 126.9, 126.8, 126.4, 101.8, 46.2. IR (KBr, cm^{-1}) 1688, 1601, 1489, 1661, 1442, 1263.

3h: Yellow solid, m.p. 217-219 °C. ^1H NMR (500 MHz, CDCl_3) δ 6.28 (d, $J = 4.5$ Hz, 2H), 6.91 (s, 1H), 7.29 (s, 1H), 7.37 (d, $J = 8$ Hz, 2H), 7.55 (d, $J = 8.5$ Hz, 2H), 8.13 (s, 1H), 9.62 (s, 1H), 10.22 (s, 1H). IR (KBr, cm^{-1}) 1680, 1601, 1489, 1661, 1486, 1443. MS calcd m/z 415.0, found 416.2 $[(M+1)]^+$.

3i: Yellow solid, m.p. 208-210 °C. ^1H NMR (500 MHz, CDCl_3) δ 0.81 (s, 9H), 5.68 (s, 1H), 7.35 (d, $J = 8.0$ Hz, 2H), 7.53 (d, $J = 7.5$ Hz, 2H), 8.17 (s, 1H), 9.47 (s, 1H), 10.27 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 188.5, 161.5, 157.0, 156.4, 151.6, 141.2, 136.5, 134.4, 130.3 (2C), 128.4 (2C), 126.7, 104.8, 54.6, 39.8, 26.5 (3C). IR (KBr, cm^{-1}) 1674, 1499, 1191, 1592. MS calcd m/z 405.1, found 406.2 $[(M+1)]^+$. Anal. calcd for $\text{C}_{19}\text{H}_{17}\text{Cl}_2\text{N}_3\text{O}_3$: C, 56.17; H, 4.22; N, 10.34; Found: C, 56.25; H, 4.30; N, 10.26.

4j: Yellow solid, m.p. 126-128 °C. ^1H NMR (500 MHz, CDCl_3) δ 2.31 (s, 3H), 3.16 (s, 3H), 3.28 (s, 3H), 6.66 (s, 1H), 7.11 (d, $J = 7.5$ Hz, 2H), 7.23 (d, $J = 8$ Hz, 2H), 8.19 (s, 1H), 9.18 (s, 1H), 9.92 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 185.9, 161.0, 160.7, 157.4, 143.4, 138.7, 135.7, 129.7 (2C), 126.9 (2C), 121.3, 117.6, 51.5, 42.1, 35.9, 21.4 (One of the signals was not observed). IR (KBr, cm^{-1}) 1506, 1635, 1652, 1472. MS calcd m/z 356.1, found 357.1 $[(M+1)]^+$. Anal. calcd for $\text{C}_{18}\text{H}_{17}\text{ClN}_4\text{O}_2$: C, 60.59; H, 4.80; N, 15.70; Found: C, 60.65; H, 4.78; N, 15.64.

4k: Yellow solid, m.p. 110-112 °C. ^1H NMR (500 MHz, DMSO- d_6) δ 3.09 (s, 3H), 3.26 (s, 3H), 6.48 (s, 1H), 7.20 (d, J = 7.0 Hz, 2H), 7.43 (d, J = 7.5 Hz, 2H), 8.46 (s, 1H), 9.15 (s, 1H), 9.82 (s, 1H). ^{13}C NMR (125 MHz, DMSO- d_6) δ 185.6, 162.5, 161.2, 159.1, 144.6, 137.8, 133.5, 129.4 (2C), 128.4, 128.3 (2C), 119.3, 117.3, 49.8, 41.7, 35.9. IR (KBr, cm^{-1}) 3443, 2927, 1635, 1500, 1470, 1396.

4l: Yellow solid, m.p. 117-119 °C. ^1H NMR (500 MHz, CDCl_3) δ 3.17 (s, 3H), 3.28 (s, 3H), 6.71 (s, 1H), 7.28-7.35 (m, 5H), 8.20 (s, 1H), 9.20 (s, 1H), 9.94 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 185.9, 160.9, 160.7, 157.4, 143.6, 138.5, 129.0 (2C), 128.8, 126.9 (2C), 121.2, 117.6, 51.6, 42.1, 35.9 (One of the signals was not observed). IR (KBr, cm^{-1}) 1516, 1638, 1654, 1482. MS calcd m/z 342.1, found 343.4 $[(M+1)]^+$. Anal. calcd for $\text{C}_{17}\text{H}_{15}\text{ClN}_4\text{O}_2$: C, 59.57; H, 4.41; N, 16.34; Found: C, 59.71; H, 4.37; N, 16.40.

4m: Yellow solid, m.p. 132-134 °C. ^1H NMR (500 MHz, CDCl_3) δ 3.15 (s, 3H), 3.28 (s, 3H), 3.77 (s, 3H), 6.63 (s, 1H), 6.82 (d, J = 7.5 Hz, 2H), 7.29 (d, J = 8.0 Hz, 2H), 8.18 (s, 1H), 9.17 (s, 1H), 9.92 (s, 1H). ^{13}C NMR (125 MHz, CDCl_3) δ 185.9, 161.1, 160.6, 159.9, 157.3, 143.4, 130.8, 128.6 (2C), 121.3, 117.7, 114.3 (2C), 55.5, 51.3, 42.1, 35.9 (One of the signals was not observed). IR (KBr, cm^{-1}) 1635, 1507, 1472,

1397. MS calcd m/z 372.1, found 373.3 [(M+1)]⁺.

5a: white solid, m.p. 188--190 °C. ¹H NMR (500 MHz, CDCl₃) δ 2.33(s, 3H), 6.09 (d, J = 7.0 Hz, 1H), 6.28 (d, J = 7.0 Hz, 1H), 7.15 (d, J = 7.5 Hz, **2H**), 7.27 (d, J = 7.0 Hz, 2H), 7.32 (m, 2H), 7.51 (**dd**, J = **1.5, 7.5 Hz**, 2H), 7.99 (s, 1H), 9.56 (s, 1H). ¹³C NMR (125 MHz, CDCl₃) δ 161.3, 156.6, 152.6, 149.4, 138.7, 135.8, 134.8, 134.5, 129.8 (2C), 129.5 (2C), 128.1 (2C), 127.4 (2C), 124.8, 122.8, 102.5, 52.7, 21.1. MS calcd m/z 411.1, found 412.1 [(M+1)]⁺.

5d: white solid, m.p. 196-198 °C. ¹H NMR (500 MHz, CDCl₃) δ 5.95 (s, 2H), 6.04 (d, J = 6.5 Hz, 1H), 6.21 (d, J = 6.5 Hz, 1H), 6.75 (d, J = 8.5 Hz, 1H), 6.89 (**m**, 2H), 7.33 (d, J = 8.5 Hz, 2H), 7.51 (d, J = 8.5 Hz, 2H), 8.01 (s, 1H), 9.53 (s, 1H). ¹³C NMR (125 MHz, CDCl₃) δ 161.3, 156.5, 152.5, 149.4, 148.0, 147.9, 135.8, 134.5, 131.6, 129.8 (2C), 128.1 (2C), 124.9, 122.7, 121.4, 108.3, 107.9, 102.3, 101.3, 52.7. IR (KBr, cm⁻¹) 2896, 1680, 1239, 1513, 1432. MS calcd m/z 441.0, found 442.3 [(M+1)]⁺. Anal. calcd for C₂₁H₁₃Cl₂N₃O₄: C, 57.03; H, 2.96; N, 9.50; Found: C, 56.99; H, 3.01; N, 9.52.

V. Copies of NMR spectra for compounds 1j - 1m, 2a - 2m, 3a - 3i, 4j - 4m and 5a, 5d.

m1staksvf92

Archive directory: /export/home/pau/vnmrsvs/data

Sample directory:

File: PROTON

Pulse Sequence: zgpg30

Solvent: CDCl3

Ambient temperature

INNOVA-500 "NMR500"

Relax. delay: 1.000 sec

Pulse delay: 0.000 sec

Acq. time: 1.892 sec

Acq. date: 1998

Acq. time: 1.892 sec

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

Observed: 400.130 MHz

1j

STANDARD CARBON PARAMETERS

Archive directory: /export/home/rang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: s2pu1
Solvent: DMSO
Ambient temperature
User: 1-14-87
INOVA-500 "MENV500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Vp1 13.000 Hz
392 repetitions
OBSERVE C13, 125.6760536 MHz
DECUPLE H1, 499.8074646 MHz
Power 48 dB
on during acquisition
off during delay
Data processing
Data acquired
Line broadening 1.0 Hz
Ft size 131072
Total time 2 hr, 39 min, 57 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: szpu1
Solvent: CDCl3
Temp: 7.5 C / 280.6 K
User: 1-14-87
INNOVA-500 "MENU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.000 sec
F2 125.762 MHz
836 repetitions
OBSERVE C13, 125.6754623 MHz
DECOUPLE H1, 499.8050805 MHz
Power 48 db
on during acquisition
off during acquisition
WAIT 18 seconds
DATA PROCESSING
Line broadening 1.0 Hz
FT size 65536
Total time 1 hr, 40 min, 26 sec

2b

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:

Pulse Sequence: szpu1

Solvent: DMSO
Temp: 40.0 C / 313.1 K
User: f14547
File: a703-c13
INOVA-500 "MNU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.500 sec
Width 31421.8 Hz
128 repetitions
OBSERVE C13, 125.6760536 MHz
DECOUPLE H1, 499.8074646 MHz
PULSE 18
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
F1 size 131072
F2 size 131072
Total time 2 hr, 33 min, 57 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sy/data
Sample directory:
File: CARBON

Pulse Sequence: szpul
Solvent: DMSO
Temp: 40.0 C / 313.1 K
User: 1-14-87
INOVA-500 "NMR500"

Relax: delay 1.000 sec
Pulse: 45.0 degrees
Alt: 1482.1308 sec
Alt: 1482.1308 sec
448 repetitions
OBSERVE: C13, 125.676536 MHz
DECOUPLE: H1, 499.8074646 MHz
Power: 48 dB
on during acquisition
off during processing
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
F1 size 131072
Total time 2 hr, 33 min, 57 sec

```
Archive directory: /export/home/fang/vmmr/sys/data
Sample directory:
File: CARBON
```

```
Pulse Sequence: s2pu1
Solvent: DMSO
Temp: 7.5 C / 280.6 K
User: 1-14-87
INNOVA-500 "NENU500"
```

Relax. delay 1.000 sec
Pulse 45.0 degrees
MAG. 1.500 sec
MAG. 3121.8 Hz
5000 3121.8 Hz
OBSERVE 13.752.575495 MHz
DECUPLE H13.493.607466 MHz
Power 48 db
on during Acquisition
off during delay
WALT-16 modulated
DATA PROCESSING
line broadening 1.0 Hz
FT size 131072
Total time 3 hr, 12 min, 26 sec

2i

```
Archive directory: /export/home/fang/vmr/sys/data
Sample directory:
File: CARBON
```

```
Pulse Sequence: szpu1
Solvent: DMSO
Temp.: 25.0 C / 298.1 K
User: 1-14-87
INOVA-500 "NENU500"
```

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Width 31421.8 Hz
1344 repetitions
08SRCE C13 125.676055 MHz
DECPUL H1 499.807665 MHz
Power 48 db
on during acquisition
off during delay
WALTZ16 is modulated
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 2 hr, 33 min, 57 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr5ys/data
Sample directory:

Pulse Sequence: s2pul1

Solvent: DMSO

Ambient temperature

User: 1-14-87

File: b405-cl3

INSTR-500 "MENU500"

Relax: delay 1.000 sec

Pulse: 45.000 sec

Acq. time 1.300 sec

Width 31421.8 Hz

64 repetitions

OBSERVE C13, 125.6780536 MHz

DESSOLVE H1, 499.8074646 MHz

Power 48.000

on during acquisition

off during delay

WALTZ-16 modulated

DATA PROCESSING

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

File: b405-cl3

2k

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sy/data
Sample directory:
File: CARBON

Pulse Sequence: sput1

Solvent: DMSO
Temp: 20.0 C / 293.1 K
User: 1-14-87
INOVA-500 "NENU500"

Relax: delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
NUC1: 13C13.072 MHz
320 spins/1.000 sec
OBSERVE C13 125.6760536 MHz
DECOUPLE H1 499.8074646 MHz
Power 48 dB
on during acquisition
off during delay
NUC2: 1H400.146 MHz
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 2 hr, 33 min, 57 sec

2I

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: szpu1
Solvent: CDCl3
Temp: 7.5 C / 280.6 K
User: 1-14-87
INNOVA-500 "MNU500"

Relax. delay 1.000 sec
Acq. time 1.500 sec
Width 31421.8 Hz
10000 repetitions
OBSERVE C13, 125.6754733 MHz
DECOUPLE H1, 499.8050905 MHz
Coupling 16.0 Hz
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
F2 size 131072
F2 size 131072
Total time 8 hr, 24 min, 53 sec

3b

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: zgpg30

Solvent: CDCl3
Temp: 7.5 C / 280.6 K
User: jia
INOVA-500 "MNU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Width 31421.8 Hz
4000 repetitions
DECOUPLE C13: 125.6754733 MHz
DECOUPLE H1: 499.8050303 MHz
Power 48 dB
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
Time processing 1.0 Hz
File 13107
Total time 2 hr, 33 min, 57 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: szpul
Solvent: CDCl₃
Temp: 7.5 C / 280.6 K
User: 1-14-87
INOVA-500 "MNU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
SOLVENT 125.000 MHz
2048 repetitions
OBSERVE C13, 125.6754733 MHz
DECOUPLE H1, 499.8050905 MHz
Power 48 db
on during acquisition
off during delay
WALTZ-16 simulated
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 3 hr, 12 min, 26 sec

Archive directory: /export/home/zhao1/vnmrsys/data
Sample directory:
File: CARBON

Pulse Sequence: s2put
Solvent: CDCl3
Ambient temperature
User: 1-14-87
INNOVA-500 "NENU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Width 31421.6 Hz
3776 repetitions
OBSERVE C13, 125.6754916 MHz
DECUPLE H1, 499.8050305 MHz
Power 40 dB
Continuously on
WALTZ-16 modulated
DATA PROCESSING 1.0 Hz
F1 4929.331072
Total time 6 hr., 24 min., 53 sec

mislakev92

Archive directory: /export/home/pa/ymf/sy/data
Sample directory:
File: PROTON

Pulse Sequence: zgpg30

Solvent: CDCl₃
Ambient temperature
INOVA-500 "H500"

Relax. delay: 1.000 sec
Pulse delay: 0.000 sec
Acq. time: 1.000 sec
Width: 7396.0 Hz
Waltz: 100.0 Hz
OBSERVE: H1, 499.8025891 MHz
DATA PROCESSING
FT size: 65536
Total time: 0 min, 23 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
Sample directory:
File: CARBON

Pulse Sequence: zgpg30

Solvent: CDCl3
Temp: 7.5 C / 280.6 K
User: 10-14-87
INSTR: 500 NMRUS90"

Relax delay: 1.000 sec
Pulse: 45.0 degrees
Acq. time: 1.300 sec
Width: 31421.8 Hz
3328 Repetitions
OBSERVE: C13, 125.6754733 MHz
OBSERVE: 125.6754733 MHz
Power: 0.00 dB
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
Line broadening: 1.0 Hz
Gamma: 1.000000
Total time: 4 hr, 29 min, 25 sec

Archive directory: /export/home/liu/vmr/sys/data
Sample directory:

Pulse Sequence: s2pu1

Pulse Sequence: s2pu1
Solvent: CDCl3

Solvent: CDCl₃
Temp.: 20.0 °C / 293.1 K

File: C9
INOVA-500 "MENU500"

Delay delay 1 000 sec

Relax. delay 1.000 sec
Pulse 45.0 degrees

Acq. Time 1.092 sec
Width 7996.8 Hz

8 repetitions
OBSERVE H1, 499.8025914 MHz

DATA PROCESSING
FT size 65536

Total time 0 min, 23 sec

```

mistakesv132
Archive directory: /export/home/pai/vnmr/sys/data
Sample directory:
File: PROTON
Pulse Sequence: zgpg30
Solvent: CDCl3
Acquisition temperature: 300.2 K
INSTRUMENT: spect
Relax. delay: 1.000 sec
Pulse: 45.0 degrees
Acq. time: 1.832 sec
Width: 7396.8 Hz
8 repetitions: 149.8025891 MHz
082625V01
S278
FT size 65536
Total time 0 min, 23 sec

```

STANDARD CARBON PARAMETERS

Archive directory: /export/home/1lu/vnmr/sys/data
Sample directory: /export/home/1lu/vnmr/sys/data
File: CARBON

Pulse Sequence: s2pul
Solvent: CDCl3
Temp: 20.0 C / 293.1 K
User: 1-14-87
INOVA-500 "MEND500"

Relax. delay: 1.000 sec
Pulse: 45.0 degrees
Acq. time: 1.500 sec
NUC1: 13C
1984 repetitions
OBSERVE: C13, 125.6754316 MHz
DECUPLE: H1, 499.8050905 MHz
Power: 40 dB
on during acquisition
off during delay
SOLVENT: CDCl3
DATA PROCESSING
Line broadening: 1.0 Hz
FT size: 131072
Total time: 12 hr, 49 min, 47 sec

3i

STANDARD PROTON PARAMETERS

Archive directory: /export/home/lu/vnmr/sys/data
Sample directory:
File: PROTON

Pulse Sequence: s2pu1

Solvent: CDCl3
Temp: 20.0 C / 293.1 K
INQVIA-500 "H1HUS00"

Relax: delay 1.000 sec
Pulse: 45.0 deg/sec
Acq: 120.153 sec
Width 7366.8 Hz 560

8 repetitions
OBSERVE H1: 499.8025914 MHz

DATA PROCESSING
F2: 512.05530
Total time 0 min, 23 sec

3i

STANDARD CARBON PARAMETERS

Archive directory: /export/home/zhaoli/vnmr/svs/data
Sample directory:
File: CARBON

Pulse Sequence: s2pu1
Solvent: CDCl3
Ambient temperature
User: 1-14-87
INNOVA-500 "HREUS00"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Sweep 3200 Hz
5000 repetitions
OBSERVE C13, 125.6754316 MHz
DECUPLE H1, 499.8050905 MHz
Power 40 dB
Continuously on
Acquisition started
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 3 hr, 12 min, 26 sec

mistakesv92

Archive directory: /export/home/pau/vmrcys/data
Sample directory:

Pulse Sequence: szpul

Solvent: CDCl3

Ambient temperature

INSTRUMENT: spect

PROBHD: 5mm

NUC1: 13C

NUC2: 13C

Relax. delay: 1.000 sec

Pulse: 45.0 degrees

Acq. time: 1.392 sec

Width: 7996.8 Hz

8 repetitions

Observed: 499.8025891 MHz

Observed: 125.7603310 MHz

FT 125.6532

Total time 0 min, 23 sec

4j

Archive directory: /export/home/fang/vmmsys/data
Sample directory:

File: CARBON

Pulse Sequence: s2puls

Ambient temperature
11-14-87

INOVA-500 "MENU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees

Acq. time 1.300 sec
Width 31421.8 Hz

7000 repetitions
OBSERVE C13, 125.6760536 MHzPower 48 dB
on duration acquisition

off during delay
WALTZ-16 modulated

DATA PROCESSING
Line broadening 1.0 Hz

Total time 4 hr, 29 min, 25 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/tlu/vnmr/sy/data
Sample directory:
File: CARBON

Pulse Sequence: zgpg30
Solvent: CDCl3
Temp: 29.9 C / 293.1 K
nu1: 101.62 MHz
nu2: 101.62 MHz
INSTR: 500 NMR500

Relax delay: 1.000 sec
Pulse: 45.0 degrees
Acq. time: 1.360 sec
Width: 31421.8 Hz
28000 repetitions
OBSERVE: C13, 125.6754316 MHz
P1: 12.000 sec
Power: 40 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening: 1.0 Hz
F2: 28.131072 MHz
Total time: 12 hr, 49 min, 47 sec

CN1C=NC2=C1C(=O)N(C(=O)c3ccccc3)C2=CCl

41

STANDARD CARBON PARAMETERS

Archive directory: /export/home/zhaol/vnmr/sys/data
 Sample directory:
 File: CARBON

Pulse Sequence: zgpg30
 Solvent: CDCl3
 Ambient temperature
 User: j-14-87
 INOVA-500 "NMR500"

Relax delay 1.000 sec
 Acq. time 1.300 sec
 Width 31421.8 Hz
 10000 repetitions
 OBSERVE C13, 125.6754318 MHz
 DECPROG zgpg30, 499.865985 MHz
 Power 40 dB
 continuously on
 WALTZ-16 modulated
 DATA PROCESSING
 Line processing 1.0 Hz
 F2 125.6754318 MHz
 Total time 6 hr, 24 min, 53 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/wmrys/data
Sample directory:
File: CARBON

Pulse Sequence: szpul
Solvent: CDCl3
Temp: 7.5 C / 280.6 K
User: jz437
INNOVA-500 "MNU500"

Relax. delay 1.000 sec
Pulse 45.0 degrees
Acq. time 1.300 sec
Width 31421.8 Hz
3456 repetitions
OBSERVE C13, 125.6754733 MHz
OBSERVE H1, 499.8650905 MHz
Power 48 dB
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
F1 time 3.000 sec
F2 time 3.000 sec
F1 size 31072
F2 size 31072
Total time 3 hr, 12 min, 26 sec

STANDARD CARBON PARAMETERS

Archive directory: /export/home/fang/vnmr/sys/data
 Sample directory:
 File: CARBON
 Pulse Sequence: szpu1
 Solvent: CDCl3
 Temp: 7.5 C / 280.6 K
 User: 1-14-87
 INOVA-500 "NENU500"

Relax. delay 1.000 sec
 Pulse 45.0 degrees
 Acq. time 1.300 sec
 Width 31421.8 Hz
 SFO 125.760 MHz
 OBSERVE C13 125.760 MHz
 DECOUPLE H1 499.805905 MHz
 Power 48 dB
 on during acquisition
 off during delay
 WALTZ-16 modulated
 DATA PROCESSING
 F2 size 131072
 Total time 4 hr, 29 min, 25 sec

mistakesv782

Archive directory: /export/home/pan/vnmr/sys/data

Sample directory:

File: PROTON

Pulse Sequence: szpul

Solvent: CDCl₃

Ambient temperature

INNOVA-500 "NMR0500"

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 1.35 sec

Width 786.8 Hz

8 repetitions

OBSERVE H1, 499.8025891 MHz

DATA PROCESSING

FT size 65536

Total time 0 min, 20 sec

VI. FIGURE S1 ORTEP drawing of compound 5d

VII. Crystal data for 5d

5d: $C_{21}H_{13}O_4Cl_2N_3$, white, $M_r = 442.24$, monoclinic, space group $P2(1)/c$, $a = 15.6855(14)$, $b = 8.4155(8)$, $c = 14.3404(13)$ Å, $\alpha = 90$, $\beta = 93.234(2)$, $\gamma = 90^\circ$, $V = 1889.9(3)$ Å³, $Z = 4$, $\rho_{\text{calcd}} = 1.554$, $T = 293(2)$ K, 11634 reflections (4446 unique), 271 refined parameters, $R = 0.0701$ (4446 data with $I > 2\sigma(I)$), $wR^2(F_2) = 0.1527$. The H atoms were revealed in the difference Fourier map and refined isotropically. CCDC deposition number: 281694 (5d). These data can be obtained free of charge via www.ccdc.cam.ac.uk/conts/retrieving.html (or from the Cambridge Crystallographic Data Center, 12 Union Road, Cambridge CB21EZ, UK; fax: (+44)1223-336-033; or deposit@ccdc.cam.ac.uk).