RECEIVED

JUN 2 2003

Journal of Organic Chemistry

S1

Efficient Synthesis of Sterically Constrained Symmetrically α,α -Disubstituted α -Amino Acids under Operationally Convenient Conditions.

T. K. Ellis, C. H. Martin, G. M. Tsai, H. Ueki, V. A. Soloshonok*

Table of Contents

¹³ C-NMR: Ni(II) complex of 2-aminobuturic acid Schiff base with PAAP (8):	S2
¹³ C-NMR: Ni(II) complex of 2-aminobuturic acid Schiff base with 1-{2'-[N-(α -picolyl)amino]phenyl}butan-1-one (9):	S3
¹ H-NMR: Ni(II)-complex of α,α -diallylglycine Schiff base with PABP (13a):	S4
¹ H-NMR: Ni(II)-complex of α,α -dibenzylglycine Schiff base with PABP (13b):	S5
¹ H-NMR: Ni(II)-complex of α,α -di-(<i>trans</i>)-cinnamylglycine Schiff base with PABP (13c):	S6
¹ H-NMR: Ni(II)-complex of α,α -diethylglycine Schiff base with PABP (13d):	S7
¹³ C-NMR: Ni(II)-complex of α,α -di- <i>n</i> -propylglycine Schiff base with PABP (13e):	S8
¹³ C-NMR: Ni(II)-complex of α,α -di- <i>n</i> -butylglycine Schiff base with PABP (13f):	S9
¹³ C-NMR: Ni(II)-complex of α,α -dimethylglycine Schiff base with PABP (13g):	S10
¹ H-NMR: Ni(II)-complex of α,α -di- <i>n</i> -pentylglycine Schiff base with PABP (13h):	S11
¹³ C-NMR: Ni(II) complex of α,α -dipropargylglycine Schiff base with PABP (13k):	S12
¹³ C-NMR: Ni(II) complex of 2-amino-pent-4-enoic acid Schiff base with PABP (14a):	S13
¹ H-NMR: Ni(II) complex of 2-amino-3-phenyl-propionic acid Schiff base with PABP (14b):	S14
¹³ C-NMR: Ni(II) complex of 2-amino-5-phenyl-pent-4-enoic acid Schiff base with PABP (14c):	S15
¹ H-NMR: Ni(II) complex of 2-amino-butyric acid Schiff base with PABP (14d):	S16
¹³ C-NMR: Ni(II) complex of 2-aminopentanoic acid Schiff base with PABP (14e):	S17
¹³ C-NMR: Ni(II)-complex of 2-aminohexanoic acid Schiff base with PABP (14f):	S18
¹³ C-NMR: Ni(II)-complex of 2-aminopropionic acid Schiff base with PABP (14g):	S19
¹³ C-NMR: Ni(II)-complex of 2-aminoheptanoic acid Schiff base with PABP (14h):	S20
¹³ C-NMR: Ni(II) complex of 2-amino-pent-4-ynoic acid Schiff base with PABP (14k):	S21
¹³ C-NMR: Ni(II) complex of 2-amino-4-cyano-butyric acid Schiff base with PABP (14l):	S22
¹³ C-NMR: Ni(II) complex of 2-amino-pentanedioic acid 5-ethyl ester Schiff base with PABP (14m):	S23
¹³ C-NMR: α,α -Diallylglycine (15a):	S24
¹ H-NMR: α,α -Diethylglycine (15d):	S25

S2

S3

S4

S5

S6

S7

S8

S9

S10

S11

S12

S13

S14

S15

S16

S17

S18

S19

S20

S21

S22

S23

S24

S25