Efficient and Z-Selective Cross Metathesis of Conjugated Enynes

Eric C. Hansen, Daesung Lee*

Department of Chemistry, University of Wisconsin, Madison, WI 53706

Supporting Information

Materials and Methods

Compounds were purchased from Aldrich. Dichloromethane was distilled from CaH_2 . Flash chromatography was performed using silica gel 60 Å (32-63 mesh) from Sorbent Technologies. Reactions were monitored by thin layer chromatography (TLC) using 0.25 mm E. Merk precoated silica gel 60 (particle size 0.040 – 0.063 mm). ^1H NMR and ^{13}C NMR spectra were recorded on either a Bruker AC-250 or a Bruker AC-300 spectrometer. Chemical shifts are reported in δ values relative to the internal standard tetramethyl silane (TMS).

3a: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 8.15 (dd, $J = 7.2, 1.6$ Hz, 2H), 7.62 (tt, $J = 7.2, 1.6$ Hz, 1H), 7.50 (t, $J = 7.2$ Hz, 2H), 6.067 (d, $J = 5.9$ Hz, 1H), 6.065 (d, $J = 7.5$ Hz, 1H), 5.88 (dd, $J = 7.5, 5.9$ Hz, 1H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 178.13, 136.88, 134.34, 133.32, 129.76, 128.79, 115.47, 91.38, 87.23; **HRMS** (EI) calcd for $\text{C}_{11}\text{H}_{18}\text{O}$ $[\text{M}]^+$: 156.0575, found 156.0572.

3b: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.52 (m, 2H), 7.37 (m, 3H), 6.58 (d, $J = 1.7$ Hz, 1H), 5.85 (ddd, $J = 17.5, 10.8, 1.7$ Hz, 1H), 5.70 (dd, $J = 17.5, 2.5$ Hz, 1H), 5.53 (dd, $J = 10.8, 2.5$ Hz, 1H), 2.10 (s, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 169.83, 137.16, 129.05, 128.78, 128.50, 127.83, 116.43, 86.27, 85.76, 66.08, 21.17; **HRMS** (EI) calcd for $\text{C}_{13}\text{H}_{12}\text{O}_2$ $[\text{M}]^+$: 200.0837, found 200.0827.

Preparation of conjugated enyne substrates containing the catalyst delivery vehicle:

Scheme S1

(a) *cis*-2-Butene-1,4-diol (1.0 g, 11.35 mmol) was dissolved in THF (100 mL) under a N_2 atmosphere and cooled to 0 °C. NaH (454 mg, 11.35 mmol) was added and the reaction stirred 10 min. Allyl bromide (1.65 g, 13.6 mmol) was added and the reaction was allowed to warm to room temperature. After two hours the reaction was complete as indicated by TLC. The solution was quenched with saturated NH_4Cl solution. The organic material was extracted with ether. The ether layer was washed successively with brine solution and saturated NaHCO_3 . The organic layer was dried with MgSO_4 . After filtration, the solvent was removed under reduced pressure and the crude material was purified by flash chromatography (silica gel, 5:1 Hex:EtOAc) to give pure **S2** (800 mg, 55%).

S2: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 5.92 (ddt, $J = 17.4, 10.4, 5.7$ Hz, 1H), 5.82, (dt, $J = 11.2, 6.2, 1.2$ Hz, 1H), 5.70 (dt, $J = 11.2, 6.0, 1.3$ Hz, 1 H), 5.29 (dq, $J = 17.4, 1.7$ Hz, 1H), 5.21 (dq, $J = 10.4, 1.7$ Hz, 1H), 4.20 (d, $J = 6$ Hz, 2H), 4.06 (d, $J = 6.2$ Hz, 2H), 4.00 (dt, $J = 5.7, 1.3$ Hz, 2H), 2.25 (bs, 1H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 134.23, 132.09, 128.00, 117.24, 71.18, 65.45, 58.47; **HRMS** (EI) calcd for $\text{C}_7\text{H}_{12}\text{O}_2$ $[\text{M}-\text{H}_2\text{O}]^+$: 110.0732, found 110.0736.

(b) **S2** (500 mg, 3.90 mmol) was dissolved in dry methylene chloride under N_2 atmosphere and PCC (1.0 g, ~ 4.5 mmol) mixed with 3 Å mol sieves (2 g) was added. The reaction stirred at room temperature until TLC indicated complete consumption of starting material. The chromium was removed by filtering through a large plug of silica gel and washing with ethyl ether. The aldehyde was further purified by flash chromatography (silica gel, 5:1 Hex:EtOAc). Under the reaction conditions the alkene was isomerized to the *trans*-isomer (403 mg, 82%).

S3 (20): $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 9.51 (d, $J = 7.9$ Hz, 1H), 6.78 (dt, $J = 15.7, 4.0$ Hz, 1H), 6.29 (ddt, $J = 15.7, 7.9, 1.9$ Hz, 1H), 5.83 (ddt, $J = 17.2, 10.5, 5.6$ Hz, 1H), 5.24 (dq, $J = 17.2, 1.7$ Hz, 1H), 5.15 (dq, $J = 10.5, 1.7$ Hz, 1H), 4.20 (dd, $J = 4.0, 1.7$ Hz, 2H), 3.98 (dt, $J = 5.5, 1.2$ Hz, 2H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 193.31, 153.22, 134.06, 131.80, 117.65, 71.96, 68.62; **HRMS** (EI) calcd for $\text{C}_7\text{H}_{10}\text{O}_2$ $[\text{M}-\text{H}]^+$: 125.0603, found 125.0604.

(c) TMS-diazomethane (1.75 mL, 2.0 M solution in hexane) was dissolved in THF (25 mL) and cooled to -78°C . $n\text{-BuLi}$ (1.4 mL, 2.5 M solution in hexane) was added and the reaction stirred 15 min. After this time, **S2** (400 mg, 3.17 mmol) was added. After approx. 10 min. TLC shows disappearance of aldehyde. The reaction was allowed to warm to -30°C . TLC shows a new UV-active, non-polar spot. The reaction is cooled to -78°C and an additional 1.4 mL of $n\text{-BuLi}$ was added. After stirring 10 min., benzaldehyde (340 mg, 3.2 mmol) was added and the reaction allowed to warm to room temperature over 1 hour. The reaction was quenched with a small amount of water, and dried with MgSO_4 . Filtration of the drying agent and removal of solvent gives crude

product which was purified by flash chromatography (silica gel, 5:1 Hexane:EtOAc) to yield pure product as a deep yellow oil (368 mg, 51%).

S4: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.53 (m, 2H), 7.35 (m, 3H), 6.25 (dt, $J = 16.4, 5.4$ Hz, 1H), 5.89 (ddt, $J = 17.4, 10.5, 5.3$ Hz, 1H), 5.81 (dq, $J = 16.4, 1.8$ Hz, 1H), 5.56 (bs, 1H), 5.27 (dq, $J = 17.4, 1.8$ Hz, 1H), 5.19 (dq, $J = 10.5, 1.8$ Hz, 1H), 4.03 (dd, $J = 5.3, 1.8$ Hz, 2H), 3.98 (dt, $J = 5.4, 1.8$ Hz, 2H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 140.08, 140.42, 134.49, 128.75, 128.50, 126.80, 117.46, 110.97, 89.56, 84.65, 71.43, 69.71, 65.10; **HRMS** (ESI) calcd for $\text{C}_{15}\text{H}_{14}\text{O}_2$ (MNa^+): 251.1048, found 251.1043.

5a: Obtained by oxidation of **S-4** using MnO_2 . $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 8.15 (d, $J = 7.0$ Hz, 2H), 7.62 (tt, $J = 7.3, 1.4$ Hz, 1H), 7.50 (t, $J = 7.3$ Hz, 2H), 6.62 (dt, $J = 16.0, 4.6$ Hz, 1H), 6.05 (dt, $J = 16.0, 2.0$ Hz, 1H), 5.90 (ddt, $J = 17.3, 10.6, 5.4$ Hz, 1H), 5.32 (dq, $J = 17.3, 1.4$ Hz, 1H), 4.15 (dd, $J = 4.6, 2.0$ Hz, 2H), 4.05 (dt, $J = 5.4, 1.4$ Hz, 2H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 178.16, 146.86, 136.93, 134.26, 134.22, 129.70, 128.72, 117.70, 108.53, 91.53, 87.44, 71.87, 69.39; **HRMS** (EI) calcd for $\text{C}_{15}\text{H}_{14}\text{O}_2$ $[\text{M}]^+$: 226.0994, found 226.1003.

5b: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.48 (d, $J = 6.9$ Hz, 2H), 7.32 (m, 3H), 6.17 (dt, $J = 15.9, 5.6$ Hz, 1H), 5.90 (ddt, $J = 17.2, 10.3, 5.6$ Hz, 1H), 5.79 (dq, $J = 15.9, 1.9$ Hz, 1H), 5.61 (s, 1H), 5.29 (dq, $J = 17.2, 1.7$ Hz, 1H), 5.20 (dq, $J = 10.3, 1.7$ Hz, 1H), 4.02 (dd, $J = 5.6, 1.7$ Hz, 2H), 3.97 (dt, $J = 5.7, 1.6$ Hz, 2H), 0.94 (s, 9H), 0.17 (s, 3H), 0.15 (s, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 141.92, 139.73, 134.61, 128.46, 127.81, 126.25, 117.45, 111.47, 90.89, 83.76, 71.50, 69.90, 65.36, 26.04, 18.55, -4.22, -4.68; **HRMS** (EI) calcd for $\text{C}_{21}\text{H}_{30}\text{O}_2$ $[\text{M}-t\text{Bu}]^+$: 285.1311, found 285.1309.

5c: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 6.52 (dt, $J = 16.2, 4.7$ Hz, 1H), 5.90 (m, 2H), 5.29 (d, $J = 17.3$ Hz, 1H), 5.21 (d, $J = 10.2$ Hz, 1H), 4.25 (q, $J = 7.2$ Hz, 2H), 4.10 (dd, $J = 4.7, 2.1$ Hz, 2H), 4.01 (d, $J = 5.5$ Hz, 2H), 1.32 (t, $J = 7.2$ Hz, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 154.10, 146.71, 134.23, 117.65, 107.87, 84.52, 81.11, 71.76, 69.25, 62.16, 14.20; **HRMS** (EI) calcd for $\text{C}_{11}\text{H}_{14}\text{O}_3$ $[\text{MH}]^+$: 195.1021, found 195.1014.

5d: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 6.10 (dt, $J = 16.1, 5.7$ Hz, 1H), 5.91 (ddt, $J = 17.3, 10.6, 5.2$ Hz, 1H), 5.71 (dt, $J = 16.1, 1.9$ Hz, 1H), 5.27 (dq, $J = 17.3, 1.6$ Hz, 1H), 5.19 (dq, $J = 10.6, 1.6$ Hz, 1H), 4.01 (dd, $J = 5.7, 1.6$ Hz, 2H), 3.97 (dt, $J = 5.6, 1.5$ Hz, 2H), 2.39 (td, $J = 6.1, 2.1$ Hz, 2H), 1.72 (quint, $J = 6.1$ Hz, 2H), 0.90 (s, 9H), 0.06 (s, 6H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 138.03, 134.72, 117.33, 112.66, 90.91, 78.71, 71.28, 70.09, 61.77, 31.87, 26.13, 18.53, 15.98, -5.15; **HRMS** (EI) calcd for $\text{C}_{17}\text{H}_{30}\text{O}_2$ $[\text{M}-t\text{Bu}]^+$: 237.1311, found 237.1310.

5e: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.53 (m, 2H), 7.38 (m, 3H), 6.57 (s, 1H), 6.26 (dt, $J = 16.0, 5.3$ Hz, 1H), 5.90 (ddt, $J = 17.2, 10.3, 5.6$ Hz, 1H), 5.81 (dq, $J = 16.0, 1.8$ Hz, 1H), 5.28 (dq, $J = 17.2, 1.5$ Hz, 1H), 5.20 (dq, $J = 10.4, 1.4$ Hz, 1H), 4.04 (dd, $J = 5.4, 1.5$ Hz, 2H), 3.99 (dq, $J = 5.6, 1.4$ Hz, 2H), 2.11 (s, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 170.00, 141.24, 137.23, 134.52, 129.11, 128.83, 127.91, 117.44, 110.57, 86.21, 85.21, 71.50, 69.69, 21.31; **HRMS** (EI) calcd for $\text{C}_{17}\text{H}_{18}\text{O}_3$ $[\text{M}]^+$: 270.1256, found 270.1252.

General procedure for cross metathesis reaction:

The conjugated enyne **5** (0.15mmol) was added to a solution of alkene **8** (0.3 mmol) in dry dichloromethane (10 mL) under a N₂ atmosphere fitted with a reflux condenser. Grubbs second generation catalyst (0.015 mmol) was added and the reaction heated to 40°C. The reaction was monitored by TLC until complete consumption of starting enyne. After the reaction was complete, the solvent was removed *in vacuo* and the crude material was purified by flash chromatography (silica gel, 8:1 Hex:EtOAc).

9a: ¹H NMR (300 MHz, CDCl₃): δ 8.10 (d, J = 7.2 Hz, 2H), 7.62 (t, J = 7.5 Hz, 1H), 7.36 (m, 5H), 6.47 (dt, J = 11.2, 6.3 Hz, 1H), 5.89 (dt, J = 11.2, 1.6 Hz, 1H), 4.58 (s, 2H), 4.43 (dd, J = 6.3, 1.6 Hz, 2H); ¹³C NMR (75 MHz, CDCl₃) δ 177.95, 146.25, 137.82, 136.91, 134.36, 129.74, 128.84, 128.70, 128.10, 127.92, 109.37, 92.43, 88.43, 73.03, 68.33; HRMS (ESI) calcd for C₁₉H₁₆O₂ (MNa⁺): 299.1048, found 299.1066.

9b: ¹H NMR (300 MHz, CDCl₃): δ 7.49 (m, 2H), 7.32 (m, 8H), 6.57 (d, J = 1.8 Hz, 1H), 6.16 (dt, J = 11.2, 6.8 Hz, 1H), 5.71 (dq, J = 11.2, 1.5 Hz, 1H), 4.50 (s, 2H), 4.28 (dd, J = 6.5, 1.5 Hz, 2H), 2.10 (s, 3H); ¹³C NMR (75 MHz, CDCl₃) δ 169.92, 141.28, 129.70, 129.16, 128.87, 128.02, 127.88, 110.86, 91.64, 83.02, 72.68, 68.14, 66.25, 21.26; HRMS (ESI) calcd for C₂₁H₂₀O₃ [M+Na]⁺: 343.1310, found 343.1306.

9c: Isolated as a mixture with **3b**. ¹H NMR (300 MHz, CDCl₃): δ 7.53 (m, 2H), 7.37 (m, 3H), 6.60 (d, J = 1.9 Hz, 1H), 6.06 (dt, J = 10.6, 8.8 Hz, 1H), 5.39 (bd, J = 10.6 Hz, 1H), 2.10 (s, 3H), 1.84 (bd, J = 8.8 Hz, 2H), 4.10 (s, 9H); ¹³C NMR (75 MHz, CDCl₃) δ 169.99, 143.48, 137.70, 128.95, 128.75, 127.88, 105.34, 89.57, 85.16, 66.60, 23.39, 21.31, -1.50;

14a: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 8.15 (d, $J = 7.5$ Hz, 2H), 7.63 (t, $J = 7.5$ Hz, 1H), 7.51 (t, $J = 7.5$ Hz, 2H), 6.36 (dt, $J = 11.2, 6.5$ Hz, 1H), 5.94 (dt, $J = 11.2, 1.4$ Hz, 1H), 4.95 (dd, $J = 6.5, 1.4$ Hz, 2H), 2.11 (s, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 170.79, 143.27, 142.68, 134.47, 129.76, 128.88, 128.22, 110.59, 92.76, 87.49, 62.34; **HRMS** (EI) calcd for $\text{C}_{14}\text{H}_{12}\text{O}_3$ $[\text{M}]^+$: 228.0786, found 228.0776.

14b: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.48 (d, $J = 7.4$ Hz, 2H), 7.36 (m, 3H), 6.00 (dt, $J = 10.9, 6.1$ Hz, 1H), 5.71 (dq, $J = 10.9, 1.5$ Hz, 1H), 5.64 (s, 1H), 4.88 (dd, $J = 6.1, 1.5$ Hz, 2H), 2.06 (s, 3H), 0.94 (s, 9H), 0.18 (s, 3H), 0.15 (s, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 170.95, 141.66, 136.55, 128.54, 127.92, 126.15, 112.75, 97.15, 80.84, 65.37, 62.43, 25.99, 21.04, 18.52, -4.34, -4.74; **HRMS** (EI) calcd for $\text{C}_{20}\text{H}_{28}\text{SiO}_3$ $[\text{M}-t\text{Bu}]^+$: 287.1103, found 287.1094.

14c: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 6.29 (dt, $J = 11.1, 6.5$ Hz, 1H), 5.76 (dt, $J = 11.1, 1.7$ Hz, 1H), 4.27 (q, $J = 7.2$ Hz, 2H), 2.10 (s, 3H), 1.33 (t, $J = 7.2$ Hz, 3H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 170.78, 153.76, 142.79, 109.84, 86.74, 80.88, 62.34, 29.89, 20.93, 14.22; **HRMS** (EI) calcd for $\text{C}_{10}\text{H}_{12}\text{O}_4$ $[\text{M}+\text{Na}]^+$: 219.0633, found 219.0639.

14d: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 5.92 (dt, $J = 11.0, 6.6$ Hz, 1H), 5.65 (dt, $J = 11.0, 1.2$ Hz, 1H), 4.81 (dd, $J = 6.7, 1.2$ Hz, 2H), 3.70 (t, $J = 6.0$ Hz, 2H), 2.43 (td, $J = 7.0, 2.2$ Hz, 2H), 2.08 (s, 3H), 1.74 (quint, $J = 6.0$ Hz, 2H), 0.90 (s, 9H), 0.06 (s, 6H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 171.05, 134.74, 113.72, 97.18, 76.06, 62.58, 61.75, 31.85, 26.11,

21.10, 18.52, 16.18, -5.17; **HRMS** (EI) calcd for $C_{16}H_{28}SiO_3 [M-^tBu]^+$: 239.1103, found 239.1113.

14e: Mixture of cis/trans isomers = 1.5/1. **1H NMR** (300 MHz, $CDCl_3$): cis isomer: δ 7.51 (m, 2H), 7.38 (m, 3H), 6.57 (d, $J = 7.6$ Hz, 1H), 6.45 (d, $J = 11.6$ Hz, 1H), 5.97 (s, 1H), 5.54 (d, $J = 11.6$ Hz, 1H), 4.71 (s, 2H), 4.68 (m, 2H), 2.11 (s, 3H); trans isomer: δ 7.51 (m, 2H), 7.38 (m, 3H), 6.81 (d, $J = 16.2$ Hz, 1H), 6.58 (d, $J = 7.6$ Hz, 1H), 6.03 (s, 1H), 5.41 (d, $J = 16.2$ Hz, 1H), 4.95 (m, 2H), 4.71 (s, 2H), 2.12 (s, 3H); **^{13}C NMR** (75 MHz, $CDCl_3$) δ 170.00, 138.31, 137.52, 137.13, 136.87, 134.91, 133.11, 129.96, 129.24, 129.17, 128.94, 128.89, 128.34, 127.90, 127.74, 109.42, 107.88, 88.86, 85.91, 76.28, 75.02, 74.92, 73.85, 66.36, 21.30, 21.18; **HRMS** (EI) calcd for $C_{17}H_{16}O_3 [M]^+$: 268.1099, found 268.1101.

14f: **1H NMR** (300 MHz, $CDCl_3$): δ 7.53 (m, 2H), 7.37 (m, 3H), 6.76 (d, $J = 16.1$ Hz, 1H), 6.59 (s, 1H), 5.71 (s, 1H), 5.54 (d, $J = 16.1$ Hz, 1H), 3.75 (s, 6H), 3.13 (s, 2H), 3.10 (s, 2H), 2.11 (s, 3H); **^{13}C NMR** (75 MHz, $CDCl_3$) δ 172.31, 169.98, 139.10, 138.17, 137.29, 135.88, 130.50, 129.10, 128.85, 127.90, 108.41, 88.25, 86.36, 66.37, 59.00, 53.18, 41.28, 40.48, 39.17, 21.30; **HRMS** (ESI) calcd for $C_{22}H_{22}O_6 [M+Na]^+$: 405.1314, found 405.1295.

19: See: Lee, G. H.; Choi, E. B.; Lee, E.; Pak, C. S., *J. Org. Chem.* **1994**, 59, 1428.

20: See **S2** above.

21: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 7.34 (m, 5H), 6.97 (dt, $J = 15.8, 4.3$ Hz, 1H), 6.10 (dt, $J = 15.8, 2.0$ Hz, 1H), 5.86 (abq, $J = 4.1$ Hz, 2H), 4.83 (s, 2H), 4.14 (dd, $J = 4.2, 2.0$ Hz, 2H), 4.04 (d, $J = 4.2$ Hz, 4H), 3.74 (s, 3H). $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 169.92, 144.72, 138.35, 129.97, 128.95, 128.58, 127.91, 127.82, 121.03, 72.50, 70.18, 68.79, 51.77. **HRMS** (ESI) calcd for $\text{C}_{16}\text{H}_{20}\text{O}_4$ $[\text{M}+\text{Na}]^+$: 299.1259, found 299.1272.

22: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 9.59 (d, $J = 7.9$ Hz, 1H), 7.36 (m, 5H), 6.86 (dt, $J = 15.9, 4.0$ Hz, 1H), 6.41 (ddt, $J = 15.9, 7.9, 1.7$ Hz, 1H), 4.60 (s, 2H), 4.30 (dd, $J = 4.0, 1.7$ Hz, 2H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 193.45, 153.19, 137.56, 131.99, 128.71, 128.15, 127.85, 73.18, 68.73.

23: $^1\text{H NMR}$ (300 MHz, CDCl_3): δ 9.59 (d, $J = 7.8$ Hz, 1H), 7.35 (m, 5H), 6.84 (dt, $J = 15.9, 4.1$ Hz, 1H), 6.37 (ddt, $J = 15.9, 8.0, 2.0$ Hz, 1H), 6.87 (m, 2H), 4.54 (s, 2H), 4.26 (dd, $J = 4.1, 2.0$ Hz, 2H) 4.07 (m, 4H); $^{13}\text{C NMR}$ (75 MHz, CDCl_3) δ 193.46, 153.21, 138.28, 131.94, 130.29, 128.63, 128.59, 127.91, 127.86, 72.56, 71.10, 70.11, 68.75; **HRMS** (ESI) calcd for $\text{C}_{15}\text{H}_{18}\text{O}_3$ $[\text{M}+\text{Na}]^+$: 269.1154, found 269.1153.

Details for the stoichiometric reaction of compound **6** and **19**.

Compound **19** (5 mg, 0.032 mmol) and catalyst **6** (25 mg, 0.030 mmol) were combined in an NMR tube with 1 mL CD_2Cl_2 . After 5 minutes the $^1\text{H NMR}$ spectrum was taken (see below). Peaks due to the expected dihydrofuran [δ 5.89 (s, 2H), 4.59 (s, 4H)], methyl acrylate [δ 6.36 (d, 1H), 6.12 (dd, 1H), 5.82 (d, 1H), 3.72 (s, 3H)] and unreacted **6** [alkylidene at δ 19.1 and δ 0.5-2.9] are evident.

S12

3a

178.129

136.862

134.337

133.321

129.761

128.785

115.465

91.362

87.229

3b

5a

5b

5b

5c

5c

154.037

146.713

134.231

117.649

107.865

84.518

81.105

71.775

69.254

62.162

S20

14.200

5d

S22

5d

5e

5e

9a

1:7 mixture of E:Z isomers

9a

9b

1:20 mixture of E:Z isomers

9b

S29

9c

1:5 mixture of E:Z isomers

9c

14a

1:4 mixture of E:Z isomers

14a

177.798

170.740

142.676

136.797

134.444

129.746

128.867

110.562

87.468

62.332

20.941

S32

180

160

140

120

100

80

60

40

20

PPM

14b

S33

14b

14c

Mixture of E:Z isomers

14c

S36

170.784

153.756

142.791

109.836

86.737

80.876

62.344

29.893

20.932

14.221

14d

14e

1.5:1 mixture of E:Z isomers

138.310
137.526
137.131
136.870
134.905
133.103
129.962
129.236
129.173
128.937
128.890
128.335
127.891
127.736
109.420
107.883

88.868
85.912

76.283
75.024
74.921
73.832
66.356
66.301

21.296
21.181

20

22

22

23