Supporting Information

“Enantioselective Reductive Cyclization of 1,6-Enynes *via* Rhodium Catalyzed Asymmetric Hydrogenation: C-C Bond Formation Precedes Hydrogen Activation”

Hye-Young Jang, Freddie W. Hughes, Hegui Gong, Junmei Zhang, Jennifer S. Brodbelt and Michael J. Krische*

University of Texas at Austin

Department of Chemistry and Biochemistry

Austin, TX 78712

USA

Table of Contents

I.	Experimental Section	S2-S4
II.	Spectral data for new compounds.....	S5-S41

Experimental Section

General. All reactions were run under an atmosphere of argon, unless otherwise indicated. Anhydrous solvents were transferred by an oven-dried syringe. Flasks were flame-dried and cooled under a stream of nitrogen. Dichloroethane was distilled from calcium hydride. Substrates **1a-2a**,¹ **3a**,² **4a**,³ **7a**,⁴ **8a**,⁵ **13a**¹ and **15a**⁶ were prepared according to the previously reported procedures. The full characterization data for **1b-2b**,¹ and **15c**⁶ was previously reported.

Analytical thin-layer chromatography (TLC) was carried out using 0.2-mm commercial silica gel plates (DC-Fertigplatten Kieselgel 60 F₂₅₄). Preparative column chromatography employing silica gel was performed according to the method of Still.⁷ Solvents for chromatography are listed as volume/volume ratios. Melting points were determined on a Thomas-Hoover melting point apparatus in open capillaries and are uncorrected. Infrared spectra were recorded on a Perkin-Elmer 1420 spectrometer. High-resolution mass spectra (HRMS) were obtained on a Karatos MS9 and are reported as m/z (relative intensity). Accurate masses are reported for the molecular ion (M+1) or a suitable fragment ion.

Proton nuclear magnetic resonance (¹H NMR) spectra were recorded with a Mercury (400 MHz) spectrometer. Chemical shifts are reported in delta (δ) units, parts per million (ppm) downfield from trimethylsilane. Coupling constants are reported in Hertz (Hz). Carbon-13 nuclear magnetic resonance (¹³C NMR) spectra were recorded with a Mercury 400 (100 MHz) spectrometer. Chemical shifts are reported in delta (δ) units, parts per million (ppm) relative to the center of the triplet at 77.00 ppm for deuteriochloroform. ¹³C NMR spectra were routinely run with broadband decoupling.

Representative Procedure for the Reductive Cyclization of Enynes

To a solution of enyne **1a** (100 mol%) in dichloroethane (0.1 M) at ambient temperature was added rhodium catalyst (5 mol%) and ligand (5 mol%). The system was purged with hydrogen gas and the reaction was allowed to stir under an atmosphere of hydrogen until complete consumption of **1a** was observed, at which point the reaction mixture was evaporated onto silica gel and the product purified by silica gel chromatography.

Procedure for the Synthesis of Substrate 5a

To a suspension of sodium hydride (6.39 mmol) in acetonitrile (5 mL) was added 5-benzyloxy-pent-2-yn-1-ol⁸ (4.26 mmol) in acetonitrile (5 mL) at ambient temperature. The reaction mixture was allowed to stir for 30 min at room temperature, and then allyl bromide (4.26 mmol) was added. The solution was stirred at room temperature for 4 h under N₂. The mixture was placed into a separatory funnel and washed with saturated NH₄Cl, and brine. The organic layer was dried over MgSO₄, filtered and concentrated to an oil. The product was purified via column chromatography to give 0.61 g of a colorless oil (62 %).

(1) Jang, H.-Y.; Krische, M. J. *J. Am. Chem. Soc.* **2004**, *126*, 7875.

(2) Zhao, Z.; Ding, Y.; Zhao, G. *J. Org. Chem.* **1998**, *63*, 9285.

(3) Harvey, D. F.; Brown, M. F. *J. Org. Chem.* **1992**, *57*, 5559.

(4) Wang, Z.; Lu, X. *Tetrahedron* **1995**, *51*, 2639.

(5) Ralls, J. W.; Lundin, R. E.; Bailey, G. F. *J. Org. Chem.* **1963**, *28*, 3521.

(6) Cao, P.; Zhang, X. *Angew. Chem. Int. Ed.* **2000**, *39*, 4104.

(7) Still, W. C.; Kahn, M.; Mitra, A. *J. Org. Chem.* **1978**, *43*, 2923.

(8) Ganem, B.; Dong, Y.; Zheng, Y. F.; Prestwich, G. D. *J. Org. Chem.* **1999**, *64*, 5441.

Procedure for the Synthesis of Substrate 6a

To a solution of 1-((but-3-yn-1-yloxy)methyl)benzene (7.12 mmol) in THF was added nBuLi (8.19 mmol) at -78 °C and the mixture was allowed to stir for 1 h at -78 °C. Then, acetone (14.2 mmol) was added and the solution was stirred at room temperature for 18 h under N₂. The mixture was placed into a separatory funnel and washed with saturated NH₄Cl, and brine. The organic layer was dried over MgSO₄, filtered and concentrated. The product was purified via column chromatography to give an oil (60%).

To a suspension of sodium hydride (4.71 mmol) in acetonitrile (5 mL) was added 6-(benzyloxy)-2-methylhex-3-yn-2-ol (4.28 mmol) in acetonitrile (5 mL) at ambient temperature. The reaction mixture was allowed to stir for 30 min at room temperature then, allyl bromide (4.92 mmol) was added. The solution was stirred at room temperature for 4 h under N₂. The mixture was placed into a separatory funnel and washed with saturated NH₄Cl, and brine. The organic layer was dried over MgSO₄, filtered and concentrated to an oil. The product was purified via column chromatography to give 0.61 g of a clear colorless oil (60 %).

Representative Procedure for the Synthesis of Substrates 9a-12a

To a solution of methyl 6-formylhex-2-ynoate⁹ (3.23 mmol) in DCM (10 mL) was added the Wittig reagent derived from α -bromo acetofuran at room temperature. This mixture was allowed to stir for 18 h at room temperature and then directly purified *via* column chromatography after removal of the solvent to give a colorless oil **11a** (0.38g, 48% yield). (**9a**: 64%, **10a**: 60%, and **12a**: 47%)

Procedure for the Synthesis of Substrate 14a

To a solution of 4-methyl-N-pent-2-enyl-N-prop-2-ynyl-benzenesulfonamide¹⁰ (6.85 mmol) in triethylamine (34.3 mL), was added iodobenzene (8.22 mmol), CuI (0.0685 mmol), and PdCl₂(PPh₃)₂ (0.137 mmol) at room temperature. After 4h, triethylamine was evaporated and then diethylether was added to this mixture which was filtered off. The collected liquid was concentrated and then directly purified *via* column chromatography to give a white solid **14a** (70% yield).

(9) Wang, J.-C.; Ng, S.-S.; Krische, M. J. *J. Am. Chem. Soc.* **2003**, *125*, 3682.

(10) Jutta Böhmer, Ronald Grigg, John D. Marchbank *Chem. Commun.* **2002**, 768.

Modification of **4b** to determine the ee¹¹

To a solution of **4b** (0.41 mmol) and (*1S*)-(+)-10-camphorsulphonyl chloride (0.82 mmol) in DCM (10 mL) was added triethylamine (0.82 mmol) at 0 °C. The solution was stirred at room temperature for 30 min under N₂ and then directly purified via column chromatography after removal of the solvent to give single diastereomer (0.14g, 94% yield).

Modification of **8b** to determine the absolute stereochemistry¹²

The absolute stereochemical assignment of **8b** was made in accordance with that previously made. The absolute stereochemical assignment of **1b-12b** is achieved through the conversion of lactone **8b** to a compound of established stereochemistry.

(11) Hnessian, S.; Cantin, L.-D. *Tetraderton Lett.* **2000**, *41*, 787.

(12) Schulz, S. *Liebigs Ann. Chem.* **1992**, 829.

5a

¹H NMR (CDCl₃, 400 MHz) δ 7.29 (m, 5H), 5.89 (m, 1H), 5.28 (dq, J = 17.2, 1.6 Hz, 1H), 5.18 (dq, J = 10.0, 1.6 Hz, 1H), 4.53 (s, 2H), 4.12 (t, J = 2.4 Hz, 2H), 4.02 (dt, J = 5.6, 1.4 Hz, 2H), 3.58 (t, J = 7.2 Hz, 2H), 2.53 (tt, J = 7.2, 2.0 Hz, 2H).

¹³C NMR (CDCl₃, 100 MHz) δ 138.0, 134.1, 128.3, 127.6, 117.6, 83.5, 76.9, 72.9, 70.4, 68.2, 57.6, 20.1.

HRMS calcd for C₁₅H₁₈O₂ [M+1] 231.1385, found 231.1375.

FTIR (NaCl) 3031, 2914, 2864, 1454, 1360, 1134, 1019, 1028, 992, 928, 739, 699 cm⁻¹

¹H NMR (CDCl₃, 400 MHz) δ 7.34 (m, 5H), 4.54 (s, 2H), 3.55 (t, *J* = 7.2 Hz, 2H), 2.49 (t, *J* = 7.2 Hz, 2H), 1.81 (bs, 1H), 1.47 (s, 6H).

¹³C NMR (CDCl₃, 100 MHz) δ 138.0, 128.4, 127.7, 127.6, 86.1, 79.0, 72.8, 68.3, 65.1, 31.6, 20.0.

HRMS calcd for C₁₄H₁₈O₂ [M+1] 217.122, found 217.122.

FTIR (NaCl) 3411, 2239, 1362, 1166, 1102, 952 cm⁻¹.

6a

^1H NMR (CDCl_3 , 400 MHz) δ 7.33 (m, 5H), 5.93 (ddt, $J = 17.4, 10.6, 5.5$ Hz, 1H), 5.27 (m, 1H), 5.11 (m, 1H), 4.54 (s, 2H), 4.05 (dt, $J = 5.8, 1.4$ Hz, 2H), 3.57 (t, $J = 7.2$ Hz, 2H), 2.51 (t, $J = 7.2$ Hz, 2H), 1.43 (s, 6H).

^{13}C NMR (CDCl_3 , 100 MHz) δ 138.1, 135.6, 128.4, 127.6, 127.5, 116.2, 83.2, 81.1, 72.9, 70.3, 68.5, 65.3, 29.0, 20.0.

HRMS calcd for $\text{C}_{17}\text{H}_{22}\text{O}_2$ $[\text{M}+1]$ 259.169, found 259.170.

FTIR (NaCl) 2150, 1496, 1454, 1362, 1248, 1158 cm^{-1} .

9a

¹H NMR (CDCl₃, 300 MHz) δ 6.76 (dt, J = 15.9, 6.9 Hz, 1H), 6.18 (ddd, J = 15.9, 1.5, 0.9, Hz, 1H), 3.67 (s, 3H), 2.29 (m, 4H), 2.03 (m, 1H), 1.69 (qt, J = 7.2 Hz, 2H), 0.98 (m, 2H), 0.82 (m, 2H).

¹³C NMR (CDCl₃, 100 MHz) δ 200.1, 154.2, 144.8, 131.4, 88.7, 73.7, 52.8, 31.4, 26.1, 19.0, 18.3, 11.3.

HRMS calc for C₁₃H₁₇O₃ [M+1] 221.1178, found 221.1182.

FTIR (KBr) 2237, 1713, 1662, 1627, 1436, 1391, 1259 cm⁻¹.

10a

¹H NMR (CDCl₃, 300 MHz) δ 7.90 (dd, J = 6.9, 1.5 Hz, 2H), 7.55 (dd, J = 7.5, 6.3 Hz, 1H), 7.46 (dd, J = 10.8, 7.2 Hz), 6.95 (m, 2H), 3.74 (s, 3H), 2.39 (t, J = 6.9 Hz, 2H), 2.42 (m, 2H), 1.80 (qt, J = 7.2 Hz, 2H).

¹³C NMR (CDCl₃, 63 MHz) δ 190.4, 153.0, 147.4, 137.6, 132.7, 128.5, 128.4, 126.8, 88.4, 73.5, 52.6, 31.4, 25.8, 18.1.

HRMS calc for C₁₆H₁₇O₃ [M+1] 257.1178, found 257.1189.

FTIR (NaCl) 2952, 2237, 1712, 1670, 1622, 1447, 1435, 1260 cm⁻¹.

M.P. 36-38 °C.

11a

¹H NMR (CDCl₃, 250 MHz) 7.54 (d, *J* = 1.5 Hz, 1H), 7.17 (d, *J* = 3.5 Hz, 1H), 7.00 (m, 1H), 6.75 (dd, *J* = 15.4, 1.2 Hz, 1H), 6.48 (m, 1H), 3.67 (s, 3H), 2.34 (m, 2H), 2.31 (t, *J* = 4.3 Hz, 2H), 1.72 (qt, *J* = 7.2 Hz, 2H).

¹³C NMR (CDCl₃, 63 MHz) 177.6, 153.9, 153.0, 146.5, 125.7, 117.6, 112.2, 88.3, 73.4, 52.4, 31.2, 25.7, 17.9.

HRMS calcd for C₁₄H₁₄O₄ [M+1] 247.0970, found 247.0977.

FTIR (NaCl) 2952, 2236, 1712, 1667, 1622, 1568, 1467, 1258, 1076, 752 cm⁻¹.

12a

¹H NMR (CDCl₃, 400 MHz) δ 7.92 (d, *J* = 1.5 Hz, 1H), 7.68 (dd, *J* = 6.3, 1.5 Hz, 1H), 7.47 (d, *J* = 6.0 Hz, 1H), 7.02 (dt, *J* = 11.1, 6.0 Hz, 1H), 6.80 (d, *J* = 11.4 Hz, 1H), 3.69 (s, 3H), 2.40 (q, *J* = 6.0 Hz, 2H), 2.34 (t, *J* = 5.1 Hz, 2H), 1.75 (q, *J* = 5.7 Hz, 2H)

¹³C NMR (CDCl₃, 100 MHz) δ 187.7, 154.0, 148.8, 137.2, 133.1, 130.6, 130.4, 127.3, 125.8, 88.2, 73.6, 52.6, 31.5, 25.7, 18.1

HRMS calcd for C₁₆H₁₅Cl₂O₃ [M+1] 325.0398, found 325.0404.

FTIR (KBr) 2237, 1714, 1672, 1621, 1583, 1556, 1435, 1389, 1329, 1257, 1218 cm⁻¹

¹H NMR (CDCl₃, 400 MHz) δ 7.78 (d, *J* = 8.0 Hz, 2H), 7.26 (m, 5H), 7.05 (m, 2H), 5.68 (m, 1H), 5.35 (m, 1H), 4.30 (s, 2H), 3.93 (d, *J* = 7.2 Hz, 2H), 2.33 (s, 3H), 2.11 (dq, *J* = 7.6, 1.2 Hz, 2H), 0.95 (t, *J* = 7.6 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 143.4, 138.0, 135.9, 131.4, 129.5, 128.3, 128.1, 127.8, 122.21, 122.16, 85.4, 81.8, 43.0, 36.4, 21.4, 20.6, 14.2.

HRMS calcd for C₂₁H₂₄N₁O₂S₁ [M+1] 354.1528, found 354.1529.

FTIR (KBr) 3062, 3019, 2965, 2931, 2874, 1598, 1491, 1443, 1348, 1330, 1163, 1092, 901 cm⁻¹

1b

HPLC Conditions Column: Chiralpak AD; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	98.5/1.5 Hexane:IPA	0.7 mL/min
40:00	98.5/1.5 Hexane:IPA	1 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		47.2169	22.485	0.000	138118	0.00	BB	31.3		0
2		52.7831	25.819	0.000	154400	0.00	BB	36.8		0
Totals		100.0000		0.000	292518

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		3.1865	23.170	0.000	38897	0.00	BB	27.1		0
2		96.8135	26.589	0.000	1181801	0.00	BB	42.9		0
Totals		100.0000		0.000	1220698

2b

HPLC Conditions Column: Chiralpak AD; Column Size: 250 x 4.6 mm analytical; Mobile Phase: 99.8/0.2 Hexane:IPA; Flow Rate: 0.3 mL/min; Detection wavelength: 254 nm.

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		50.1496	58.111	0.000	1792732	0.00	BB	79.4		0
2		49.8504	62.060	0.000	1782039	0.00	BB	107.7		0
Totals		100.0000		0.000	3574771

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		1.6789	58.850	0.000	492319	0.00	BB	84.3		0
2		98.3211	63.910	0.000	28831300	0.00	BB	169.8		0
Totals		100.0000		0.000	29323620

3b

^1H NMR (CDCl_3 , 400 MHz) δ 7.24 (m, 5H), 6.38 (d, J = 1.6 Hz, 1H), 4.03 (dd, J = 8.4, 0.8 Hz, 1H), 3.42 (t, J = 8.0 Hz, 1H), 2.94 (m, 1H), 1.25 (s, 3H), 1.21 (d, J = 6.8 Hz, 3H), 1.18 (s, 3H).

^{13}C NMR (CDCl_3 , 100 MHz) δ 153.8, 137.7, 128.9, 127.8, 126.4, 120.1, 81.8, 71.0, 40.6, 28.1, 27.2, 17.2.

HRMS calcd for $\text{C}_{14}\text{H}_{18}\text{O}$ [$\text{M}+1$] 203.1436, found 203.1427.

FTIR (NaCl) 2969, 2930, 2869, 1493, 1457, 1360, 1150, 1052, 701 cm^{-1}

HPLC Conditions Column: Chiralcel OJ-H; Column Size: 250 x 4.6 mm analytical; Mobile Phase: 98/2 Hexane:IPA; Flow Rate: 0.2 mL/min; Detection wavelength: 254 nm.

M

							ep. ode	Width 1/2 (sec)	Status Codes
1		50.2944	20.900	0.000	4204431	0.00	BB	27.8	
2		49.7795	22.895	0.000	4195522	0.00	BB	27.1	
Totals		100.0000		0.000	8359633

Minutes

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		91.9490	21.219	0.000	15867294	0.00	BB	28.2		0
2		8.0510	22.985	0.000	1389332	0.00	BB	30.3		0
Totals		100.0000		0.000	17256626

4b

¹H NMR (CDCl₃, 400 MHz) δ 5.17 (m, 1H), 4.31 (m, 2H), 3.99 (t, *J* = 7.6 Hz, 1H), 3.59 (t, *J* = 6.4 Hz, 2H), 3.27 (t, *J* = 8.2 Hz, 1H), 2.62 (m, 1H), 1.97 (q, *J* = 7.6 Hz, 2H), 1.89 (s, 1H), 1.60 (qt, *J* = 6.8 Hz, 2H), 1.03 (d, *J* = 6.8 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 144.2, 118.3, 75.3, 69.2, 62.2, 37.8, 32.2, 25.7, 16.1.

HRMS calcd for C₉H₁₆O₂ [M+1] 157.1229, found 157.1219.

FTIR (NaCl) 3399, 2962, 2933, 2091, 1642, 1451, 1065 cm⁻¹

¹H NMR (CDCl₃, 400 MHz) δ 5.12 (m, 1H), 4.25 (m, 4H), 3.96 (dd, J = 7.8, 0.4 Hz, 1H), 3.53 (d, J = 15.2 Hz, 1H), 3.25 (t, J = 8.0 Hz, 1H), 2.70 (d, J = 14.8 Hz, 1H), 2.61 (qt, J = 6.8, 1.2 Hz, 1H), 2.38 (m, 2H), 2.06 (m, 4H), 1.94 (d, J = 19 Hz, 1H), 1.81 (qt, J = 7.0 Hz, 2H), 1.64 (m, 1H), 1.43 (m, 1H), 1.10 (s, 3H), 1.05 (d, J = 6.0 Hz, 3H), 0.86 (s, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 214.3, 145.3, 116.8, 75.1, 69.7, 69.0, 57.7, 47.8, 46.4, 42.5, 42.3, 37.8, 28.8, 26.7, 25.2, 24.7, 19.6, 19.5, 16.0.

HRMS calcd for C₁₉H₃₀O₅S₁ [M+1] 371.1892, found 371.1887.

FTIR (NaCl) 2980, 2845, 1746, 1455, 1358, 1170, 1058, 964, 928 cm⁻¹

5b

¹H NMR (CDCl₃, 400 MHz) δ 7.32 (m, 5H), 5.26 (m, 1H), 4.52 (s, 2H), 4.36 (m, 2H), 4.04 (t, *J* = 7.6 Hz, 1H), 3.49 (t, *J* = 6.8 Hz, 2H), 3.32 (t, *J* = 8.2 Hz, 1H), 2.68 (m, 1H), 2.25 (q, *J* = 6.8 Hz, 2H), 1.08 (d, *J* = 6.4 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 145.7, 138.4, 128.3, 127.6, 127.5, 115.1, 75.4, 72.8, 69.5, 69.3, 38.0, 30.0, 16.1.

HRMS calcd for C₁₅H₂₀O₂ [M+1] 233.1542, found 233.1532.

FTIR (NaCl) 2963, 2929, 2856, 1453, 1360, 1107, 1064 cm⁻¹

HPLC Conditions Column: Chiralcel OJ-H; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 220 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.9/0.1 Hexane:IPA	1.0 mL/min
30:00	99.8/0.2 Hexane:IPA	1.0mL/min
90:00	99.7/0.3 Hexane:IPA	1.0 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		50.5595	33.390	0.000	4363977	0.00	BB	49.2		0
2		49.4405	35.383	0.000	4267392	0.00	BB	52.7		0
Totals		100.0000		0.000	8631369

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		99.5175	33.249	0.000	6909829	0.00	BB	53.4		0
2		0.4825	35.895	0.000	33503	0.00	BB	0.1		0
Totals		100.0000		0.000	6943332

6b

¹H NMR (CDCl₃, 400 MHz) δ 7.33 (m, 5H), 5.12 (td, *J* = 7.5, 2.0 Hz, 1H), 4.51 (s, 2H), 3.92 (dd, *J* = 8.5, 7.2 Hz, 1H), 3.47 (t, *J* = 7.2 Hz, 2H), 3.32 (t, *J* = 8.2 Hz, 1H), 2.71 (m, 1H), 2.40 (qt, *J* = 6.8, 1.7 Hz, 2H), 1.36 (s, 3H), 1.34 (s, 3H), 1.04 (d, *J* = 6.5 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 152.5, 138.3, 128.3, 127.6, 127.5, 115.2, 81.4, 72.9, 71.3, 70.1, 40.2, 28.6, 27.0, 26.6, 17.0.

HRMS calcd for C₁₇H₂₄O₂ [M+1] 261.185, found 261.185

FTIR (NaCl) 2968, 28.63, 1495, 1454, 1360, 1102 cm⁻¹

HPLC Conditions Column: Chiralcel OJ-H; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 220 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.9/0.1 Hexane:IPA	0.1 mL/min
30:00	99.6/0.4 Hexane:IPA	0.3 mL/min
40:00	99.2/0.8 Hexane:IPA	0.5 mL/min
60:00	99.0/1.0 Hexane:IPA	1.0 mL/min
70:00	99.0/1.0 Hexane:IPA	1.0 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		54.1133	35.147	0.000	1649251	0.00	BB	35.1		0
2		45.8867	38.195	0.000	1398524	0.00	BB	39.1		0
Totals		100.0000		0.000	3047775

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		99.4567	35.849	0.000	6129298	0.00	BB	46.6		0
2		0.5433	39.627	0.000	33483	0.00	BB	0.1		0
Totals		100.0000		0.000	6162781

7b

¹H NMR (CDCl₃, 400 MHz) δ 7.28 (m, 5H), 5.89 (qd, *J* = 7.5, 2.4 Hz, 1H), 4.51 (d, *J* = 14.7 Hz, 1H), 4.44 (d, *J* = 14.7 Hz, 1H), 3.34 (dd, *J* = 9.2, 7.9 Hz, 1H), 2.79 (m, 1H), 2.75 (dd, *J* = 14.0, 5.1 Hz, 1H), 2.21 (dd, *J* = 7.2, 2.0 Hz, 3H), 1.09 (d, *J* = 6.8 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 168.7, 136.6, 135.9, 131.1, 128.6, 128.1, 127.4, 51.5, 46.4, 31.7, 20.0, 13.0.

HRMS calcd for C₁₄H₁₇NO [M+1] 216.1388, found 216.1387

FTIR (NaCl) 1687, 1493, 1440, 1263, 1080 cm⁻¹

HPLC Conditions Column: Chiralcel AD; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.9/0.1 Hexane:IPA	0.1 mL/min
30:00	99.8/0.2 Hexane:IPA	0.4 mL/min
40:00	99.6/0.4 Hexane:IPA	0.5 mL/min
60:00	99.3/0.7 Hexane:IPA	0.7 mL/min
70:00	99.0/1.0 Hexane:IPA	1.0 mL/min
90:00	98.8/1.2 Hexane:IPA	1.2 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		50.3332	78.041	0.000	9974581	0.00	BB	42.9		0
2		49.6668	02.038	0.000	9842501	0.00	BB	162.5		0
Totals		100.0000		0.000	19817082

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		95.7232	70.743	0.000	21350530	0.00	BB	40.4		0
2		4.2768	86.481	0.000	953909	0.00	BB	44.3		0
Totals		100.0000		0.000	22304440

8b

¹H NMR (CDCl₃, 400 MHz) δ 6.20 (qd, *J* = 7.5, 2.4 Hz, 1H), 4.38 (t, *J* = 8.5 Hz, 1H), 3.76 (dd, *J* = 8.9, 6.8 Hz, 1H), 3.04 (m, 1H), 2.15 (dd, *J* = 7.2, 2.4 Hz, 3H), 1.17 (d, *J* = 6.8 Hz, 3H).

¹³C NMR (CDCl₃, 100 MHz) δ 170.4, 137.8, 130.3, 72.1, 34.9, 18.2, 13.7.

HRMS calcd for C₇H₁₀O₂ [M+1] 127.0759, found 127.0762

FTIR (NaCl) 1751, 1673, 1207, 1117, 1022 cm⁻¹

HPLC Conditions Column: Chiralcel AD; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.9/0.1 Hexane:IPA	0.1 mL/min
30:00	99.8/0.2 Hexane:IPA	0.4 mL/min
40:00	99.7/0.3 Hexane:IPA	0.6 mL/min
60:00	99.4/0.6 Hexane:IPA	0.8 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		50.7696	37.411	0.000	9490931	0.00	BB	35.6		0
2		49.2304	39.160	0.000	9203183	0.00	BB	48.6		0
Totals		100.0000		0.000	18694114

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		97.3107	40.906	0.000	34403212	0.00	BB	79.4		0
2		2.6893	45.126	0.000	950767	0.00	BB	78.2		0
Totals		100.0000		0.000	35353980

9b

¹H NMR (300 MHz, CDCl₃) δ 5.65 (q, *J* = 2.4 Hz, 1H), 3.66 (s, 3H), 2.75 (m, 5H), 1.85 (m, 3H), 1.60 (m, 1H), 1.25 (m, 1H), 1.02 (m, 2H), 0.87 (m, 2H).

¹³C NMR (63 MHz, CDCl₃) δ 209.2, 171.2, 167.3, 111.1, 50.9, 47.4, 42.0, 32.8, 32.2, 24.1, 20.8, 11.0, 10.8.

HRMS calcd for C₁₃H₁₉O₃ [M+1] 223.1334, found 223.1334.

FTIR (KBr) 1714, 1651, 1435, 1388, 1362, 1201 cm⁻¹.

HPLC Conditions Column: Chiralcel AD; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.2/0.8 Hexane:IPA	1.0 mL/min
90:00	99.2/0.8 Hexane:IPA	1.0mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		51.0850	14.112	0.000	5381771	0.00	BB	34.1		0
2		48.9150	16.006	0.000	5153161	0.00	BB	43.1		0
Totals		100.0000		0.000	10534932

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		0.2526	15.132	0.000	6162	0.00	BB	1.2		0
2		99.7474	16.343	0.000	2433272	0.00	BB	32.0		0
Totals		100.0000		0.000	2439434

10b

¹H NMR (300 MHz, CDCl₃) δ 7.94 (dt, *J* = 7.2, 1.5 Hz, 2H), 7.54 (dd, *J* = 7.5, 7.2 Hz, 1H), 7.47 (dd, *J* = 7.5, 7.2 Hz, 2H), 5.72 (q, *J* = 1.8 Hz, 1H), 3.67 (s, 3H), 2.96 (m, 5H), 2.10 (m, 1H), 1.90 (m, 1H), 1.70 (m, 1H), 1.30 (m, 1H).

¹³C NMR (75 MHz, CDCl₃) δ 198.5, 171.3, 167.2, 136.9, 133.2, 128.6, 128.0, 111.2, 50.9, 42.7, 42.2, 32.9, 32.4, 24.2.

HRMS calcd for C₁₆H₁₉O₃ [M+1] 259.1334, found 259.1345.

FTIR (KBr) 2951, 1714, 1687, 1651, 1448, 1434, 1354, 1201, 1138 cm⁻¹.

M.P. 39-42 °C.

HPLC Conditions Column: Chiralcel AD; Column Size: 250 x 4.6 mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.9/0.1 Hexane:IPA	0.1 mL/min
90:00	99.3/0.7 Hexane:IPA	0.7 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		51.5205	78.793	0.000	14765175	0.00	BB	50.6		0
2		48.4795	81.404	0.000	13893684	0.00	BB	50.6		0
Totals		100.0000		0.000	28658860

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		94.1721	81.198	0.000	10030300	0.00	BB	44.0		0
2		5.8279	83.750	0.000	620728	0.00	BB	38.9		0
Totals		100.0000		0.000	10651028

11b

^1H NMR (CDCl_3 , 400 MHz) δ 7.56 (m, 1H), 7.17 (m, 1H), 6.52 (dd, $J = 4.0, 2.0$ Hz, 1H), 5.72 (q, $J = 2.4$ Hz, 1H), 3.66 (s, 3H), 2.92 (m, 5H), 2.00 (m, 1H), 1.84 (m, 1H), 1.62 (m, 1H), 1.31 (m, 1H).

^{13}C NMR (CDCl_3 , 100 MHz) δ 187.7, 170.9, 167.2, 152.7, 146.4, 117.1, 112.3, 111.3, 50.9, 42.3, 42.0, 32.8, 32.2, 24.1.

HRMS calcd for $\text{C}_{14}\text{H}_{16}\text{O}_4$ $[\text{M}+1]$ 249.1127, found 249.1115.

FTIR (NaCl) 3417, 2953, 1712, 1676, 1569, 1469, 1435, 1395, 1359, 1280, 1202, 1139, 1027, 764 cm^{-1}

HPLC Conditions Column: Chiralcel OJ-H; Column Size: 250 x 4.6 mm analytical; Mobile Phase: 98/2 Hexane:IPA; Flow Rate: 1.0 mL/min; Detection wavelength: 254 nm.

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		50.0904	29.948	0.000	830362	0.00	BB	43.2		0
2		49.9096	33.550	0.000	827366	0.00	BB	49.3		0
Totals		100.0000		0.000	1657728

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		1.9880	29.709	0.000	141342	0.00	BB	39.8		0
2		98.0120	33.053	0.000	6968421	0.00	BB	51.4		0
Totals		100.0000		0.000	7109763

12b

¹H NMR (400 MHz, CDCl₃) δ 8.01 (d, J = 1.5 Hz, 1H), 7.78 (dd, J = 6.3, 1.5 Hz, 1H), 7.54 (d, J = 6.0 Hz, 1H), 5.70 (q, J = 2.4 Hz, 1H), 3.68 (s, 3H), 2.94 (m, 5H), 2.10 (m, 1H), 1.90 (m, 1H), 1.70 (m, 1H), 1.27 (m, 1H).

¹³C NMR (100 MHz, CDCl₃) δ 196.1, 170.7, 167.0, 150.3, 149.2, 130.8, 130.5, 127.0, 111.3, 50.8, 42.6, 41.8, 32.8, 32.2, 24.1.

HRMS calcd for C₁₆H₁₇Cl₂O₃ [M+1] 327.0555, found 327.0550.

FTIR (KBr) 1715, 1693, 1201 cm⁻¹.

HPLC Conditions Column: Chiralcel AD; Column Size: 250 x 4.6mm analytical; Detection wavelength: 254 nm.

Time (min)	Mobile phase	Flow rate
0:00	99.0/1.0 Hexane:IPA	1.0 mL/min
90:00	99.2/0.8 Hexane:IPA	0.8 mL/min

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		33.4222	19.065	0.000	19616360	0.00	BB	27.2		0
2		33.9393	20.468	0.000	19919814	0.00	BB	31.4		0
3		32.6385	23.034	0.000	19156350	0.00	BB	37.6		0
Totals		100.0000		0.000	58692528

Peak No	Peak Name	Result ()	Ret. Time (min)	Time Offset (min)	Area (counts)	Rel Ret Time	Sep. Code	Width 1/2 (sec)	Status Codes	Group
1		2.0683	16.925	0.000	27927	0.00	BB	22.8		0
2		68.5082	18.135	0.000	925012	0.00	BB	30.9		0
3		29.4235	20.889	0.000	397282	0.00	BB	36.4		0
Totals		100.0000		0.000	1350221

14c

¹H NMR (400 MHz, CDCl₃) δ 7.72 (d, J = 8.0 Hz, 2H), 7.33 (m, 4H), 7.23 (t, J = 7.2 Hz, 1H), 7.14 (d, J = 7.2 Hz, 2H), 6.15 (q, J = 2.4 Hz, 1H), 5.59 (dq, J = 15.2, 6.4 Hz, 1H), 5.17 (m, 1H), 4.30 (d, J = 14.8 Hz, 1H), 3.94 (dt, J = 14.8, 2.4 Hz, 1H), 3.59 (dd, J = 9.6, 8.0 Hz, 1H), 3.37 (q, J = 8.4 Hz, 1H), 2.75 (t, J = 9.2 Hz, 1H), 2.40 (s, 3H), 1.70 (dd, J = 6.4, 1.2 Hz, 3H).

¹³C NMR (100 MHz, CDCl₃) δ 143.7, 139.8, 136.4, 132.8, 129.7, 129.6, 128.6, 128.5, 128.1, 127.8, 127.0, 123.7, 52.4, 50.7, 48.4, 21.5, 18.0.

HRMS calcd for C₂₁H₂₄N₁O₂S₁ [M+1] 354.1528, found 354.1528.

FTIR (KBr) 3054, 3026, 2966, 2919, 2851, 1598, 1493, 1447, 1347, 1250, 1166, 1093 cm⁻¹.

Note: Ratios of isotopically labeled compounds cited in the text based on ESI-MS data are made after isotope correction.

13b : 13c = 80.1:19.5

ESI-MS spectrum

328 = [**13b**+H]⁺
330 = [**13c**+H]⁺

NMR

¹H NMR (CDCl₃, 400 MHz) δ 7.73 (d, J = 8.0 Hz, 2H), 7.33 (m, 4H), 7.23 (m, 1H), 7.14 (d, J = 7.6 Hz, 2H), 6.22 (q, J = 2.0 Hz, **0.8H**), 4.25 (d, J = 14.4 Hz, 1H), 4.06 (d, J = 14.8 Hz, 1H), 3.56 (dd, J = 9.2, 7.2 Hz, 1H), 2.87 (m, 1H), 2.73 (dd, J = 8.0 Hz, 1H), 2.40 (s, 3H), 1.16 (d, J = 6.8 Hz, **2.71H**).

13d : 13e = 32:68

ESI-MS spectrum

$$329 = [13d+H]^+ + [13e+H]^+$$

NMR

^1H NMR (CDCl₃, 400 MHz) δ 7.72 (d, J = 8.0 Hz, 2H), 7.32 (m, 4H), 7.23 (m, 1H), 7.13 (d, J = 7.6 Hz, 2H), 6.22 (q, J = 2.0 Hz, **0.68H**), 4.24 (d, J = 15.2 Hz, 1H), 4.04 (d, J = 14.8 Hz, 1H), 3.55 (dd, J = 7.2 Hz, 1H), 2.86 (m, 1H), 2.72 (dd, J = 9.2 Hz, 1H), 2.40 (s, 3H), 1.15 (m, **2.32H**).