Expedient Acylations of Primary and Secondary Alkyl Cyanides to α -Substituted β -Ketonitriles

Alan R. Katritzky, Ashraf A. A. Abdel-Fattah and Mingyi Wang*

Center for Heterocyclic Compounds, Department of Chemistry,

University of Florida, Gainesville, FL 32611-7200

Katritzky@chem.ufl.edu

Supporting Information

2-(4-Bromophenyl)-5-methyl-3-oxohexanenitrile (5a). Colorless microcrystals (95%), mp 76–78 °C. ^1H NMR δ 7.57 (d, J = 8.4 Hz, 2H), 7.27 (d, J = 4.8 Hz, 2H), 4.61 (s, 1H), 2.56–2.39 (m, 2H), 2.14 (septet, J = 7.0 Hz, 1H), 0.86 (d, J = 4.5 Hz, 3H), 0.84 (d, J = 4.4 Hz, 3H). ^{13}C NMR δ 197.6, 132.7, 129.6, 128.6, 123.6, 115.9, 50.5, 48.50, 24.2, 22.1. Anal. Calcd for $\text{C}_{13}\text{H}_{14}\text{BrNO}$: C, 55.73; H, 5.04; N, 5.00. Found: C, 55.54; H, 5.07; N, 4.89.

2-(1*H*-1,2,3-Benzotriazol-1-yl)-5-methyl-3-oxohexanenitrile (5b). Brown microcrystals (83%), mp 108–110 °C. ^1H NMR δ 7.86 (d, J = 8.0 Hz, 1H), 7.71 (d, J = 7.8 Hz, 1H), 7.55 (dd, J = 8.1, 6.9 Hz, 1H), 7.35–7.27 (m, 3H), 2.65 (d, J = 6.9 Hz, 2H), 2.35–2.28 (m, 1H), 1.14 (d, J = 6.0 Hz, 6H). ^{13}C NMR δ 170.9, 144.3, 131.7, 129.1, 125.6, 119.4, 114.7, 110.7, 88.2, 42.0, 27.2, 22.2. Anal. Calcd for $\text{C}_{13}\text{H}_{14}\text{N}_4\text{O}$: C, 64.45; H, 5.82. Found: C, 64.58; H, 6.04

2-(4-Methoxyphenyl)-3-oxo-3-phenylpropanenitrile (5c). Yellow microcrystals (93%), mp 76–78 °C. ^1H NMR δ 7.93 (d, J = 7.4 Hz, 2H), 7.58 (t, J = 7.4 Hz, 1H), 7.45 (t, J = 7.7 Hz, 2H), 7.34 (d, J = 8.7 Hz, 2H), 6.90 (d, J = 8.8 Hz, 2H), 5.57 (s, 1H), 3.78 (s, 3H). ^{13}C NMR δ 189.1, 160.1, 134.3, 133.6, 129.5, 129.2, 129.0, 122.1, 116.8, 115.0, 55.3, 45.9. Anal. Calcd for $\text{C}_{16}\text{H}_{13}\text{NO}_2$: C, 76.48; H, 5.21; N, 5.57. Found: C, 76.15; H, 5.35; N, 5.47.

2-(4-Methylphenyl)-3-oxo-3-phenylpropanenitrile (5d). Colorless plates (95%), mp 69–71 °C. ^1H NMR δ 7.94 (d, J = 7.6 Hz, 2H), 7.59–7.43 (m, 3H), 7.32 (d, J = 7.8 Hz, 2H), 7.19 (d, J = 7.7 Hz, 2H), 5.57 (s, 1H), 2.33 (s, 3H). ^{13}C NMR δ 189.0, 139.2, 134.3, 133.6, 130.3, 129.2, 129.0, 128.1, 127.3, 116.7, 46.4, 21.1. Anal. Calcd for $\text{C}_{16}\text{H}_{13}\text{NO}$: C, 81.68; H, 5.57; N, 5.95. Found: C, 81.61; H, 5.35; N, 5.94.

2-Benzoylhexanenitrile (5e). Pale yellow oil (74%). ^1H NMR δ 7.96 (d, J = 7.4 Hz, 2H), 7.68–7.63 (m, 1H), 7.55–7.50 (m, 2H), 4.37 (t, J = 7.1 Hz, 1H), 2.04–1.96 (m, 2H), 1.58–1.35 (m, 4H), 0.93 (t, J = 7.2 Hz, 3H). ^{13}C NMR δ 190.9, 134.4, 133.9, 129.0, 128.7, 117.4, 40.0, 29.6, 29.1, 22.0, 13.6. Anal. Calcd for $\text{C}_{13}\text{H}_{15}\text{NO}$: N, 6.96. Found: N, 6.67.

2-Methyl-3-oxo-2,3-diphenylpropanenitrile (5f). Colorless oil (79%). ^1H NMR δ 7.87 (d, $J = 7.4$ Hz, 2H), 7.49–7.29 (m, 8H), 1.91 (s, 3H). ^{13}C NMR δ 191.0, 137.3, 133.6, 133.3, 130.0, 129.7, 128.5, 128.4, 125.3, 120.4, 51.5, 27.3. Anal. Calcd for $\text{C}_{16}\text{H}_{13}\text{NO}$: C, 81.68; H, 5.57; N, 5.95. Found: C, 81.36; H, 5.95; N, 5.92.

3-(4-Methylphenyl)-3-oxopropanenitrile (5g). Colorless plates (88%), mp 94–96 °C, (lit.^{11b} mp 175–176 °C). ^1H NMR δ 7.82 (d, $J = 8.2$ Hz, 2H), 7.32 (d, $J = 8.0$ Hz, 2H), 4.06 (s, 2H), 2.44 (s, 3H). ^{13}C NMR δ 186.6, 145.9, 131.8, 129.8, 128.5, 113.9, 29.2, 21.8. Anal. Calcd for $\text{C}_{10}\text{H}_9\text{NO}$: C, 75.45; H, 5.70; N, 8.80. Found: C, 75.09; H, 5.86; N, 8.77.

2-Benzyl-3-(4-methylphenyl)-3-oxopropanenitrile (5h). Colorless plates (83%), mp 65–67 °C. ^1H NMR δ 7.85 (d, $J = 8.1$ Hz, 2H), 7.35–7.25 (m, 7H), 4.50 (dd, $J = 5.8, 5.9$ Hz, 1H), [3.34 (dd, $^2J_{\text{AB}} = 13.9$ Hz, $^3J = 5.6$ Hz, 1H, A part of AB system), 3.22 (dd, $^2J_{\text{AB}} = 13.7$ Hz, $^3J = 8.8$ Hz, 1H, B part of AB system)], 2.43 (s, 3H). ^{13}C NMR δ 189.5, 145.8, 136.0, 131.5, 129.8, 129.0, 128.9, 128.8, 127.6, 117.1, 41.6, 35.5, 21.8. Anal. Calcd for $\text{C}_{17}\text{H}_{15}\text{NO}$: C, 81.90; H, 6.06; N, 5.62. Found: C, 81.82; H, 6.35; N, 5.59.

2-Methyl-3-(4-methylphenyl)-3-oxo-2-phenylpropanenitrile (5i). Colorless oil (67%). ^1H NMR δ 7.78 (d, $J = 8.2$ Hz, 2H), 7.48–7.33 (m, 5H), 7.13 (d, $J = 8.1$ Hz, 2H), 2.32 (s, 3H), 1.91 (s, 3H). ^{13}C NMR δ 190.6, 144.8, 137.7, 130.8, 130.4, 129.8, 129.2, 128.5, 125.5, 120.7, 51.5, 27.5, 21.7. Anal. Calcd for $\text{C}_{17}\text{H}_{15}\text{NO}$: N, 5.62. Found: N, 5.54.

2-(4-Chlorobenzoyl)hexanenitrile (5j). Pale yellow oil (71%). ^1H NMR δ 7.93 (br s, 1H), 7.84 (d, $J = 7.8$ Hz, 1H), 7.63 (d, $J = 7.6$ Hz, 1H), 7.58–7.48 (m, 1H), 4.31 (t, $J = 7.1$ Hz, 1H), 2.01–1.98 (m, 2H), 1.58–1.38 (m, 4H), 0.94 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR δ 189.8, 135.5, 135.5, 134.4, 130.4, 128.7, 126.7, 117.0, 40.1, 29.4, 29.0, 22.0, 13.6. Anal. Calcd for $\text{C}_{13}\text{H}_{15}\text{NO}$: N, 5.94. Found: N, 6.02.

2-(4-Bromophenyl)-3-oxo-3-(2-thienyl)propanenitrile (5k). Colorless needles (91%), mp 74–76 °C. ^1H NMR δ 7.88 (dd, $J = 1.0, 3.9$ Hz, 1H), 7.82 (dd, $J = 1.1, 4.9$ Hz, 1H), 7.59 (d, $J = 8.7$ Hz, 2H),

7.40 (d, $J = 8.7$ Hz, 2H), 7.21 (dd, $J = 1.0, 4.4$ Hz, 1H), 5.45 (s, 1H). ^{13}C NMR δ 180.9, 139.8, 136.7, 134.4, 132.7, 129.8, 129.3, 128.8, 123.6, 115.8, 46.8. Anal. Calcd for $\text{C}_{13}\text{H}_8\text{BrNOS}$: C, 51.00; H, 2.63; N, 4.57. Found: C, 51.04; H, 2.53; N, 4.44.

2-(2,4-Dichlorophenyl)-3-oxo-3-(2-thienyl)propanenitrile (5l). Colorless plates (89%), mp 89–91 °C. ^1H NMR δ 7.90 (d, $J = 3.9$ Hz, 1H), 7.80 (d, $J = 4.9$ Hz, 1H), 7.58 (d, $J = 8.4$ Hz, 1H), 7.47 (br s, 1H), 7.36 (dd, $J = 1.8, 8.2$ Hz, 1H), 7.19 (t, $J = 4.3$ Hz, 1H), 5.92 (s, 1H). ^{13}C NMR δ 180.0, 140.1, 136.9, 136.3, 134.2, 133.8, 131.1, 129.9, 128.8, 128.3, 127.3, 115.1, 43.2. Anal. Calcd for $\text{C}_{13}\text{H}_7\text{Cl}_2\text{NOS}$: C, 52.72; H, 2.38; N, 4.73. Found: C, 53.08; H, 2.44; N, 4.51.

2-Benzyl-3-oxo-3-(2-thienyl)propanenitrile (5m). Colorless plates (85%), mp 72–74 °C. ^1H NMR δ 7.81 (d, $J = 3.7$ Hz, 1H), 7.78 (d, $J = 4.8$ Hz, 1H), 7.28–7.34 (m, 5H), 7.17 (dd, $J = 4.1, 4.4$ Hz, 1H), 4.34 (dd, $J = 6.5, 8.1$ Hz, 1H), [3.38 (dd, $^2J_{\text{AB}} = 13.9$ Hz, $^3J = 6.2$ Hz, 1H, A part of AB system), 3.28 (dd, $^2J_{\text{AB}} = 13.7$ Hz, $^3J = 8.7$ Hz, 1H, B part of AB system)]. ^{13}C NMR δ 182.6, 140.8, 136.3, 135.7, 133.8, 129.0, 128.9, 128.7, 127.7, 116.8, 42.8, 35.9. Anal. Calcd for $\text{C}_{14}\text{H}_{11}\text{NOS}$: C, 69.68; H, 4.59; N, 5.80. Found: C, 69.37; H, 4.58; N, 5.75.

2-Methyl-3-oxo-2-phenyl-3-(thienyl)propanenitrile (5n). Colorless prisms (82%), mp 66–68 °C. ^1H NMR δ 7.64 (d, $J = 4.0$ Hz, 1H), 7.60 (d, $J = 4.9$ Hz, 1H), 7.51–7.35 (m, 5H), 6.98 (dd, $J = 4.7, 4.3$ Hz, 1H), 2.04 (s, 3H). ^{13}C NMR δ 183.9, 139.6, 137.3, 135.2, 135.1, 129.6, 128.7, 128.3, 125.6, 120.4, 51.7, 26.5. Anal. Calcd for $\text{C}_{14}\text{H}_{11}\text{NOS}$: C, 69.68; H, 4.59; N, 5.80. Found: C, 69.51; H, 4.80; N, 5.77.

3-Oxo-3-(2-thienyl)propanenitrile (5o). Colorless plates (92%), mp 124–126 °C. ^1H NMR δ 7.81–7.78 (m, 2H), 7.20 (dd, $J = 1.0, 4.0$ Hz, 1H), 4.02 (s, 2H). ^{13}C NMR δ 179.5, 140.8, 136.2, 133.7, 128.7, 113.4, 29.5. Anal. Calcd for $\text{C}_7\text{H}_5\text{NOS}$: C, 55.61; H, 3.33; N, 9.26. Found: C, 55.48; H, 3.28; N, 9.12.

2-(2,4-Dichlorophenyl)-3-(2-furyl)-3-oxopropanenitrile (5p). Colorless prisms (94 %), mp 86–88 °C. ^1H NMR δ 7.70 (br s, 1H), 7.57 (d, $J = 8.4$ Hz, 1H), 7.47 (d, $J = 2.1$ Hz, 1H), 7.45 (d, $J = 3.7$ Hz, 1H), 7.36 (dd, $J = 2.1, 8.4$ Hz, 1H), 6.64 (dd, $J = 1.5, 3.7$ Hz, 1H), 5.93 (s, 1H). ^{13}C NMR δ 175.7,

149.7, 148.3, 136.1, 134.0, 131.2, 129.8, 128.2, 126.8, 120.6, 114.9, 113.4, 42.3. Anal. Calcd for $C_{13}H_7Cl_2NO_2$: C, 55.74; H, 2.52; N, 5.00. Found: C, 55.72; H, 2.47; N, 4.94.

3-(2-Furyl)-2-(1-naphthyl)-3-oxopropanenitrile (5q). Colorless plates (92%), mp 96–98 °C. 1H NMR δ 8.08 (d, J = 8.4 Hz, 1H), 7.89–7.86 (m, 2H), 7.75 (d, J = 7.1 Hz, 1H), 7.62–7.46 (m, 4H), 7.30 (d, J = 3.7 Hz, 1H), 6.49 (dd, J = 1.7, 3.7 Hz, 1H), 6.10 (s, 1H). ^{13}C NMR δ 177.4, 149.9, 147.7, 134.0, 130.4, 130.1, 129.2, 128.0, 127.4, 126.4, 125.8, 125.4, 122.5, 120.3, 116.0, 113.2, 44.0. Anal. Calcd for $C_{17}H_{11}NO_2$: C, 78.15; H, 4.24; N, 5.36. Found: C, 78.49; H, 4.39; N, 5.22.

3-(2-Furyl)-3-oxopropanenitrile (5r). Colorless plates (95%), mp 66–68 °C, (lit.^{11b} mp 76–78 °C). 1H NMR δ 7.68 (br s, 1H), 7.39 (d, J = 3.6 Hz, 1H), 6.65 (dd, J = 1.5, 1.4 Hz, 1H), 3.99 (s, 2H). ^{13}C NMR δ 175.7, 150.4, 147.8, 119.3, 113.3, 28.8. Anal. Calcd for $C_7H_5NO_2$: C, 62.22; H, 3.73; N, 10.37. Found: C, 62.23; H, 3.73; N, 10.37

1-Isovaleroylbenzotriazole (3a). Pale yellow oil (95%). 1H NMR δ 8.34 (d, J = 8.4 Hz, 1H), 8.15 (d, J = 8.4 Hz, 1H), 7.69 (t, J = 7.6 Hz, 1H), 7.52 (t, J = 7.7 Hz, 1H), 3.35 (d, J = 7.0 Hz, 2H), 2.53–2.44 (septet, J = 6.9 Hz, 1H), 1.25 (d, J = 6.6 Hz, 6H). ^{13}C NMR δ 172.0, 146.1, 131.0, 130.3, 126.0, 120.0, 114.4, 44.0, 25.6, 22.5. Anal. Calcd for $C_{11}H_{13}N_3O$: N, 20.67. Found: N, 20.53.

1-(2-Thienylcarbonyl)benzotriazole (3f). Colorless macrocrystals (93%), mp 166–168 °C. 1H NMR δ 8.58 (d, J = 3.9 Hz, 1H), 8.40 (d, J = 5.2 Hz, 1H), 8.16 (d, J = 8.4 Hz, 1H), 7.89 (d, J = 5.0 Hz, 1H), 7.69 (t, J = 7.6 Hz, 1H), 7.55 (t, J = 7.7 Hz, 1H), 7.28 (t, J = 3.5 Hz, 1H). ^{13}C NMR δ 159.2, 145.8, 138.5, 137.2, 133.5, 132.1, 130.5, 128.1, 126.3, 120.2, 114.8. Anal. Calcd for $C_{11}H_7N_3OS$: C, 57.63; H, 3.08; N, 18.33. Found: C, 57.64; H, 3.07; N, 18.24.