Facile β -Alkyl and β -Hydride Elimination in the Nickel-Catalyzed Cycloaddition of o-Iodophenylketones and Aldehydes with Bicyclic Alkenes

Paritosh Shukla and Chien Hong Cheng*

chcheng@mx.nthu.edu.tw

Department of Chemistry, National Tsing Hua University, Hsinchu, 30013, Taiwan

SUPPORTING INFORMATION

Materials and General Synthetic methods	S2
Spectral data for Unreported Compounds	S3-S5
References	S5
Spectra of New Compounds	S6-S18

General Procedure for the Reaction of *o*-Iodobenzaldehyde (**1a**) with Norbornene

(**2a**) A sealed tube or Schlenk flask (20 mL) containing NiBr₂(dppe) (0.10 mmol), zinc powder (2.0 mmol) and norbornene **2a** (4.0 mmol) was evacuated and purged with nitrogen three times. Freshly distilled CH₃CN (2.5 mL) and 2-iodobenzaldehyde **1a** (1.0 mmol) were added to the reaction vessel via syringes. The reaction mixture was heated with stirring at 80 °C for 12 h and was then cooled, diluted with dichloromethane and stirred in the air for 10 min. The mixture was filtered through a Celite and silica gel pad and washed with dichloromethane. The filtrate was concentrated and the residue was purified on a silica gel column using hexane-ethyl acetate as eluent to afford the desired product **3a**. Similar procedures were used for the reaction of *o*-iodophenylketones (**4a-d**) with bicyclic alkenes. Thus, all the compounds **3b-3j** were prepared similarly.

Compounds **3a**, **3c** and **3h** were already reported.¹ The CAS numbers are **3a**: [34139-44-1], **3c**: [490039-67-3] and **3h**: [490039-92-4]. Important spectral data for the other compounds **3b**, **3d**, **3e**, **3f**, **3i**, **3j** and **5** are given below.

(**3b**) ¹H NMR (400 MHz, CDCl₃): δ 7.68 (m, 1H), 7.59 (m, 1H), 7.56 (m, 1H), 7.38 (m, 1H), 6.37 (m, 1H), 6.27 (m, 1H), 3.26 (d, 1H, *J* = 5.6 Hz), 1.68 (m, 1H), 0.97 (m, 1H). ¹³C NMR (400 MHz, CDCl₃): δ 208.2, 158.1, 139.8, 135.5, 128.7, 127.0, 123.1, 102.2, 105.4, 57.1, 49.1, 41.9, 40.8, 39.9. HRMS calcd. 196.0888 found 196.0890.

(**3d**) ^1H NMR (400 MHz, CDCl_3): δ 7.04 (s, 1H), 6.83 (s, 1H), 6.32 (m, 1H), 6.25 (m, 1H), 6.04 (s, 2H), 3.12 (d, 1H, $J = 5.6$ Hz), 3.06 (s, 1H), 2.81 (s, 1H), 2.57 (d, 1H, $J = 5.2$ Hz), 1.32 (d, 1H, $J = 8.8$ Hz), 1.02 (d, 1H, $J = 8.8$ Hz). ^{13}C NMR (400 MHz, CDCl_3): δ 209.8, 154.3, 138.3, 137.8, 105.0, 102.3, 102.2, 66.9, 55.1, 46.9, 45.9, 44.9, 41.9. HRMS calcd. 240.0786 found 240.0786.

(**3e**) ^1H NMR (400 MHz, CDCl_3): δ 7.46 (m, 2H), 7.35 (m, 3H), 7.11 (m, 1H), 6.97 (m, 2H), 6.86 (m, 1H), 6.69 (m, 1H), 3.61 (m, 1H), 3.58 (m, 1H), 3.43 (m, 1H), 2.94 (m, 1H), 2.03 (m, 1H), 1.94 (m, 1H), 1.65 (m, 1H), 1.54 (m, 1H). ^{13}C NMR (400 MHz, CDCl_3): δ 207.8, 139.3, 139.2, 134.5, 127.2, 126.8, 16.4, 126.3, 125.3, 124.8, 124.7, 124.6, 123.2, 51.5, 43.7, 39.9, 37.9, 25.9, 25.1. HRMS calcd. 260.1201 found 260.1205.

(**3f**) ^1H NMR (400 MHz, CDCl_3): δ 7.79 (m, 3H), 7.72 (m, 1H), 7.68 (m, 3H), 7.42 (m, 3H), 3.78 (s, 1H), 3.56 (s, 1H), 3.42 (d, 1H, $J = 5.6$ Hz), 2.76 (d, 1H, $J = 5.8$ Hz), 1.69 (m, 1H), 1.42 (m, 1H). ^{13}C NMR (400 MHz, CDCl_3): δ 206.6,

155.9, 146.1, 145.4, 140.6, 135.3, 132.9, 132.8, 127.9, 127.9, 127.7, 126.2, 126.2, 125.4, 123.8, 119.3, 119.3, 55.6, 48.3, 47.9, 46.6, 41.7. HRMS calcd. 340.1099 found 340.1102.

(**3i**) ^1H NMR (400 MHz, CDCl_3): δ 7.62 (d, 1H, $J = 8.0$ Hz), 6.88 (m, 2H), 6.34 (m, 1H), 6.26, (m, 1H), 3.88 (s, 3H), 3.19 (d, 1H, $J = 6.0$ Hz), 2.58 (d, 1H, $J = 5.6$ Hz), 1.32 (d, 1H, $J = 9.0$ Hz), 1.12 (d, 1H, $J = 9.0$ Hz), ^{13}C NMR (400 MHz, CDCl_3): δ 205.3, 165.4, 159.4, 138.4, 137.9, 134.3, 125.5, 115.3, 109.2, 55.6, 54.8, 47.1, 46.3, 45.2, 42.2. HRMS calcd. 226.0994 found 226.0997.

(**3j**) ^1H NMR (400 MHz, CDCl_3): δ 7.68 (d, 1H, $J = 8.0$ Hz), 7.28 (m, 2H), 7.11 (m, 2H), 7.02 (m, 1H), 6.91 (m, 1H), 3.92 (s, 3H), 3.61, (s, 1H), 3.39 (s, 1H), 3.27 (d, 1H, $J = 6.4$ Hz), 2.68 (d, 1H, $J = 6.0$ Hz), 1.64, (m, 1H), 1.35 (m, 1H). ^{13}C NMR (500 MHz, CDCl_3): δ 204.9, 165.7, 158.9, 148.0, 147.5, 134.0, 126.2, 126.0, 125.5, 121.4, 121.2, 115.8, 109.3, 55.9, 55.7, 48.1, 48.1, 46.6, 42.8. HRMS calcd. 276.1150 found 276.1152.

(5) ^1H NMR (600 MHz, CDCl_3): δ 7.75 (d, 1H, $J = 8.2$ Hz), 7.20-7.39 (m, 5H), 7.13-7.19 (m, 1H), 7.10 (m, 4H), 6.75 (m, 1H), 6.68 (d, 1H, $J = 8.8$ Hz), 4.25 (s, 2H), 4.15 (s, 2H), 3.77 (s, 3H). ^{13}C NMR (600 MHz, CDCl_3): δ 199.7, 161.8, 144.5, 140.6, 134.8, 131.7, 130.0, 129.4, 129.1, 128.5, 128.2, 126.7, 125.9, 117.8, 110.7, 55.3, 48.1, 39.6. HRMS calcd. 316.1463 found 316.1467.

References:

- (1) (a) Larock, R. C.; Tian, Q.; Pletnev, A. A. *J. Am. Chem. Soc.* **1999**, *121*, 3238-3239.
 (b) Pletnev, A. A.; Tian, Q.; Larock, R. C. *J. Org. Chem.* **2002**, *67*, 9276-9278.

9.110
 9.107
 9.055
 2.008
 2.577
 2.566
 2.151
 1.584
 1.339
 1.314
 1.291
 1.039
 1.015
 0.857
 0.845

(3d)

7.240
 7.037
 6.832
 6.832
 6.832
 6.827
 6.821
 6.816
 6.280
 6.253
 6.249
 6.243
 6.846
 6.841

S-143-A-1
 exp74 s2pu1
 SAMPLE DEC. & VT
 date Jun 24 2004 dfrq 439.839
 solvent C6Cl3 d1
 file /export/home/~dwar 38
 opera/vmarsys/data~dfr
 1/GANE/gane623.88~dm
 2H.fid dam 11299
 ACQUISITION
 sfrq 439.839 dteq
 tn 439.839 dteq
 at 2.182 homo 1.0
 np 3278
 pw 3088.3
 be not used
 bs 55
 tprv 5.5
 pv 1.000
 dl 1.000
 tof 388.4
 nt 32
 ct 32
 alock not used
 gain not used
 FLAG
 ll n
 in n
 dp y
 hs nm
 DISPLAY
 sp -8.1
 wp 4397.9
 vs 78
 sc 6
 nc 250
 hnm 3
 ls 490.32
 is 4657.9
 rfi 3618.8
 rfp 3618.8
 th 6
 ins 100.000
 na ph

5-119-1
6-205-1

exp4 std13c

date	sample	DEC. & VT
Apr 21 2004		dfrq 400.454
solvent	CDC13	dn 400.454
file	exp	dpr 42
		dof 0
acq		yyv yyv
sfrq	100.785	dm 8000
tn	C13	dpr 8000
at	0.635	dm 8000
sw	32000	lb PROCESSING 3.00
sp	25186.9	wf file
nb	13500	proc ft
to	4	fn not used
tovr	55	
dw	6.5	
pd	2.000	werr
dl	2000.0	wexp
nt	10000	wbs
ct	0	wnt
alock	n	
gain	not used	
il	flags	
dp	display	y
sp	-0.2	
wp	22152.3	
vp	55	
vs	55	
sc	0	
vc	250	
zmm	2.65	
z	500.0	
z1	800.0	
z2	1000.0	
z3	7553.4	
z4	100.000	
ins	100.000	
na	no	ph

—155.895

— 55.562
— 48.294
— 47.958
— 46.553
— 41.683

Current Data Parameters
NAME S-203-C-3-1
EXPNO 2
PROCNO 1

F2 - Acquisition Parameters
Date_ 20041215
Time 21.10
INSTRUM spect
PROBHD 5 mm QNP 1H/1
PULPROG zgpg
TD 32768
SOLVENT C5D6
NS 6144
DS 0
SWH 37878.789 Hz
FIDRES 1.155969 Hz
AQ 0.4325876 sec
RG 2048
DQ 13.200 usec
DE 6.50 usec
TE 0.0 K
d1 3.0000000 sec
d11 0.0300000 sec
DELTA 2.9000010 sec
MCREST 0.0000000 sec
MCWRK 0.0150000 sec

===== CHANNEL f1 =====
NUC1 13C
P1 4.30 usec
PL1 0.00 dB
SFO1 150.7861246 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 92.00 usec
PL2 120.00 dB
PL12 11.30 dB
PL13 14.00 dB
SFO2 599.6029980 MHz

F2 - Processing parameters
SI 65536
SF 150.7695476 MHz
WDW EM
SSB 0
LB 3.00 Hz
GB 0
PC 0.50

1D NMR plot parameters
CX 20.00 cm
CY 6.00 cm
F1P 220.000 ppm
F1 33169.30 Hz
F2P 0.000 ppm
F2 0.00 Hz
PPMCM 11.00000 ppm/cm
HZCM 1658.46497 Hz/cm