Supporting Information

Fast and Regioselective Heck Couplings with *N*-Acyl *N*-Vinyl Amine Derivatives

*Anders Lindhardt Hansen and Troels Skrydstrup**

Department of Chemistry, University of Aarhus, Langelandsgade 140, 8000 Aarhus C, Denmark

ts@chem.au.dk

Table of contents	S1
General Methods	S2
<i>N</i> -Vinyl amides	S2
Heck coupling followed by hydrolysis	S4
NMR spectra	S8

General Methods

Solvents were dried according to standard procedures, reactions were monitored by thin-layer chromatography (TLC) analysis and flash chromatography was carried out on silica gel 60 (230-400 mesh). The chemical shifts are reported in ppm relative to solvent residual peak.¹ MS spectra were recorded on a LC TOF (ES) apparatus. All Heck couplings were carried out in 3.5 ml sample vials with a teflon sealed screwcap in a glovebox under an inert argon atmosphere. Dioxane was dried over sodium and distilled before use. All purchased chemicals were used as received without further purification. Aryl triflates were prepared according to known literature procedures.²

N-Vinyl amides

N-Vinyl amides from vinyl isocyanate

***N*-Vinyl-2-phenyl acetamide (1).** Vinyl isocyanate (752 mg, 0.011 mol) was added slowly to a solution of benzyl magnesium bromide (6.4 g, 0.037 mol) in Et₂O (50 mL). After 1 h the reaction was quenched by slow addition of water followed by addition of 4 M HCl to neutral pH. The aqueous phase was extracted with ethyl acetate (3 times). The combined organic phases were dried over MgSO₄. After concentration *in vacuo* the crude product was purified by flash chromatography on silica gel using ethyl acetate:CH₂Cl₂ (1:9). Recrystallization in ethyl acetate/pentane afforded 230 mg of the title compound (13% yield) as off-white crystals. ¹H NMR (400 MHz, CDCl₃) δ (ppm) 7.39-7.25 (m, 5H), 6.94 (ddd, 1H, *J* = 15.6, 10.8, 8.8 Hz), 4.50 (d, 1H, *J* = 16 Hz), 4.37 (d, 1H, *J* = 8.8 Hz), 3.60 (s, 2H). ¹³C NMR (100 MHz, CDCl₃) δ (ppm) 168.5, 134.2, 129.6(2C), 129.2(2C), 128.7, 127.7, 95.9, 43.

Vinyl-carbamic acid propyl ester (2). Vinyl isocyanate (752 mg, 0.011 mol) was added slowly to a solution of *n*-propanol (3.30 g, 0.055 mol) in Et₂O (50 mL). After 1 h the crude mixture was

concentrated *in vacuo*. Flash chromatography on silica gel using CH₂Cl₂:pentane (1:4) afforded 541 mg of the title compound (38% yield) as a clear oil. ¹H NMR (400 MHz, C₆D₆ at 75 °C) δ (ppm) 7.72 (ddd, 1H, *J* = 16.0, 10.8, 8.8 Hz), 5.98 (bs, 1H), 4.14 (d, 1H, *J* = 16.0 Hz), 4.03 (d, 1H, 8.8 Hz), 3.93 (t, 2H, *J* = 6.6 Hz), 1.46-1.37 (m, 2H), 0.73 (t, 3H, *J* = 7.6 Hz). ¹³C NMR (100 MHz, C₆D₆ at 75 °C) δ (ppm) 153.7, 130.8, 92.5, 67.0, 22.6, 10.2. HRMS C₆H₁₁O₂N [M+Na⁺]; calculated: 152.0687 found: 152.0647.

***N*-Vinyl-*N'*-butyl urea (3).**³ Vinyl isocyanate (3.00 g, 0.044 mol) was added dropwise to a solution of *n*-butylamine (3.19 g, 0.044 mol) in Et₂O (50 mL). The product was filtered off and washed several times with Et₂O. This afforded 5.38 g of the title compound (86% yield) as colorless crystals. ¹H NMR (400 MHz, Acetone-d₆) δ (ppm) 7.77 (bs, 1H), 6.85 (ddd, 1H, *J* = 16.0, 11.0, 9.0 Hz), 5.76 (bs, 1H), 4.26 (d, 1H, *J* = 16.0 Hz), 3.97 (d, 1H, *J* = 8.8 Hz), 3.18-3.12 (m, 2H), 1.48-1.40 (m, 2H), 1.38-1.27 (m, 2H), 0.88 (t, 3H, *J* = 8.0). ¹³C NMR (100 MHz, Acetone-d₆) δ (ppm) 155.6, 131.9, 88.8, 40.1, 33.1, 20.5, 14.0.

General procedure for the coupling of vinyl iodide with amides. The amide (1.2 equiv.), Cs₂CO₃ (1.2 equiv.), CuI (0.25 equiv.) was mixed in a round bottom schlenk bottle fitted with a Teflon stopper. This was flushed with argon for 10 min. Vinyl iodide (1 equiv.), *N,N'*-dimethylethylenediamine (0.5 equiv.) and freshly distilled THF (5 mL) was added. The bottle was sealed with the stopper and heated for the time and temperature stated for each product. The crude reaction mixture was filtered through silica gel (~2 cm) with 50 mL ethyl acetate. After concentration *in vacuo* the *N*-vinyl amides were purified flash chromatography.

***N*-Vinyl-*trans*-cinnamide (4).** The *trans*-cinnamide (530 mg, 3.60 mmol), Cs₂CO₃ (2.11 g, 6.48 mmol), CuI (257 mg, 1.35 mmol), vinyl iodide (0.40 mL, 5.40 mmol) and *N,N'*-dimethylethylenediamine (0.290 mL, 2.70 mmol) were heated to 50°C for 17 h. The crude product was purified by flash chromatography on silica gel using ethyl acetate:pentane (1:4) as eluent. This afforded

313 mg of the title compound (50% yield) as a colorless solid. Mp 127.7-129.4°C. ^1H NMR (400 MHz, CD_3CN) δ (ppm) 8.54 (bs, 1H), 7.64-7.55 (m, 3H), 7.43- 7.38 (m, 3H), 7.04 (ddd, 1H, $J = 16.0, 10.8, 8.8$ Hz), 6.57 (d, 1H, $J = 15.6$ Hz), 7.76 (d, 1H, $J = 15.6$ Hz), 4.42 (d, 1H, $J = 8.8$ Hz). ^{13}C NMR (100 MHz, CD_3CN) δ (ppm) 164.0, 142.2, 135.8, 130.9, 130.1, 129.9(2C), 128.8(2C), 121.6, 96.0. HRMS $\text{C}_{11}\text{H}_{11}\text{ON}$ [$\text{M}+\text{Na}^+$]; calculated: 196.0738 found: 196.0379.

***N*-Vinyl-2-methoxy acetamide (5).** 2-Methoxy acetamide (577 mg, 6.48 mmol), Cs_2CO_3 (2.11 g, 6.48 mmol), CuI (257 mg, 1.35 mmol), vinyl iodide (0.40 mL, 5.40 mmol) and *N,N'*-dimethylethylenediamine (0.290 mL, 2.70 mmol) were heated to 70°C for 17 h. The crude product was purified by flash chromatography on silica gel using ethyl acetate:pentane (1:1) as eluent. This afforded 345 mg of the title compound (56% yield) as a colorless oil. ^1H NMR (400 MHz, CDCl_3) δ (ppm) 8.08 (bs, 1H), 6.98 (ddd, 1H, $J = 16.0, 11.2, 8.8$ Hz), 4.72 (d, 1H, $J = 16.0$ Hz), 4.49 (d, 1H, $J = 8.8$ Hz), 3.94 (s, 2H), 3.45 (s, 3H). ^{13}C NMR (100 MHz, CDCl_3) δ (ppm) 167.2, 127.6, 96.7, 71.7, 59.4.

Heck Coupling followed by hydrolysis

General procedure for Heck coupling followed by hydrolysis. The aryl triflate (1 equiv.), the olefin (4 equiv.), the base (3 equiv.) and the bidentate ligand (0.03 equiv.) were dissolved in dioxane (3 mL). $\text{Pd}_2(\text{dba})_3$ (0.015 equiv.) was then added and the sample vial was fitted with a teflon sealed screwcap and removed from the glovebox. The reaction mixture was heated for the time stated for each product at 85°C. The reaction was monitored by TLC. After completed reaction, 50 μL was concentrated *in vacuo* and a crude NMR spectra was obtained to verify the linear to branched product distribution. The reaction mixture was transferred to a round bottomed flask with 3 mL of dry dioxane. 6 M HCl (2 mL) was added and the solution were stirred for 1 h at 20°C. Sat. aqueous NH_4Cl was added and the aqueous phase was extracted with ethyl acetate (3 times). The combined organic phases

were dried over MgSO_4 . After concentration *in vacuo* on silica gel the aromatic phenones were purified by column chromatography.

1-(7-Methoxy-[2]naphthyl)-ethanone (7). 7-Methoxy-2-naphthyl triflate (111 mg, 0.362 mmol), *N*-vinyl acetamide (123 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 4.5 h followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (20:1) as eluent and this afforded 63 mg of the title compound (86% yield) as a colorless solid. ^1H NMR (400 MHz, CDCl_3) δ (ppm) 8.38 (bs, 1H), 7.91-7.89 (dd, 1H, $J = 1.6, 8.4$ Hz), 7.84 – 7.77 (m, 2H), 7.29 – 7.25 (m, 2H), 3.96 (s, 3H), 2.73 (s, 3H). ^{13}C NMR (100 MHz, CDCl_3) δ (ppm) 198.4, 158.3, 135.0, 133.9, 131.2, 129.3, 128.9, 128.2, 121.9, 121.5, 107.2, 55.5, 26.9. HRMS $\text{C}_{13}\text{H}_{12}\text{O}_2$ [$\text{M}+\text{Na}^+$]; calculated: 223.0735 found: 223.0731.

1,4-Diacetyl-benzene (8). 4-Acetylphenyl triflate (102 mg, 0.380 mmol), *N*-vinyl acetamide (123 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 105 min followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (4:1) as eluent and this afforded 57 mg of the title compound (92% yield) as a colorless solid. ^1H NMR (400 MHz, CDCl_3) δ (ppm) 8.02 (s, 4H), 2.64 (s, 6H). ^{13}C NMR (100 MHz, CDCl_3) δ (ppm) 197.6(2C), 140.3(2C), 128.6(4C), 27.0(2C). HRMS $\text{C}_{10}\text{H}_{10}\text{O}_2$ [$\text{M}+\text{Na}^+$]; calculated: 185.0578 found: 185.0581.

4-Cyanoacetophenone (9). 4-Cyanophenyl triflate (95 mg, 0.38 mmol), *N*-vinyl acetamide (123 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 1 h followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (4:1) as eluent and this afforded 51 mg of the title compound (94% yield) as a colorless solid. ^1H NMR (400 MHz, CDCl_3) δ (ppm) 8.03 (d, 2H, $J =$

8.4 Hz), 7.76 (d, 2H, $J = 8.4$ Hz), 2.63 (s, 3H). ^{13}C NMR (100 MHz, CDCl_3) δ (ppm) 196.6, 140.0, 132.6, 128.8, 118.0, 116.5, 26.9. HRMS $\text{C}_9\text{H}_7\text{ON}$ $[\text{M}+\text{Na}^+]$; calculated: 168.0425 found: 168.0419.

2-Acetonaphthone (6) from *N*-vinyl acetamide. 2-Naphthyl triflate (100 mg, 0.362 mmol), the *N*-vinyl acetamide (132 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 17 h followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (9:1) as eluent and this afforded 55 mg (90% yield) of the title compound as a colorless solid. ^1H NMR (400 MHz, CDCl_3) δ (ppm) 8.45 (s, 1H), 8.03 (dd, 1H, $J = 8.8, 2.0$ Hz), 7.95 (d, 1H, $J = 8.0$ Hz), 7.88-7.85 (m, 2H), 7.62-7.52 (m, 2H), 2.71 (s, 3H). ^{13}C NMR (100 MHz, CDCl_3) δ 198.2, 135.6, 134.5, 132.5, 130.3, 129.6, 128.54, 128.47, 127.8, 126.8, 123.9, 26.8. HRMS $\text{C}_{12}\text{H}_{10}\text{O}$ $[\text{M}+\text{Na}^+]$; calculated: 193.0629 found: 193.0621.

2-Acetonaphthone (6) from *N*-Vinyl-*N'*-butyl urea. 2-Naphthyl triflate (100 mg, 0.362 mmol), the *N*-Vinyl-*N'*-butyl urea (206 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 4.5 h followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (9:1) as eluent and this afforded 39 mg (64% yield) of the title compound as a colorless solid.

2-Acetonaphthone (6) from vinyl-carbamic acid propyl ester. 2-Naphthyl triflate (100 mg, 0.362 mmol), the vinyl-carbamic acid propyl ester (187 mg, 1.45 mmol), DIPEA (0.190 mL, 1.09 mmol), DPPF (6.0 mg, 0.011 mmol) and $\text{Pd}_2(\text{dba})_3$ (4.9 mg, 0.0054 mmol) were reacted for 4 h followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (9:1) as eluent and this afforded 58 mg (94% yield) of the title compound as a colorless solid.

2-Acetonaphthone (6) from *N*-vinyl-2-methoxy acetamide. 2-Naphthyl triflate (50 mg, 0.18 mmol), the *N*-vinyl-2-methoxy acetamide (83 mg, 0.72 mmol), DIPEA (0.095 mL, 0.54 mmol), DPPF (3.0 mg, 0.003 mmol) and Pd₂(dba)₃ (2.5 mg, 0.00054 mmol) were reacted followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (9:1) as eluent and this afforded 30 mg (95% yield) of the title compound as a colorless solid.

2-Acetonaphthone (6) from *N*-vinyl-2-phenyl acetamide. 2-Naphthyl triflate (63 mg, 0.23 mmol), the *N*-vinyl-2-phenyl acetamide (143 mg, 0.887 mmol), DIPEA (0.116 mL, 1.09 mmol), DPPF (4.0 mg, 0.0067 mmol) and Pd₂(dba)₃ (3.0 mg, 0.0033 mmol) were reacted followed by hydrolysis. The crude product was purified by flash chromatography on silica gel using pentane:ethyl acetate (9:1) as eluent and this afforded 38 mg (98 % yield) of the title compound as a colorless solid.

References

- (1) Gottlieb, H. E.; Kotlyar, V.; Nudelman, A. *J. Org. Chem.* **1997**, *62*, 7512.
- (2) Brimble, M. A.; Lai, M. Y. H. *J. Org. Biomol. Chem.* **2003**, *1*, 2084.
- (3) Sato, M. *J. Org. Chem.* **1961**, *26*, 770.

NMR spectra

192

exp3 s2pul

SAMPLE SPECIAL 26.0
 date Mar 2 2005 temp not used
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10- hst 0.008
 0-155/152-CHMR.fid pw90 10.600
 ACQUISITION a1fa -21.025
 sw 6410.3
 at 1.884 il
 np 25560 in
 fb not used dp y
 bs 16 hs
 dl 1.000
 nt 8
 ct 5
 PROCESSING 65536
 TRANSMITTER sp
 tn H1 wp 3020.4
 sffrq 400.474 rfi 862.3
 tof 454.8 rfp 0
 tpwr 56 rp 132.5
 pw 5.400 lp 8.5
 DECOUPLER C13 wc 270
 dn 0 sc 0
 dm nnn vs 171
 dpr 46 th 38
 dnf 17100

Filename: _Aut

192

exp3 s2pul

SAMPLE SPECIAL 26.0
 date Jan 27 2005 temp not used
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10- hst 0.008
 0-155/152-CHMR.fid pw90 10.600
 ACQUISITION a1fa 9.550
 sw 25188.8
 at 1.188 il
 np 60422 in
 fb 13800 dp y
 bs 16 hs
 dl 1.000
 nt 1000 lb
 ct 86 fn
 PROCESSING 65536
 TRANSMITTER C13 sp
 tn H1 wp 20652.0
 sffrq 100.710 rfi 1576.8
 tof 62 rfp 132.5
 tpwr 5.400 rp -28.4
 pw 1p
 DECOUPLER H1
 dn 0 wc 270
 dm yyy sc 0
 dm vs 231
 dpr 36 th 5
 dnf 9700 a1 no ph

Filename: _AuC

37 - HNMR

exp2 s2pul

SAMPLE SPECIAL

date	Nov 25 2003	temp	26.0
solvent	acetone	gain	not used
file	/export/home/	spin	20
auto/107/Anders/1-	hst	0.008	
99/37-HNMR.fid	pw90	10.800	
ACQUISITION	etfa	-21.025	

sw 6410.3
at 1.914
np 25560
fb not used
bs 16
dl 1.000
nt 8
ct 8

TRANSMITTER

tn	H1	wp	3807.7
sfrq	400.474	rfl	1830.1
tof	451.8	rfr	821.0
tpwr	56	rp	101.8
pw	5.400	lp	3.5

DECOUPLER

dn	C13	wc	270
dof	0	sc	0
ds	nnn	vs	128
dsm	c	th	46
dpwr	46	at	cdc ph
daf	17100		

FLAGS

n	
n	
y	
nn	

PROCESSING

65536	
-------	--

DISPLAY

-12.2	
-------	--

Filename: _AuH

37 - CNMR

37 - CNMR
Directory: /export/home/auto/vnmrsys/data
Sample directory:

Pulse Sequence: s2pul

SAMPLE SPECIAL

date	Nov 25 2003	temp	26.0
solvent	acetone	gain	not used
file	/export/home/	spin	20
auto/107/Anders/1-	hst	0.008	
99/37-CNMR.fid	pw90	10.800	
ACQUISITION	etfa	9.550	

sw 6410.3
at 1.914
np 25560
fb not used
bs 16
dl 1.000
nt 8
ct 8

TRANSMITTER

tn	H1	wp	3807.7
sfrq	400.474	rfl	1830.1
tof	451.8	rfr	821.0
tpwr	56	rp	101.8
pw	5.400	lp	3.5

DECOUPLER

dn	C13	wc	270
dof	0	sc	0
ds	nnn	vs	128
dsm	c	th	46
dpwr	46	at	cdc ph
daf	17100		

FLAGS

n	
n	
y	
nn	

PROCESSING

65536	
-------	--

DISPLAY

-42.6	
-------	--

160
N-Vinylcarbamate

exp2 s2pul

SAMPLE SPECIAL 75.0
date Dec 17 2004 temp gain not used
solvent CDCl₃ spin not used
file /export/home/~ spin not used
auto/107/Anders/107 hct 0.000
0-199/160-HNMR75C- pw90 10.000
Fid alfa -21.025

ACQUISITION
sw 8410.3 f1 n
st 1.184 in n
np 25580 dp y
fb not used ns nn
bs 16 PROCESSING
d1 1.000 fn DISPLAY 65536
nt 8
ct 8 sp
tn TRANSMITTER H1 rf1 3624.9
sfrq 400.472 rfp 3651.2
tof 454.8 rp 2887.4
tpwr 56 lp 6.7
pw DECOUPLER 5.400 wc PLOT 270
dn C13 sc 0
dof 0 vs 33
dm nnn th 48
dpr 46 al cdc ph
dmf 17100

Filename: _Aut

160
N-Vinylcarbamate

N-Vinylcarbamate

Archive directory: /export/home/auto/vnmr/sys/data

Sample directory:

exp2 s2pul

SAMPLE SPECIAL 75.0
date Dec 17 2004 temp gain not used
solvent CDCl₃ spin not used
file /export/home/~ spin not used
auto/107/Anders/107 hct 0.000
0-199/160-HNMR75C- pw90 10.000
Fid alfa -21.025

ACQUISITION
sw 8410.3 f1 n
st 1.184 in n
np 25580 dp y
fb not used ns nn
bs 16 PROCESSING
d1 1.000 fn DISPLAY 65536
nt 8
ct 8 sp
tn TRANSMITTER H1 rf1 3624.9
sfrq 400.472 rfp 3651.2
tof 454.8 rp 2887.4
tpwr 56 lp 6.7
pw DECOUPLER 5.400 wc PLOT 270
dn C13 sc 0
dof 0 vs 33
dm nnn th 48
dpr 46 al cdc ph
dmf 17100

Filename: _AuH

182
exp2 s2pu1
SAMPLE SPECIAL
date Jan 18 2005 temp 23.0
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hgt 0.008
0-159/182-HNMR.fid pw90 10.800
ACQUISITION alfa -21.025
sw 6410.3
at 1.994 il
np 25500 in n
fb not used dp y
bs 16 hs nn
d1 1.000
nt 8 fn PROCESSING 65536
ct 8
TRANSMITTER sp
tn H1 wp 11.2
sfrq 400.474 rfl 3589.1
tof 454.8 rfp 1589.5
tpwr 56 rp 776.9
pw 5.400 lp 77.9
DECOUPLER C13 wc 270
dn 0 sc 0
dm nnn vs 40
dmm c th 23
dpwr 46 al cdc ph
dmf 17100

Filename: _AuC

182
exp2 s2pu1
SAMPLE SPECIAL
date Jan 18 2005 temp 23.0
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hgt 0.008
0-159/182-HNMR.fid pw90 10.800
ACQUISITION alfa 0.550
sw 25100.9
at 1.139 il
np 60422 in n
fb 13000 dp y
bs 16 hs nn
d1 1.000
nt 5000 lb PROCESSING 1.00
ct 400 fn 65536
TRANSMITTER C13 sp
tn H1 wp 0.7
sfrq 100.710 rfl 20170.0
tof 1561.7 rfp 1560.5
tpwr 562 rfp 132.3
pw 5.400 rp -31.1
DECOUPLER H1 lp -292.5
dn 0 wc 270
dm yyy sc 0
dmm w vs 84
dpwr 38 th 2
dmf 9700 al no ph

Filename: _AuH

```

199
exp2 s2pu1
SAMPLE SPECIAL 26.0
date Feb 3 2005 temp
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hst 0.008
0-199/199-HNMR.fid pw30 10.800
ACQUISITION alfa -21.025
sw 6410.3
at 1.994 il n
np 25550 in n
fb not used dp y
bs 16 hs nn
dl 1.000 PROCESSING
nt 8 fn 65536
ct 8 DISPLAY
TRANSMITTER sp 2.8
tn H1 wp 3599.1
sfrq 400.474 rf1 1588.3
tof 454.8 rfp 776.9
tpwr 56 rp 76.4
pw 5.400 lp -0.3
DECOUPLER C13 wc PLOT 270
dn 0 sc 0
dm nnn vs 65
dmm c th 11
dpwr 46 al cdc ph
def 17100

```

Filename: _AuC

```

199
exp2 s2pu1
SAMPLE SPECIAL
date Feb 3 2005 temp 26.0
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hst 0.008
0-199/199-CNMR.fid pw30 10.800
ACQUISITION alfa 9.550
sw 25188.9
at 1.199 il n
np 60422 in n
fb 13800 dp y
bs 16 hs nn
dl 1.000 PROCESSING
nt 1000 lb 1.00
ct 464 fn 65536
TRANSMITTER C13 sp DISPLAY -128.4
tn H1 wp 20271.5
sfrq 100.710 rf1 1575.1
tof 1561.7 rfp 192.9
tpwr 62 rp -45.8
pw 5.400 lp -177.3
DECOUPLER H1 wc PLOT 270
dn 0 sc 0
dm yyy sc 0
dmm w vs 169
dmm 36 th 3
dpwr 8700 al no ph
def

```

189

exp3 s2pu1

SAMPLE SPECIAL 26.0
 date Jan 27 2005 temp not used
 solvent CDCl₃ gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10~ het 0.008
 0-189/189-HNMR.fid pw90 10.800
 ACQUISITION alfa -21.025
 sv 8010.3
 at 1.994 f1 n
 np 25560 f2 n
 fd not used dp y
 bs 16 hs nn
 d1 1.000
 nt 8 fn PROCESSING 65536
 ct 8 DISPLAY -14.2
 TRANSMITTER sp
 tn H1 wp 3628.8
 sfrq 400.474 rf1 1588.3
 tof 454.8 rfp 778.8
 tpwr 56 rp 73.7
 pw 5.400 lp -1.6
 DECOUPLER C13 wc PLOT 270
 dn 0 sc 0
 dm nnn vs 107
 dem c th 23
 dpr 16 al cdc ph
 dnf 17100

Filename: _AuH

189

exp3 s2pu1

SAMPLE SPECIAL 26.0
 date Jan 27 2005 temp not used
 solvent CDCl₃ gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10~ het 0.008
 0-189/189-CNMR.fid pw90 10.800
 ACQUISITION alfa 9.550
 sv 25186.9
 at 1.199 f1 n
 np 60422 f2 n
 fd 13800 dp y
 bs 64 hs nn
 d1 1.000
 nt 1e+05 lb PROCESSING 1.00
 ct 20672 fn DISPLAY 65536
 TRANSMITTER C13 sp
 tn H1 wp -9.3
 sfrq 100.710 rf1 20157.0
 tof 1561.7 rfp 1575.1
 tpwr 82 rp 132.3
 pw 5.400 lp -28.6
 DECOUPLER H1 wc PLOT 270
 dn 0 sc 0
 dm yyy vs 377
 dem w th 2
 dpr 36 th
 dnf 9700 al no ph

229

exp3 s2pul

SAMPLE SPECIAL 26.0
 date Mar 10 2005 temp
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/20~ hst 0.008
 0-239/229-HNMR.fid pw90 10.800
 ACQUISITION alfa 21.025
 sw 6410.3
 at 1.394 il
 np 25560 in
 fb not used dp
 bs 16 hs
 dt 1.000 PROCESSING nn
 nt 8 fn
 ct 8 DISPLAY 65536
 TRANSMITTER sp
 tn H1 wp 3585.0
 sffrq 400.474 rfi 1588.8
 tof 454.8 rfp 776.8
 tpwr 56 rp 71.0
 pw 5.400 lp 7.7
 DECOUPLER C13 wc
 dn 0 sc
 dof 0
 dm nnn vs 13
 dem c th
 dpwr 46 ai cdc ph
 def 17100

Filename: _AuH

229

exp3 s2pul

SAMPLE SPECIAL 26.0
 date Mar 20 2005 temp
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/20~ hst 0.008
 0-239/229-HNMR.fid pw90 10.800
 ACQUISITION alfa 8.550
 sw 25188.9
 at 1.389 il
 np 60422 in
 fb 13800 dp
 bs 64 hs
 dt 1.000 PROCESSING nn
 nt 5000 lb
 ct 832 fn
 ct 832 DISPLAY 65536
 TRANSMITTER C13 sp
 tn H1 wp 20123.2
 sffrq 100.710 rfi 1574.3
 tof 1561.7 rfp 132.8
 tpwr 62 rp 29.6
 pw 5.400 lp -218.2
 DECOUPLER H1 wc
 dn 0 sc
 dof 0
 dm w vs 247
 dem 36 th
 dpwr 9700 ai no ph
 def 2

Filename: _AuC

Filename: _AuH

165

exp2 s2pu1

SAMPLE SPECIAL 26.0
date Jan 5 2005 temp
solvent CDCl3 gain not used
file /export/home/~ spin not used
auto/107/Anders/10- hst 0.005
0-199/165-HNMR.fid pw90 10.800
ACQUISITION alfa -21.025
sw 6410.3
at 1.994 11 n
np 25500 1n n
fb not used dp y
bs 16 hs
d1 1.000 PROCESSING nn
nt 8 fn 65536
ct 8
TRANSMITTER sp 3.9
tn H1 wp 3589.5
sfrq 400.472 rfi 3709.1
tor 454.8 rfp 2302.4
tpwr 56 fp 73.2
pw 5.400 lp 8.2
DECOUPLER C13 wc
dn C13 wc 270
dof 0 sc 0
ds nnn vs 70
dms c th 46
dpr 46 al cdc ph
dsf 17100

Filename: _AuC

165

exp2 s2pu1

SAMPLE SPECIAL 26.0
date Jan 5 2005 temp
solvent CDCl3 gain not used
file /export/home/~ spin not used
auto/107/Anders/10- hst 0.005
0-199/165-CNMR.fid pw90 10.800
ACQUISITION alfa 9.550
sw 25186.9
at 1.199 11 n
np 60422 1n n
fb 13800 dp y
bs 16 hs
d1 1.000 PROCESSING nn
nt 1000 1b 1.00
ct 64 fn 65536
TRANSMITTER sp 19.0
tn C13 wp 20170.0
sfrq 100.709 rfi 3300.5
tor 1561.6 rfp 7789.3
tpwr 62 fp -85.8
pw 5.400 rp -288.0
DECOUPLER H1
dn H1 0 wc 270
dof 0 sc 0
ds VVV vs 254
dms w vs 16
dpr 36 th
dsf 8700 al no ph

167 - after hydrogenating

exp2 s2pu1

SAMPLE SPECIAL 23.0
 date Jan 10 2005 temp
 solvent CDCl3 gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10~ hst 0.008
 0-189/167-CNMR-ef~ pw90 10.800
 er-hydrogenating.f~ alfa -21.025
 id FLAGS
 ACQUISITION il n
 sw 8410.3 ln n
 at 1.994 dp y
 np 25580 hs nn
 fb not used
 bs 15 fn PROCESSING 65536
 d1 1.000
 nt 8 sp DISPLAY 3.5
 ct 8 wp 3507.7
 TRANSMITTER rf1 3709.5
 tn H1 rfp 2907.4
 sfrq 400.472 rf 58.4
 tof 454.8 lp 6.1
 tpwr 56 PLOT 270
 pw 5.400 wc sc 0
 DECOUPLER C13 vs 56
 dn 0 th 48
 dm nm al cdc ph
 dpr 46
 dmf 17100

Filename: _AuH

167 after hydrogenating

exp2 s2pu1

SAMPLE SPECIAL 23.0
 date Jan 10 2005 temp
 solvent CDCl3 gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10~ hst 0.008
 0-189/167-CNMR-ef~ pw90 10.800
 er-hydrogenating.f~ alfa 9.550
 id FLAGS
 ACQUISITION il n
 sw 25180.3 ln n
 at 1.199 dp y
 np 80422 hs nn
 fb 13000
 bs 15 lb PROCESSING 1.00
 d1 1.000 fn DISPLAY 65536
 nt 2000
 ct 640 sp DISPLAY -11.7
 TRANSMITTER rf1 8297.5
 tn C13 rfp 22123.3
 sfrq 100.709 rf 7769.3
 tof 1561.6 rp -109.3
 tpwr 62 lp -224.7
 pw 5.400 PLOT 270
 DECOUPLER H1 sc 0
 dn 0 vs 820
 dm yyy th 12
 dam w al no ph
 dpr 86
 dmf 9700

Filename: _AuC

Filename: _AuH

200
exp2 s2pu1
SAMPLE SPECIAL 26.0
date Feb 7 2005 temp
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/197/Anders/20~ hst 0.008
0-239/200-HNMR.fid pw90 10.800
ACQUISITION alfa -21.025
sw 6410.3
at 1.394 f1 n
np 25560 in n
fb not used dp y
us 15 hs nn
d1 1.000 PROCESSING
nt 8 fn 65536
ct 8 DISPLAY
TRANSMITTER sp -14.4
tn H1 wp 3633.4
sfrq 400.474 rf1 1566.3
tof 454.8 rfp 776.9
tpwr 56 rp 124.1
pw 5.400 tp 0.0
DECOUPLER C13 wc 270
dn 0 sc 0
dm nnn vs 77
dmm c th 46
dpwr 46 al cdc ph
dmf 17100

Filename: _AuC

200
exp2 s2pu1
SAMPLE SPECIAL 26.0
date Feb 7 2005 temp
solvent CD3CN gain not used
file /export/home/~ spin not used
auto/197/Anders/20~ hst 0.008
0-239/200-HNMR.fid pw90 10.800
ACQUISITION alfa 9.550
sw 25188.9
at 1.199 f1 n
np 60422 in n
fb 15000 dp y
bs 18 hs nn
d1 1.000 PROCESSING
nt 2000 lb 1.00
ct 560 fn 65536
TRANSMITTER C13 sp -27.0
tn H1 wp 20137.0
sfrq 100.710 rf1 1574.3
tof 1561.7 rfp 152.3
tpwr 62 rp -33.4
pw 5.400 rp -205.8
DECOUPLER H1 PLDT
dn 0 wc 270
dm yyy sc 0
dmm w vs 256
dpwr 36 th 3
dmf 9700 al no ph

Filename: _AuH

```

191
exp2 s2pul
SAMPLE
date Jan 28 2005 temp 26.0
solvent CDCl3 gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hst 0.008
0-199/191-HNMR-56C~ pw50 10.800
ACQUISITION f1d alfa -21.025
sw 6410.3 f1 n
at 1.994 f1 n
np 25560 dp y
fb not used hs nn
bs 16
d1 1.000 fn PROCESSING 65536
nt 8 DISPLAY 3.4
ct 8 sp 3594.6
TRANSMITTER H1 wp 3705.5
tn 400.472 rfp 2907.4
sfrq 454.8 rp 154.0
tpwr 59 lp 10.0
pw 5.400 PLOT 270
DECOUPLER C13 sc 0
dn 0 vs 190
dof 0 vs 45
dmn c al cdc ph
dpwr 46
dntf 17100

```

Filename: _AuC

```

191
exp2 s2pul
SAMPLE
date Jan 28 2005 temp 56.0
solvent CDCl3 gain not used
file /export/home/~ spin not used
auto/107/Anders/10~ hst 0.008
0-199/191-HNMR-56C~ pw50 10.800
ACQUISITION f1d alfa 9.550
sw 25188.9 f1 n
at 1.199 f1 n
np 60422 f1 n
fb 13600 dp y
bs 16 hs nn
d1 1.000 fn PROCESSING 65536
nt 2000 lb 0.10
ct 384 fn DISPLAY 254.5
TRANSMITTER C13 sp -105.5
tn 100.709 wp 20219.2
sfrq 1561.6 rfp 9291.3
tpwr 62 rfp 7769.9
pw 5.400 rp -95.3
DECOUPLER H1 lp
dn 0 wc 270
dof 0 vs 365
dmn w vs 19
dpwr 36 th
dntf 9700 al no ph

```

198

exp2 s2pu1

SAMPLE SPECIAL 26.0
 date Feb 3 2005 temp
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10- hst 0.008
 0-199/198-HNMR.fid pw50 10.800
 ACQUISITION alfa -21.025
 sw 6410.3
 at 1.994 il n
 np 25560 in n
 fb not used dp y
 bs 18 hs nn
 dl 1.000 PROCESSING 65536
 nt 8 fn
 ct 8
 TRANSMITTER sp DISPLAY 11.9
 tn H1 wp 3599.1
 sfrq 400.474 rfi 802.3
 tof 454.8 rfp 9
 tpwr 56 rp 77.3
 pw 5.400 lp -0
 DECOUPLER C13 wc PLOT 270
 dn 0 sc 0
 dm nnn vs 69
 dmm c th 46
 dpwr 46 al cdc ph
 dmf 17100

Filename: _AuH

198

exp2 s2pu1

SAMPLE SPECIAL 26.0
 date Feb 3 2005 temp
 solvent CD3CN gain not used
 file /export/home/~ spin not used
 auto/107/Anders/10- hst 0.008
 0-199/198-CNMR.fid pw50 10.800
 ACQUISITION alfa 9.550
 sw 25188.9
 at 1.199 il n
 np 60422 in n
 fb 13800 dp y
 bs 18 hs nn
 dl 1.000 PROCESSING 1.00
 nt 2000 lb
 ct 256 fn 65538
 TRANSMITTER C13 sp DISPLAY 6.1
 tn H1 wp 20103.2
 sfrq 100.710 rfi 1575.1
 tof 1561.7 rfp 132.9
 tpwr 56 rp -32.9
 pw 5.400 lp -209.4
 DECOUPLER H1 PLOT 270
 dn 0 wc 0
 dm yyy sc 0
 dmm w vs 128
 dpwr 30 th 4
 dmf 9700 al no ph

Filename: _AuC