Supporting Information Available

Fumimycin: a Peptide Deformylase Inhibitor with an Unprecedented Skeleton
Produced by *Aspergillus fumisynnematus*

Yun-Ju Kwon, Mi-Jin Sohn, Chang-Ji Zheng, and Won-Gon Kim*

*Functional Metabolomics Research Center, Korea Research Institute of Bioscience and
Biotechnology, Yusong, Daejeon 305-806, Korea*

Figure S1. The ^1H -NMR spectrum of fumimycin in $\text{CDCl}_3 + \text{CD}_3\text{OD}$ (1:1).

Figure S2. The ^{13}C -NMR spectrum of fumimycin in $\text{CDCl}_3 + \text{CD}_3\text{OD}$ (1:1).

Figure S3. The ^1H - ^1H COSY spectrum of fumimycin in $\text{CDCl}_3 + \text{CD}_3\text{OD}$ (1:1).

Figure S4. The HMQC spectrum of fumimycin in $\text{CDCl}_3 + \text{CD}_3\text{OD}$ (1:1).

Figure S6. The ESI spectrum of fumimycin.

Figure S7. The HMBC spectrum of fumimycin methyl ester in $\text{CDCl}_3 + \text{CD}_3\text{OD}$ (1:1).