Supporting Information for
Gold-Catalyzed Cyclization of Allene-Substituted Malonate Esters:
Synthesis of β,γ -Unsaturated- δ -Lactones.

Julio Piera*, Patrik Krumlinde, Dirk Strübing and Jan-E. Bäckvall*

Department of Organic Chemistry
Arrhenius Laboratory, Stockholm University
SE-106 91 Stockholm (Sweden)

Contents:	Pages:
GENERAL	S2
SYNTHESIS AND CHARACTERIZATION OF COMPOUNDS 1	S2
SYNTHESIS AND CHARACTERIZATION OF COMPOUNDS 4	S5

GENERAL

Unless otherwise noted, all reagents were used as received from commercial suppliers. Furthermore, all manipulations were performed under argon. All reactions were monitored by thin-layer chromatography (TLC analysis). TLC plates were visualized with UV light (254 nm) or ceric ammonium sulfate sprays. Flash chromatography was carried out with 60Å (particle size 35-70 µm) normal phase silica gel. ^1H and ^{13}C NMR spectra were recorded at 400 MHz and at 100 MHz, respectively. Chemical shifts (δ) are reported in ppm, using the residual solvent peak in CDCl_3 ($\delta(\text{H})= 7.26$ and $\delta(\text{C})= 77.00$ ppm) as internal standard, and coupling constants (J) are given in Hz. HRMS were recorded on a Bruker MicrOTOF spectrometer.

SYNTHESIS AND CHARACTERIZATION OF COMPOUNDS 1

Compounds **1** were prepared from the corresponding malonates following the previously described method (Piera, J.; Närhi, K.; Bäckvall, J. E. *Angew. Chem., Int. Ed.* **2006**, *45*, 6914.).

For complete characterization data of compounds **1a-1g** see: Franzén, J.; Bäckvall, J. E. *J. Am. Chem. Soc.* **2003**, *125*, 6056.

Dimethyl 2-methyl-2-(3-methylbuta-1,2-dienyl)malonate (**1h**)

^1H NMR (400 MHz, CDCl_3) $\delta= 5.49\text{-}5.45$ (m, 1H), 3.72 (s, 6H), 1.69 (s, 3H), 1.68 (s, 3H), 1.47 (s, 3H) ppm. $^{13}\text{C}\{^1\text{H}\}$ NMR (100 MHz, CDCl_3) $\delta= 201.6, 172.0, 100.4, 90.4, 52.9, 26.5, 20.6, 20.3$ ppm. HRMS (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{11}\text{H}_{16}\text{O}_4\text{Na}$: 235.0941; found. 235.0936.

Dimethyl 2-ethyl-2-(3-methylbuta-1,2-dienyl)malonate (1i)

^1H NMR (400 MHz, CDCl_3) δ = 5.49-5.45 (m, 1H), 3.71 (s, 6H), 1.98 (q, J = 7.2 Hz, 2H), 1.68 (s, 3H), 1.67 (s, 3H), 0.83 (t, J = 7.2 Hz, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 201.7, 171.4, 99.9, 88.3, 58.9, 52.7, 27.6, 20.2, 9.1 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{12}\text{H}_{18}\text{O}_4\text{Na}$: 249.1097; found. 249.1086.

Dimethyl 2-ethyl-2-(3-methylpenta-1,2-dienyl)malonate (1j)

^1H NMR (400 MHz, CDCl_3) δ = 5.61-5.59 (m, 1H), 3.71 (s, 6H), 2.03-1.92 (br m, 4H), 1.68 (d, J = 2.8 Hz, 3H), 0.95 (t, J = 7.6 Hz, 3H), 0.85 (t, J = 7.6 Hz, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 200.8, 171.4, 106.3, 90.3, 58.9, 52.7, 27.8, 27.0, 18.7, 12.1, 9.1 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{13}\text{H}_{20}\text{O}_4\text{Na}$: 263.1254; found. 263.1248.

Dimethyl 2-(2-cyclohexylidenevinyl)-2-ethylmalonate (1k)

^1H NMR (400 MHz, CDCl_3) δ = 5.48-5.47 (m, 1H), 3.71 (s, 6H), 2.11-1.98 (br m, 6H), 1.63-1.45 (br m, 6H), 0.83 (t, J = 7.9 Hz, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 198.3, 171.4, 107.1, 88.1, 58.9, 52.7, 31.1, 27.6, 27.5, 26.2, 9.1 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{15}\text{H}_{22}\text{O}_4\text{Na}$: 289.1410; found. 289.1425.

Dimethyl 2-hexyl-2-(3-methylbuta-1,2-dienyl)malonate (1l)

^1H NMR (400 MHz, CDCl_3) δ = 5.47-5.45 (m, 1H), 3.69 (s, 6H), 1.92-1.80 (m, 2H), 1.66 (m, 3H), 1.64 (m, 3H), 1.26-1.07 (br m, 8H), 0.85-0.82 (m, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 201.6, 171.4, 99.9, 88.7, 57.8, 52.8, 32.6, 31.7, 29.8, 24.5, 24.2, 22.8, 10.1, 14.2 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{16}\text{H}_{26}\text{O}_4\text{Na}$: 305.1723; found. 305.1710.

Dimethyl 2-isobutyl-2-(3-methylbuta-1,2-dienyl)malonate (1m)

^1H NMR (400 MHz, CDCl_3) δ = 5.59-5.57 (m, 1H), 3.71 (s, 6H), 1.94 (d, J = 6.4 Hz, 2H), 1.71 (m, 1H), 1.68 (s, 3H), 1.67 (s, 3H), 0.85 (d, J = 6.4 Hz, 6H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 201.7, 171.4, 99.9, 89.2, 57.8, 52.7, 43.2, 24.7, 23.9, 20.1 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{14}\text{H}_{22}\text{O}_4\text{Na}$: 277.1410; found. 277.1406.

Dimethyl 2-benzyl-2-(3-methylbuta-1,2-dienyl)malonate (1n)

Compound **1n** could not be separated from the starting material 2-benzyl dimethylmalonate. Chemical shifts were obtained from the mixture.

^1H NMR (400 MHz, CDCl_3) δ = 7.35-7.05 (m, 5H), 5.59-5.57 (m, 1H), 3.71 (s, 6H), 3.34 (s, 2H), 1.68 (s, 3H), 1.67 (s, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 201.5, 171.5, 137.6, 130.7, 128.3, 127.2, 100.2, 89.4, 52.7, 52.4, 52.0, 41.5, 27.3 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{17}\text{H}_{20}\text{O}_4\text{Na}$: 311.1254; found. 311.1251.

SYNTHESIS AND CHARACTERIZATION OF COMPOUNDS 4

General procedure for the gold-catalyzed lactonization of 1a-1n. Lactonization of 1a to 4a. To a stirred solution of allene **1a** (100 mg, 0.36 mmol) in 2 mL of acetic acid at 70 °C, AuCl₃ (5.5 mg, 0.018 mmol) and AgSbF₆ (16.4 mg, 0.054 mmol) were added portion-wise. The mixture was then stirred 4 hours until total disappearance of the starting material **1a** (TLC analysis). The reaction mixture is filtered through a small amount of silica gel and the silica gel washed with diethyl ether (5mL). The combined organic phases were concentrated under vacuum to give the crude product. Purification was carried out by flash chromatography (*n*-pentane-Et₂O (4:1)) on silica gel (*R_f* = 0.30) to yield 75 mg (79%) of pure product **4a**.

Methyl-3-(cyclohex-2-enyl)-3,6-dihydro-6,6-dimethyl-2-oxo-2*H*-pyran-3-carboxylate (**4a**)

¹H NMR (400 MHz, CDCl₃) δ= 5.99 (d, *J* = 10.4 Hz, 1H), 5.97-5.84 (m, 1H), 5.59 (m, 2H), 3.75 (s, 3H), 3.33-3.30 (m, 1H), 1.98-1.93 (m, 2H), 1.82-1.68 (m, 2H), 1.49 (s, 3H), 1.47 (s, 3H), 1.30-1.24 (m, 2H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 169.4, 167.4, 133.0, 131.6, 126.5, 120.6, 83.7, 56.3, 53.4, 42.1, 29.7, 29.5, 25.2, 25.1, 21.9 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₅H₂₀O₄Na: 287.1254; found. 287.1251.

Methyl 3-(cyclohex-2-enyl)-6-ethyl-3,6-dihydro-6-methyl-2-oxo-2*H*-pyran-3-carboxylate (**4b**)

The reaction afforded a diastereoisomeric mixture, from which the pure isomers were obtained by preparative HPLC.

¹H NMR (400 MHz, CDCl₃) δ= 5.94 (d, *J* = 10.4 Hz, 1H), 5.88-5.84 (m, 1H), 5.68 (d, *J* = 10.4 Hz, 1H), 5.59-5.56 (m, 1H), 3.76 (s, 3H), 3.36-3.30 (m, 1H), 1.98-1.94 (m, 2H), 1.84-1.64 (m, 4H), 1.46 (s, 3H), 1.31-1.24 (m, 2H), 0.91 (t, *J* = 7.6 Hz, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 169.4, 167.7, 132.2, 131.6, 126.5, 122.2, 86.4, 56.5, 53.4, 42.2, 34.6,

28.1, 25.3, 25.2, 22.0, 8.5 ppm. **HRMS** (ESI): calc. for $[M+Na]^+$ $C_{16}H_{22}O_4Na$: 301.1416; found. 301.1410.

1H NMR (400 MHz, $CDCl_3$) δ = 5.89-5.83 (m, 2H), 5.65 (d, J = 10.4 Hz, 1H), 5.58-5.54 (m, 1H), 3.74 (s, 3H), 3.34-3.31 (m, 1H), 1.98-1.93 (m, 2H), 1.84-1.76 (m, 2H), 1.75-1.68 (m, 2H), 1.46 (s, 3H), 1.34-1.25 (m, 2H), 0.91 (t, J = 7.6 Hz, 3H) ppm. **$^{13}C\{^1H\}$ NMR** (100 MHz, $CDCl_3$) δ = 169.5, 167.6, 131.5, 131.4, 126.4, 121.8, 86.5, 56.4, 53.3, 42.5, 35.2, 28.0, 25.2, 25.1, 21.9, 8.2 ppm. **HRMS** (ESI): calc. for $[M+Na]^+$ $C_{16}H_{22}O_4Na$: 301.1416; found. 301.1410.

Methyl-4,5-dihydro-3-(cyclohex-2-enyl)-2-oxo-spiro[5,5]-undec-4-en-3-carboxylate (4c)

1H NMR (400 MHz, $CDCl_3$) δ = 6.05 (d, J = 10.4 Hz, 1H), 5.88-5.84 (m, 1H), 5.59-5.56 (m, 2H), 3.74 (s, 3H), 3.33-3.31 (m, 1H), 2.08-1.88 (m, 2H), 1.86-1.48 (br m, 12H), 1.38-1.18 (m, 2H) ppm. **$^{13}C\{^1H\}$ NMR** (100 MHz, $CDCl_3$) δ = 169.6, 167.4, 132.4, 131.6, 126.5, 121.0, 84.7, 56.9, 53.5, 42.2, 38.1, 37.8, 29.9, 25.2, 25.1, 25.0, 21.9, 21.6 ppm. **HRMS** (ESI): calc. for $[M+Na]^+$ $C_{18}H_{24}O_4Na$: 327.1567; found. 327.1551.

Methyl 3-(cyclopent-2-enyl)-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4d)

1H NMR (400 MHz, $CDCl_3$) δ = 5.99 (d, J = 10.4 Hz, 1H), 5.93-5.89 (m, 1H), 5.80-5.77 (m, 1H), 5.56 (d, J = 10.4 Hz, 1H), 3.81-3.75 (m, 1H), 3.74 (s, 3H), 2.32-2.26 (m, 2H), 2.10-2.00 (m, 2H), 1.51 (s, 3H), 1.49 (s, 3H) ppm. **$^{13}C\{^1H\}$ NMR** (100 MHz, $CDCl_3$) δ = 176.2, 166.7, 135.1, 133.6, 130.2, 120.6, 83.5, 53.3, 52.1, 32.2, 29.9, 29.6, 29.5, 26.0 ppm. **HRMS** (ESI): calc. for $[M+Na]^+$ $C_{14}H_{18}O_4Na$: 273.1097; found. 273.1079.

Methyl 3-((Z)-cyclohept-2-enyl)-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4e)

¹H NMR (400 MHz, CDCl₃) δ= 6.01 (d, *J* = 10.0 Hz, 1H), 5.91-5.84 (m, 1H), 5.67 (d, *J* = 10.4 Hz, 1H), 5.50-5.46 (m, 1H), 3.74 (s, 3H), 3.42-3.34 (m, 1H), 2.18-2.11 (m, 2H), 1.99-1.90 (m, 2H), 1.65-1.58 (m, 2H), 1.56 (s, 3H), 1.44 (s, 3H), 1.31-1.25 (m, 2H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 169.6, 167.5, 133.7, 133.4, 131.4, 121.3, 83.5, 57.5, 53.4, 46.2, 30.9, 30.7, 29.6, 29.5, 28.4, 26.3 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₆H₂₂O₄Na: 301.1410; found. 301.1399.

Methyl 3-allyl-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4f)

¹H NMR (400 MHz, CDCl₃) δ= 5.96 (d, *J* = 10.0 Hz, 1H), 5.61-5.51 (m, 2H), 5.17-5.16 (m, 1H), 5.13-5.10 (m, 1H), 3.73 (s, 3H), 2.99-2.94 (m, 1H), 2.70-2.65 (m, 1H), 1.51 (s, 3H), 1.44 (s, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.1, 167.9, 133.3, 131.9, 122.3, 120.0, 83.9, 53.5, 53.3, 40.5, 29.7, 29.5 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₂H₁₆O₄Na: 247.0941; found. 247.0937.

Methyl 3-(but-3-enyl)-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4g)

¹H NMR (400 MHz, CDCl₃) δ= 5.97 (d, *J* = 10.0 Hz, 1H), 5.80-5.70 (m, 1H), 5.52 (d, *J* = 10.4 Hz, 1H), 5.04-4.93 (m, 2H), 3.71 (s, 3H), 2.04-1.95 (m, 2H), 1.94-1.85 (m, 2H), 1.51 (s, 3H), 1.47 (s, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.3, 168.2, 137.2, 133.6, 122.7, 115.7, 83.8, 53.3, 53.2, 35.2, 29.6, 29.4, 29.1 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₅H₂₄O₄Na: 261.1097; found. 261.1088.

Methyl 3,6-dihydro-3,6,6-trimethyl-2-oxo-2H-pyran-3-carboxylate (4h)

^1H NMR (400 MHz, CDCl_3) δ = 5.87 (d, J = 10.4 Hz, 1H), 5.58 (d, J = 10.4 Hz, 1H), 3.71 (s, 3H), 1.51 (s, 3H), 1.46 (s, 3H), 1.28 (s, 3H). **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 170.7, 169.2, 132.1, 124.3, 83.8, 54.1, 53.4, 29.6, 29.2, 18.3 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{10}\text{H}_{14}\text{O}_4\text{Na}$: 221.0784; found. 221.0792.

Methyl 3-ethyl-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4i)

^1H NMR (400 MHz, CDCl_3) δ = 5.98 (d, J = 10.0 Hz, 1H), 5.48 (d, J = 10.0 Hz, 1H), 3.71 (s, 3H), 2.31-2.24 (m, 1H), 1.95-1.86 (m, 1H), 1.51 (s, 3H), 1.46 (s, 3H), 0.83 (t, J = 7.2 Hz, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 170.5, 168.3, 133.6, 122.6, 83.7, 54.1, 53.3, 29.7, 29.3, 9.2 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{11}\text{H}_{16}\text{O}_4\text{Na}$: 235.0941; found. 239.0936.

Methyl 3-ethyl-3,6-dihydro-6-ethyl-6-methyl-2-oxo-2H-pyran-3-carboxylate (4j)

The reaction afforded a diastereoisomeric mixture, from which the pure isomers were obtained by preparative HPLC. (dd, J^1 = 14.2 Hz and J^2 = 7.6 Hz, 1H)

^1H NMR (400 MHz, CDCl_3) δ = 5.88 (d, J = 10.3 Hz, 1H), 5.55 (d, J = 10.3 Hz, 1H), 3.71 (s, 3H), 2.29 (qd, J^1 = 13.7 Hz, J^2 = 7.4 Hz, 1H), 1.92 (qd, J^1 = 13.7 Hz, J^2 = 7.4 Hz, 1H), 1.83 (qd, J^1 = 14.5 Hz, J^2 = 7.4 Hz, 1H), 1.71 (qd, J^1 = 14.5 Hz, J^2 = 7.4 Hz, 1H), 1.44 (s, 3H), 0.93 (t, J = 7.5 Hz, 3H) 0.87 (t, J = 7.5 Hz, 3H) ppm. **$^{13}\text{C}\{^1\text{H}\}$ NMR** (100 MHz, CDCl_3) δ = 170.4, 168.3, 131.7, 123.4, 86.4, 53.9, 52.9, 34.7, 29.4, 27.9, 9.1, 8.0 ppm. **HRMS** (ESI): calc. for $[\text{M}+\text{Na}]^+$ $\text{C}_{12}\text{H}_{18}\text{O}_4\text{Na}$: 249.1097; found. 249.1102.

¹H NMR (400 MHz, CDCl₃) δ= 5.89 (d, *J* = 10.2 Hz, 1H), 5.57 (d, *J* = 10.2 Hz, 1H), 3.72 (s, 3H), 2.31 (qd, *J*¹ = 13.8 Hz, *J*² = 7.4 Hz, 1H), 1.94 (qd, *J*¹ = 13.8 Hz, *J*² = 7.4 Hz, 1H), 1.82 (qd, *J*¹ = 14.5 Hz and *J*² = 7.3 Hz, 1H), 1.65 (qd, *J*¹ = 14.5 Hz and *J*² = 7.3 Hz, 1H), 1.49 (s, 3H), 0.88 (t, *J* = 7.5 Hz, 3H) 0.84 (t, *J* = 7.5 Hz, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.3, 168.4, 132.5, 124.0, 86.2, 54.0, 53.0, 34.4, 29.1, 27.9, 9.1, 8.2 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₂H₁₈O₄Na: 249.1097; found. 249.1112.

Methyl-4,5-dihydro-3-ethyl-2-oxo-spiro[5,5]-undec-4-en-3-carboxylate (4k)

¹H NMR (400 MHz, CDCl₃) δ= 6.03 (d, *J* = 10.4 Hz, 1H), 5.48 (d, *J* = 10.4 Hz, 1H), 3.71 (s, 3H), 2.31-2.21 (m, 2H), 1.94-1.76 (m, 4H), 1.66-1.48 (m, 4H), 1.37-1.28 (m, 2H), 0.83 (t, *J* = 7.6 Hz, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.7, 168.2, 133.0, 123.1, 84.7, 54.7, 53.2, 38.1, 29.4, 25.0, 21.5, 9.2 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₄H₂₀O₄Na: 275.1254; found. 275.1254.

Methyl 3-hexyl-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4l)

¹H NMR (400 MHz, CDCl₃) δ= 5.95 (d, *J* = 10.4 Hz, 1H), 5.50 (d, *J* = 10.4 Hz, 1H), 3.71 (s, 3H), 2.23-2.16 (m, 1H), 1.90-1.83 (m, 1H), 1.51 (s, 3H), 1.46 (s, 3H), 1.34-1.18 (br m, 8H), 0.84 (t, *J* = 7.2 Hz, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.5, 168.4, 133.2, 123.0, 83.7, 53.6, 53.3, 36.0, 31.7, 29.7, 29.4, 24.8, 22.7, 14.2 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₅H₂₄O₄Na: 291.1567; found. 291.1581.

Methyl 3,6-dihydro-3-isobutyl-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4m)

¹H NMR (400 MHz, CDCl₃) δ= 5.93 (d, *J* = 10.0 Hz, 1H), 5.56 (d, *J* = 10.4 Hz, 1H), 3.71 (s, 3H), 2.19-2.14 (dd, *J*¹ = 14.2 Hz and *J*² = 7.6 Hz, 1H), 1.97-1.92 (dd, *J*¹ = 14.2 Hz and *J*² = 7.6 Hz, 1H), 1.64-1.55 (m, 1H), 1.50 (s, 3H), 1.47 (s, 3H), 0.91 (d, *J* = 6.8 Hz, 3H), 0.82 (d, *J* = 6.8 Hz, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.6, 168.7, 132.7, 123.0, 83.6, 53.3, 43.9, 29.4, 25.2, 24.3, 22.8 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₃H₂₀O₄Na: 263.1254; found. 263.1254.

Methyl 3-benzyl-3,6-dihydro-6,6-dimethyl-2-oxo-2H-pyran-3-carboxylate (4n)

¹H NMR (400 MHz, CDCl₃) δ= 7.23-7.13 (m, 5H), 5.76 (d, *J* = 10.4 Hz, 1H), 5.57 (d, *J* = 10.4 Hz, 1H), 3.77 (s, 3H), 3.65 (d, *J* = 13.3 Hz, 1H), 3.17 (d, *J* = 13.3 Hz, 1H), 1.40 (s, 3H), 1.38 (s, 3H) ppm. **¹³C{¹H} NMR** (100 MHz, CDCl₃) δ= 170.3, 167.9, 135.4, 132.8, 130.9, 128.3, 127.4, 121.7, 83.8, 55.1, 53.5, 41.9, 29.5, 28.7 ppm. **HRMS** (ESI): calc. for [M+Na]⁺ C₁₆H₁₈O₄Na: 297.1097; found. 297.1090.