A Highly Efficient Gold-Catalyzed Atom-Economical Annulation of Phenols with Dienes

Rene-Viet Nguyen, Xiaoquan Yao, and Chao-Jun Li*

Department of Chemistry, McGill University, 801 Sherbrooke St. West, Montreal, Quebec H3A 2K6, Canada

Email: cj.li@mcgill.ca

Supporting information

All experiments were carried out under a nitrogen atmosphere. Dichloromethane was dried using CaH_2 . Column chromatography was performed over Sorbent silica gel 30-60 μm . ^1H -NMR spectra were acquired by Varian 400 and 100MHz or 300 and 75MHz, respectively, and referenced to the internal solvent signals. IR spectra were recorded by ABB Bomem MB100 spectrometer. Mass spectra data and HRMS were obtained by Kratos MS25RFA Mass Spectrometer.

Typical experimental procedure (Table 2, entry 1):

A solution of AuCl_3 (7.6 mg, 0.025 mmol) and AgOTf (19.3 mg, 0.075 mmol) was stirred in dry dichloromethane (1.5 mL) at room temperature for 2 hrs. Phenol (94 mg, 0.5 mmol) was then added, which was followed by the dropwise (approx. 1 drop/sec.) addition of cyclohexadiene (124 μL , 1.0 mmol diluted in 0.5 mL of dry dichloromethane) and the resulting solution was stirred overnight at 40-45 $^\circ\text{C}$. The resulting solution was filtered through a cotton plug and the solvent was removed under reduced pressure to afford a dark oil. The internal standard (nitromethane) was added and a crude ^1H NMR was recorded. The product was isolated via column chromatography on silica gel (gradient eluent: hexane: dichloromethane = 40:1 to 2:1) to afford 74% of a colorless oil.

1,2,3,4,4a,9b-Hexahydro-dibenzofuran(1a).¹

The ratio of two diastereoisomers is 3:1. Syn isomer: ¹H NMR(CDCl₃, 400MHz, ppm): δ= 4.68(q, 1H, *J*=7.2 Hz), 3.20(q, 1H, *J*=7.2 Hz); ¹³C NMR(CDCl₃, 75MHz, ppm): δ= 159.43, 133.64, 127.93, 123.71,

120.62, 110.22, 82.82, 41.02, 28.71, 27.99, 22.51, 21.05; Anti isomer: ¹H NMR(CDCl₃, 400MHz, ppm): δ= 4.59(m, 1H), 3.00(m, 1H); ¹³C NMR(CDCl₃, 75MHz, ppm): δ= 156.38, 128.69, 127.56, 119.46, 115.35, 109.65, 71.23, 33.75, 33.58, 31.92, 29.91, 17.71; Overlapped peaks: : ¹H NMR(CDCl₃, 400MHz, ppm): δ= 7.16-1.10(m), 6.88-6.81(m), 2.00-1.75(m), 1.56-1.33(m).

8-Bromo-1,2,3,4,4a,9b-hexahydro-dibenzofuran(3a).

The ratio of two diastereoisomers is 3:1. IR(neat): $\nu_{\max}$ = 2926, 1600, 1446, 1414, 1369, 1217, 1085, 994cm⁻¹; Syn isomer: ¹H

NMR(CDCl₃, 400MHz, ppm): δ= 7.22(s, 1H), 7.20(d, 1H, *J*= 8.4 Hz), 6.70(d, 1H, *J*= 8.4Hz), 4.69(m, 1H), 3.20(m, 1H); ¹³C NMR(CDCl₃, 75MHz, ppm): δ= 158.75, 134.20, 130.72, 126.88, 117.24, 111.84, 83.42, 40.92, 28.32, 27.68, 22.17, 20.70; MS(EI): *m/z*(%) 252(M⁺), 173; HRMS calc'd for C₁₂H₁₃O⁷⁹Br : 252.0150; found, 252.0141; HRMS calc'd for C₁₂H₁₃O⁸¹Br : 254.0129; found, 254.0123; Anti isomer: ¹H NMR(CDCl₃, 400MHz, ppm): δ= 7.23(s, 1H), 7.19(d, 1H, *J*= 8.4 Hz), 6.68(d, 1H, *J*= 8.4Hz), 4.58(m, 1H), 2.96(m, 1H); ¹³C NMR(CDCl₃, 75MHz, ppm): δ= 155.64, 131.22, 130.40, 127.76, 113.11, 112.43, 71.35, 33.32, 31.68, 29.33, 28.99, 17.32; Overlapped peaks: ¹H NMR(CDCl₃, 400MHz, ppm): δ=1.98-1.78(m), 1.57-1.47(m), 1.39-1.35(m).

1,3,4-Trimethyl-5a,6,7,8,9,9a-hexahydro-dibenzofuran-2-

ol(4a).² The eluent gradient was a mixture of hexanes: ethyl acetate (60:1). The ratio of two diastereoisomers is 12:1. Syn isomer: ¹H

NMR(CDCl₃, 400MHz, ppm): δ= 4.48(m, 1H), 4.24(s, 1H), 2.16(s, 9H); ¹³C NMR(CDCl₃, 100MHz, ppm): δ= 151.51, 145.90, 131.33, 127.14, 116.77, 81.86, 40.78, 29.05, 27.96, 23.34, 20.81, 12.58, 12.57, 12.25; Anti isomer: ¹H NMR(CDCl₃, 400MHz, ppm): δ= 4.82(m, 1H), 4.22(s, 1H), 3.31(m, 1H), 2.13(s, 9H); ¹³C NMR(CDCl₃, 100MHz, ppm): δ= 151.32, 133.82, 121.83, 117.35, 115.70, 86.10, 47.75, 31.84, 31.65, 29.64,

23.74, 12.48, 12.24, 11.98; Overlapped peaks: ^1H NMR(CDCl_3 , 400MHz, ppm): δ =2.97(m), 2.30(m), 1.95(m), 1.76-1.56(m), 1.26-1.13(m).

8-Methyl-1,2,3,4,4a,9b-hexahydro-dibenzofuran(2a). The ratio of

two diastereoisomers is 4:1. IR(neat): 2930, 1616, 1514, 1448,

1213, 948, 813 cm^{-1} ; Syn isomer: ^1H NMR(CDCl_3 , 400MHz, ppm):

δ = 6.95(d, 1H, J =8.0 Hz), 6.74(d, 1H, J =8.0 Hz), 4.66(m, 1H), 3.17(q, 1H, J =7.2 Hz), 2.32(s,

3H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 157.44, 133.77, 129.90, 128.26, 124.44, 109.76,

82.80, 40.97, 28.59, 27.87, 22.41, 21.14, 20.95; MS(EI): m/z (%) 188(M^+ , 100), 173; HRMS

calc'd for $\text{C}_{18}\text{H}_{16}\text{O}$: 188.1201; found, 188.1195; Anti isomer: ^1H NMR(CDCl_3 , 400MHz,

ppm): δ = 6.95(d, 1H, J =8.0 Hz), 6.75(d, 1H, J =8.0 Hz), 4.59(m, 1H), 2.97(m, 1H), 2.29(s,

3H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 154.29, 129.18, 128.52, 128.23, 126.46, 115.07,

70.99, 33.65, 33.38, 31.75, 29.84, 20.73, 17.58; Overlapped peaks: ^1H NMR(CDCl_3 ,

400MHz, ppm): 6.98(s), 1.98(m), 1.90-1.54, 1.57-1.53(m), 1.37(m).

6b,7,8,9,10,10a-Hexahydro-benzo[b]naphtho[2,1-d]furan(5a).⁴ The

ratio of two diastereoisomers is 11:1. Syn isomer: ^1H -NMR(CDCl_3 ,

400MHz, ppm): δ = 7.88(d, 1H, J =8.4 Hz), 7.74(d, 1H, J =6.4 Hz),

7.52(t, 1H, J =7.2 Hz), 7.35(t, 1H, J =7.2 Hz), 7.25(d, 1H, J =8.4 Hz),

4.83(m, 1H), 3.48(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 156.81,

130.49, 129.67, 129.06, 128.70, 126.94, 126.61, 122.89, 122.88, 112.81, 83.81, 40.21, 29.48,

27.84, 23.03, 20.86; Anti isomer (some peaks are difficult to distinguished): ^1H -NMR(CDCl_3 ,

400MHz, ppm): δ = 7.98(d, 1H, J =8.4 Hz), 7.59(t, 1H, J =7.2 Hz), 7.18(d, 1H, J =8.4 Hz),

4.68(m, 1H), 3.69(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 153.77, 128.93, 128.80,

127.83, 126.41, 125.89, 124.03, 123.86, 123.72, 112.53, 70.96, 40.28, 27.44, 26.99, 23.56,

23.14. Overlapped peaks: ^1H -NMR(CDCl_3 , 400MHz, ppm): δ =2.46(m), 2.26(m), 1.91(m),

1.73(m), 1.32(m).

7,8,9,10,11,11a-Hexahydro-6bH-12-oxa-naphtho[2,1-a]azulene(6a).⁴

The ratio of two diastereoisomers is 8:1. Syn isomer: ^1H NMR(CDCl_3 ,

400MHz, ppm): δ = 7.87(d, 1H, J =8.0 Hz), 7.75(d, 1H, J =8.0 Hz), 7.71(d,

1H, J =8.4 Hz), 7.53(t, 1H, J =8.4 Hz), 7.35(t, 1H, J =8.4 Hz), 7.08(d, 1H,

J =8.4 Hz), 5.07(m, 1H), 3.82(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm):

δ = 156.58, 130.83, 129.77, 129.52, 129.37, 126.73, 123.14, 122.73, 122.49, 112.26, 88.03, 47.18, 31.99, 31.84, 29.97, 29.58, 24.22; Anti isomer (some peaks are difficult to distinguished): ^1H NMR(CDCl_3 , 400MHz, ppm): δ = 7.97(d, 1H, J =8.0 Hz), 7.69(d, 1H, J =8.4 Hz), 7.62(d, 1H, J =8.0 Hz), 4.83(m, 1H), 3.75(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 155.94, 128.52, 125.90, 125.60, 124.32, 123.91, 123.38, 122.86, 122.35, 112.45, 73.12, 37.53, 34.82, 29.14, 28.11, 26.30, 26.24. Overlapped peaks: ^1H NMR(CDCl_3 , 400MHz, ppm): δ =2.37(m), 2.19-1.97(m), 1.97(m), 1.83(m), 1.55(m).

7a,8,9,10,11,12,13,13a-Octahydro-7-oxaoccaleno[2,-a]-

naphthalene(7a).⁴ The ratio of two diastereoisomers is 5:1. Syn isomer: ^1H NMR(CDCl_3 , 300MHz, ppm): δ = 7.85(d, 1H, J =9.6 Hz), 7.13(d, 1H, J =9.0 Hz), 4.82(m, 1H), 3.61(m, 1H), 2.38(m, 2H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 155.47, 130.47, 129.94, 129.40, 129.22, 126.87, 125.85, 122.82, 122.44, 112.21, 88.86, 45.90, 30.91, 28.59, 26.66, 26.17, 25.86, 25.67; Anti isomer (some peaks are difficult to distinguished): ^1H NMR(CDCl_3 , 300MHz, ppm): δ = 7.90(d, 1H, J =9.6 Hz), 7.11(d, 1H, J =9.0 Hz), 4.56(m, 1H), 3.87(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 155.09, 129.14, 128.81, 128.04, 126.29, 124.38, 122.96, 122.86, 120.09, 111.94, 73.53, 34.92, 32.28, 31.59, 29.62, 27.26, 24.51, 23.03; Overlapped peaks: ^1H NMR(CDCl_3 , 300MHz, ppm): δ = 7.67(m), 7.51(m), 7.33(m), 2.30-2.22(m), 1.91-1.85(m), 1.69-1.23(m).

3-Bromo-7a,8,9,10,11,11a-hexahydro-benzo[b]naphtho[1,2-

d]furan(8a). The ratio of two diastereoisomers is 11:1. IR(KBr plate): 2930, 1626, 1575, 1508, 1474, 1348, 1161, 1061 cm^{-1} ; Syn isomer: ^1H -NMR(CDCl_3 , 300MHz, ppm): δ = 4.79(m, 1H), 3.44(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 157.27, 131.01, 130.76, 129.89, 127.95, 127.89, 127.33, 124.66, 116.39, 113.85, 83.84, 39.92, 29.30, 27.53, 22.72, 20.52; MS(EI) m/z (%): 302(M^+ , 100), 223(100); HRMS calc'd for $\text{C}_{16}\text{H}_{15}\text{O}^{79}\text{Br}$: 302.0306; found: 302.0297;); HRMS calc'd for $\text{C}_{16}\text{H}_{15}\text{O}^{81}\text{Br}$: 304.0286; found: 304.0282; Anti isomer: ^1H NMR(CDCl_3 , 400MHz, ppm): 4.67(m, 1H), 3.62(m, 1H); ^{13}C NMR(CDCl_3 , 75MHz, ppm): δ = 156.67, 131.29, 130.77, 129.76, 129.10, 128.72, 126.94, 126.65, 122.92, 112.81, 71.84, 34.13, 30.52,

27.05, 23.28, 21.85; Overlapped peaks: $^1\text{H-NMR}$ (CDCl_3 , 300MHz, ppm): δ =7.96(s), 7.58-4.49(m), 7.17(m), 2.38(m), 2.15(m), 1.86(m), 1.70(m), 1.55(m), 1.34-1.18(m).

3-Methoxy-7a,8,9,10,11,11a-hexahydro-benzo[b]naphtho[1,2-d]furan(9a).

The ratio of two diastereoisomers is 11:1. IR(KBr plate): 2935, 2853, 1626, 1600, 1521, 1347, 1261, 1098, 733 cm^{-1} ;

Syn isomer: $^1\text{H NMR}$ (CDCl_3 , 400MHz, ppm): δ = 4.76(m, 1H),

3.42(m, 1H); $^{13}\text{C NMR}$ (CDCl_3 , 75MHz, ppm): δ = 155.62, 155.31,

130.58, 127.50, 126.06, 124.51, 119.63, 113.11, 107.31, 83.64, 55.67, 40.34, 29.66, 27.88,

23.12, 20.92; MS(EI): m/z(%) 254(M^+ , 100), 174; HRMS calc'd for $\text{C}_{17}\text{H}_{18}\text{O}_2$: 254.1307;

found, 254.1304; Anti isomer: $^1\text{H NMR}$ (CDCl_3 , 400MHz, ppm): 4.65(m, 1H), 3.64(m, 1H);

$^{13}\text{C NMR}$ (CDCl_3 , 75MHz, ppm): δ = 153.88, 152.26, 129.41, 126.14, 125.76, 122.60, 118.08,

114.12, 112.10, 107.85, 70.96, 55.02, 34.26, 31.78, 24.14, 21.98, 18.43; Overlapped peaks:

7.61(m), 7.06(m), 3.91(s, 3H), 2.35(m), 2.04(m), 1.89-1.79(m), 1.71(m), 1.34-1.27(m).

7a,8,9,10,11,11a-Hexahydro-benzo[b]naphtho[1,2-d]furan-6-ol(10a).

The eluent was a mixture of hexanes:ethyl acetate (60:1). The diastereoisomers can be separated with an eluent of hexanes:dichloromethane (1:1) on a preparative TLC. One of the

diastereoisomer: IR(KBr plate): 3409, 2932, 1629, 1593, 1525, 1458, 1381, 1299, 908,

733 cm^{-1} ; $^1\text{H NMR}$ (CDCl_3 , 400MHz, ppm): δ = 7.68-7.316(m, 2H), 7.29(m, 3H), 4.85(m, 1H),

3.44(m, 1H), 2.47(m, 1H), 2.21(m, 1H), 1.86-1.60(m, 3H), 1.33-1.22(m, 2H); ^{13}C

NMR (CDCl_3 , 75MHz, ppm): 144.64, 143.70, 129.43, 127.47, 126.91, 123.87, 123.65, 121.43,

118.09, 107.81, 71.85, 33.99, 30.80, 29.76, 26.72, 18.13; MS(EI): m/z(%) 240 (M^+ , 100), 223,

160; HRMS calc'd for $\text{C}_{16}\text{H}_{16}\text{O}_2$: 240.1153; found: 240.1147. Another diastereoisomer: ^1H

NMR (CDCl_3 , 400MHz, ppm): δ = 7.72(m, 1H), 7.70(m, 1H), 7.34(m, 2H), 7.18(m, 1H),

5.59(s, 1H), 4.87(m, 1H), 3.50(m, 1H), 2.40(m, 1H), 2.21(m, 1H), 1.88(m, 1H), 1.72-1.61(m,

3H), 1.33-1.28(m, 2H); $^{13}\text{C NMR}$ (CDCl_3 , 75MHz, ppm): 146.87, 142.02, 131.04, 128.19,

127.77, 125.73, 124.25, 123.72, 122.82, 110.39, 85.25, 40.79, 29.18, 27.60, 27.72, 20.57.

1,2,3,4,4a,8c,9,10,11,12,12a,14a-Dodecahydro-13,14-dioxabenzoc

[c]indeno[2,1-a]fluorene(10b). Two isomers can be separated with an eluent of hexanes:dichloromethane (1:1) on a preparative TLC. One of

the isomer: IR(KBr plate): 2929, 1599, 1527, 1456, 1370, 1293, 1178, 1113, 1036cm⁻¹. ¹H NMR(CDCl₃, 400MHz, ppm): δ= 7.68-(m, 2H), 7.29(m, 2H), 4.85(m, 2H), 3.44(m, 2H), 2.47(m, 2H), 2.21(m, 2H), 1.86(m,

2H), 1.73-1.61(m, 6H), 1.33-1.22(m, 4H); ¹³C NMR(CDCl₃, 75MHz, ppm): 143.92, 143.88, 128.77, 128.71, 126.23, 126.20, 123.88, 123.87, 123.58, 123.57, 85.42, 85.00, 40.43, 40.42, 29.63, 29.55, 27.67, 27.61, 23.06, 23.02, 20.74, 20.73; MS(EI): m/z(%) 320(M⁺, 100); HRMS calc'd for C₂₂H₂₄O₂: 320.1776; found: 320.1772. Another isomer: ¹H NMR(CDCl₃, 400MHz, ppm): δ= 7.77(m, 2H), 7.38(m, 2H), 4.94(m, 2H), 3.53(m, 2H), 2.47(m, 1H), 2.21(m, 2H), 1.97(m, 2H), 1.68-1.55(m, 2H), 1.35-1.20(m, 2H); ¹³C NMR(CDCl₃, 75MHz, ppm): 153.61, 127.91, 124.55, 123.65, 122.79, 85.54, 40.51, 29.49, 27.64, 23.30, 20.62.

References

- ¹ Kurono, N.; Honda, E.; Komatsu, F.; Orito, K.; Tokuda, M. *Tetrahedron* **2004**, *60*, 1791.
- ² Novak, L.; Kovacs, P.; Kolonits, P.; Hanania, M.; Fekete, J.; Szabo, E.; Szantay, C. *Synthesis* **1997**, 909.
- ³ Novak, L.; Kovacs, P.; Pirok, G.; Kolonits, P.; Hanania, M.; Donath, K.; Szantay, C. *Tetrahedron* **1997**, *53*, 9789.
- ⁴ Kovacs, P.; Kolonits, P.; Kaleta, Z.; Parkanyi, L.; Szabo, E.; Novak, L. *Synthesis* **2003**, 1043.

STANDARD 1H OBSERVE 383

Data Collected on: m400-mercury400
 Archive directory: /export/home/eghbali/vnmrsys/data
 Sample directory:
 File: PROTON

Pulse Sequence: s2pu1
 Solvent: CDCl3

Relax. delay 1.000 sec
 Pulse 11.4 degrees
 Acq. time 1.998 sec
 Width 6410.3 Hz
 Frequency 300.1245662 MHz
 OBSERVE H1 300.1245662 MHz
 DATA PROCESSING
 FT size 32768
 Total time 23 min

4a

383C13
Pulse Sequence: s2pu1
Solvent: CDCl3
Acquisition Temperature
File: rne383C13
Mercury-40088 "m400"
Relax. delay 2.500 sec
Pulse 42.6 degrees
Acq. time 1.199 sec
Width 25000.0 Hz
10976 repetitions
OBSERVE CH1 100.610730 MHz
DECOUPLE H1 400.1239934 MHz
Power 35 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
File: rne383C13
Total time 0 min, 0 sec

398C13
Pulse Sequence: s2pu1
Solvent: CDCl3
Acq. time 1.815 sec
Relax. delay 1.500 sec
Pulse 58.2 degrees
Width 18761.7 Hz
16000 repetitions
Observed F1, 300.0564325 MHz
DECUPLE F1, 300.0564325 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
FT size 131072
Total time 100 hr, 20 min, 12 sec

379shut

Date Collected on: m400-mercury400
 Archive directory: /export/home/lzhao/vnmrsvs/data-
 Sample directory: /export/home/lzhao/vnmrsvs/data-
 File: PROTON

Pulse Sequence: s2pul

Solvent: CDCl3

Temp: 25.0 C / 298.1 K

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 1.998 sec

Width 6410.3 Hz

32 Repetitions

OS: 10.1245717 MHz

DATA PROCESSING

FT size 32768

Total time 23 min

¹³C OBSERVE

Data Collected on: m400-mercury400
 Acquisition directory: /export/home/lzhao/vnmr/sys/data
 Sample directory: /export/home/lzhao/vnmr/sys/data
 File: rne379C13

Pulse Sequence: s2pu1

Solvent: CDCl₃

Temp: 25.0 C / 298.1 K

Relax. delay: 1.000 sec

Pulse: 45.0 degrees

Acq. time: 1.199 sec

Width: 25125.6 Hz

18240 repetitions

OBSERVE C13, 100.613782 MHz

DECOUPLE F1, 400.1266027 MHz

Proton decoupled continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

File size 65526

Total time 65 hr, 35 min

380

Data Collected on: m400-mercury400
 Acquisition directory: /export/home/lzhao/vnmrSYS/data
 Sample directory:
 File: PROT0N

Pulse Sequence: s2pul

Solvent: CDCl₃
 Temp. 20.0 C / 293.1 K

Relax. delay 1.000 sec

Acq. time 1.996 sec

Width 6410.3 Hz

24 repetitions

OBSERVE H1, 400.1245662 MHz

DATA PROCESSING

File size 32768

Total time 23 min

13C OBSERVE

Data Collected on: m400-mercury400
 Archive directory: /export/home/izhao/vnmrsys/data
 Sample directory: /export/home/izhao/vnmrsys/data
 File: r0638013

Pulse Sequence: s2pu1
 Solvent: CDCl3
 Temp: 20.0 C / 293.1 K

Relax. delay 1.000 sec
 Pulse 45.0 degrees
 Acq. time 1.000 sec
 Width 25125.6 Hz
 18560 repetitions
 OBSERVE C13, 100.6113782 MHz
 DECOUPLE H1, 400.1266027 MHz
 Power 34.000 W
 Modulated by on
 WALTZ-16 modulated
 DATA PROCESSING
 Line broadening 1.0 Hz
 FT size 65536
 Total time 63 hr, 35 min

391C13
Pulse Sequence: s2pu1
Solvent: CDCl3
Ambient temperature
File: rene-feb4th-morningC13
Mercury-300 "m300"
Relax. delay 1.500 sec
Pulse 56.2 degrees
Acq time 1.13 sec
Width 18761.7 Hz
16184 repetitions
OBSERVE C13, 75.4488692 MHz
DECOUPLE H1, 300.0564325 MHz
Power 34 dB
Continuously on
Waltz16 simulated
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 861 hr, 51 min, 38 sec

375
Pulse Sequence: s2pul
Solvent: CDCl3
Ambient temperature
File: fene375antherone
Mercury-400BB 400000
Relax. delay 1.000 sec
Puls. 92.6 degrees
Acq. time 1.993 sec
Width 6006.0 Hz
28 repetitions
OBSERVE H1, 400.1219604 MHz
DATA PROCESSING
Phase 22.00
Total time 22 min, 54 sec

¹³C OBSERVE

Data Collected on: m300-mercury300
 Archive directory: /export/home/izhaa/vnmrSYS/data
 Sample directory:
 File: CARBON
 Pulse Sequence: s2pu1
 Solvent: CDCl₃
 Relax. delay 1.000 sec
 Pulse 45.0 degrees
 Acq. time 1.815 sec
 Width 18867.9 Hz
 ZGPGP 1000000
 ZG 1000000
 OBSERVE C13, 75.4500158 MHz
 DECOUPLE H1, 300.0610299 MHz
 Power 35 dB
 continuously on
 WALTZ-16 modulated
 on the F2 channel
 FT size 131072
 Total time 43 hr, 27 min

325

Pulse Sequence: s2pul
 Solvent: CDCl₃
 Ambient temperature
 Mercury-400BB "m400"
 Relax. delay 1.000 sec
 Pulse 92.6 degrees
 Acq. time 1.993 sec
 Width 16.000 kHz
 20 repetitions
 OBSERVE H1, 400.1219604 MHz
 DATA PROCESSING
 FI size 32768
 Total time 2 min, 17 sec

385C13

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
F1 size 131072
Mercury-300 "m300"

Relax. delay 1.500 sec
Pulse 58.2 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
9040 repetitions
OBSERVE C13, 75.4488692 MHz
DECODE H1, 400.1463400 MHz
PULPROG zgpg30
acquired continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
F1 size 131072
Total time 20 hr, 4 min, 2 sec

353:ia2

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-40085 "m400"

Relax. delay 1.000 sec

Pulse 92.6 degrees

Acq. time 1.993 sec

Width 6006.0 Hz

56

OBSERVE H1 400.1219604 MHz

DATA PROCESSING

FT size 32768

Total time 22 min, 54 sec

13C OBSERVE
 Pulse Sequence: s2pul
 Solvent: CDCl3
 Ambient temperature
 Mercury-300 "m300"
 Relax. delay 1.500 sec
 Acq. 18.9 degrees
 Acq. 18.9 sec
 Width 18761.7 Hz
 13072 repetitions
 OBSERVE C13, 75.4488692 MHz
 DECOUPLE H1, 300.0564325 MHz
 Power 4.00
 Continuously on
 WALTZ-16 modulated
 DATA PROCESSING
 Line broadening 1.0 Hz
 FT size 131072
 Total time 17 hr, 9 min, 12 sec

Pulse Sequence: s2pul
Solvent: CDC13
Ambient temperature
Mercury-400BB "m400"

Relax. delay 1.000 sec
Pulse 92.6 degrees
Acq. time 1.993 sec
Width 5006.0 Hz
16 repetitions
OBSERVE H1, 400.121960
DATA PROCESSING
FT size 32768
Total time 22 min, 54 sec

Another diastereoisomer

Another diastereoisomer

420mono2C13
Pulse Sequence: s2pu1
Solvent: CDCl3
Sample temperature
Mercury-300 °m300°
Relax. delay 1.500 sec
Pulse 45.9 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
1024 repetitions
Observed C13, 75.4488892 MHz
Observed H1, 300.0584323 MHz
Power 44 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
F1 size 32768
Total time 0 min, 0 sec

392-1

Pulse Sequence: s2pul

Solvent: CDCl₃

Amiient temperature
Mercury-400BB "m400"

1000

Relax. delay 1.000 sec
Pulse 92.6 degrees

Acq. time 1.993 sec

width 6006.0 Hz
16 repetitions

OBSERVE H1, 400.1219604 MHZ
DATA PROCESSING

FT size 32768

total time 0 min, 0 sec

¹³C OBSERVE

Pulse Sequence: s2pul1
 Solvent: CDCl3
 Acquisition Temperature
 File: 060330C13
 Mercury-300 "m300"

Relax. delay 1.500 sec
 Pulse 58.2 degrees
 Acq. time 1.815 sec
 Width 18761.7 Hz
 13696 repetitions
 OBSERVE C13, 5.4488692 MHz
 DECOUPLE H1, 300.0564325 MHz
 Power 54 dB
 continuously on
 WALTZ-16 modulated
 DATA PROCESSING
 Line broadening 1.0 Hz
 File size 131072
 Total time 1003367 hr, 40 min, 7 sec

Another isomer

393b1s1
Pulse Sequence: s2pul
Solvent: CDCl3
Ambient Temperature
File Name: 393b1s1
Mercury-400BB "m400"
Relax. delay 1.000 sec
Pulse 92.6 degrees
Acq. time 1.983 sec
Width 6006.0 Hz
22000000
Observations 00.1218604 MHz
DATA PROCESSING
FT size 32768
Total time 0 min, 0 sec

10b

Another isomer

¹³C OBSERVE

Pulse Sequence: s2pu1

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.500 sec

Pulse 45.9 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

13048 repetitions

OBSERVE C13, 75.448892 MHz

DECOUPLE H1, 300.0564325 MHz

Power 44 dB

Continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 122 hr, 31 min, 27 sec

7a

381
Pulse Sequence: s2pul
Solvent: CDC13
Ambient temperature
Mercury-300 "m300"
Relax. delay 1.000 sec
Pulse 58.9 degrees
Acq. time 1.985 sec
Width 45815 Hz
F2 offset 0 Hz
OBSERVE H1 300.0549900 MHz
DATA PROCESSING
FT size 32768
Total time 0 min, 0 sec

381C13
Pulse Sequence: s2pul
Solvent: CDCl3
Acquisition date: 11/17/11
File: r06381C13
Mercury-300 "m300"
Relax. delay 1.500 sec
Pulse 58.2 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
Observed repetitions 328
Observed F1 300.1488692 MHz
Decouple F1 300.0564325 MHz
Power 34 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
F1 300.1488692 MHz
Total time 0 min, 0 sec

STANDARD IN OBSERVE

Pulse Sequence: s2pu1
Solvent: CDCl3
Ambient temperature
Mercury-400BB "m400"

Relax. delay 1.000 sec
Pulse 92.6 degrees
Acq. time 1.993 sec
Width 6610 Hz
28 repetitions
OBSERVE H1, 400.1219604 MHz
DATA PROCESSING
FT size 32768
Total time 0 min, 0 sec

13C OBSERVE

Data Collected on: m300-mercury300
Archive directory: /export/home/lzhao/vnmrsys/data
Sample directory: /export/home/lzhao/vnmrsys/data
File: CARBON

Pulse Sequence: s2pul

Solvent: CDCl3

Relax. delay 1.000 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Relax. time 1.000 sec

1104 repetitions

OBSERVE C13, 75.4500158 MHz

DECOUPLE H1, 300.0610299 MHz

Power 35 dB

Continuously on

Variable delay

Watergate gated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 43 hr, 27 min