TABLE OF CONTENTS OF SUPPORTING INFORMATION

Table of contents of supporting information: S1

Experimental Section and characterization data: S2-4

^1H NMR and ^{13}C NMR spectrum of **2a**: S5-6

^1H NMR and ^{13}C NMR spectrum of **2b**: S7-8

^1H NMR and ^{13}C NMR spectrum of **2c**: S9-10

^1H NMR and ^{13}C NMR spectrum of **2d**: S11-12

^1H NMR and ^{13}C NMR spectrum of **2e**: S13-14

^1H NMR and ^{13}C NMR spectrum of **2f**: S15-16

^1H NMR and ^{13}C NMR spectrum of **2g**: S17-18

^1H NMR and ^{13}C NMR spectrum of **2h**: S19-21

^1H NMR and ^{13}C NMR spectrum of **2i**: S22-24

^1H NMR and ^{13}C NMR spectrum of **2j**: S25-26

^1H NMR and ^{13}C NMR spectrum of **2k**: S27-28

^1H NMR and ^{13}C NMR spectrum of **2l**: S29-30

Iron-Catalyzed Homo-Coupling of Bromide Compounds

Xiaoliang Xu^{a}, Dongping Cheng^b and Wen Pei^{a*}*

^aCollege of Chemical Engineering and Materials, Zhejiang University of Technology, Hangzhou

310014, P.R.China

^bCollege of Pharmaceutical Science, Zhejiang University of Technology, Hangzhou 310014, P.R.China

pei_wen58@hotmail.com

Experimental Section

A general procedure for the homo-coupling coupling induced by cat.Fe(acac)₃/Mg: To a 10 mL flame-dried two-necked round-bottom flask with a suspension of 2 mmol (48 mg) of magnesium turnings and 0.02 mmol Fe(acac)₃ (7.0 mg) in 4 mL of anhydrous THF, was added 1 mmol bromide compounds under the atmosphere of argon. The mixture was stirred at room temperature for the time indicated in table 2. Then a little amount of silica gel (300-400 mesh) was added and the resulting mixture evaporated to dryness. Purification was done by column chromatography on silica gel (300-400 mesh) with hexane as eluent to give the pure homo-coupling products **2**.

Product data:

2a¹: 4,4'-Dimethylbiphenyl; CAS Number: 613-33-2; white solid; mp 119-120 °C; ¹H NMR (CDCl₃, 300 MHz) δ 2.39 (s, 6H), 7.23-7.25 (d, 4H), 7.47-7.50 (d, 4H); ¹³C NMR (CDCl₃, 75 MHz) δ 21.3, 127.1, 129.7, 136.9, 138.5; IR (KBr, cm⁻¹) 3015, 2923, 1600, 1481, 803, 723.

2b¹: Biphenyl; CAS Number: 92-52-4; white solid; mp 68-71 °C; ¹H NMR (CDCl₃, 300 MHz) δ 7.35-7.47 (m, 6H), 7.58-7.62 (m, 4H); ¹³C NMR (CDCl₃, 75 MHz) δ 127.1, 127.2, 128.7, 141.2; IR (KBr, cm⁻¹) 3032, 1941, 1878, 1570, 1483, 1341, 1176, 1076, 900, 741.

2c¹: 4,4'-Dimethoxybiphenyl; CAS Number: 2132-80-1; white solid; mp 177-179 °C; ¹H NMR (CDCl₃, 300 MHz) δ 3.84 (s, 6H), 6.94-6.97 (d, 4H), 7.46-7.49 (d, 4H); ¹³C NMR (CDCl₃, 75 MHz) δ 55.4, 114.1, 127.7, 133.5, 158.7; IR (KBr, cm⁻¹) 1617, 1501, 1276, 1250, 1177, 1046, 1013, 824, 806.

2d²: 4,4'-Bis(N,N-dimethylamino)biphenyl; CAS Number: 366-29-0; white solid; mp 194-195 °C; ¹H NMR (acetone-d₆, 300 MHz) δ 2.95 (s, 12H), 6.78-6.81 (d, 4H), 7.42-7.45 (d, 4H); ¹³C NMR (acetone-d₆, 75 MHz) δ 41.1, 55.0, 114.2, 127.6, 130.6, 150.7; IR (Nujol, cm⁻¹) 2719, 1608, 1351, 1250, 1187, 1055, 938, 808, 725.

2e³: 2,2'-Bithiophene; CAS Number: 492-97-7; white solid; mp 33-34 °C; ¹H NMR (CDCl₃, 300 MHz) δ 7.00-7.03 (m, 2H), 7.17-7.22 (m, 4H); ¹³C NMR (CDCl₃, 75 MHz) δ 123.7, 124.3, 127.7, 137.4; IR (KBr, cm⁻¹) 3052, 1593, 1497, 1391, 1131, 965, 853, 813, 738.

2f¹: 2,2'-Binaphthyl; CAS Number: 612-78-2; white solid; mp 187-188 °C; ¹H NMR (CDCl₃, 300 MHz) δ 7.50-7.54 (m, 4H), 7.88-7.99 (m, 8H), 8.18 (s, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 125.7, 126.0, 126.1, 126.34, 127.7, 128.2, 128.5, 132.7, 133.7, 138.4; IR (KBr, cm⁻¹) 3089, 3047, 1595, 1400, 1132, 970, 886, 856, 810, 700.

2g⁴: 3,3'-Dimethylbiphenyl; CAS Number: 612-75-9; colorless liquid; ¹H NMR (CDCl₃, 300 MHz) δ 2.42 (s, 6H), 7.15-7.17 (d, 2H), 7.32-7.40 (m, 8H); ¹³C NMR (CDCl₃, 75 MHz) δ 21.5, 124.3, 127.9, 127.9, 128.6, 138.2, 141.3; IR (neat, cm⁻¹) 3020, 2917, 1603, 1471, 768, 694.

2h⁵: 3,5,3',5'-Tetrakis(trifluoromethyl)biphenyl; CAS Number: 396-44-1; white solid; mp 68-71 °C; ¹H NMR (CDCl₃, 300 MHz) δ 7.98 (s, 2H), 8.02 (s, 4H); ¹³C NMR (CDCl₃, 75 MHz) δ 117.6, 121.2, 124.8, 128.4 (CF₃); 122.6-122.7 (C of 4 and 4' position); 127.5-127.5 (C of 2, 2', 6 and 6' position); 132.2, 132.7, 133.1, 133.6 (C of 3, 3', 5 and 5' position); 140.4 (C of 1 and 1' position); IR (KBr, cm⁻¹) 3059, 2257, 1455, 1347, 1189, 1072, 713.

2i⁶: 2,2'-Bis(trifluoromethyl)biphenyl; CAS Number: 567-15-7; white solid; mp 68-71 °C; ¹H NMR (CDCl₃, 300 MHz) δ 7.28-7.31 (m, 2H), 7.51-7.57 (m, 4H), 7.73-7.77 (m, 2H); ¹³C NMR (CDCl₃, 75

MHz) δ 118.6, 122.3, 125.9, 129.6 (CF₃); 126.2; 128.3; 128.8, 129.2 (C of 2 and 2' position); 130.9, 131.8, 137.7; IR (KBr, cm⁻¹) 2262, 1419, 1351, 1175, 1136, 798.

2j⁷: Bibenzyl; CAS Number: 103-29-7; white solid; mp 50-52 °C; ¹H NMR (CDCl₃, 300 MHz) δ 2.92 (s, 4H), 7.17-7.26 (m, 10H); ¹³C NMR (CDCl₃, 75 MHz) δ 37.9, 125.9, 128.3, 128.4, 141.8; IR (KBr, cm⁻¹) 3057, 3016, 2907, 2846, 1602, 1493, 1452, 694.

2k⁸: Bicyclohexyl; CAS Number: 92-51-3; colorless liquid; ¹H NMR (CDCl₃, 300 MHz) δ 0.95-1.23 (m, 12H), 1.63-1.78 (m, 10H); ¹³C NMR (CDCl₃, 75 MHz) δ 26.9, 30.2, 43.5; IR (neat, cm⁻¹) 2923, 2857, 1542, 1268, 851.

2l⁹: Dodecane; CAS Number: 112-40-3; colorless liquid; ¹H NMR (CDCl₃, 300 MHz) δ 0.85-0.89 (t, 6H), 1.22-1.26 (m, 20H); ¹³C NMR (CDCl₃, 75 MHz) δ 14.1, 22.7, 29.4, 29.7, 29.7, 31.9; IR (neat, cm⁻¹) 2960, 2942, 1467, 1382, 725.

Reference:

1. Koza, D. J.; Carita, E. *Synthesis* **2002**, *15*, 2183.
2. Periasamy, M.; Jayakumar, K. N.; Bharathi, P. *J. Org. Chem.* **2000**, *65*, 3548.
3. Surry, D. S.; Fox, D. J.; MacDonald, S. J. F.; Spring, D. R. *Chem. Commun.* **2005**, 2589.
4. Lourak, M.; Vanderesse, R.; Fort, Y.; Caubere, P. *J. Org. Chem.* **1989**, *54*, 4840.
5. Shimada, S.; Yamazaki, O.; Tanaka, T.; Rao, M. L. N.; Suzuki, Y.; Tanaka, M. *Angew. Chem. Int. Ed.* **2003**, *42*, 1845.
6. Lee, P. H.; Seomoon, D.; Lee, K. *Org. Lett.* **2005**, *7*, 343.
7. Eisch, J. J.; Dutta, S. *Organometallics* **2005**, *24*, 3355.
8. Nagano, T.; Hayashi, T. *Chem. Lett.* **2005**, *34*, 1152.
9. Ocafrain, M.; Devaud, M.; Troupel, M.; Perichon, J. *Chem. Commun.* **1995**, 2331.

2a:

¹H NMR

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673669 MHz

DATA PROCESSING

Ft size 32768

Total time 1 min, 28 sec

¹³C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

112 repetitions

OBSERVE C13, 75.4519815 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 38 min, 17 sec

129.671
127.050

138.524
136.937

77.682
77.261
76.836

21.326

160 140 120 100 80 60 40 20 ppm

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec	86.999
Pulse 45.0 degrees	61.5
Acq. time 3.501 sec	61.5
Width 4496.4 Hz	61.5
16 repetitions	61.5
OBSERVE H1, 300.0673668	61.5
DATA PROCESSING	61.5
FT size 32768	61.5
Total time 1 min 28 sec	61.5

^1H NMR

¹³C NMR

2b:

¹³C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec
Pulse 45.0 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
144 repetitions

OBSERVE C13, 75.4520035 MHz
DECOUPLE H1, 300.0688577 MHz

Power 45 dB
continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 38 min, 17 sec

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673669 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

¹H NMR

¹³C NMR
2C: COc1ccc(cc1)-c2ccc(OC)cc2

13C OBSERVE

Pulse Sequence: s2pul

Solvent: CDC13

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

1936 repetitions

OBSERVE C13, 75.4519998 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 6 hr, 22 min, 29 sec

¹H NMR

2d:

Me₂N- -NMe₂ (solvent: acetone-d₆)

STANDARD 1H OBSERVE

exp2 std1h

SAMPLE		DEC. & VT	
date	Nov 9 2005	dfrq	300.070
solvent	Acetone	dn	H1
file	exp 30	dpwr	30
ACQUISITION		dof	0
sfrq	300.070	dm	nmn
tn	H1	dmm	c
at	3.501	dmf	200
np	31488	PROCESSING	
sw	4496.4	wtfile	
fb	not used	proc	ft
bs	4	fn	not used
tpwr	58		
pw	6.5	werr	
dl	1.502	wexp	procp1ot
tof	0	wbs	
nt	16	wnt	
ct	16		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-150.1		
wp	3150.5		
vs	50		
sc	0		
wc	250		
hzmm	12.60		
is	965.32		
rfl	1373.1		
xfp	618.1		
th	13

¹H NMR

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673674 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

13C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

160 repetitions

OBSERVE C13, 75.4520021 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 38 min, 17 sec

¹³C NMR

2e:

123.738
124.326
127.745

76.571
76.996
77.421

137.374

140 120 100 80 60 40 20 ppm

¹H NMR

2f:

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE HL, 300.0673666 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

7.527
7.537
7.887
7.908
7.915
7.961
8.184

ppm

1

2

3

4

5

6

7

8

9

10

1.00 2.02

4.06

13C OBSERVE

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
Mercury-300 "m300"

Relax. delay 0.185 sec
Pulse 45.0 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
848 repetitions

OBSERVE C13, 75.4520006 MHz
DECOUPLE H1, 300.0688577 MHz
Power 45 dB
continuously on

WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 6 hr, 22 min

138.407
138.732
139.654

128.507
128.223
127.665
126.345
126.102
125.995
125.726

2f:

¹³C NMR

77.421
77.000
76.575

160 150 140 130 120 110 100 90 80 70 60 50 ppm

2g:

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673669 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

¹³C NMR

¹³C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

1168 repetitions

OBSERVE C13, 75.4520009 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 6 hr, 22 min, 29 sec

76.575
77.000
77.421

124.254
127.881
127.961
128.576

21.535

138.236
141.309

ppm 160 140 120 100 80 60 40 20

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl3

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673666 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

2h:

2h:

¹³C OBSERVE

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
Mercury-300 "m300"

Relax. delay 0.185 sec
Pulse 45.0 degrees
Acq. time 1.815 sec
Width 18761.7 Hz
4408 repetitions
OBSERVE C13, 75.4519989 MHz
DECOUPLE H1, 300.0688577 MHz
Power 45 dB
continuously on
WALTZ-16 modulation
DATA PROCESSING: 32 N
Line broadening 1.0 Hz
FT size 131072
Total time 8 hr, 34 min, 41 sec

76.579
77.000
77.194
77.425

122.569
121.188

ppm

20

40

60

80

100

120

140

2h:

¹³C OBSERVE

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
Mercury-300 "m300"

Relax. delay 0.185 sec
Pulse 45.0 degrees
Acq. time 1.815 sec
Width 18761.7 Hz

4388 repetitions
OBSERVE C13, 75.4519989 MHz
DECOUPLE H1, 300.0688577 MHz

Power 45 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 1.0 Hz
FT size 131072
Total time 8 hr, 34 min, 41 sec

STANDARD 1H OBSERVE

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
Mercury-300 "m300"

Relax. delay 1.502 sec
Pulse 45.0 degrees
Acq. time 3.501 sec
Width 4496.4 Hz
16 repetitions
OBSERVE H1, 300.0673672 MHz
DATA PROCESSING
Ft size 32768
Total time 1 min, 28 sec

^{13}C NMR

2i:

¹H NMR

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673666 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

7.263
7.260
7.202
7.195
7.179

2.928

1.555

ppm

1

2

3

4

5

6

7

8

2.00

5.01

¹³C NMR

2j:

¹³C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

208 repetitions

OBSERVE C13, 75.4520032 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 6 hr, 22 min, 29 sec

128.428
128.310
125.893

141.761

77.425
77.000
76.579

37.923

160 150 140 130 120 110 100 90 80 70 60 50 40 30 ppm

STANDARD 1H OBSERVE

¹H NMR

Pulse Sequence: s2pul
Solvent: CDCl₃
Ambient temperature
Mercury-300 "m300"

2K:

Relax. delay 1.502 sec
Pulse 45.0 degrees
Acq. time 3.501 sec
Width 4496.4 Hz
16 repetitions
OBSERVE H1, 300.0673669 MHz
DATA PROCESSING
Ft size 32768
Total time 1 min, 28 sec

¹³C NMR

2K:

13C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

496 repetitions

OBSERVE C13, 75.4519992 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 6 hr, 22 min, 29 sec

¹H NMR

2L: CH₃(CH₂)₁₀CH₃

STANDARD 1H OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 1.502 sec

Pulse 45.0 degrees

Acq. time 3.501 sec

Width 4496.4 Hz

16 repetitions

OBSERVE H1, 300.0673669 MHz

DATA PROCESSING

FT size 32768

Total time 1 min, 28 sec

¹³C NMR
2L: CH₃(CH₂)₁₀CH₃

13C OBSERVE

Pulse Sequence: s2pul

Solvent: CDCl₃

Ambient temperature

Mercury-300 "m300"

Relax. delay 0.185 sec

Pulse 45.0 degrees

Acq. time 1.815 sec

Width 18761.7 Hz

2112 repetitions

OBSERVE C13, 75.4519992 MHz

DECOUPLE H1, 300.0688577 MHz

Power 45 dB

continuously on

WALTZ-16 modulated

DATA PROCESSING

Line broadening 1.0 Hz

FT size 131072

Total time 6 hr, 22 min, 29 sec

77.425
77.000
76.579

31.920
29.697
29.655
29.355
22.689
14.121

100 90 80 70 60 50 40 30 20 10 0 ppm