Supporting Information

Iron (III)-catalyzed Prins-type cyclization using homopropargylic alcohol: a method for the synthesis of 2- alkyl-4-halo-5,6-dihydro-2H-pyrans

*Pedro O. Miranda, David D. Díaz, Juan I. Padrón, Jaime Bermejo and Victor S. Martín**

Instituto Universitario de Bio-Organica “Antonio González”, Universidad de La Laguna, C/Astrofisico
Francisco Sánchez 2, 38206 La Laguna, Tenerife, Spain.
Instituto de Productos Naturales y Agrobiología del C.S.I.C., C/Astrofisico Francisco Sánchez 3, 38206 La
Laguna, Tenerife, Spain.

Index

¹ H and ¹³ C NMR spectra for compounds of Table 1	Pages S2-S9
NOE spectra for compound Table 1-entry7	S8
¹ H and ¹³ C NMR spectra for compounds of Table 2	Pages S9-S17
¹ H and ¹³ C NMR spectra for 4	Page S19
¹ H and ¹³ C NMR spectra for 5	Pages S20
¹ H and ¹³ C NMR spectra for compounds of Table 3	Pages S21-S23
COSY and NOE spectra for compound 6 (R = C ₆ H ₁₁ -c)	Page S24-S27
¹ H and ¹³ C NMR spectra for dihydroxylation of 3	Pages S28
¹ H and ¹³ C NMR spectra for 7	Pages S29