SUPPORTING INFORMATION

Lihoudine, a novel Spiro Polycyclic aromatic alkaloid from the marine sponge *Suberea* n.sp., (Aplysinellidae, Verongida).

Bruce F. Bowden, Brian J. McCool and Richard H. Willis

Contents	Page
1. Photograph of the sponge <i>Suberea</i> n. sp and General Experimental Details	S2
2. The four structures initially considered and Proposed biogenetic route to Lihoudine	S3
3. ¹ H NMR spectrum of Lihoudine	S4
4. ¹³ C NMR spectrum of Lihoudine	S5
5. HMQC correlations for Lihoudine	S6
6. HMBC spectrum of Lihoudine - aromatic region	S8
7. Table 2 Crystal Data and Structure Refinement for Lihoudine	S9
8. Table 3	
Atomic coordinates and equivalent isotropic displacement parameters for Lihoudine	S10
9. Table 4 Bond lengths and angles for Lihoudine	S12
10. Table 5 Anisotropic displacement parameters for Lihoudine	S16
11. Table 6 Tortion Angles for Lihoudine	S18
12. ORTEP Diagram for Lihoudine showing crystallographic numbering	S23
13. Packing Diagram showing location of solvent (DMF) in the crystal lattice	S24

***Suberea* n.sp. - the sponge that afforded Lihoudine**

General Experimental Conditions

Mass spectral data were determined on an FTMS operating in positive ion electrospray mode at the Australian Institute of Marine Science, Cape Ferguson. ^1H NMR spectra were measured in CDCl_3 at 300 MHz and ^{13}C NMR spectra at 75.5 MHz using residual solvent peaks for calibration. HMQC and HMBC spectra were optimised for $^1\text{J} = 140\text{Hz}$, and $^{2,3}\text{J} = 8\text{Hz}$. X-Ray crystallography: for compound **2** a hemisphere of data was collected at room temperature on a SMART CCD diffractometer using the ω scan mode.

The four structures initially considered for lihouidine:

Note that the “ketone” carbonyl group in the ring that contains the spiro ring junction is in a vinylogous amide relationship with the N-methyl group in the latter two (**4** and **5**) of these structures.

Proposal for the Biogenesis of Lihouidine: For simplicity, enolate anion cyclisation is illustrated on an otherwise complete lihouidine molecule. Cyclisation by a similar pathway would however be likely to occur at an earlier undefined stage in the biosynthesis of lihouidine.

300 MHz ^1H NMR Spectrum of Lihoudine in CDCl_3

75 MHz ^{13}C NMR Spectrum of Lihoudine in CDCl_3

HMQC Column projections for proton signals

HMBC Spectrum of Lihoudine - Aromatic region

Table 2. Crystal data and structure refinement for lihoudine.

Identification code	bm055
Empirical formula	C ₃₉ H ₃₄ N ₆ O ₇
Formula weight	698.74
Temperature	293(2) K
Wavelength	0.71073 Å
Crystal system	Triclinic
Space group	$P\bar{1}$
Unit cell dimensions	a = 9.6376(17) Å α = 67.068(3)°. b = 13.194(2) Å β = 82.044(3)°. c = 14.228(3) Å γ = 79.640(3)°.
Volume	1634.4(5) Å ³
Z	2
Density (calculated)	1.420 Mg/m ³
Absorption coefficient	0.100 mm ⁻¹
F(000)	732
Crystal size	0.80 x 0.80 x 0.15 mm ³
Theta range for data collection	1.56 to 23.25°.
Index ranges	-10 ≤ h ≤ 10, -12 ≤ k ≤ 14, 0 ≤ l ≤ 15
Reflections collected	4567
Independent reflections	4567 [R(int) = 0.0000]
Completeness to theta = 23.25°	97.1 %
Absorption correction	None
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	4567 / 0 / 477
Goodness-of-fit on F ²	1.043
Final R indices [I > 2σ(I)]	R1 = 0.0816, wR2 = 0.2390
R indices (all data)	R1 = 0.1072, wR2 = 0.3007
Largest diff. peak and hole	0.338 and -0.370 e.Å ⁻³

Table 3. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for lihoudine. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U^{ij} tensor.

	x	y	z	$U(\text{eq})$
O(1)	576(3)	6705(3)	8637(2)	61(1)
O(2)	3021(3)	12083(2)	4665(2)	56(1)
O(3)	5207(3)	10797(3)	5926(3)	68(1)
O(4)	857(4)	8728(3)	9233(3)	76(1)
O(5)	4722(3)	5488(3)	6468(2)	63(1)
O(6)	2460(3)	7049(2)	6619(2)	54(1)
N(1)	-273(3)	8333(3)	7434(2)	44(1)
N(2)	327(4)	11451(3)	5170(3)	52(1)
N(3)	5622(4)	7580(3)	10675(3)	51(1)
N(4)	6630(4)	6274(3)	9996(3)	47(1)
N(5)	6759(4)	4707(3)	7900(3)	55(1)
C(1)	2165(4)	8049(3)	8005(3)	42(1)
C(2)	765(5)	7638(4)	8041(3)	46(1)
C(3)	-104(4)	9395(3)	6739(3)	36(1)
C(4)	-1178(4)	10082(3)	6163(3)	44(1)
C(5)	-892(5)	11084(4)	5399(3)	50(1)
C(6)	1405(4)	10808(3)	5771(3)	42(1)
C(7)	2754(4)	11161(4)	5518(3)	46(1)
C(8)	3866(4)	10524(4)	6073(3)	50(1)
C(9)	3673(4)	9498(3)	6855(3)	49(1)
C(10)	2386(4)	9125(3)	7111(3)	39(1)
C(11)	1231(4)	9774(3)	6563(3)	41(1)
C(12)	-1591(5)	7894(4)	7522(4)	54(1)
C(13)	2296(6)	13142(4)	4621(4)	75(2)
C(14)	5346(6)	11911(4)	5737(5)	79(2)
C(15)	2018(5)	8357(4)	8961(3)	48(1)
C(16)	3294(4)	8174(4)	9498(3)	43(1)
C(17)	3360(5)	8737(4)	10174(3)	46(1)

C(18)	2378(5)	9622(4)	10276(4)	60(1)
C(19)	2578(5)	10126(4)	10914(4)	63(1)
C(20)	3771(6)	9762(5)	11474(4)	65(1)
C(21)	4753(5)	8931(4)	11396(4)	62(1)
C(22)	4601(5)	8408(4)	10732(3)	50(1)
C(23)	5546(4)	7104(4)	10034(3)	42(1)
C(24)	6664(4)	5720(3)	9331(3)	46(1)
C(25)	7739(5)	4908(4)	9277(3)	51(1)
C(26)	7721(5)	4448(4)	8567(4)	63(1)
C(27)	5658(5)	5485(4)	7962(3)	48(1)
C(28)	4602(5)	5840(4)	7268(3)	47(1)
C(29)	3482(5)	6630(4)	7297(3)	44(1)
C(30)	3371(4)	7138(3)	8013(3)	42(1)
C(31)	7817(5)	6013(4)	10622(4)	62(1)
C(32)	4807(7)	4328(4)	6681(5)	81(2)
C(33)	1736(6)	6251(4)	6478(4)	70(2)
C(34)	4379(4)	7390(3)	9408(3)	42(1)
C(35)	4408(4)	6832(3)	8690(3)	41(1)
C(36)	5557(4)	6017(3)	8678(3)	40(1)
N(1s)	9875(6)	2823(5)	7149(4)	88(2)
C(1s)	8602(9)	2442(8)	7178(7)	143(3)
C(2s)	10942(16)	2172(12)	7781(10)	273(10)
C(3s)	9951(14)	3855(10)	6487(10)	181(5)
O(1s)	11206(18)	4062(14)	6586(12)	417(14)

Table 4. Bond lengths [Å] and angles [°] for lihoudine.

O(1)-C(2)	1.222(5)
O(2)-C(7)	1.376(5)
O(2)-C(13)	1.427(6)
O(3)-C(8)	1.371(5)
O(3)-C(14)	1.415(6)
O(4)-C(15)	1.213(5)
O(5)-C(28)	1.371(5)
O(5)-C(32)	1.430(6)
O(6)-C(29)	1.364(5)
O(6)-C(33)	1.449(5)
N(1)-C(2)	1.371(5)
N(1)-C(3)	1.388(5)
N(1)-C(12)	1.459(5)
N(2)-C(5)	1.302(5)
N(2)-C(6)	1.377(5)
N(3)-C(23)	1.309(6)
N(3)-C(22)	1.352(6)
N(4)-C(23)	1.382(5)
N(4)-C(24)	1.397(6)
N(4)-C(31)	1.457(5)
N(5)-C(26)	1.323(6)
N(5)-C(27)	1.357(6)
C(1)-C(30)	1.512(6)
C(1)-C(10)	1.518(6)
C(1)-C(2)	1.529(6)
C(1)-C(15)	1.546(6)
C(3)-C(4)	1.373(5)
C(3)-C(11)	1.418(5)
C(4)-C(5)	1.391(6)
C(6)-C(7)	1.412(6)
C(6)-C(11)	1.411(6)

C(7)-C(8)	1.368(6)
C(8)-C(9)	1.401(6)
C(9)-C(10)	1.367(6)
C(10)-C(11)	1.399(5)
C(15)-C(16)	1.472(6)
C(16)-C(34)	1.362(6)
C(16)-C(17)	1.440(6)
C(17)-C(18)	1.406(7)
C(17)-C(22)	1.435(6)
C(18)-C(19)	1.367(7)
C(19)-C(20)	1.394(7)
C(20)-C(21)	1.343(7)
C(21)-C(22)	1.403(7)
C(23)-C(34)	1.436(6)
C(24)-C(25)	1.368(6)
C(24)-C(36)	1.413(6)
C(25)-C(26)	1.369(7)
C(27)-C(28)	1.406(6)
C(27)-C(36)	1.430(6)
C(28)-C(29)	1.367(6)
C(29)-C(30)	1.405(6)
C(30)-C(35)	1.382(6)
C(34)-C(35)	1.468(6)
C(35)-C(36)	1.401(6)
N(1s)-C(3s)	1.328(12)
N(1s)-C(2s)	1.394(11)
N(1s)-C(1s)	1.396(8)
C(3s)-O(1s)	1.324(16)
C(7)-O(2)-C(13)	118.3(4)
C(8)-O(3)-C(14)	117.7(4)
C(28)-O(5)-C(32)	119.1(4)
C(29)-O(6)-C(33)	116.7(3)

C(2)-N(1)-C(3)	123.2(3)
C(2)-N(1)-C(12)	116.8(3)
C(3)-N(1)-C(12)	120.0(3)
C(5)-N(2)-C(6)	116.7(4)
C(23)-N(3)-C(22)	119.8(3)
C(23)-N(4)-C(24)	122.0(3)
C(23)-N(4)-C(31)	119.2(4)
C(24)-N(4)-C(31)	118.7(4)
C(26)-N(5)-C(27)	115.6(4)
C(30)-C(1)-C(10)	111.1(3)
C(30)-C(1)-C(2)	109.1(4)
C(10)-C(1)-C(2)	114.2(3)
C(30)-C(1)-C(15)	113.7(3)
C(10)-C(1)-C(15)	104.5(3)
C(2)-C(1)-C(15)	104.1(3)
O(1)-C(2)-N(1)	121.1(4)
O(1)-C(2)-C(1)	119.2(4)
N(1)-C(2)-C(1)	119.7(4)
C(4)-C(3)-N(1)	121.8(4)
C(4)-C(3)-C(11)	118.0(4)
N(1)-C(3)-C(11)	120.1(3)
C(3)-C(4)-C(5)	118.8(4)
N(2)-C(5)-C(4)	125.8(4)
N(2)-C(6)-C(7)	118.0(4)
N(2)-C(6)-C(11)	122.1(4)
C(7)-C(6)-C(11)	119.7(3)
O(2)-C(7)-C(8)	118.2(4)
O(2)-C(7)-C(6)	121.7(4)
C(8)-C(7)-C(6)	119.8(4)
O(3)-C(8)-C(7)	125.1(4)
O(3)-C(8)-C(9)	115.2(4)
C(7)-C(8)-C(9)	119.7(4)
C(10)-C(9)-C(8)	122.0(4)

C(9)-C(10)-C(11)	119.2(4)
C(9)-C(10)-C(1)	121.6(3)
C(11)-C(10)-C(1)	119.2(3)
C(10)-C(11)-C(6)	119.7(4)
C(10)-C(11)-C(3)	121.8(4)
C(6)-C(11)-C(3)	118.4(3)
O(4)-C(15)-C(16)	123.4(4)
O(4)-C(15)-C(1)	118.4(4)
C(16)-C(15)-C(1)	118.1(4)
C(34)-C(16)-C(17)	120.1(4)
C(34)-C(16)-C(15)	118.5(4)
C(17)-C(16)-C(15)	121.2(4)
C(18)-C(17)-C(22)	117.8(4)
C(18)-C(17)-C(16)	126.0(4)
C(22)-C(17)-C(16)	116.0(4)
C(19)-C(18)-C(17)	121.0(4)
C(18)-C(19)-C(20)	119.8(5)
C(21)-C(20)-C(19)	121.7(5)
C(20)-C(21)-C(22)	120.2(4)
N(3)-C(22)-C(21)	118.0(4)
N(3)-C(22)-C(17)	122.5(4)
C(21)-C(22)-C(17)	119.4(4)
N(3)-C(23)-N(4)	117.2(3)
N(3)-C(23)-C(34)	122.6(4)
N(4)-C(23)-C(34)	120.1(4)
C(25)-C(24)-N(4)	122.6(4)
C(25)-C(24)-C(36)	118.4(5)
N(4)-C(24)-C(36)	118.9(4)
C(24)-C(25)-C(26)	118.6(4)
N(5)-C(26)-C(25)	126.9(5)
N(5)-C(27)-C(28)	119.9(4)
N(5)-C(27)-C(36)	122.5(4)
C(28)-C(27)-C(36)	117.5(4)

C(29)-C(28)-O(5)	116.7(4)
C(29)-C(28)-C(27)	121.8(4)
O(5)-C(28)-C(27)	121.2(4)
O(6)-C(29)-C(28)	124.8(4)
O(6)-C(29)-C(30)	114.5(4)
C(28)-C(29)-C(30)	120.6(4)
C(35)-C(30)-C(29)	119.3(4)
C(35)-C(30)-C(1)	120.5(4)
C(29)-C(30)-C(1)	120.1(3)
C(16)-C(34)-C(23)	118.8(4)
C(16)-C(34)-C(35)	122.6(4)
C(23)-C(34)-C(35)	118.6(4)
C(30)-C(35)-C(36)	120.9(4)
C(30)-C(35)-C(34)	121.1(4)
C(36)-C(35)-C(34)	118.0(3)
C(35)-C(36)-C(24)	122.2(4)
C(35)-C(36)-C(27)	119.9(4)
C(24)-C(36)-C(27)	117.9(4)
C(3s)-N(1s)-C(2s)	123.9(11)
C(3s)-N(1s)-C(1s)	114.0(9)
C(2s)-N(1s)-C(1s)	122.1(10)
N(1s)-C(3s)-O(1s)	104.7(15)

Table 5. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for lihoudine. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U ¹¹	U ²²	U ³³	U ²³	U ¹³	U ¹²
O(1)	45(2)	50(2)	66(2)	6(2)	-10(1)	-11(2)
O(2)	56(2)	47(2)	51(2)	-4(2)	1(1)	-9(2)
O(3)	37(2)	54(2)	93(3)	-5(2)	-6(2)	-10(2)
O(4)	42(2)	101(3)	93(3)	-53(2)	-17(2)	15(2)
O(5)	62(2)	55(2)	63(2)	-15(2)	-5(2)	-4(2)
O(6)	54(2)	47(2)	54(2)	-7(2)	-19(1)	-4(2)
N(1)	33(2)	44(2)	45(2)	-6(2)	-6(2)	-5(2)
N(2)	46(2)	46(2)	52(2)	-6(2)	-10(2)	0(2)
N(3)	44(2)	54(2)	47(2)	-13(2)	-8(2)	1(2)
N(4)	36(2)	45(2)	49(2)	-9(2)	-9(2)	1(2)
N(5)	57(3)	50(2)	58(2)	-22(2)	-7(2)	-1(2)
C(1)	40(2)	39(2)	41(2)	-9(2)	-9(2)	-3(2)
C(2)	42(3)	44(3)	47(2)	-9(2)	-6(2)	-9(2)
C(3)	36(2)	38(2)	37(2)	-19(2)	-1(2)	-1(2)
C(4)	33(2)	46(3)	47(2)	-14(2)	-2(2)	-3(2)
C(5)	42(3)	52(3)	51(3)	-16(2)	-10(2)	3(2)
C(6)	37(2)	41(2)	43(2)	-14(2)	-3(2)	0(2)
C(7)	47(3)	44(3)	41(2)	-9(2)	-2(2)	-6(2)
C(8)	39(3)	49(3)	61(3)	-18(2)	-4(2)	-11(2)
C(9)	35(2)	43(3)	57(3)	-7(2)	-7(2)	-1(2)
C(10)	38(2)	39(2)	42(2)	-16(2)	-5(2)	-6(2)
C(11)	32(2)	40(2)	43(2)	-12(2)	-3(2)	5(2)
C(12)	41(3)	52(3)	65(3)	-13(2)	-13(2)	-10(2)
C(13)	65(4)	45(3)	93(4)	-2(3)	-6(3)	-6(3)
C(14)	51(3)	63(4)	106(4)	-8(3)	-9(3)	-22(3)
C(15)	42(3)	50(3)	47(2)	-16(2)	-9(2)	2(2)
C(16)	41(3)	46(3)	39(2)	-12(2)	-4(2)	-7(2)

C(17)	43(3)	53(3)	38(2)	-14(2)	-1(2)	-6(2)
C(18)	46(3)	57(3)	67(3)	-17(3)	-8(2)	3(2)
C(19)	51(3)	66(3)	73(3)	-31(3)	-3(2)	0(2)
C(20)	62(3)	81(4)	66(3)	-38(3)	-9(2)	-14(3)
C(21)	47(3)	74(4)	62(3)	-23(3)	-12(2)	1(3)
C(22)	43(3)	61(3)	38(2)	-12(2)	1(2)	-8(2)
C(23)	36(2)	45(3)	35(2)	-6(2)	-1(2)	-5(2)
C(24)	39(3)	37(2)	45(2)	2(2)	0(2)	-7(2)
C(25)	46(3)	53(3)	48(3)	-15(2)	-6(2)	4(2)
C(26)	48(3)	61(3)	68(3)	-19(3)	-5(2)	10(2)
C(27)	39(3)	41(3)	51(3)	-3(2)	3(2)	-6(2)
C(28)	49(3)	47(3)	40(2)	-10(2)	2(2)	-10(2)
C(29)	54(3)	41(2)	34(2)	-10(2)	-10(2)	-9(2)
C(30)	37(2)	39(2)	39(2)	-2(2)	-2(2)	-6(2)
C(31)	48(3)	72(3)	59(3)	-20(3)	-17(2)	9(2)
C(32)	98(5)	57(3)	96(4)	-36(3)	-23(3)	-3(3)
C(33)	67(4)	70(3)	74(3)	-21(3)	-24(3)	-12(3)
C(34)	38(2)	40(2)	36(2)	-3(2)	-2(2)	-6(2)
C(35)	35(2)	36(2)	42(2)	-3(2)	-2(2)	-7(2)
C(36)	40(2)	36(2)	38(2)	-5(2)	-1(2)	-7(2)
N(1s)	90(4)	87(4)	107(4)	-60(3)	23(3)	-31(3)
C(1s)	117(7)	164(9)	173(8)	-96(7)	52(6)	-54(6)
C(2s)	286(18)	324(19)	244(15)	-195(15)	-154(14)	180(16)
C(3s)	195(12)	164(11)	220(12)	-126(10)	104(10)	-77(9)
O(1s)	460(20)	530(20)	510(20)	-440(20)	335(19)	-400(20)

Table 6. Torsion angles [°] for lihoudine.

C(3)-N(1)-C(2)-O(1)	-179.4(4)
C(12)-N(1)-C(2)-O(1)	-1.1(7)
C(3)-N(1)-C(2)-C(1)	2.9(6)
C(12)-N(1)-C(2)-C(1)	-178.8(4)
C(30)-C(1)-C(2)-O(1)	44.4(5)
C(10)-C(1)-C(2)-O(1)	169.4(4)
C(15)-C(1)-C(2)-O(1)	-77.3(5)
C(30)-C(1)-C(2)-N(1)	-137.8(4)
C(10)-C(1)-C(2)-N(1)	-12.8(6)
C(15)-C(1)-C(2)-N(1)	100.5(4)
C(2)-N(1)-C(3)-C(4)	-178.1(4)
C(12)-N(1)-C(3)-C(4)	3.7(6)
C(2)-N(1)-C(3)-C(11)	5.7(6)
C(12)-N(1)-C(3)-C(11)	-172.5(4)
N(1)-C(3)-C(4)-C(5)	-172.7(4)
C(11)-C(3)-C(4)-C(5)	3.6(6)
C(6)-N(2)-C(5)-C(4)	-3.1(7)
C(3)-C(4)-C(5)-N(2)	-0.3(7)
C(5)-N(2)-C(6)-C(7)	177.5(4)
C(5)-N(2)-C(6)-C(11)	3.3(6)
C(13)-O(2)-C(7)-C(8)	-121.7(5)
C(13)-O(2)-C(7)-C(6)	64.2(6)
N(2)-C(6)-C(7)-O(2)	-3.5(6)
C(11)-C(6)-C(7)-O(2)	170.9(4)
N(2)-C(6)-C(7)-C(8)	-177.6(4)
C(11)-C(6)-C(7)-C(8)	-3.2(6)
C(14)-O(3)-C(8)-C(7)	41.9(7)
C(14)-O(3)-C(8)-C(9)	-138.8(5)
O(2)-C(7)-C(8)-O(3)	8.4(7)
C(6)-C(7)-C(8)-O(3)	-177.4(4)
O(2)-C(7)-C(8)-C(9)	-170.9(4)

C(6)-C(7)-C(8)-C(9)	3.3(7)
O(3)-C(8)-C(9)-C(10)	178.2(4)
C(7)-C(8)-C(9)-C(10)	-2.5(7)
C(8)-C(9)-C(10)-C(11)	1.4(7)
C(8)-C(9)-C(10)-C(1)	-175.9(4)
C(30)-C(1)-C(10)-C(9)	-43.8(5)
C(2)-C(1)-C(10)-C(9)	-167.7(4)
C(15)-C(1)-C(10)-C(9)	79.2(5)
C(30)-C(1)-C(10)-C(11)	138.9(4)
C(2)-C(1)-C(10)-C(11)	15.0(6)
C(15)-C(1)-C(10)-C(11)	-98.1(4)
C(9)-C(10)-C(11)-C(6)	-1.2(6)
C(1)-C(10)-C(11)-C(6)	176.2(4)
C(9)-C(10)-C(11)-C(3)	175.0(4)
C(1)-C(10)-C(11)-C(3)	-7.6(6)
N(2)-C(6)-C(11)-C(10)	176.3(4)
C(7)-C(6)-C(11)-C(10)	2.1(6)
N(2)-C(6)-C(11)-C(3)	-0.1(6)
C(7)-C(6)-C(11)-C(3)	-174.3(4)
C(4)-C(3)-C(11)-C(10)	-179.6(4)
N(1)-C(3)-C(11)-C(10)	-3.3(6)
C(4)-C(3)-C(11)-C(6)	-3.3(6)
N(1)-C(3)-C(11)-C(6)	173.0(4)
C(30)-C(1)-C(15)-O(4)	-152.3(4)
C(10)-C(1)-C(15)-O(4)	86.4(5)
C(2)-C(1)-C(15)-O(4)	-33.7(5)
C(30)-C(1)-C(15)-C(16)	27.2(5)
C(10)-C(1)-C(15)-C(16)	-94.1(4)
C(2)-C(1)-C(15)-C(16)	145.8(4)
O(4)-C(15)-C(16)-C(34)	154.7(5)
C(1)-C(15)-C(16)-C(34)	-24.8(6)
O(4)-C(15)-C(16)-C(17)	-20.2(7)
C(1)-C(15)-C(16)-C(17)	160.4(4)

C(34)-C(16)-C(17)-C(18)	174.3(4)
C(15)-C(16)-C(17)-C(18)	-10.9(7)
C(34)-C(16)-C(17)-C(22)	-0.8(6)
C(15)-C(16)-C(17)-C(22)	173.9(4)
C(22)-C(17)-C(18)-C(19)	-2.2(7)
C(16)-C(17)-C(18)-C(19)	-177.3(4)
C(17)-C(18)-C(19)-C(20)	0.0(7)
C(18)-C(19)-C(20)-C(21)	1.0(8)
C(19)-C(20)-C(21)-C(22)	0.4(8)
C(23)-N(3)-C(22)-C(21)	-177.2(4)
C(23)-N(3)-C(22)-C(17)	5.1(6)
C(20)-C(21)-C(22)-N(3)	179.6(4)
C(20)-C(21)-C(22)-C(17)	-2.6(7)
C(18)-C(17)-C(22)-N(3)	-178.9(4)
C(16)-C(17)-C(22)-N(3)	-3.3(6)
C(18)-C(17)-C(22)-C(21)	3.5(6)
C(16)-C(17)-C(22)-C(21)	179.1(4)
C(22)-N(3)-C(23)-N(4)	179.0(3)
C(22)-N(3)-C(23)-C(34)	-2.8(6)
C(24)-N(4)-C(23)-N(3)	-179.2(3)
C(31)-N(4)-C(23)-N(3)	-3.0(6)
C(24)-N(4)-C(23)-C(34)	2.5(6)
C(31)-N(4)-C(23)-C(34)	178.8(4)
C(23)-N(4)-C(24)-C(25)	179.1(4)
C(31)-N(4)-C(24)-C(25)	2.9(6)
C(23)-N(4)-C(24)-C(36)	0.0(6)
C(31)-N(4)-C(24)-C(36)	-176.2(4)
N(4)-C(24)-C(25)-C(26)	-176.8(4)
C(36)-C(24)-C(25)-C(26)	2.4(6)
C(27)-N(5)-C(26)-C(25)	-2.4(7)
C(24)-C(25)-C(26)-N(5)	0.3(8)
C(26)-N(5)-C(27)-C(28)	178.2(4)
C(26)-N(5)-C(27)-C(36)	1.8(6)

C(32)-O(5)-C(28)-C(29)	-125.1(5)
C(32)-O(5)-C(28)-C(27)	61.0(6)
N(5)-C(27)-C(28)-C(29)	-179.4(4)
C(36)-C(27)-C(28)-C(29)	-2.8(6)
N(5)-C(27)-C(28)-O(5)	-5.8(6)
C(36)-C(27)-C(28)-O(5)	170.8(3)
C(33)-O(6)-C(29)-C(28)	53.8(6)
C(33)-O(6)-C(29)-C(30)	-130.9(4)
O(5)-C(28)-C(29)-O(6)	2.9(6)
C(27)-C(28)-C(29)-O(6)	176.7(4)
O(5)-C(28)-C(29)-C(30)	-172.1(3)
C(27)-C(28)-C(29)-C(30)	1.7(6)
O(6)-C(29)-C(30)-C(35)	-175.4(3)
C(28)-C(29)-C(30)-C(35)	0.0(6)
O(6)-C(29)-C(30)-C(1)	1.6(5)
C(28)-C(29)-C(30)-C(1)	177.0(4)
C(10)-C(1)-C(30)-C(35)	102.9(4)
C(2)-C(1)-C(30)-C(35)	-130.3(4)
C(15)-C(1)-C(30)-C(35)	-14.6(5)
C(10)-C(1)-C(30)-C(29)	-74.1(5)
C(2)-C(1)-C(30)-C(29)	52.7(5)
C(15)-C(1)-C(30)-C(29)	168.4(3)
C(17)-C(16)-C(34)-C(23)	3.0(6)
C(15)-C(16)-C(34)-C(23)	-171.9(3)
C(17)-C(16)-C(34)-C(35)	-176.6(3)
C(15)-C(16)-C(34)-C(35)	8.5(6)
N(3)-C(23)-C(34)-C(16)	-1.3(6)
N(4)-C(23)-C(34)-C(16)	176.9(3)
N(3)-C(23)-C(34)-C(35)	178.3(3)
N(4)-C(23)-C(34)-C(35)	-3.5(6)
C(29)-C(30)-C(35)-C(36)	-0.6(6)
C(1)-C(30)-C(35)-C(36)	-177.6(3)
C(29)-C(30)-C(35)-C(34)	176.2(3)

C(1)-C(30)-C(35)-C(34)	-0.8(6)
C(16)-C(34)-C(35)-C(30)	4.8(6)
C(23)-C(34)-C(35)-C(30)	-174.8(4)
C(16)-C(34)-C(35)-C(36)	-178.3(4)
C(23)-C(34)-C(35)-C(36)	2.1(5)
C(30)-C(35)-C(36)-C(24)	177.3(4)
C(34)-C(35)-C(36)-C(24)	0.4(6)
C(30)-C(35)-C(36)-C(27)	-0.5(6)
C(34)-C(35)-C(36)-C(27)	-177.4(3)
C(25)-C(24)-C(36)-C(35)	179.3(4)
N(4)-C(24)-C(36)-C(35)	-1.5(6)
C(25)-C(24)-C(36)-C(27)	-2.8(6)
N(4)-C(24)-C(36)-C(27)	176.3(3)
N(5)-C(27)-C(36)-C(35)	178.6(4)
C(28)-C(27)-C(36)-C(35)	2.1(6)
N(5)-C(27)-C(36)-C(24)	0.7(6)
C(28)-C(27)-C(36)-C(24)	-175.8(4)
C(2s)-N(1s)-C(3s)-O(1s)	0.4(13)
C(1s)-N(1s)-C(3s)-O(1s)	179.0(8)

ORTEP Diagram for Lihoudine showing crystallographic numbering.

Packing Diagram showing location of solvent (DMF) in the crystal lattice.