

	ICD-9-CM Diagnosis / Procedure Code or DRG (Discharge Date on or before 9/30/2015)	ICD-10-CM Diagnosis / Procedure Code or DRG (discharge date on or after 10/1/2015)
<p>Identification of Maternity-associated hospitalization Source: Healthcare cost and utilization project (https://www.hcup-us.ahrq.gov/db/quality.pdf)</p>		
	630 to 67914; 7923, 7965, V220 to V2384; V2386 to V242; V270 to V282; V286 to V2889; V616 to V617; V6511, V7242, and V8901 to V8909, V9100 to V9199. Procedures 720 to 7537; and 754 to 7599.	A34, C58, D392, F53-F531; M830, O0000-O9A53; Z0371-Z0379; Z3201, Z331-Z379; Z390-Z3A49
<p>Identification of a postpartum hospitalization <i>ICD-9 from Callaghan et al. Severe Maternal Morbidity Among Delivery and Postpartum Hospitalizations in the United States. Obstetrics & Gynecology. 120(5), November 2012, p 1029-1036</i> <i>ICD-10 our development</i></p>		
	Postpartum hospitalizations were identified using the fifth digit=4 in ICD-9-CM codes for primary or secondary diagnosis, an ICD-9-CM code V24 for any listed diagnosis, postpartum diagnosis-related group codes (376 or 377 for the 1998-2007 period, 776 or 769 for the 2008-2009 period)	F53.*, O10.03, O10.13, O10.23, O10.33, O10.43, O10.93, O11.5, O12.05, O12.15, O12.25, O13.5, O14.05, O14.15, O14.25, O14.95, O15.2, O16.5, O24.03, O24.13, O24.33, O24.83, O24.93, O25.3, O26.63, O26.73, O72.2, O72.3, O73.*, O85, O86.*, O87.*, O88.03, O88.13, O88.23, O88.33, O88.83, O89.*, O90.*, O91.02, O91.03, O91.12, O91.13, O91.22, O91.23, O92.02, O92.03, O92.12, O92.13, O94, O98.03, O98.13, O98.23, O98.33, O98.43, O98.53, O98.63, O98.73, O98.83, O98.93, O99.03, O99.13, O99.215, O99.285, O99.315, O99.325, O99.335, O99.345, O99.355, O99.43, O99.53, O99.63, O99.73, O99.815,

		O99.825, O99.835, O99.845, O9A.13, O9A.23, O9A.33, O9A.43, O9A.53, Z39.0 DRG: 769, 776
Identification of Delivery Hospitalization		
<i>ICD-9 from Kuklina, E. V., et al. (2008). "An enhanced method for identifying obstetric deliveries: implications for estimating maternal morbidity." <u>Matern Child Health J</u> 12(4): 469-477.</i>		
<i>ICD-10 our development</i>		
Outcome of delivery	V27.*	Z37.*
Normal delivery	650	O80
Diagnosis-Related Grouping	On or after 10/1/2007: 767, 768, 774, 775 (vaginal delivery); 765, 766 (cesarean deliveries)	Discharges on or before 9/30/2018: 767, 768, 774, 775 (vaginal delivery); 765, 766 (cesarean deliveries) On or after 10/1/2018: 768, 796, 797, 798, 805, 806, 807 (vaginal deliveries) 783, 784, 785, 786, 787, 788 (cesarean deliveries)
Selected delivery procedures		
Forceps deliveries	72.0, 72.1, 72.2*, 72.3*, 72.4, 72.6	10D07Z3, 10D07Z4, 10D07Z5
Breech extraction	72.5*	n/a
Vacuum extraction	72.7*	10D07Z6
Other instrumental delivery	72.8, 72.9	10D07Z8
Internal and combined version and extraction	73.22	10D07Z7
Other manually assisted deliveries	73.59	10E0XZZ
Episiotomy	73.6	0W8NXZZ
Cesarean delivery	74.*	10D00Z0, 10D00Z1, 10D00Z2
Exclusions		
Hydatidiform mole	630	O01.*, D39.2
Other abnormal products of conception	631.*	O02.8, O02.9
Ectopic pregnancy	633.*	O00.*
Abortion/Early Pregnancy Loss	632, 634.*, 635.*, 636.*, 637.*, 638.*, 639.*, 69.01, 69.51, 74.91, 75.0	O02.0, O02.1, O03.*, O04.*, Z33.2, O07.*, O08.*, 10A00ZZ, 10A03ZZ, 10A04ZZ, 10A07Z6,

		10A07ZW, 10A07ZX, 10A07ZZ, 10A08ZZ
--	--	---------------------------------------