Supporting Information

^1H and ^{13}C NMR Spectrum

Mercuric Triflate-Catalyzed Synthesis of 2-Methylfuran from 1-Alkyne-5-one

Hiroshi Imagawa, Takahiro Kurisaki, and Mugio Nishizawa*

Faculty of Pharmaceutical Sciences, Tokushima Bunri University

Yamashiro-cho, Tokushima 770-8514, Japan

e-mail:mugi@ph.bunri-u.ac.jp

expl std1h

SAMPLE DEC. & VT
date May 24 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dn nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.0
wp 1800.4
vs 90
sc 0
wc 400
hzmm 4.50
ls 1045.45
rfl 436.6
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp4 std13c

SAMPLE DEC. & VT
date May 24 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm yyy
tn C13 dnm w
at 2.134 dmf 9500
ap 64000 PROCESSING

sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 1000 wbs wft
ct 256 wnt
slock n
gain not used

FLAGS
il n
in n
dp y

DISPLAY
sp -0.3
wp 11067.2
vs 115
sc 0
wc 400
hzmm 27.67
is 500.00
rf1 6504.5
rfp 3875.2
th 7
ins 100.000
nm cdc ph

200 180 160 140 120 100 80 60 40 20 ppm

exp4 stdih

SAMPLE		DEC. & VT	
date	May 25 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	
sfrq	200.070	dm	nnn
tn	H1	dmm	c
at	4.000	dmi	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	werr	
dl	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wnt	
ct	32		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	0.0		
wp	1800.4		
vs	219		
sc	0		
wc	400		
hzmm	4.50		
is	2987.51		
rfl	438.0		
rfp	0		
th	20		
ins	100.000		
nm	cdc ph

13C OBSERVE

expl std13c

SAMPLE		DEC. & VT	
date	May 25 2004	dfrq	200.070
solvent	CDC13	dn	H1
file	exp	dpwr	40
ACQUISITION		dof	0
sfrq	50.312	dm	YYY
tn	C13	dmm	v
at	2.134	dmf	9500

PROCESSING			
sw	14992.5	lb	1.00
fb	8200	wtfile	
ba	8	proc	ft
tpwr	55	fn	not used
pw	4.5		
d1	1.000	werr	
tof	0	wexp	wft
nt	1000	whs	wft
ct	80	wat	
alock	n		
gain	not used		

FLAGS	
il	n
in	n
dp	y

DISPLAY	
sp	-0.3
wp	11067.2
vs	144
sc	0
wc	400
hzmm	27.67
is	500.00
rfl	6509.1
rfp	3875.2
th	9
ins	100.000
na	cdc ph

TKFsamD

exp4 std1h

SAMPLE DEC. & VT
date May 25 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfreq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
d1 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wat
ct 32
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 219
sc 0
wc 400
hzmm 4.50
is 12200.86
rf1 436.8
rfp 0
th 20
ins 100.000
nm adc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date May 25 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm vvy
tn C13 dnm w
at 2.134 dmf 9500
mp 64000 PROCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fa not used
pw 4.5
d1 1.000 werr
tof 0 waxp wft
nt 1000 wbs wft
ct 504 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 144
sc 0
wc 400
hzmm 27.67
is 500.00
wfl 6503.6
rfp 3875.2
th 14
ins 100.000
nm cdc ph

TKFsamE

exp1 std1h

SAMPLE DEC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file /export/home/~ dpwr 30
nishiz/data/kurisa~ dof 0
ki/TKFsamEh052604~ dm nnn
01_50.fid dmm c
ACQUISITION dmf 200

sfrq 200.070 PROCESSING
tn H1 wtfile
at 4.000 proc ft
np 32000 fn not used
sw 4000.0
fb 2200 werr
bs 8 wexp wft
tpwr 58 wbs wft
pw 7.0 wnt

d1 1.000
tof 600.0
nt 128
ct 32
alock n
gain not used

FLAGS
il n
in n
dp Y

DISPLAY
sp -0.0
wp 1800.4
vs 219
sc 0
wc 260
hzmm 6.93
is 1255.74
rfl 436.8
rfp 0
th 20
ins 100.000

nm edc ph

13C OBSERVE

exp4 std13c

SAMPLE DEC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dnm w
at 2.134 dmf 9500
sw 14592.5 lb 1.00
fb 8200 wtfile
bs 16 proc ft
tpwr 55 fa not used
pw 4.5
dl 1.000 warr
tof 0 wexp wft
nt 1000 wbs wft
ct 224 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 106
sc 0
wc 400
hzmm 27.67
is 500.00
rfl 6501.3
rfp 3875.2
th 15
ims 100.000
nm cdc ph

exp1 std1h

10

SAMPLE DEC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
d1 1.000 waxp wft
tof 600.0 wbs wft
nt 128 wnt
ct 48
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 219
sc 0
wc 400
hzmm 4.50
is 7264.25
rfl 437.0
zfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp4 std13c

10

SAMPLE DQC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dn YYY
tn C13 dnm w
at 2.134 dmf 9500
PROCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fa not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 1000 wha wft
ct 296 wnt
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.3
wp 11067.2
va 44
sc 0
wc 400
hnm 27.67
is 500.00
rfl 6499.9
rfp 3875.2
th 5
ins 100.000
na cdc ph

exp5 stdih

SAMPLE DEC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION def 0
sfrq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 500.0 wbs wft
nt 128 wnt
ct 48
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.0
wp 1800.4
va 219
sc 0
wc 400
hmm 4.50
is 6817.51
rfl 436.8
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

expl std13c

SAMPLE DEC. & VT
date May 26 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 da YYY
tn C13 dmm w
at 2.134 dmf 9500
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fa not used
pw 4.5
d1 1.000 warr
tof 0 wekp wft
nt 1000 wbs wft
ct 616 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 61
sc 0
wc 400
hmm 27.67
is 500.00
rf1 6499.9
rfp 3875.2
th 20
ins 100.000
nm cdc ph

expl stdih

SAMPLE DEC. & VT
date Jun 3 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 da nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fa not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 257
sc 0
wc 400
hzmm 4.50
ia 2600.79
rfl 436.8
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp5 std13c

SAMPLE DEC. & VT
date Jun 3 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm yyy
tn C13 dnm w
at 2.134 dmf 9500
PROCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 1000 wbs wft
ct 120 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 161
sc 0
wc 400
hzmm 27.67
is 500.00
rfl 6505.0
rfp 3875.2
th 46
ins 100.000
nm cdc ph

STANDARD 1H OBSERVE

exp3 std1h

SAMPLE DEC. & VT
date Jun 3 04 dfrq 199.949
solvent CDCl3 dn H1
file exp dhp 1.0
ACQUISITION dof -300.0
sfrq 199.949 dm nnn
tn H1 dmm c
at 2.666 dmf 200
np 16000
sw 3000.3 wtf file
fb 1500 proc ft
bs 8 fn not used
pw 11.3
d1 1.334 werr
tof 0 wexp wft
nt 128 wbs wft
ct 32 wnt
alock n
gain not used
FLAGS
il n
in y
dp y
DISPLAY
sp -0.0
wp 1799.2
vs 455
sc 0
wc 400
hz/mm 4.50
is 10783.07
rfl 503.7
rfp 0
th 30
ins 100.000
a1 cdc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date Jun 3 04 dfrq 199.949
solvent CDCl3 dn H1
file exp dho 1.0
ACQUISITION dof 0
sfrq 50.282 dm yyy
tn C13 dmm w
at 1.001 dmf 10000
np 30016 PROCESSING
sw 15000.0 lb 1.00
fb 7500 wtfile
bs 8 proc ft
pw 9.5 fn not used
d1 1.000
tof 0 werr
nt 1000 wexp wft
ct 112 wbs wft
clock n wnt
gain not used

FLAGS
il n
in n
dp y

DISPLAY
sp -0.7
wp 11061.2
vs 132
sc 0
wc 400
hzmm 27.65
is 500.00
rfl 6453.9
rfp 3873.1
th 5
ins 100.000
nm no ph

200 180 160 140 120 100 80 60 40 20 ppm

exp5 stdih

SAMPLE DEC. & VT
date Jun 6 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm mmn
tn H1 dmm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 32
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp 0.0
wp 1800.4
vs 135
sc 0
wc 400
hmma 4.50
is 567.91
rfl 435.6
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp9 std13c

SAMPLE		DEC. & VT	
date	Jun 6 2004	dfxq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	40
ACQUISITION		dof	0
sfrq	50.312	dm	YYY
tn	C13	dmm	w
at	2.134	dmf	9500
PROCESSING			
ap	64000	lb	1.00
sw	14992.5	wtfile	
fb	8200	proc	ft
bs	8	fn	not used
tpwr	55		
pw	4.5		
d1	1.000	werr	
tof	0	wexp	wft
nt	1000	wbs	wft
ct	104	wnt	
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.3		
wp	11067.2		
vs	117		
sc	0		
wc	400		
hmm	27.67		
is	500.00		
rfl	6509.5		
rfp	3875.2		
th	6		
ins	100.000		
nm	cdc ph

exp6 stdih

SAMPLE DEC. & VT
date May 29 2004 dfrq 200.070
solvent CDCl3 dm H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nuu
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtf file
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
d1 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp 0.0
wp 1800.4
vs 173
sc 0
wc 400
hzmm 4.50
is 2183.98
rfl 436.3
rtp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp5 std13c

SAMPLE DEC. & VT
date May 29 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dmm w
at 2.134 dmf 9500
PP-64004 PROCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 warr
tof 0 wexp wft
nt 1000 wbs wft
ct 88 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 101
sc 0
wc 400
hzmm 27.67
is 500.00
rfl 6505.0
rfp 3875.2
th 20
ins 100.000
nm adc ph

expi std1h

SAMPLE		DEC. & VT	
date	May 29 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	0
sfrq	200.070	dm	nmn
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	werr	
dl	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wat	
ct	104		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.0		
wp	1800.4		
vs	183		
sc	0		
wc	400		
hmm	4.50		
is	1324.11		
rfl	437.5		
xfp	0		
th	20		
ins	100.000		
nm	cdc ph

13C OBSERVE

exp1 std13c

SAMPLE		DEC. & VT	
date	May 29 04	dfrq	199.887
solvent	CDCl3	dn	H1
file	exp	dof	0
ACQUISITION		dm	yyy
sfrq	50.266	dmm	w
tn	C13	dmf	9900
at	1.498	PROCESSING	
np	37440	lb	1.00
sw	12500.0	wtfile	
fb	7500	proc	ft
bs	8	fn	not used
pw	8.7		
d1	0	werr	
tof	0	wexp	wft
nt	1000	wbs	wft
ct	104	wnt	
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sd	-0.1		
wd	11058.0		
vs	127		
sc	0		
wc	400		
hzmm	27.65		
is	500.00		
rfl	5210.7		
rfd	3871.9		
th	11		
ins	1.000		
nm	no	ph

exp6 std1h

SAMPLE DEC. & VT
date May 27 2004 dfrq 200.070
solvent CDCl3 da H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 da nnn
tn H1 dmm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 104
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
ap -0.0
wp 1800.4
va 186
sc 0
wc 400
hzmm 4.50
is 3765.52
rfl 436.8
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date May 27 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm vvy
tn C13 dnm w
at 2.134 dmf 9500
np 64000 PROCESSING
sw 14992.5 lb 1.00
fb 8200 wfile
bs 8 proc ft
tpwr 55 fa not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 1000 wbs wit
ct 528 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 143
sc 0
wc 400
hzmm 27.67
is 500.00
rf1 6502.2
rfp 3875.2
th 16
ins 100.000
nm cdc ph

ppm

TKF127-1-1H pure

exp1 std1h

SAMPLE		DEC. & VT	
date	May 19 04	dfrq	199.887
solvent	CDCl3	dn	H1
file	/export/home/~	dof	0
nishiz/data/kurisa~	dm	nnn	
ki/TKF127-1-1Hp051~	dmm	c	
904_18_43.fid	dmf	200	

ACQUISITION		PROCESSING	
sfrq	199.887	wtfile	
tn	H1	proc	ft
at	1.994	fn	not used
np	11968		
sw	3000.3	werr	
fb	1500	wexp	wft
bs	8	wbs	wft
pw	7.0	wnt	
d1	1.000		
tof	0		
nt	128		
ct	40		
alock	n		
gain	not used		

FLAGS	
il	n
in	n
dp	y

DISPLAY	
sp	-0.0
wp	1798.9
vs	138
sc	0
wc	260
hzmm	6.92
is	18943.39
rfl	503.3
rfl	0
th	20
ins	1.000

nm cdc ph

13C OBSERVE

exp5 std13c

SAMPLE DEC. & VT
date Jun 4 04 dfra 199.949
solvent CDCl3 dn H1
file exp dhp 1.0
ACQUISITION dof 0

info 50.282
in C13 gmm w
at 1.001 dmf 10000
no 30016 PROCESSING
sw 15000.0 lb 1.00
fb 7500 wtfile
bs 8 proc ft
pw 9.5 fn not used
d1 1.000
tof 0 werr
nt 10000 wexp wft
ct 728 wbs wft
alock n wnt
gain not used

FLAGS

fl n
in n
dp y

DISPLAY

sp -0.7
wp 11061.2
vs 64
sc 0
wc 400
hzmm 27.65
is 500.00
rfl 6451.2
rfo 3873.1
th 5
ins 100.000
nm no ph

200

180

160

140

120

100

80

60

40

20

ppm

exp4 stdih

SAMPLE DEC. & VT
date May 21 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fa not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wat
ct 32
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp 0.0
wp 1800.4
vs 602
sc 0
wc 400
hmm 4.50
is 1779.67
rfl 436.1
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp4 atdl3c

SAMPLE DEC. & VT
date May 21 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm VVV
tn C13 dnm w
at 2.134 dmf 9500
aw 14992.5 lb 1.00
fb 8200 wtfile
ba 8 proc ft
tpwr 55 fa not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 1000 wbs wft
ct 984 wnt
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.3
wp 11067.2
vs 279
sc 0
wc 400
hzmm 27.67
ia 500.00
rfl 6499.9
rfp 3875.2
th 20
ins 100.000
nm cdc ph

exp5 stdih

SAMPLE DEC. & VT
date Jun 4 2004 dfrq 200.070
solvent CDCl3 gn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nna
tn H1 dmm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 warr
dl 1.000 wexp wft
tof 600.0 wbs wit
nt 128 wnt
ct 72
alock n
gain not used
FLAGE
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 202
sc 0
wc 400
hzmm 4.50
is 2352.06
rfl 436.6
rkp 0
th 13
ims 100.000
nm cdc ph

13C OBSERVE

exp1 std13c

SAMPLE		DEC. & VT	
date	Jun 4 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	40
ACQUISITION		dof	
sfrq	50.312	dm	YYY
tn	C13	dmm	w
at	2.134	dmf	9500
=====			
SW		14992.5 lb 1.00	
fb	8200	wtfile	
bs	8	proc	ft
tpwr	55	fn	not used
pw	4.5		
d1	1.000	warr	
tof	0	wexp	wft
nt	1000	wbs	wft
ct	104	wnt	
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.3		
wp	11067.2		
vs	79		
sc	0		
vc	400		
hmm	27.67		
is	500.00		
rfl	6504.1		
rEp	3875.2		
th	19		
ins	100.000		
nm	cdc ph

exp4 stdih

SAMPLE		DEC. & VT	
date	May 24 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	0
sfrq	200.070	dm	nmn
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	werr	
dl	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wnt	
ct	40		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.0		
wp	1800.4		
vs	219		
sc	0		
wc	400		
hzmm	4.50		
is	1781.33		
xfl	436.6		
rfl	0		
th	20		
ins	100.000		
nm	cdc	ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date May 24 2004 dfrq 200.070
solvent CDC13 da H1
file exp dgwr 40
ACQUISITION doF 0
sfrq 50.312 da YYY
tn C13 dnm w
at 2.134 dmf 9500
np 64000 PROCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile

tpwr 55 in not used
pw 4.5
dl 1.000 warr
tof 0 wezp wit
nt 1000 whs wit
ct 128 wnt
alock n
gain not used

FLAGS
il n
in n
dp y

DISPLAY
sp -0.2
wp 11067.2
vs 98
sc 0
wc 400
hzmm 27.67
ls 500.00
rfl 2614.6
rfp 0
th 20
ins 100.000
nm cdc ph

expt stdlh

SAMPLE		DEC. & VT	
date	May 28 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file		exp	30
ACQUISITION		dof	0
sfrq	200.070	dm	nnn
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	werr	
dl	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wat	
ct	32		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.0		
wp	1800.4		
vs	129		
sc	0		
wc	400		
hmm	4.50		
is	6820.39		
rfl	436.8		
rfp	0		
th	20		
ins	100.000		
nm	cdc ph

13C OBSERVE

exp5 std13c

SAMPLE		DEC. & VT	
date	May 28 2004	dfrq	200.070
solvent	CDC13	dn	H1
file		exp	40
ACQUISITION		dof	0
sfrq	50.312	dm	YYY
tn	C13	dmm	w
at	2.134	dmf	9500

sp	64000	PROCESSING	
sw	14992.5	lb	1.00
fb	8200	wtfile	
bs	8	proc	ft
tpwr	55	fn	not used
pw	4.5		
d1	1.000	warr	
tof	0	wexp	wft
nt	1000	wbs	wft
ct	488	wnt	
alock	n		
gain	not used		

FLAGS	
il	n
in	n
dp	y

DISPLAY	
sp	-0.3
wp	11067.2
vs	102
sc	0
wc	400
hsmm	27.67
is	500.00
rfl	6501.3
rfp	3875.2
th	15
ins	100.000
nm	cdc ph

STANDARD 1H OBSERVE

exp2 std1h

SAMPLE DEC. & VT
date May 29 04 dfra 199.887
solvent CDCl3 dn H1
file exp dof 0
ACQUISITION dm nnn
sfrq 199.887 dmm c
tn H1 dmf 200
et 1.994 PROCESSING
np 11968 wtfile
sw 3000.3 proc ft
fb 1500 fn not used
bs 8
pw 7.0 werr
d1 1.000 wexp wft
tof 0 wbs wft
nt 128 wnt
ct 40
elock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wd 1798.9
vs 76
sc 0
wc 400
hzmm 4.50
is 22909.19
rf1 503.3
rfp 0
th 20
ins 1.000
nm cdc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date May 29 04 dfrq 199.887
solvent CDCl3 dn H1
file exp dof 0
ACQUISITION dm yyy
sfrp 50.266 dmm w
tn C13 dmf 9900
at 1.498 PROCESSING
np 37440 lb 1.00
sw 12500.0 wtfile
fb 7500 proc ft
bs 8 fn not used
pw 8.7
d1 0 werr
tof 0 wexp wft
nt 1000 wbs wft
ct 104 wnt
alock n
gain not used

FLAGS
il n
in n
dp y

DISPLAY
sp -0.1
wp 11058.0
vs 129
sc 0
wc 400
hzmm 27.65
is 500.00
rfl 5211.8
rfp 3871.9
th 8
ins 1.000
nm no ph

expl std1h

SAMPLE		DEC. & VT	
date	Jun 1 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	0
sfrq	200.070	dm	nna
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	warr	
d1	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wnt	
ct	40		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	Y		
DISPLAY			
sp	-0.0		
wp	2000.6		
vs	111		
sc	0		
wc	400		
hzma	5.00		
is	2677.16		
rfl	437.0		
rfp	0		
th	16		
ins	100.000		
nm	cdc ph

13C OBSERVE

exp5 std13c

SAMPLE		DEC. & VT	
date	Jun 1 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	40
ACQUISITION		dof	0
sfrq	50.312	dm	yyy
tn	C13	dmm	w
at	2.134	dmf	9500
np	64000	PROCESSING	
sw	14992.5	lb	1.00
fb	8200	wtfile	
bs	8	proc	ft
tpwr	55	fn	not used
pw	4.5		
dt	1.900	warr	
tof	0	wexp	wft
nt	1000	wbs	wft
ct	176	wat	
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.3		
wp	11067.2		
vs	94		
sc	0		
wc	400		
hzmm	27.67		
is	500.00		
rfl	6514.1		
rfp	3875.2		
th	11		
ims	100.000		
nm	cdc ph

ppm

exp2 std1h

SAMPLE DEC. & VT
date Jun 11 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 warr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 32
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 326
sc 0
wc 400
hzmm 4.50
is 5676.92
rf1 437.3
rfp 0
th 20
ins 100.000
nm cdc ph

13C OBSERVE

exp1 std13c

SAMPLE		DEC. & VT	
date	Jun 11 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	40
ACQUISITION		dof	0
sfrq	50.312	dm	yyy
tn	C13	duma	w
st	21134	dof	9500
fb	8200	wtfile	1.00
bs	8	proc	ft
tpwr	55	fn	not used
pw	4.5		
d1	1.000	warr	
tof	0	wexp	wft
nt	10000	wbs	wft
ct	312	wnt	
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.3		
wp	11067.2		
vs	141		
sc	0		
wc	400		
hzmm	27.67		
is	500.00		
rfl	6500.4		
rfp	3875.2		
th	8		
ins	100.000		
nm	cdc ph

exp5 stdih

SAMPLE DEC. & VT
date Jun 8 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wamp wft
tof 600.0 wbs wft
nt 128 wnt
ct 48
slook n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 2000.6
va 228
sc 0
wc 400
hzmm 5.00
is 4008.61
rel 436.8
rfp 0
th 11
ins 100.000
nm cdc ph

13C OBSERVE

exp6 std13c

SAMPLE DEC. & VT
date Jun 8 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dnm w
at 2.134 dmf 9500
PROCCESSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 10000 wbs wft
ct 96 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 114
sc 0
wc 400
hzmm 27.67
ia 500.00
rf1 6504.1
rfp 3875.2
th 9
ins 100.000
nm cdc ph

expl std1h

SAMPLE DEC. & VT
date May 28 2004 dfrq 200.070
solvent CDCl3 dn H1
file /export/home/~ dpwr 30
nishiz/data/kurisa~ dof 0
ki/TKFsamJh052804~ dm nnn
03_09.fid dmm c
ACQUISITION dmf 200

sfrq 200.070 PROCESSING
tn H1 wtfile
at 4.000 proc ft
np 32000 fn not used
sw 4000.0
fb 2200 werr
bs 8 wexp wft
tpwr 58 wbs wft
pw 7.0 wnt

d1 1.000
tof 600.0
nt 128
ct 32
alock n
gain not used

FLAGS
il n
in n
dp Y

DISPLAY
sp -0.0
wp 1800.4
vs 222
sc 0
wc 260
hzmm 4.50
is 4733.85
rfl 435.8
rfp 0
th 20

ins 100.000

nm cdc ph

8 7 6 5 4 3 2 1 ppm
12.36 18.39

13.42 13.12 18.36 24.35

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date May 28 2004 dfrq 200.070
solvent CDCl3 dn H1
file /export/home/~ dpwr 40
nishiz/data/kurisa~ dof 0
ki/TKFsamjc052804~ dm YYY
03 21.fid dmm w
ACQUISITION dmf 9500
sfrq 50.312 PROCESSING
tn C13 lb 1.00
at 2.134 wtfile
np 64000 proc ft
sw 14992.5 fn not used
fb 8200
bs 8 werr
tpwr 55 wexp wft
pw 4.5 wbs wft
d1 1.000 wnt
tof 0
nt 1000
ct 112
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.3
wp 11067.2
vs 102
sc 0
wc 260
hzmm 27.67
is 500.00
rfl 6503.1
rfp 3875.2
th 20
ins 100.000
nm cdc ph

exp5 std1h

29

30

SAMPLE DEC. & VT
date Jun 6 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nmh
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fa not used
tpwr 58
pw 7.0 warr
d1 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 190
sc 0
wc 400
hzmm 4.50
is 3421.42
rf1 437.8
rfp 0
th 15
ins 100.000
nm cdc ph

13C OBSERVE

expl std13c

29

30

SAMPLE DEC. & VT
date Jun 6 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 Gmm w
at 2.134 dmf 9500
PROCSSING
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 werr
tof 0 wekp wft
nt 10000 wbs wft
ct 328 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 114
sc 0
wc 400
hzmm 27.67
is 500.00
rfl 6502.2
xsp 3875.2
th 8
ins 100.000
nm cdc ph

200

180

160

140

120

100

80

60

40

20

ppm

exp5 std1h

SAMPLE DEC. & VT
date Jun 7 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 dm nnn
tn H1 dmm c
at 4.000 dmf 200
np 32000
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wat
ct 72
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
ap -0.0
wp 1800.4
va 96
sc 0
wc 400
hzmm 4.50
is 11974.17
rfl 436.8
rfp 0
th 20
ins 100.000
ma odc ph

31

31

13C OBSERVE

exp1 std13c

32

STANDARD 1H OBSERVE

exp1 std1h

SAMPLE		DEC. & VT	
date	Jun 8 04	dfreq	199.949
solvent	CDCl3	dn	H1
file	exp	dho	1.0
ACQUISITION		dof	
sfrq	199.949	dm	nnn
tn	H1	dmm	c
at	2.666	dmf	200
PROCESSING			
np	16000	wtfile	
sw	3000.3	proc	ft
fb	1500	fn	not used
bs	8		
pw	11.3		
d1	1.334	werr	
tof	0	wexp	wft
nt	128	wbs	wft
ct	32	wnt	
alock	n		
gain	not used		
FLAGS			
il	n		
in	y		
dp	y		
DISPLAY			
sd	0.0		
wd	1799.2		
vs	144		
sc	0		
wc	400		
hzmm	4.50		
is	24459.90		
rfl	502.9		
rfp	0		
th	16		
ins	100.000		
nm	cdc ph

32

13C OBSERVE

exp2 std13c

SAMPLE		DEC. & VT	
date	Jun 8 04	dfrd	199.949
solvent	CDCl3	dn	H1
file	exp	dhp	1.0
ACQUISITION		dof	0
sfrq	50.282	dm	yyy
tn	C13	dmm	w
at	1.001	dmf	10000
no	30016	PROCESSING	
sw	15000.0	lb	1.00
fb	7500	wtfile	
bs	8	proc	ft
pw	9.5	fn	not used
d1	1.000		
tof	0	werr	
nt	1000	wexp	wft
ct	88	wbs	wft
alock	n	wnt	
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sd	-0.7		
wd	11061.2		
vs	152		
sc	0		
wc	400		
hzmm	27.65		
is	500.00		
rfl	6459.4		
rfd	3873.1		
th	6		
ins	100.000		
nm	no	ph

exp1 std1h

SAMPLE DEC. & VT
date Jun 2 2004 dfrq 200.070
solvent CDCl3 da H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 da nnn
tn H1 dnm c
at 4.000 dmf 200
np 32000 PROCESSING
sw 4000.0 wfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 werr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.0
wp 1800.4
vs 244
sc 0
wc 400
hmm 4.50
ia 4829.90
rfl 437.3
rfp 0
th 15
ins 100.000
nm cdc ph

13C OBSERVE

exp5 std13c

SAMPLE		DEC. & VT	
date	Jun 2 2004	dfrq	200.070
solvent	CDCl3	dn	HI
file	exp	dpwr	40
ACQUISITION		dof	0
sfrq	50.312	dm	YYY
tn	Cl3	dmm	w
at	2.134	dmf	9500

PROCESSING	
sw	14992.5 lb 1.00
fb	8200 wtfile
bs	8 proc ft
tpwr	55 fa not used
pw	4.5
dl	1.000 werr
tof	0 wexp wft
nt	1000 wbs wft
ct	96 wnt
alock	n
gain	not used

FLAGS	
il	n
in	n
dp	y

DISPLAY	
sp	-0.3
wp	11067.2
va	147
sc	0
wc	400
h2ma	27.47
is	500.00
rf1	6510.5
rfp	3875.2
th	9
ins	100.000
nm	cdc ph

exp1 std1h

SAMPLE		DEC. & VT	
date	Jun 4 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	
sfrq	200.070	dm	nmn
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	werr	
d1	1.000	wexp	wft
tof	600.0	wbs	wft
nt	128	wnt	
ct	80		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.0		
wp	1800.4		
vs	610		
sc	0		
wc	400		
hmm	4.50		
is	7390.87		
rfl	437.0		
rfp	0		
th	11		
ins	100.000		
nm cdc ph

13C OBSERVE

exp5 std13c

SAMPLE DEC. & VT
date Jun 4 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dnm w
at 2.134 dmf 9500
f1 14992.5 f2 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 10000 wbs wft
ct 160 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 104
sc 0
wc 400
hzmm 27.67
ls 500.00
xfl 6502.2
xrp 3875.2
th 10
ins 100.000
nm cdc ph

exp5 stdih

SAMPLE		DEC. & VT	
date	Jun 9 2004	dfrq	200.070
solvent	CDCl3	dn	H1
file	exp	dpwr	30
ACQUISITION		dof	
sfrq	200.070	dm	nmn
tn	H1	dmm	c
at	4.000	dmf	200
np	32000	PROCESSING	
sw	4000.0	wtfile	
fb	2200	proc	ft
bs	8	fn	not used
tpwr	58		
pw	7.0	warr	
d1	1.000	wexp	wft
tof	600.0	wbs	wft
nt	1000	wnt	
ct	56		
alock	n		
gain	not used		
FLAGS			
il	n		
in	n		
dp	y		
DISPLAY			
sp	-0.0		
wp	1800.4		
vs	219		
ac	0		
wc	400		
hmm	4.50		
is	2402.27		
rfl	437.0		
rfp	0		
th	20		
ins	100.000		
nm	cdc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date Jun 9 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dmm w
at 2.134 dmf 9500
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fa not used
pw 4.5
dl 1.000 werr
tof 0 wexp wft
nt 10000 wbs wft
ct 520 wat
alock n
gain not used
FLAGS
il n
in n
dp Y
DISPLAY
sp -0.3
wp 11067.2
vs 157
sc 0
wc 400
hmm 27.67
is 500.00
rfl 6500.4
rfp 3875.2
th 8
ins 100.000
nm cdc ph

exp5 stdih

SAMPLE DEC. & VT
date Jun 10 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 30
ACQUISITION dof 0
sfrq 200.070 da mna
tn H1 dnm c
at 4.000 dmf 200
np 32000
sw 4000.0 wtfile
fb 2200 proc ft
bs 8 fn not used
tpwr 58
pw 7.0 warr
dl 1.000 wexp wft
tof 600.0 wbs wft
nt 128 wnt
ct 40
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.0
wp 1800.4
vs 159
sc 0
wc 400
hnm 4.50
is 6364.34
rfl 436.8
rfp 0
th 30
ins 100.000
nm cdc ph

13C OBSERVE

exp1 std13c

SAMPLE DEC. & VT
date Jun 10 2004 dfrq 200.070
solvent CDCl3 dn H1
file exp dpwr 40
ACQUISITION dof 0
sfrq 50.312 dm YYY
tn C13 dnm w
at 2.134 dmf 9500
sw 14992.5 lb 1.00
fb 8200 wtfile
bs 8 proc ft
tpwr 55 fn not used
pw 4.5
d1 1.000 werr
tof 0 wexp wft
nt 100000 wbs wft
ct 5936 wnt
alock n
gain not used
FLAGS
il n
in n
dp y
DISPLAY
sp -0.3
wp 11067.2
vs 471
sc 0
wc 400
hzmm 27.67
is 500.00
rfl 6499.9
rfp 3875.2
th 8
ins 100.000
nm cdc ph

200

180

160

140

120

100

80

60

40

20

ppm