SUPPORTING INFORMATION

Mild and Room Temperature C-C Bond Forming Reactions of Nucleoside C-6 Arylsulfonates

Mahesh K. Lakshman,* Padmaja Gunda and Padmanava Pradhan

*Department of Chemistry, The City College and The City University of New York,
138th Street at Convent Avenue, New York, NY 10031-9198*

Table of Contents

Compound	Page
¹ H NMR spectrum (in CDCl ₃) of 3',5'-Bis-O-(<i>tert</i> -butyldimethylsilyl)-O ⁶ -[(2,4,6-trimethylphenyl)sulfonyl]-2'-deoxyguanosine (1a)	S2
¹ H NMR spectrum (in CDCl ₃) of 3',5'-Bis-O-(<i>tert</i> -butyldimethylsilyl)-O ⁶ -[(2-nitrophenyl)sulfonyl]-2'-deoxyguanosine (1b)	S3
¹ H NMR spectrum (in CDCl ₃) of 3',5'-Bis-O-(<i>tert</i> -butyldimethylsilyl)-O ⁶ -[(2,4,6-triisopropylphenyl)sulfonyl]-2'-deoxyguanosine (1d)	S4
¹ H NMR spectrum (in CDCl ₃) of 3',5'-Bis-O-(<i>tert</i> -butyldimethylsilyl)-O ⁶ -[(4-methoxyphenyl)sulfonyl]-2'-deoxyguanosine (1e)	S5
¹ H NMR spectrum (in CDCl ₃) of 3',5'-Bis-O-(<i>tert</i> -butyldimethylsilyl)-O ⁶ -[(2-thienyl)sulfonyl]-2'-deoxyguanosine (1f)	S6
¹ H NMR spectrum (in CDCl ₃) of 2-Amino-3',5'-bis-O-(<i>tert</i> -butyldimethylsilyl)-6-[4-(phenoxy)phenyl]-2'-deoxynebularine (2e)	S7
¹ H NMR spectrum (in CDCl ₃) of 2-Amino-3',5'-bis-O-(<i>tert</i> -butyldimethylsilyl)-6-[4-(diphenylamino)phenyl]-2'-deoxynebularine (2g)	S8
¹ H NMR spectrum (in CDCl ₃) of 2-Amino-3',5'-bis-O-(<i>tert</i> -butyldimethylsilyl)-6-[3-(ethoxycarbonyl)phenyl]-2'-deoxynebularine (2j)	S9
³¹ P{H} NMR spectra of 1:1 and 2:1 L-1 /Pd(OAc) ₂ complexes in toluene- <i>d</i> ₈ at 40 °C.	S10

pg-1205-03-23

Pulse sequence: s2pul
Solvent: CDCl3
Temp. 25.0 C / 298.1 K
File: pg-1205-03-23
INOVA-500 "cpsepla500"

Relax. delay 5.000 sec
Pulse 97.4 degrees
Acq. time 1.892 sec
Width 8000.0 Hz
16 repetitions
OBSERVE H1, 499.7707212 MHz
DATA PROCESSING
Ft size 32768
Total time 1 min, 50 sec

pg-1205-05-06

Pulse sequence: s2pul
Solvent: CDCl3
Temp. 25.0 C / 298.1 K
File: pg-1205-05-06p
INOVA-500 "casbella500"

Relax. delay 2.000 sec
Pulse 97.4 degrees
Acq. time 1.392 sec
Width 3000.0 Hz
16 repetitions
OBSERVE R1, 499.7707212 MHz
DATA PROCESSING
Ft size 32768
Total time 1 min, 2 sec

pg-1205-05-08

Pulse sequence: s2pul
Solvent: CDCl3
Temp. 25.0 C / 298.1 K
File: pg-1205-05-08p
NOVA-500 "casella500"

Relax. delay 2.000 sec
Pulse 97.4 degrees
Acq. time 1.392 sec
Width 3000.0 Hz
16 repetitions
OBSERVE H1, 499.7707212 MHz
DATA PROCESSING
Ft size 32768
Total time 1 min, 2 sec

$^{31}\text{P}\{\text{H}\}$ NMR spectra of 1:1 and 2:1 **L-1**/ $\text{Pd}(\text{OAc})_2$ complexes in toluene- d_8 .

- (A) The 1:1 complex after 1 h at 40 °C.
- (B) The 1:1 complex after 24 h at 40 °C.
- (C) The 2:1 complex after 2 h at 40 °C.
- (D) The 2:1 complex after 24 h at 40 °C.