Supplimentary Information: Supplementary Information

MnO₂ nanoparticles as efficient oxidant for ultrasound assisted synthesis of 2-substituted benzimidazoles under mild conditions

Hossein Naeimi^{*a} Zahra Babae^b

*Department of Organic Chemistry, Faculty of Chemistry, University of Kashan, Kashan, 87317, I.R
.Iran*

E-mail: naeimi@kashanu.ac.ir

Fax: +98-361-55912397

1. ^1H NMR of **2a** compound

2. ^{13}C NMR of **2a** compound

3. IR of **2a** compound

4. ^1H NMR of **2b** compound

5. ^{13}C NMR of **2b** compound

6. IR of **2b** compound

7. ^1H NMR of **2c** compound

8. IR of **2c** compound

9. ^1H NMR of **2d** compound

10. ^{13}C NMR of **2d** compound

11. IR of **2d** compound

12. ¹H NMR of **2e** compound

13. ^{13}C NMR of **2e** compound

14. IR of **2e** compound

15. ^1H NMR of **2f** compound

16. IR of **2f** compound

17. ^1H NMR of **2g** compound

18. ^{13}C NMR of **2g** compound

19. IR of **2g** compound

20. ¹H NMR of **2h** compound

21. ^{13}C NMR of **2h** compound

22. IR of **2h** compound

23. ^1H NMR of **2i** compound

24. ^{13}C NMR of **2i** compound

25. IR of **2i** compound

26. ¹H NMR of **2j** compound

27. IR of **2j** compound

28. ¹H NMR of **2k** compound

29. ^{13}C NMR of **2k** compound

30. IR of **2k** compound

31. ^1H NMR of **2l** compound

32. ^{13}C NMR of **2l** compound

33. IR of **2l** compound

34. ¹H NMR of **2m** compound

35. IR of **2m** compound

36. ¹H NMR of **2n** compound

37. ^{13}C NMR of **2n** compound

38. IR of **2n** compound