Supporting Information**NiCl₂-Catalyzed Hydrophosphinylation**

Patrice Ribière, Karla Bravo-Altamirano, Monika I. Antczak,
Jennifer D. Hawkins, and Jean-Luc Montchamp*

Department of Chemistry, Box 298860, Texas Christian University, Fort Worth, Texas 76129

LIST OF CONTENTS:

	PAGE
General Chemistry	S2
Reagents & Solvents	S2
Gas Chromatography	S2
³¹ P NMR Yield Measurements	S2, S3
Preparation of a Stock Solution of AlkOP(O)H ₂	S3
General Procedure for the Hydrophosphinylation of Alkynes by heat activation	S3
Spectral Data for Table 3	S3-S7
Preparation of Butyl (3-phenyl-prop-2-enyl) phosphinate	S7
Preparation of EtOP(O)D ₂	S8
Hydrophosphinylation with EtOP(O)D ₂	S8
Competition Experiment	S8
References	S8
Spectra	S9-117

General Chemistry. ^1H NMR spectra were recorded on at 300 MHz spectrometer. Chemical shifts for ^1H NMR spectra are reported (in parts per million) relative to internal tetramethylsilane (Me_4Si , $\delta = 0.00$ ppm) with CDCl_3 as solvent. ^{13}C NMR spectra were recorded at 75 MHz. Chemical shifts for ^{13}C NMR spectra are reported (in parts per million) relative to CDCl_3 ($\delta = 77.0$ ppm). ^{31}P NMR spectra were recorded at 121 MHz and/or at 36 MHz, and chemical shifts reported (in parts per million) relative to external 85% phosphoric acid ($\delta = 0.0$ ppm). Mass spectrometry was provided by the Washington University Mass Spectrometry Resource, an NIH Research Resource (Grant No. P41RR00954), or by the Mass Spectrometry Facility of the University of South Carolina. Radial chromatography was carried out using 1, 2, or 4 mm layers of silica gel 60 PF₂₅₄ containing gypsum. Silica gel (200-300 mesh,) was used for flash chromatography. Ethyl acetate/hexanes mixtures were used as the eluent for chromatographic purifications. TLC plates were visualized by immersion in anisaldehyde stain (by volume: 93% ethanol, 3.5% sulfuric acid, 1% acetic acid, and 2.5% anisaldehyde) followed by heating. Organic solutions of products were dried over anhydrous MgSO_4 .

Reagents and Solvents. Aqueous hypophosphorous acid (50 wt. %), was obtained from Aldrich and used as received. Concentrated hypophosphorous acid was obtaining by concentrating the 50 wt. % aqueous solution in vacuo on a rotary evaporator, at room temperature for 20-30 min before reaction. Anhydrous toluene was freshly distilled from CaH_2 prior to use. All other reagents were used as received. Reagent or HPLC grade acetonitrile was used throughout this study and was not dried prior to use.

Gas Chromatography. Gas chromatographic analyses were conducted on a gas chromatograph equipped with capillary GC and FID detection, and with mesitylene as an internal standard. The column was a 30 m HP5 (crosslinked 5% PH ME siloxane) capillary column (0.25 μm , phase ratio 320, ID 0.32 mm). Conditions: oven 60 $^\circ\text{C}$, initial time: 1 min, rate1: 5 $^\circ\text{C}/\text{min}$, final temperature1: 160 $^\circ\text{C}$, final time 1: 0 min, then rate2: 25 $^\circ\text{C}/\text{min}$, final temperature2: 280 $^\circ\text{C}$, final time 2: 20 min. Inlet 200 $^\circ\text{C}$, detector 280 $^\circ\text{C}$, split mode with constant make-up. Procedure for the kinetic experiments (Figure 1): mesitylene (1 equiv., used as internal standard) is weighted together with 4-octyne. The nickel catalyst and the solution of $\text{EtOP}(\text{O})\text{H}_2$ in CH_3CN are added and the resulting mixture is stirred at reflux. For GC analysis, 3 drops of sample are diluted in 1 mL of diethyl ether. The solution is washed with 1 mL of 2N NaOH, and 1 μL of the organic solution is injected in the GC. For each sampling, the area of the different peaks are normalized with the area of the mesitylene peak.

^{31}P NMR Yield Measurements. The NMR yields are determined by integration of all the resonances in the ^{31}P NMR spectra, an approach which is valid if no phosphorus-containing gas (ie. PH_3) evolves, or if the precipitate in a heterogeneous mixture does not contain phosphorus. The yields determined by NMR are generally accurate within $\sim 10\%$ of the value indicated, and are reproducible. Isolated yields are sometimes significantly lower because of the H-phosphinate esters are polar compounds and hydrolytically labile.

Validation of NMR yields: the validity of NMR yields was verified for the hydrophosphinylation of 4-octyne with $\text{EtOP}(\text{O})\text{H}_2$ using known amounts of authentic samples and then integrating the spectra. The table below shows excellent agreement between the theory and the experimentally determined yields by integration of the signals.

	δ (ppm)	31.09 13.84 7.00
theory	mmol	0.328 0.3 0.348
	%	33.6 30.7 35.7
36MHz 32 scans	integral	100 84.76 105.62
	%	34.4 29.2 36.4
	Δ %	0.8 -1.5 0.7
36MHz 16 scans	integral	100 82.48 106.47
	%	34.6 28.5 36.8
	Δ %	1.0 -2.2 1.2
121MHz 32 scans	integral	36.98 25.59 37.43
	%	37.0 25.6 37.4
	Δ %	3.4 -5.1 1.8
121MHz 16 scans	integral	37.15 25.99 36.86
	%	37.2 26.0 36.9
	Δ %	3.5 -4.7 1.2
121MHz 8 scans	integral	27.69 18.55 28.68
	%	37.0 24.8 38.3
	Δ %	3.4 -6.0 2.6

Preparation of a Stock Solution of AlkOP(O)H_2 . This was conducted as described in reference 1. In a typical procedure, a solution (or suspension) of concentrated H_3PO_2 (100 mmol), alkoxyasilane (70 mmol for $(\text{RO})_4\text{Si}$, or 200 mmol for $(\text{RO})_2\text{SiMe}_2$) in the appropriate volume of solvent (CH_3CN , toluene or THF) to create a 0.5 M solution, is refluxed for 2 h under N_2 atmosphere. After cooling to room temperature, the stock solution was kept under N_2 at rt. Less than 10% decomposition was detected after 2 months.

General Procedure for the Hydrophosphinylation of Alkynes by heat activation. To the catalyst (0.05-0.075 mmol, 2-3 mol % relative to the alkyne) was added a solution of EtOP(O)H_2 (5 mmol) in CH_3CN (10 mL, 0.5M) at room temperature. The mixture was heated for 15min (10 min to reach reflux and 5 min at reflux) then allowed to cool back to room temperature for 15 min. This orange-red homogeneous mixture is added to the alkyne (2.5 mmol) and stirred at room temperature until completion of the reaction (NMR monitoring on a sample of the crude reaction mixture). The mixture was then concentrated in vacuo. The residue was diluted with EtOAc and washed with 1M aqueous NaHSO_4 , then brine. Drying on MgSO_4 and concentration afforded the crude compound, which was purified by radial chromatography (hexanes, 100% v/v to EtOAc , 100% v/v).

Spectral Data for Table 3.

Methyl (1-propyl-pent-1-enyl) phosphinate (Table 3, entry 1a). ^1H NMR (CDCl_3) δ 6.96 (d, $J = 545$ Hz, 1 H), 6.38 (dt, $J = 26$ Hz, $J = 7$ Hz, 1 H), 3.67 (d, $J = 12$ Hz, 3 H), 2.0-2.26 (m, 4 H), 1.41 (q, $J = 7$ Hz, 4 H), 0.87 (t, $J = 7$ Hz, 6 H); ^{13}C NMR (CDCl_3) δ 146.4 (d, $J_{\text{PCC}} = 14$ Hz),

130.5 (d, $J_{\text{PC}} = 123$ Hz), 51.1 (d, $J_{\text{POC}} = 7$ Hz), 29.4 (d, $J_{\text{PCC}} = 18$ Hz), 27.3 (d, $J_{\text{PCCC}} = 12$ Hz), 20.9, 20.8, 13.1, 12.8; ^{31}P NMR (CDCl_3) δ 35.4 (dm, $J = 545$ Hz). HRMS (EI) calcd. for $\text{C}_9\text{H}_{19}\text{O}_2\text{P}$ (M^+) 190.1123, found 190.1116.

iso-Propyl (1-propyl-pent-1-enyl) phosphinate (Table 3, entry 1b). ^1H NMR (CDCl_3) δ 7.04 (d, $J = 540$ Hz, 1 H), 6.35 (dt, $J = 27$ Hz, $J = 6$ Hz, 1 H), 4.45-4.7 (m, 1 H), 2.0-2.25 (m, 4 H), 1.34-1.53 (m, 4 H), 1.07-1.34 (m, 6 H), 0.7-1.0 (t, $J = 7$ Hz, 6 H); ^{13}C NMR (CDCl_3) δ 146.6 (d, $J_{\text{PCC}} = 14$ Hz), 132.2 (d, $J_{\text{PC}} = 125$ Hz), 70.7 (d, $J_{\text{POC}} = 7$ Hz), 30.5 (d, $J_{\text{PCC}} = 19$ Hz), 28.4 (d, $J_{\text{PCCC}} = 12$ Hz), 24.2 (d, $J_{\text{POCC}} = 4$ Hz), 23.5 (d, $J_{\text{POCC}} = 4$ Hz), 22.5 (d, $J_{\text{PCCC}} = 2$ Hz), 21.9 (d, $J_{\text{PCCCC}} = 1$ Hz), 14.1, 13.9; ^{31}P NMR (CDCl_3) δ 30.0 (dm, $J = 539$ Hz). HRMS (EI) calcd. for $\text{C}_{11}\text{H}_{23}\text{O}_2\text{P}$ (M^+) 218.1436, found 218.1440.

Butyl (1-propyl-pent-1-enyl) phosphinate (Table 3, entries 1c & 1d).² ^1H NMR (CDCl_3) δ 6.98 (d, $J = 542$ Hz, 1 H), 6.37 (dt, $J = 33$ Hz, $J = 7$ Hz, 1 H), 3.88-4.0 (m, 2 H), 2.0-2.2 (m, 4 H), 1.55-1.63 (m, 2 H), 1.3-1.45 (m, 6 H), 0.87 (t, $J = 7$ Hz, 9 H); ^{13}C NMR (CDCl_3) δ 147.1 (d, $J_{\text{PCC}} = 14$ Hz), 131.19 (d, $J_{\text{PC}} = 124$ Hz), 65.7 (d, $J_{\text{POC}} = 7$ Hz), 32.6 (d, $J_{\text{POCC}} = 7$ Hz), 30.5 (d, $J_{\text{PCC}} = 18$ Hz), 28.4 (d, $J_{\text{PCCC}} = 12$ Hz), 22.6, 21.9, 18.9, 14.2, 13.9, 13.7; ^{31}P NMR (CDCl_3) δ 33.4 (dm, $J = 543$ Hz). HRMS (EI) calcd. for $\text{C}_{12}\text{H}_{25}\text{O}_2\text{P}$ (M^+) 232.1592, found 232.1590.

Ethyl (1-propyl-pent-1-enyl) phosphinate (Table 3, entries 2a & 2b). ^1H NMR (CDCl_3) δ 6.99 (d, $J = 542$ Hz, 1 H), 6.36 (dt, $J = 26$ Hz, $J = 6$ Hz, 1 H), 3.89-4.1 (m, 2 H), 2.0-2.27 (m, 4 H), 1.3-1.52 (m, 4 H), 1.12-1.3 (m, 3 H), 0.72-1.0 (m, 6 H); ^{13}C NMR (CDCl_3) δ 146.9 (d, $J_{\text{PCC}} = 14$ Hz), 131.6 (d, $J_{\text{PC}} = 124$ Hz), 61.7 (d, $J_{\text{POC}} = 7$ Hz), 30.3 (d, $J_{\text{PCC}} = 18$ Hz), 28.1 (d, $J_{\text{PCCC}} = 12$ Hz), 22.4, 21.7, 16.1 (d, $J_{\text{POCC}} = 3$ Hz), 13.9, 13.6; ^{31}P NMR (CDCl_3) δ 32.2 (dm, $J = 543$ Hz). HRMS (EI) calcd. for $\text{C}_{10}\text{H}_{21}\text{O}_2\text{P}$ (M^+) 204.1279, found 204.1275.

Ethyl (1-butyl-hex-1-enyl) phosphinate (Table 3, entry 3). ^1H NMR (CDCl_3 , Me_4Si) δ 7.0 (d, $J_{\text{PH}} = 545$ Hz), 6.36 (dt, $J = 26.4$ Hz, $J = 7.0$ Hz, 1 H), 3.95-4.1 (m, 2 H), 2.05-2.25 (m, 4 H), 1.2-1.4 (m, 11 H), 0.84 (t, $J = 7.0$ Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 146.6 (d, $J_{\text{PCC}} = 14$ Hz), 130.7 (d, $J_{\text{PC}} = 124$ Hz), 61.3 (d, $J_{\text{POC}} = 7$ Hz), 30.7 (d, $J_{\text{PCCCC}} = 2$ Hz), 30.0 (d, $J_{\text{PCCC}} = 2$ Hz), 27.4 (d, $J_{\text{PCCC}} = 18$ Hz), 25.3 (d, $J_{\text{PCC}} = 12$ Hz), 22.0, 21.7, 15.6 (d, $J_{\text{POCC}} = 6$ Hz), 13.1, 13.1. ^{31}P NMR (CDCl_3 , Me_4Si) δ 33.05 (d, $J_{\text{PH}} = 545$ Hz). MS (EI^+): m/z 232 ($[\text{M}]^+$); HRMS (EI^+): calcd. for $\text{C}_{12}\text{H}_{25}\text{O}_2\text{P}$ 232.1592, observed 232.1594.

Ethyl vinylphosphinate (Table 3, entry 4a).^{2,3} Hydrophosphinylation of acetylene: acetylene is produced by a slow addition of water over calcium carbide (40g, 0.62 mol) in a system previously flushed with N_2 . The resulting gas is dried by a sulfuric acid trap followed by a drierite trap. Acetylene is bubbled gently, for 2h at room temperature, through a solution of pre-activated catalyst (0.01 g, 0.075 mmol, 1.5 mol%) and $\text{ROP}(\text{O})\text{H}_2$ (0.5 M, 10 mL, 5 mmol) in CH_3CN , produced either from the appropriate alkoxysilane or the aminosilicate. The whole system is then flushed again with N_2 . ^1H NMR (CDCl_3 , Me_4Si) δ 7.27 (d, $J = 558$ Hz, 1 H), 6.1-6.4 (m, 3 H), 4.0-4.2 (m, 2 H), 1.41 (t, $J = 7$ Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 136.4 (d, $J_{\text{PCC}} = 4$ Hz), 128.7 (d, $J_{\text{PC}} = 125$ Hz), 62.1 (d, $J_{\text{POC}} = 7$ Hz), 16.3 (d, $J_{\text{POCC}} = 6$ Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 25.06 (d, $J_{\text{PH}} = 558$ Hz).

2-Ethyl-butyl vinylphosphinate (Table 3, entry 4b). ^1H NMR (CDCl_3 , Me_4Si) δ 7.19 (d, J = 558 Hz, 1 H), 6.1-6.5 (m, 3 H), 3.9-4.1 (m, 2 H), 1.45-1.6 (m, 1 H), 1.3-1.45 (m, 4 H), 0.91 (t, J = 7 Hz, 6 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 136.3 (d, J_{PCC} = 4 Hz), 128.8 (d, J_{PC} = 125 Hz), 67.7 (d, J_{POC} = 6 Hz), 41.7 (d, J_{POCC} = 7 Hz), 22.8, 10.9. ^{31}P NMR (CDCl_3 , Me_4Si) δ 25.78 (d, J_{PH} = 558 Hz).

Ethyl (1,3,3-trimethyl-but-1-enyl) phosphinate (Table 3, entry 5). ^1H NMR (CDCl_3 , Me_4Si) δ 6.94 (d, J_{PH} = 546 Hz, 1 H), 6.38 (dm, J = 29.9 Hz, 1 H), 4.0-4.2 (m, 2 H), 1.92 (dd, J = 1.5 Hz, J_{PCC} = 16.1 Hz, 3 H), 1.36 (t, J = 7.0 Hz, 3 H), 1.18 (s, 9 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 155.2 (d, J_{PCC} = 12 Hz), 125.3 (d, J_{PC} = 125 Hz), 62.0 (d, J_{POC} = 6 Hz), 34.8 (d, J_{PCCC} = 20 Hz), 30.1, 16.5 (d, J_{POCC} = 6 Hz), 11.8 (d, J_{PCC} = 13 Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 35.79 (d, J_{PH} = 546 Hz). MS (EI^+): m/z 190 ($[M]^+$); HRMS (EI^+): calcd. for $\text{C}_9\text{H}_{19}\text{O}_2\text{P}$ 190.1123, observed 190.1118.

Ethyl (*trans*-styryl) phosphinate (Table 3, entries 6a & 6b).⁴ ^1H NMR (CDCl_3) δ 7.27 (d, J = 561 Hz, 1 H), 7.2-7.55 (m, 5 H), 6.2-6.4 (m, 2 H), 4.0-4.2 (m, 2 H), 1.33 (t, J = 7 Hz, 3 H); ^{13}C NMR (CDCl_3) δ 149.9 (d, J_{PCCC} = 7 Hz), 134.6 (d, J_{PCC} = 21 Hz), 130.8, 129.1 (2 C), 128.1 (2 C), 116.5 (d, J_{PC} = 133 Hz), 62.2 (d, J_{POC} = 6 Hz), 16.6 (d, J_{POCC} = 6 Hz); ^{31}P NMR (CDCl_3) δ 25.7 (dm, J = 561 Hz). ^{31}P NMR (CDCl_3) δ 28.4. HRMS (EI) calcd. for $\text{C}_{10}\text{H}_{13}\text{O}_2\text{P}$ (M^+) 196.0653, found 196.0650.

Ethyl (1-phenyl-vinyl) phosphinate (Table 3, entries 6a & 6b).⁵ ^1H NMR (CDCl_3) δ 7.33-7.5 (m, 5 H), 7.32 (d, J = 564 Hz, 1 H), 6.24 (d, J = 47 Hz, 1 H), 6.18 (d, J = 24 Hz, 1 H), 4.0-4.1 (m, 2 H), 1.28 (t, J = 7 Hz, 3 H); ^{13}C NMR (CDCl_3) δ 141.7 (d, J_{PC} = 119 Hz), 135.4 (d, J_{PCC} = 13 Hz), 130.5 (d, J_{PCC} = 13 Hz), 129.0 (2 C), 128.6, 127.3 (d, J_{PCCC} = 6 Hz, 2 C), 62.5 (d, J_{POC} = 7 Hz), 16.4 (d, J_{POCC} = 6 Hz); ^{31}P NMR (CDCl_3) δ 28.4 (dm, J = 564 Hz). HRMS (EI) calcd. for $\text{C}_{10}\text{H}_{13}\text{O}_2\text{P}$ (M^+) 196.0653, found 196.0650.

Ethyl (1,2-diphenyl-vinyl) phosphinate (Table 3, entries 7a & 7b). ^1H NMR (CDCl_3) δ 7.52 (d, J = 25 Hz, 1 H), 7.29-7.44 (m, 3 H), 7.19 (d, J = 562 Hz, 1 H), 7.0-7.3 (m, 7 H), 4.1 (m, 2 H), 1.28 (t, J = 7 Hz, 3 H); ^{13}C NMR (CDCl_3) δ 143.4 (d, J_{PCC} = 13 Hz), 134.4 (d, J_{PCC} = 6 Hz), 134.2 (d, J_{PCCC} = 4 Hz), 132.1 (d, J_{PC} = 123 Hz), 130.6 (2 C), 129.7, 129.5, 129.4, 129.3, 129.2, 128.6 (2 C), 128.5, 62.5 (d, J_{POC} = 7 Hz), 16.5 (d, J_{POCC} = 6 Hz); ^{31}P NMR (CDCl_3) δ 29.1 (dm, J = 562 Hz). HRMS (EI) calcd. for $\text{C}_{16}\text{H}_{17}\text{O}_2\text{P}$ (M^+) 272.0966, found 272.0964.

Ethyl (1-ethylidene-but-2-ynyl) phosphinate (Table 3, entry 8). ^1H NMR (CDCl_3 , Me_4Si) δ 6.94 (d, J_{PH} = 577 Hz, 1 H), 6.85 (dq, J = 19.9 Hz, J = 6.7 Hz, 1 H), 4.03 (dq, J = 9.1 Hz, J = 7.0 Hz, 2 H), 1.98 (d, J = 5.0 Hz, 3 H), 1.95 (dd, J = 7.0 Hz, J = 2.9 Hz, 3 H), 1.29 (t, J = 7.0 Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 151.2 (d, J_{PCC} = 10 Hz), 117.9 (d, J_{PC} = 134 Hz), 96.5 (d, J_{PCCC} = 8 Hz), 71.9 (d, J_{PCC} = 14 Hz), 62.1 (d, J_{POC} = 7 Hz), 17.4 (d, J_{PCCC} = 15 Hz), 16.5 (d, J_{POCC} = 6 Hz), 4.8 (d, J_{PCCCC} = 3 Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 24.141 (d, J_{PH} = 577 Hz). MS (EI^+): m/z 172 ($[M]^+$); HRMS (EI^+): calcd. for $\text{C}_8\text{H}_{13}\text{O}_2\text{P}$ 172.0653, observed 172.0651.

Ethyl (2-cyclohex-1-enyl-vinyl) phosphinate (Table 3, entry 9). (linear isomer): ^1H NMR (CDCl_3 , Me_4Si) δ 7.25 (d, J = 555 Hz, 1 H), 7.08 (dd, J = 17.3 Hz, J = 23.5 Hz, 1 H), 6.18 (s br,

1 H), 5.64 (dd, $J = 17.3$ Hz, $J = 21.6$ Hz, 1 H), 4.05-4.2 (m, 2 H), 2.1-2.3 (m, 4 H), 1.5-1.75 (m, 4 H), 1.37 (t, $J = 7.0$ Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 151.7 (d, $J_{\text{PCC}} = 7$ Hz), 139.1, 135.2 (d, $J_{\text{PCCC}} = 22$ Hz), 113.1 (d, $J_{\text{PC}} = 137$ Hz), 61.9 (d, $J_{\text{POC}} = 6$ Hz), 37.1 (d, $J_{\text{PCCCC}} = 3$ Hz), 26.6, 24.1, 22.2, 16.7 (d, $J_{\text{POCC}} = 7$ Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 27.60 (d, $J_{\text{PH}} = 555$ Hz).

Ethyl (1-cyclohex-1-enyl-vinyl) phosphinates (Table 3, entry 9). (branched isomer): ^1H NMR (CDCl_3 , Me_4Si) δ 7.28 (d, $J_{\text{PH}} = 550$ Hz, 1 H), 6.37 (s br, 1 H), 5.91 (d, $J = 50.4$ Hz, 1 H), 5.86 (d, $J = 26.9$ Hz, 1 H), 4.05-4.2 (m, 2 H), 2.1-2.25 (m, 4 H), 1.55-1.75 (m, 4 H), 1.38 (t, $J = 7.0$ Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 142.0 (d, $J_{\text{PC}} = 118$ Hz), 132.2 (d, $J_{\text{PCCC}} = 10$ Hz), 130.8 (d, $J_{\text{PCCCC}} = 7$ Hz), 124.7 (d, $J_{\text{PCC}} = 15$ Hz), 62.4 (d, $J_{\text{POC}} = 6$ Hz), 26.2 (d, $J_{\text{PCCC}} = 7$ Hz), 26.7, 22.6, 22.0, 16.5 (d, $J_{\text{POCC}} = 6$ Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 32.28 (d, $J_{\text{PH}} = 558$ Hz).

Ethyl (1-ethoxy-vinyl) phosphinate (Table 3, entry 10). ^1H NMR (CDCl_3 , Me_4Si) δ 7.01 (dd, $J = 581$ Hz, $J = 1.2$ Hz, 1 H), 5.15 (dd, $J = 13.2$ Hz, $J = 3.2$ Hz, 1 H), 4.91 (ddd, $J = 35$ Hz, $J = 3.2$ Hz, $J = 1.2$ Hz, 1 H), 4.1-4.2 (m, 2 H), 3.86 (q, $J = 7.0$ Hz, 2 H), 1.35-1.40 (m, 6 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 155.3 (d, $J_{\text{PC}} = 160$ Hz), 98.2 (d, $J_{\text{PCC}} = 25$ Hz), 64.4 (d, $J_{\text{POC}} = 9$ Hz), 62.3 (d, $J_{\text{POCC}} = 6$ Hz), 16.3 (d, $J_{\text{POCC}} = 6$ Hz), 14.2. ^{31}P NMR (CDCl_3 , Me_4Si) δ 19.23 (d, $J_{\text{PH}} = 581$ Hz).

Ethyl (*trans*-oct-1-enyl) phosphinate (Table 3, entry 11). (major isomer, 68%). ^1H NMR (CDCl_3) δ 7.17 (d, $J = 555$ Hz, 1 H), 6.7-6.9 (m, 1 H), 5.78 (m, 1 H), 4.0-4.2 (m, 2 H), 2.15-2.3 (m, 2 H), 1.2-1.55 (m, 8 H), 1.37 (t, $J = 7$ Hz, 3 H), 0.88 (d, $J = 7$ Hz, 3 H); ^{13}C NMR (CDCl_3) δ 155.1 (d, $J_{\text{PCC}} = 5$ Hz), 119.7 (d, $J_{\text{PC}} = 131$ Hz), 61.8 (d, $J_{\text{POC}} = 6$ Hz), 34.3 (d, $J_{\text{PCC}} = 20$ Hz), 31.6, 28.7, 27.7, 22.6, 16.4 (d, $J_{\text{POCC}} = 6$ Hz), 14.1; ^{31}P NMR (CDCl_3) δ 25.56 (dm, $J = 547$ Hz). Minor isomer: Ethyl (1-hexyl-vinyl) phosphinate (21%): ^{31}P NMR (CDCl_3) δ 30.3 (dm, $J = 553$ Hz).

Ethyl (*trans*-2-trimethylsilyl-vinyl) phosphinate (Table 3, entry 12). ^1H NMR (CDCl_3) δ 7.02 (d, $J = 558$ Hz, 1 H), 7.13 (dd, $J = 37$ Hz, $J = 21$ Hz, 1 H), 6.29 (ddd, $J = 32$ Hz, $J = 21$ Hz, $J = 1.5$ Hz, 1 H), 4.01 (q, $J = 7$ Hz, 2 H), 1.24 (t, $J = 7$ Hz, 3 H), 0.02 (s, 9 H); ^{13}C NMR (CDCl_3) δ 160.0 (d, $J_{\text{PCC}} = 3$ Hz), 136.2 (d, $J_{\text{PC}} = 119$ Hz), 64.7 (d, $J_{\text{POC}} = 7$ Hz), 18.4 (d, $J_{\text{POCC}} = 6$ Hz), 0.0 (s, 3 C); ^{31}P NMR (CDCl_3) δ 27.0 (dt, $J = 558$ Hz, $J = 32$ Hz).

Ethyl (1-butyl-2-trimethylsilyl-vinyl) phosphinate (Table 3, entry 13a). ^1H NMR (CDCl_3 , Me_4Si) δ 6.94 (d, $J = 544$ Hz, 1 H), 6.46 (d, $J = 46$ Hz, 1 H), 3.9-4.1 (m, 2 H), 2.2-2.4 (m, 2 H), 1.2-1.5 (m, 4 H), 1.22 (t, $J = 7.0$ Hz, 3 H), 0.80 (t, $J = 7$ Hz, 3 H), 0.07 (s, 9 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 149.6 (d, $J_{\text{PC}} = 95$ Hz), 146.8 (d, $J_{\text{PCC}} = 3$ Hz), 62.3 (d, $J_{\text{POC}} = 7$ Hz), 32.6, 31.7 (d, $J_{\text{PCC}} = 15$ Hz), 23.3, 16.7 (d, $J_{\text{POCC}} = 6$ Hz), 14.2, 0.0. ^{31}P NMR (CDCl_3 , Me_4Si) δ 40.16 (d, $J_{\text{PH}} = 544$ Hz).

Ethyl (1-propyl-2-trimethylsilyl-vinyl) phosphinate (Table 3, entry 13b). ^1H NMR (CDCl_3 , Me_4Si) δ 7.08 (d, $J = 544$ Hz, 1 H), 6.61 (d, $J = 38.7$ Hz, 1 H), 4.0-4.2 (m, 2 H), 2.25-2.5 (m, 2 H), 1.5-1.65 (m, 2 H), 1.37 (t, $J = 7.0$ Hz, 3 H), 0.96 (t, $J = 7.3$ Hz, 3 H), 0.19 (s, 9 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 150.3 (d, $J_{\text{PC}} = 110$ Hz), 147.3 (d, $J_{\text{PCC}} = 5$ Hz), 62.7 (d, $J_{\text{POC}} = 7$ Hz), 34.3 (d, $J_{\text{PCC}} = 16$ Hz), 24.1, 17.0 (d, $J_{\text{POCC}} = 6$ Hz), 14.9, 0.4. ^{31}P NMR (CDCl_3 , Me_4Si) δ 33.52 (d, $J_{\text{PH}} = 543$ Hz).

Ethyl (3-methyl-but-2-enyl) phosphinate (Table 3, entry 14). ^1H NMR (CDCl_3) δ 6.95 (d, J = 538 Hz, 1H), 5.11 (q, J = 7 Hz, 1H), 4.0-4.25 (m, 2H), 2.45-2.65 (m, 2H), 1.77 (d, J = 6 Hz, 3H), 1.67 (d, J = 4 Hz, 3H), 1.36 (t, J = 7 Hz, 3H); ^{13}C NMR (CDCl_3) δ 138.4 (d, J_{PCCC} = 14 Hz), 110.5 (d, J_{PCC} = 9 Hz), 62.5 (d, J_{POC} = 7 Hz), 30.0 (d, J_{PC} = 92 Hz), 25.9 (d, J_{PCCCC} = 4 Hz), 18.2 (d, J_{PCCCC} = 3 Hz), 16.4 (d, J_{POCC} = 6 Hz); ^{31}P NMR (CDCl_3) δ 40.2 (d, J = 538 Hz); HRMS (EI) calcd. for $\text{C}_7\text{H}_{15}\text{O}_2\text{P}$ (M^+) 162.0810, found 162.0802.

Butyl (2-pyridin-2-yl-ethyl) phosphinate (Table 3, entry 15). ^1H NMR (CDCl_3 , Me_4Si) δ 8.54 (d, J = 4.7 Hz, 1 H), 7.62 (td, J = 7.6 Hz, J = 1.7 Hz, 1 H), 7.20 (d, J = 7.9 Hz, 1 H), 7.18 (d, J_{PH} = 538 Hz, 1 H), 7.15 (dd, J = 4.7 Hz, J = 7.6 Hz, 1 H), 3.9-4.2 (m, 2 H), 3.05-3.2 (m, 2 H), 2.2-2.35 (m, 2 H), 1.6-1.75 (m, 2 H), 1.3-1.5 (m, 2 H), 0.94 (t, J = 7.3 Hz, 3 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 159.8, 149.6, 136.8, 123.1, 121.9, 66.4 (d, J_{POC} = 7 Hz), 32.6 (d, J_{PCC} = 6 Hz), 29.4 (d, J_{POCC} = 2 Hz), 28.2 (d, J_{PC} = 94 Hz), 19.0, 13.8. ^{31}P NMR (CDCl_3 , Me_4Si) δ 39.36 (d, J_{PH} = 538 Hz). HRMS (ES^+): calcd. for $\text{C}_{11}\text{H}_{19}\text{NO}_2\text{P}$ 228.1153 ($[M]^+$), observed 228.1146.

Ethyl (3-cyclohexyl-allyl) phosphinate (Scheme 1) (linear isomer). ^1H NMR (CDCl_3 , Me_4Si) δ 6.94 (dt, J_{PH} = 540 Hz, J = 2.0 Hz, 1 H), 5.50-5.65 (m, 1 H), 5.20-5.35 (m, 1 H), 4-4.25 (m, 2 H), 2.57 (ddm, J = 19.0 Hz, J = 7.4 Hz, 2 H), 1.9-2.05 (m, 1 H), 1.6-1.75 (m, 5 H), 1.36 (t, J = 7.0 Hz, 3 H), 1.0-1.35 (m, 5 H). ^{13}C NMR (CDCl_3 , Me_4Si) δ 143.9 (d, J_{PCC} = 14 Hz), 114.2 (d, J_{PCCC} = 9 Hz), 62.6 (d, J_{POC} = 7 Hz), 41.1 (d, J_{PCCCC} = 3 Hz), 33.7 (d, J_{PC} = 91 Hz), 33.0, 26.3, 26.1, 16.5 (d, J_{POCC} = 6 Hz). ^{31}P NMR (CDCl_3 , Me_4Si) δ 39.10 (dm, J_{PH} = 539 Hz).

Ethyl (2-cyclohexyl-1-methyl-vinyl) phosphinate (Scheme 1) (branched isomer). ^1H NMR (CDCl_3 , Me_4Si) δ 7.00 (d, J_{PH} = 544 Hz, 1 H), 6.28 (ddd, J = 26.1 Hz, J = 9.4 Hz, J = 1.5 Hz, 1 H), 4-4.2 (m, 2 H), 2.3-2.45 (m, 1 H), 1.81 (dd, J = 15.0 Hz, J = 1.5 Hz, 3 H), 1.6-1.8 (m, 5 H), 1.36 (t, J = 7.0 Hz, 3 H), 1.1-1.4 (m, 5 H). ^{31}P NMR (CDCl_3 , Me_4Si) δ 33.44 (dm, J_{PH} = 554 Hz).

Preparation of Butyl (3-phenyl-prop-2-enyl) phosphinate (Scheme 1).² A suspension of anilinium hypophosphite (0.955 g, 6 mmol) and $(\text{BuO})_4\text{Si}$ (1.346 g, 4.2 mmol) in CH_3CN (12 mL) was heated to reflux for 2 h under nitrogen and cooled to rt. Cinnamyl chloride (0.280 mL, 2.0 mmol) and nickel chloride (0.0104 g, 0.08 mmol) were then added to the reaction flask and the mixture was heated at reflux under nitrogen for 7 h. ^{31}P NMR analysis of the reaction mixture showed the product at 37.2 ppm (100%). The mixture was diluted with EtOAc and washed with aq. NaHSO_4 (1 M). The resulting aq. phase was extracted with EtOAc (3 X) and the combined organic fractions were washed with saturated aq. NaHCO_3 (1 X) and brine. Drying, concentration, and purification by radial chromatography (2 mm thickness, hexanes/EtOAc 5:1, v/v, EtOAc), afforded butyl (3-phenyl-prop-2-enyl)phosphinate (0.334 g, 70%). ^1H NMR (CDCl_3) δ 7.06 (d, J = 543 Hz, 1H), 7.23 – 7.38 (m, 5H), 6.06 – 6.17 (m, 1H), 6.55 (dd, J = 16 Hz, J = 6 Hz, 1H), 4.0 – 4.2 (m, 2H), 2.82 (dd, J = 19 Hz, J = 8 Hz, 2H), 1.65 – 1.74 (m, 2H), 1.36 – 1.48 (m, 2H), 0.94 (t, J = 7 Hz, 3H); ^{13}C NMR (CDCl_3) δ 136.6, 136.1 (d, J_{PCCC} = 14 Hz), 128.7 (2C), 128.0, 126.4 (2C), 116.9 (d, J_{PCC} = 10 Hz), 66.5 (d, J_{POC} = 7 Hz), 34.7 (d, J_{PC} = 90 Hz), 32.6 (d, J_{POCC} = 6 Hz), 18.9, 13.8; ^{31}P NMR (CDCl_3) δ 37.1 (dt, J = 543 Hz, J = 7 Hz); HRMS (EI) calcd. for $\text{C}_{13}\text{H}_{19}\text{O}_2\text{P}$, (M)⁺ 238.1123, found 238.1126.

Preparation of EtOP(O)D₂

Aqueous hypophosphorous acid (50 wt.%, 13.2g, 100 mmol) was concentrated on a rotary evaporator at room temperature for 30 min then the remaining water (around 2wt. %) was coevaporated with toluene. Deuterated water (9mL) is added to the residue, and the solution is stirred at r.t. for 10 min then concentrated. This cycle is repeated 4 more times. D₃PO₂, monitored by ³¹P NMR, is obtained 97% pure at the end of the 5th cycle. To this compound is added dimethyldiethoxysilane (29.7g, 198 mmol) and 165 mL of dry acetonitrile. The solution is refluxed for 2h under N₂ to afford a solution of 0.5M D₂P(O)OEt, 94% pure (6% of DHP(O)OEt).

D₃PO₂ ³¹P NMR (CH₃CN) δ 11.46 (quintet, $J_{DP} = 87$ Hz). D₂P(O)OEt ³¹P NMR (CH₃CN) δ (quintet of triplet, $J_{PD} = 86$ Hz, $J_{POCH} = 10$ Hz).

Hydrophosphinylation with EtOP(O)D₂: Deuterated Ethyl (1-propyl-pent-1-enyl) phosphinate. General Procedure for hydrophosphinylation is used on 4-octyne (279 mg, 2.53 mmol) using a stock solution of (EtO)P(O)D₂. After 3h of reflux, the mixture is concentrated and directly purified by radial chromatography (AcOEt/Hexanes, 50%/50% v/v to AcOEt, 100% v/v) to afford the expected compound (370 mg, 71%, %D > 80%). Measurements for deuterium incorporation were conducted by integration of the ¹H NMR spectra. Mass spectrometric determination is problematic because of the exchange of P(O)(OEt)D to P(O)(OEt)H in the product must be complete.

¹H NMR (CDCl₃, Me₄Si) δ 7.07 (d, $J = 543$ Hz, 1 H), 4.0-4.2 (m, 2 H), 2.15-2.3 (m, 4 H), 1.4-1.6 (m, 4 H), 1.37 (t, $J = 7.0$ Hz, 3 H), 0.95 (t, $J = 7.3$ Hz, 6 H). ¹³C NMR (CDCl₃, Me₄Si) δ 147.0 (dt, $J_{PCC} = 13$ Hz, $J_{CD} = 35$ Hz), 131.9 (d, $J_{PC} = 123$ Hz), 61.9 (d, $J_{POC} = 7$ Hz), 30.6 (d, $J_{PCCC} = 18$ Hz), 28.5 (d, $J_{PCC} = 12$ Hz), 22.7 (d, $J_{PCCC} = 2$ Hz), 22.1 (d, $J_{PCCC} = 2$ Hz), 16.5 (d, $J_{POCC} = 6$ Hz), 14.3, 14.1. ³¹P NMR (CDCl₃, Me₄Si) δ 32.78 (d, $J = 542$ Hz).

Competition Experiment

The general procedure for hydrophosphinylation is used on a mixture of 4-octyne (0.278g, 2.52 mmol) and 1-octene (0.279 g, 2.49 mmol). The reaction conversion is followed by ³¹P NMR and GC (using 1 eq. of mesitylene).

References

1. Deprèle, S.; Montchamp, J.-L. *J. Organomet. Chem.* **2002**, 643-644, 154.
2. Bravo-Altamirano, K.; Huang, Z.; Montchamp, J.-L. *Tetrahedron*, in press.
3. Maier, L; Rist, G. *Phosphorus Sulfur* **1983**, 17, 21.
4. Levin, Y. A.; Galeev, V. S. *J. Gen. Chem. USSR* **1967**, 37, 2604.
5. Shagidul, R. R.; Chernova, A. V.; Galeev, V. S.; Levin, Y. A. *Bull. Acad. Sci. USSR, Div. Chem. Sci. (Engl. Transl.)* **1971**, 20, 1082.

INDEX	FREQUENCY	PPM	HEIGHT
1	4907.780	40.404	4.2
2	4298.235	35.386	126.0

Table 3, entry 1a

204
exp1 s2pu1

SAMPLE
date Feb 24 2004 temp not used
solvent CDC13 gain not used
file exp spin 20
ACQUISITION
sw 26738.0 pw90 0.008
at 1.598 alfa 18.300
np 85476 20.000
fb 14800 il FLAGS
bs 64 in n
ss 4 dp n
nt 1.000 hs y
ct 16 PROCESSING nn
2.00
TRANSMITTER P31 not used
tn 121.478 sp DISPLAY 0
sfrq 10607.7 wp 10010.0
tpwr 55 rfl 2437.0
pw 7.117 rfp -161.6
DECOUPLER H1 lp -66.5
dn dof 0 PLOT 250
dm yvy wc 0
dmm w sc 0
dpwr 35 vs 11
dmf 6700 th ai no ph 3

99

CCOP(=O)(C)C=C(C)C

Table 3, entry 1a

204

exp1 s2pu1

SAMPLE		SPECIAL	
date	Feb 24 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	256	PROCESSING	
ct	128	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.459	sp	150.9
tof	736.7	wp	15844.6
tpwr	58	rfl	1216.7
pw	9.250	rfp	0
DECOUPLER		rp	103.9
dn	H1	lp	-248.4
dof	0	PLOT	
dm	VVY	wc	250
dmm	W	sc	0
dpwr	35	vs	67
dmf	6700	th	5
		ai	no ph

Table 3, entry 1a

S
11

INDEX	FREQUENCY	PPM	HEIGHT
1	4516.814	37.185	3.3
2	3649.021	90.041	126.0
3	2794.284	23.004	7.2

Table 3, entry 1b

207-kb
exp1 s2pul

SAMPLE
date Mar 3 2004 temp not used
solvent CDC13 gain not used
file exp hst spin 20
ACQUISITION
sw 26738.0 pw90 0.008
at 1.598 alfa 18.300
np 85476 20.000
fb 14800 il FLAGS
bs 64 in n
ss 4 dp n
dl 1.000 hs y
nt 16 nn
ct 16 PROCESSING
TRANSMITTER P31 2.00
tn 121.478 lb fn not used
sfrq 10607.7 sp DISPLAY
tof 55 wp 10010.0
tpwr 7.117 rfp 2437.0
pw DECOUPLER H1 lp -163.6
dn 0 PLOT -50.3
dof YVY wc 250
dm w sc 0
dmm 35 vs 17
dpwr 6700 th 3
dmf ai no ph 3

S
12

207-kb

exp1 s2pul

Table 3, entry 1b

SAMPLE
 date Mar 3 2004
 solvent CDC13
 file ACQUISITION exp
 sw 4803.1
 at 1.994
 np 19158
 fb not used
 bs 16
 ss 4
 d1 1.000
 nt 8
 ct 8
 TRANSMITTER H1
 tn 300.064
 sfrq 300.064
 tof 298.9
 tpwr 55
 pw 1.000
 DECOUPLER C13
 dn 0
 dof 0
 dm nnn
 dmm c
 dpwr 45
 dmf 13100
 ai cdc
 ph 2

SPECIAL

temp not used
 gain not used
 spin 20
 nst 0.008
 pw90 17.200
 alfa 20.000

FLAGS

il n
 in n
 dp y
 hs nn
 fn not used

PROCESSING

not used
 DISPLAY

sp -60.0
 wp 3060.6
 rfl 569.9
 rfp 0
 rp -127.4
 lp -54.9

PLOT

wc 250
 sc 0
 vs 487
 th 2

S
13

Table 3, entry 1b

INDEX	FREQUENCY	PPM	HEIGHT
1	11067.737	146.689	107.6
2	11053.630	146.502	107.2
3	10036.185	133.017	44.3
4	9910.948	131.357	43.2
5	5876.006	77.879	54.2
6	5844.049	77.455	54.7
7	5811.804	77.028	56.4
8	5341.085	70.789	86.4
9	5334.175	70.698	88.1
10	2310.344	30.621	115.9
11	2291.630	30.373	114.5
12	2150.270	28.499	117.7
13	2138.178	28.339	116.2
14	1831.275	24.271	121.1
15	1826.957	24.214	127.0
16	1814.289	24.046	34.4
17	1809.971	23.989	31.1
18	1780.317	23.596	117.2
19	1775.998	23.539	122.2
20	1703.735	22.581	141.6
21	1701.719	22.554	142.1
22	1655.079	21.936	135.3
23	1653.640	21.917	142.0
24	1074.958	14.247	24.4
25	1067.472	14.148	210.0
26	1047.895	13.888	201.5

S
14

150 140 130 120 110 100 90 80 70 60 50 40 30 20 ppm

Table 3, entries 1c & 1d

200c13 pure

exp1 s2pul

SAMPLE		SPECIAL	
date	Apr 26 2004	temp	not used
solvent	CDC13	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68452	il	n
fb	10400	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	hs	nn
nt	256	PROCESSING	
ct	256	lb	1.00
tn	TRANSMITTER G13	fn	not used
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rfl	1134.7
pw	9.250	rpf	0
dn	DECOUPLER H1	rp	58.9
dof	0	lp	-225.8
dm	YYY	WC	250
dmm	W	SC	0
dpwr	35	VS	142
dmf	6700	th	11
		ai	no
			ph

Table 3, entries 1c & 1d

S
16

F1: 36.441
 EX: c:\leftglobal\zg.ppg
 HZ: 1063.02
 PPM: 29.171
 INTENSITY: 32927698
 REL INT: 107.714
 LABEL: 1

Table 3, entries 1c & 1d

100.00

S
17

				PPM
				-10
				0
				10
				20
				30
				40
				50
				60
				70
F1: 36.441	SW1: 20000	OF1: 5510.0	PTS1d: 32768	USER: -- DATE: 03/09/04 (20:44)
EX: c:\leftglobal\zg.ppg	PW: 12.8 usec	PD: 2.0 sec	LB: 0.0	215 - <i>unpiced</i>

POINT	HZ	PPM	INTENSITY	REL INT	LABEL
23209	1344.25	36.889	2194185	80.942	1
23223	1335.50	36.649	2117794	78.124	2
23239	1325.98	36.387	1961983	72.376	3
23252	1317.81	36.163	2406681	88.781	4
24090	806.34	22.128	2337795	86.240	5
24104	797.81	21.894	1973414	72.798	6
24120	787.94	21.623	1945367	71.763	7
24133	780.11	21.408	2229641	82.250	8

Table 3, entries 1c & 1d

S
18

F1: 36.441	SW1: 20000	OF1: 5510.0	USER: -- DATE: 03/09/04 (20:51)
EX: c:\efl\global\zg.ppg	PW: 12.8 usec	PD: 2.0 sec	PTS1d: 32768
		NA: 64	LB: 0.0

FREQUENCY	PPM	HEIGHT
4641.359	38.211	5.3
3977.550	32.746	3.8
3910.231	32.192	126.0
3846.584	31.668	3.5
3085.265	25.400	3.6

Table 3, entries 2a & 2b

exp1 s2pul

SAMPLE

```

SHUFFLE
date      Feb 23 2004
solvent   CDC13

```

date	solvent	file	exp	temp	not used
Feb 23, 2004	CDC13			gain	not used
				spin	20
				hst	0.008
				pw90	18.300
				alfa	20.000
				FLAGS	
				il	n
				in	n
				dp	y
				hs	nn
				PROCESSING	2.00
				fb	not used
				DISPLAY	0
				sp	10010.0
				wp	2437.0
				rfl	0
				rfp	0
				rp	-98.0
				lp	-288.8
				PLOT	250
				wc	0
				yxy	0
				w	0
				sc	20
				vs	0
				35	20
				6700	3
				ai	no
				ph	3

S
19

Table 3, entries 2a & 2b

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2372.366	7.906	15.6	40	369.106	1.230	17.7
2	2368.848	7.895	23.5	41	361.484	1.205	13.5
3	1929.380	6.430	9.2	42	358.259	1.194	13.3
4	1926.155	6.419	10.4	43	355.034	1.183	13.1
5	1922.930	6.408	14.3	44	270.013	0.900	68.2
6	1915.894	6.385	10.1	45	266.202	0.887	115.4
7	1902.994	6.342	10.0	46	262.977	0.876	125.8
8	1900.062	6.332	10.8	47	259.752	0.866	162.0
9	1896.544	6.321	13.7	48	252.423	0.841	87.8
10	1832.046	6.106	9.3	49	18.763	0.063	11.4
11	1829.701	6.098	16.0	50	2.345	0.008	122.1
12	1826.476	6.087	23.8	51	0.000	0.000	132.5
13	1215.207	4.050	21.3				
14	1212.276	4.040	22.8				
15	1208.171	4.026	29.0				
16	1206.412	4.021	29.6				
17	1202.601	4.008	27.2				
18	1199.669	3.998	27.0				
19	1193.806	3.979	17.6				
20	649.381	2.164	38.7				
21	646.449	2.154	43.6				
22	643.224	2.144	51.4				
23	639.706	2.132	57.7				
24	636.481	2.121	55.8				
25	633.256	2.110	46.0				
26	431.553	1.438	55.3				
27	429.207	1.430	56.5				
28	425.396	1.418	65.2				
29	418.360	1.394	54.2				
30	411.030	1.370	31.1				
31	403.408	1.344	17.6				
32	400.183	1.334	14.0				
33	396.372	1.321	27.8				
34	394.026	1.313	38.2				
35	389.922	1.299	65.8				
36	386.990	1.290	69.0				
37	383.472	1.278	93.2				
38	380.247	1.267	51.8				
39	376.436	1.255	53.7

S
20

Table 3, entries 2a & 2b

202

exp1 s2pul

SAMPLE		SPECIAL	
date	Feb 23 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	256	PROCESSING	
ct	64	lb	1.00
TRANSMITTER C13		fn	not used
tn	75.459	sp	DISPLAY
sfrq	736.7	wp	-150.9
tof	58	rfl	15844.6
tpwr	9.250	rff	1156.5
DECOUPLER H1		rp	0
dn	0	lp	108.8
dof	0	PLOT	
dm	YVY	wc	-269.2
dmm	W	sc	250
dpwr	35	vs	0
dmf	6700	th	105
		ai	8
		no	ph

S
21

PR I-91

Table 3, entry 3

exp1 s2pul

date	Apr 15 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION	4803.1	hst	0.008
sw	1.594	pw90	17.200
at	19158	aifa	20.000
np	not used	il	FLAGS
fb	16	in	n
bs	4	dp	y
ss	1.000	hs	nn
d1	8	fn	not used
nt	8	fn	not used
Ct	TRANSMITTER	H1	DISPLAY
tn	300.053	wp	-604.8
sfrq	300.9	rfl	4802.8
tof	55	rff	605.1
tpwr	8.600	rp	-108.0
pw	DECOUPLER	lp	-90.6
dn	G13	WC	PLOT
dof	nn	sc	250
dm	c	vs	0
dmm	45	th	372
dpwr	13100	ai	3
dmf		cdc	ph

S
22

Table 3, entry 3

PR I-91

exp1 s2pul

SAMPLE		SPECIAL	
date	Apr 15 2004	temp	not used
solvent	CDC13	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	il	n
fb	10400	in	n
ss	64	dp	y
d1	1.000	hs	nn
nt	256	PROCESSING	
ct	256	lb	1.00
TRANSMITTER C13		fn	not used
tn		DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rf1	1203.7
pw	9.250	rffp	0
DECOUPLER		rp	50.4
dn	H1	lp	-229.6
dof	0	PLOT	
dm	YYY	wc	250
dmm	w	sc	0
dpwr	35	vs	156
dmf	6700	th	10
		ai	no
		ph

Table 3, entry 3

INDEX	FREQUENCY	PPM	HEIGHT
1	4282.650	35.259	122.4
2	4274.898	35.195	123.9
3	4264.698	35.111	126.0
4	4256.947	35.047	125.1
5	3738.393	30.778	121.6
6	3730.641	30.714	122.6
7	3720.441	30.630	122.4
8	3712.689	30.566	121.8

35.259
35.195
35.111
35.047

30.778
30.714
30.630
30.566

S
24

37 36 35 34 33 32 31 30 29 28 ppm

Table 3, entry 4a

Table 3, entry 4a

INDEX	FREQUENCY	PPM	HEIGHT
1	10296.228	136.468	38.2
2	10292.197	136.415	38.3
3	9774.550	129.554	34.1
4	9649.313	127.894	33.2
5	5851.602	77.558	121.5
6	5819.645	77.135	123.5
7	5787.687	76.711	124.7
8	4689.918	62.161	27.3
9	4683.297	62.073	25.8
10	4666.023	61.844	46.8
11	4660.265	61.768	43.1
12	1235.674	16.378	64.7
13	1229.628	16.298	82.4
14	0.000	0.000	47.7

Table 3, entry 4a

S
27

Table 3, entry 4b

PR III-356 t37-46

exp1 s2pul

SAMPLE		SPECIAL	
date	Jan 5 2005	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	32	PROCESSING	
ct	32	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-589.5
sfrq	300.053	wp	4802.8
tof	300.9	rfl	589.8
tpwr	55	rffp	0
pw	8.600	rp	-114.1
DECOUPLER		lp	-63.7
dn	C13	PLOT	
dof	0	wc	250
dm	nmn	sc	0
dmm	c	vs	102
dpwr	45	th	3
dmf	13100	ai	cdc
		ph

S
28

Table 3, entry 4b

PR III-356 t37-46

exp1 s2pul

SAMPLE		SPECIAL	
date	Jan 5 2005	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	il	n
fb	10400	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	hs	nn
nt	1000	PROCESSING	
ct	256	lb	1.00
TRANSMITTER C13		fn	not used
tn	75.456	sp	-1134.4
sfrq	737.2	wp	18867.6
tof	58	rfl	1149.6
tpwr	9.250	rfp	0
DECOUPLER H1		rp	102.5
dn	0	lp	-271.2
dof	0	PLOT	
dm	yyy	wc	250
dmm	w	sc	0
dpwr	35	vs	115
dmf	6700	th	6
		ai	no
		ph

Table 3, entry 4b

PR III-356 t37-46

exp1 s2pul

SAMPLE		SPECIAL	
date	Jan 5 2005	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION			
sw	26738.0	hst	0.008
at	1.598	pw90	18.300
np	85475	alfa	20.000
fb	14800	il	FLAGS
bs	64	in	n
ss	4	dp	n
d1	1.000	hs	nn
nt	32	PROCESSING	2.00
ct	32	lb	not used
TRANSMITTER			
tn	P31	fn	DISPLAY
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER			
dn	H1	rp	-178.1
dof	0	lp	-11.7
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	14
dmf	6700	tn	3
		ai	no ph

25.783

S
30

Table 3, entry 4b

INDEX	FREQUENCY	PPM	HEIGHT
1	3467.488	28.548	34.6
2	3460.144	28.487	64.7
3	3453.208	28.430	38.4
4	3441.377	28.333	47.4
5	3434.033	28.272	82.5
6	3430.769	28.245	64.9
7	3426.689	28.212	53.0
8	3423.833	28.188	59.0
9	3416.081	28.125	69.3
10	3407.514	28.054	75.3
11	3400.170	27.994	40.7
12	3393.642	27.940	57.4
13	3386.706	27.883	96.1
14	3379.362	27.822	53.1
15	3367.939	27.728	39.9
16	3360.595	27.668	69.2
17	3353.251	27.607	36.8
18	2909.767	23.956	32.2
19	2902.423	23.896	64.1
20	2895.079	23.835	38.2
21	2883.656	23.741	45.7
22	2880.800	23.718	43.3
23	2876.312	23.681	84.5
24	2873.864	23.660	76.8
25	2868.968	23.620	52.8
26	2866.112	23.597	57.6
27	2857.952	23.529	80.7
28	2850.201	23.466	86.9
29	2842.857	23.405	43.2
30	2835.921	23.348	57.5
31	2828.577	23.288	100.0
32	2822.049	23.234	56.7
33	2810.218	23.136	30.2
34	2802.874	23.076	49.4
35	2795.530	23.016	39.0

Table 3, entry 5

PR I-90

exp1 s2pul

SAMPLE		SPECIAL	
date	Apr 28 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-599.5
sfrq	300.053	wp	4802.8
tof	300.9	rfl	599.8
tpwr	55	rfp	0
pw	8.600	rp	-105.2
DECOUPLER		lp	-84.1
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	266
dpwr	45	tn	3
dmf	13100	ai	cdc ph

S
32

Table 3, entry 5

PR I-90

exp1 s2pul

SAMPLE		SPECIAL	
date	Apr 28 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	256	PROCESSING	
ct	64	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-150.9
tof	737.2	wp	15844.1
tpwr	58	rfl	1134.7
pw	9.250	rfp	0
DECOUPLER		rp	113.9
dn	H1	lp	-254.9
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	53
dmf	6700	tn	8
		al	no
		ph

Table 3, entry 5

PR I-90

exp1 s2pu1

SAMPLE		SPECIAL	
date	Apr 28 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	64	PROCESSING	
ct	64	lb	not used
TRANSMITTER		fn	2.00
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	117.7
dn	H1	lp	-130.7
dof	0	PLOT	
dm	VVY	wc	250
dmm	W	sc	0
dpwr	35	vs	74
dmf	6700	tn	12
		al	no ph

35.790

S
34

Table 3, entry 5

Table 3, entries 6a & 6b
linear

INDEX	FREQUENCY	PPM	HEIGHT
1	5758.733	47.410	7.7
2	3438.907	28.311	7.3
3	3332.422	27.435	3.8
4	3122.308	25.705	126.0
5	3052.133	25.127	3.2

linear
- Stir. Isolated yield

231
exp1 s2pu1

SAMPLE
date Mar 29 2004
solvent CDCl3
file exp
ACQUISITION
sw 26738.0
at 1.598
np 85476
fb 14800
bs 64
ss 4
di 1.000
nt 16
ct 16
TRANSMITTER
tn p31
sfrq 121.478
tof 10607.7
tpwr 55
pw 7.117
DECOUPLER
dn H1
dof 0
dm VVY
dmm W
dwr SC
dmf 35
6700
th vs
al no
ph 3

SPECIAL
temp not used
gain not used
spin 20
hst 0.008
pw90 18.300
alfa 20.000
FLAGS
il n
in n
dp y
hs nm
PROCESSING
lb 2.00
fn not used
DISPLAY
sp 0
wp 10010.0
rf1 2437.0
rfp 0
fp -144.4
lp -355.5
PLOT
wc 250
sc 0
vs 11
3

360

S
37

Table 3, entries 6a & 6b
linear

231

exp1 s2pu1

SAMPLE		SPECIAL	
date	Mar 29 2004	temp	not used
solvent	CDC13	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	8	PROCESSING	
ct	8	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.064	wp	4802.8
tof	288.9	rfl	601.2
tpwr	55	rfp	0
pw	1.000	rp	-122.8
DECOUPLER		lp	-53.8
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	185
dpwr	45	tn	54
dmf	13100	ai	cdc ph

Table 3, entries 6a & 6b
linear

S
38

Table 3, entries 6a & 6b
linear

S
39

PR 29

Table 3, entries 6a & 6b
branched

PR29

exp1 s2pu1

SAMPLE		SPECIAL	
date	Mar 4 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-586.6
sfrq	300.064	wp	4802.8
tof	298.9	rfl	586.9
tpwr	55	rfp	0
pw	8.600	rp	-114.5
DECOUPLER		lp	-79.2
dn	C13	PLOT	
dof	0	wc	250
dm	nm	sc	0
dmm	c	vs	197
dpwr	45	th	3
dmf	13100	ai	cdc
		ph

S
40

ppm

-0

2

4

6

8

10

12

0.66

25.85

15.54

0.14

18.94

38.88

PR 29

Table 3, entries 6a & 6b
branched

exp1 s2pu1

SAMPLE		SPECIAL	
date	Mar 4 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	256	PROCESSING	
ct	64	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.459	sp	-1134.1
tof	736.7	wp	18867.6
tpwr	58	rfl	1134.4
pw	9.250	rffp	0
DECOUPLER		rp	-12.1
dn	H1	lp	-208.1
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	41
dmf	6700	th	g
		ai	no
		ph

S
41

Table 3, entries 7a & 7b

INDEX	FREQUENCY	PPM	HEIGHT
1	3533.652	29.091	126.0
2	2326.802	19.156	4.6

203 ethyl acet
exp1 s2pul

SAMPLE
date Feb 22 2004
solvent CDCl3
file exp
ACQUISITION
sw 26738.0
at 1.598
np 85476
fb 14800
bs 64
ss 4
d1 1.000
nt 16
ct 16

TRANSMITTER P31
sfrq 121.478
tof 10607.7
tpwr 55
pw 7.117

DECOUPLER H1
dn 0
dof 0
dm VVY
dmm W
dpwr SC
dmf 35
6700 th

temp gain not used
spin not used
hst 0.008
pw90 18.300
alfa 20.000

FLAGS
il in n
in dp y
hs nn
lb 2.00
fn not used
sp 0
wp 10010.0
rfl 2437.0
rfp -81.1
rp -497.4

PLOT
wc 250
w 0
sc 12
vs 3
th ai no ph

S
42

Table 3, entries 7a & 7b

203 ethyl acet

exp1 s2pul

SAMPLE
date Feb 22 2004
solvent CDC13
file exp
ACQUISITION
sw 4803.1
at 1.994
np 19158
fb not used
bs 16
ss 4
d1 1.000
nt 8
ct 8
TRANSMITTER H1
tn -60.0
sfrq 300.064
tof 298.9
tpwr 55
pw 8.600
DECOUPLER C13
dn 0
dof 250
dm nnn
dmn SC
dpwr C
dmf 45
ai cdc
ph 3

SPECIAL
temp not used
gain not used
hst 20
pw90 0.008
alfa 17.200
20.000
FLAGS
il n
in n
dp y
hs nn
fn not used
PROCESSING
DISPLAY

S
43

Table 3, entries 7a & 7b

203 ethyl acet

exp1 s2pul

SAMPLE		SPECIAL	
date	Feb 22 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	a1fa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	256	PROCESSING	
ct	128	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.459	sp	-1134.4
tof	736.7	wp	18867.9
tpwr	58	rfl	1134.4
pw	9.250	rff	0
DECOUPLER		rp	70.7
dh	H1	lp	-284.3
dof	0	PLOT	
dm	yyv	wc	250
dmm	W	sc	0
dpwr	35	vs	71
dmf	6700	th	9
		ai	no ph

S
44

Table 3, entry 8

PR I-117 D2

exp1 s2pul

SAMPLE		SPECIAL	
date	May 11, 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alpha	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	16	fn	not used
ct	16	PROCESSING	
TRANSMITTER		DISPLAY	
tn	H1	sp	-582.8
sfrq	300.053	wp	4802.8
tof	300.9	rfl	583.1
tpwr	55	rfp	0
pw	8.600	rp	-105.5
DECOUPLER		lp	-77.4
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	76
dpwr	45	th	2
dmf	13100	ai	cdc ph

S
45

PR I-117 D2

exp1 s2pu1

SAMPLE		SPECIAL	
date	May 11 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	512	tb	1.00
ct	512	fn	not used
TRANSMITTER		DISPLAY	
tn	C13	sp	-1134.4
sfrq	75.456	wp	18867.6
tof	737.2	rfl	1134.7
tpwr	58	rff	0
pw	9.250	rp	90.1
DECOUPLER		lp	-254.8
dn	H1	PLOT	
dof	0	wc	250
dm	VVY	w	0
dmm	35	vs	215
dpwr	6700	th	12
dmf		ai	no
		ph

Table 3, entry 8

PR 117 D2

Table 3, entry 8

```

exp1 s2pul
SAMPLE
date May 13 2004
solvent CDCl3
file exp
ACQUISITION
sw 26738.0
at 1.598
tp 85476
fb 14800
bs 64
ss 4
d1 1.000
nt 32
ct 32
TRANSMITTER P31
tn 121.474
sfrq 10608.2
tof 55
tpwr 7.117
pw DECOUPLER
dn H1
dof 0
dm YYY
dmm W
dpwr 35
dmf 6700
SPECIAL
temp not used
gain not used
spin 20
hst 0.008
pw90 18.300
alfa 20.000
FLAGS
il n
ln n
dp y
hs nn
PROCESSING
lb 2.00
fn not used
DISPLAY
sp 0
wp 10010.0
rf1 2437.3
rfp 0
rp 171.1
lp -364.3
PLOT
WC 250
SC 0
VS 7
TH 2
ai no ph

```

24.141

S
47

80 70 60 50 40 30 20 10 ppm

PR II-225

exp1 s2pul

SAMPLE		SPECIAL	
date	Aug 4 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
pp	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	32	PROCESSING	
ct	32	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-597.7
sfrq	300.053	wp	4802.8
tof	300.9	rfl	598.0
tpwr	55	rfp	0
pw	8.600	rp	-110.2
DECOUPLER		lp	-70.6
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	120
dpwr	45	tn	3
dmf	13100	ai	cdc
		ph	

Table 3, entry 9

linear

S
48

PR II-225

exp1 s2pul

SAMPLE		SPECIAL	
date	Oct 7 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	st	20
ACQUISITION		nst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	il	1
fb	10400	in	n
bs	64	dp	n
ss	4	hs	y
d1	1.000	lb	nm
nt	2000	fn	1.00
ct	2000	lb	not used
TRANSMITTER C13		DISPLAY	
tn	75.456	sp	-1134.4
sfrq	737.2	wp	18867.6
tof	58	rfl	1151.0
tpwr	9.250	rfp	0
pw	DECOUPLER	rp	72.0
dn	H1	lp	-266.6
dof	0	PLOT	
dm	YY	wc	250
dmm	w	sc	0
dpwr	35	vs	416
dmf	6700	th	8
		ai	no ph

Table 3, entry 9
linear

S
49

PR II-225

exp1 s2pu1

Table 3, entry 9

linear

SAMPLE		SPECIAL	
date	Aug 4 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
85476		FLAGS	
np	14800	il	n
fb	64	in	n
bs	4	dp	y
ss	1.000	hs	nm
dl	32	PROCESSING	
nt	32	lb	2.00
ct	32	fn	not used
TRANSMITTER		DISPLAY	
tn	p31	0	
sfrq	121.474	sp	10010.0
tof	10608.2	wp	2437.3
tpwr	55	rfl	0
pw	7.117	rfp	121.8
DECOUPLER		lp	-249.2
dn	H1	PLOT	
dof	0	wc	250
dm	YVY	sc	0
dmm	W	vs	20
dpwr	35	tn	4
dmf	6700	al	no
		ph

27.601

28.534

38.403

S
50

80 70 60 50 40 30 20 10 ppm

Table 3, entry 9 □
linear

Table 3, entry 9 ☐
branched

```

exp1  s2pul
SAMPLE
date   Oct 11, 2004
solvent CDC13
file
ACQUISITION
sw      4803.1
at      1.994
fb      19158
bs      not used
ss      16
nt      4
ct      1.000
tn      32
TRANSMITTER
sfrq    300.053
tof     300.9
tpwr    55
pw      8.600
DECOUPLER
C13     0
dn       0
dof     nnn
dm       C
dmm     45
dpwr    2
dmf     13100
SPECIAL
temp    not used
gain    not used
spin    20
hst     0.008
pw90    17.200
alfa    20.000
FLAGS
i1      n
in      n
dp      y
hs      nm
PROCESSING
fn      not used
DISPLAY
-589.8
4802.8
590.1
-109.1
-72.6
PLOT
wc      250
sc      0
vs      217
th      2
cdc     ph

```

S
52

S
53

Table 3, entry 9 ☐
branched

Table 3, entry 9 ☐
branched

PR II-269

exp1 s2pul

SAMPLE		SPECIAL	
date	Sep 22 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
sw	4803.1	nst	0.008
at	1.994	pw90	17.200
np	19158	alpha	20.000
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	32	fn	not used
ct	32	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-594.2
sfrq	300.053	wp	4802.8
tof	300.9	rfl	594.5
tpwr	55	rfl	0
pw	8.600	rp	-109.3
DECOUPLER		lp	-73.8
dn	C13	plot	
dof	0	wc	250
dm	mn	sc	0
dmm	c	vs	138
dpwr	45	th	3
dmf	13100	ai	cdc
		ph

Table 3, entry 10
branched

S
55

PR II-269

exp1 s2pul

SAMPLE		SPECIAL	
date	Sep 22 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
tp	68432	il	n
fb	10400	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	lb	1.00
nt	1000	fn	not used
ct	1000	fn	not used
TRANSMITTER C13		DISPLAY	
tn	75.456	sp	-1134.4
sfrq	737.2	wp	18867.6
tof	58	rfl	1150.7
tpwr	9.250	rfl	0
pw	9.250	rp	76.2
DECOUPLER		tp	-251.2
dn	H1	PLOT	
dof	0	yc	250
dm	yyy	sc	0
dmm	w	vs	302
dpwr	35	th	7
dmf	6700	ai	no
			ph

Table 3, entry 10
branched

S
56

Table 3, entry 10 ☐
branched

INDEX	FREQUENCY	PPM	HEIGHT
1	2658.446	21.887	69.8
2	2649.470	21.813	145.7
3	2636.414	21.706	141.9
4	2627.031	21.628	88.3
5	2623.767	21.601	85.5
6	2614.383	21.524	146.8
7	2601.327	21.417	138.3
8	2592.351	21.343	67.4
9	2078.285	17.110	64.2
10	2068.902	17.033	136.1
11	2056.254	16.929	138.8
12	2046.870	16.852	84.2
13	2043.198	16.822	82.6
14	2033.814	16.744	141.7
15	2021.167	16.640	133.9
16	2011.783	16.563	65.4

S
57

210

exp1 s2pul

SAMPLE		SPECIAL	
date	Feb 28 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spn	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	8	fn	not used
ct	8	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.064	wp	4802.8
tof	298.9	rfl	601.2
tpwr	55	rfp	0
pw	1.000	rp	-126.0
DECOUPLER		lp	-59.9
dn	C13	PL0T	
dof	0	wc	250
dm	nn	sc	0
dmm	c	vs	548
dpr	45	th	54
dmf	13100	ai	cdc
		ph	

Table 3, entry 11
mixture of isomers

S
58

Table 3, entry 11
mixture of isomers

INDEX	FREQUENCY	PPM	HEIGHT
1	11708.030	155.175	29.8
2	11702.848	155.106	32.6
3	9707.977	128.667	9.4
4	9694.158	128.484	11.3
5	9094.171	120.532	47.1
6	8963.464	118.799	46.5
7	5877.445	77.898	34.9
8	5845.488	77.474	38.5
9	5813.243	77.047	38.2
10	4669.986	61.895	28.8
11	4564.228	61.818	33.3
12	2595.942	34.406	48.4
13	2575.789	34.139	48.6
14	2385.198	31.613	111.9
15	2383.759	31.594	123.4
16	2321.860	30.773	12.9
17	2310.056	30.617	14.0
18	2174.742	28.823	41.6
19	2171.287	28.778	93.8
20	2169.848	28.759	95.6
21	2106.221	27.915	15.5
22	2100.463	27.839	23.8
23	2094.129	27.755	19.3
24	2086.068	27.648	86.8
25	1703.159	22.573	123.2
26	1239.925	16.434	42.6
27	1233.591	16.350	44.1
28	1061.426	14.068	126.0

S
59

-kb

Table 3, entry 12

exp1 s2pu1

SAMPLE

date Mar 3 2004

solvent CDCl3

file ACQUISITION exp

sw 4803.1

at 1.994

fb 19158

bs not used

ss 16

d1 4

nt 1.000

ct 8

tn TRANSMITTER

sfreq 300.064

tof 298.9

tpwr 55

pw 1.000

dn DECOUPLER

dof C13

dm 0

dmm nnn

dpwr c

dmf 45

13100 ai

cdc ph

SPECIAL

temp not used

gain not used

hst 20

pw90 0.008

alfa 17.200

FLAGS 20.000

il n

in n

dp y

hs nn

fn not used

PROCESSING

DISPLAY

-60.0

3060.6

586.6

0

-120.8

-67.5

PLOT

250

0

225

2

60

Table 3, entry 12

160.056
160.018

136.994
135.422

80.055
79.200
79.628

64.811
64.723

18.503
18.423

S
19

-0.252

0.000

Table 3, entry 12

HEIGHT	PPM	FREQUENCY
5.9	44.588	5416.022
6.3	35.627	4327.507
3.2	29.860	3626.990
3.7	29.322	3561.712
3.0	28.133	3417.284
126.0	27.005	3280.199
4.6	23.565	2862.419
7.6	8.279	1005.661

212-kb
exp1 s2pu1

SAMPLE			SPECIAL		
date	solvent	file	temp	gain	spin
Mar 3 2004	CDC13	exp	20	0.008	18.300
ACQUISITION			pw90	alpha	20.000
sw	26738.0			FLAGS	
at	1.598		il		n
np	85476		in		n
fb	14800		ds		y
bs	64		hp		n
ss	4		ps		n
d1	1.000		nt		nn
nt	16		lb		2.00
ct	16		fn		not used
TRANSMITTER			PROCESSING		
tn	P31		DISPLAY		
tfq	121.478		sp		0
tof	10607.7		wp		10010.0
tpwr	55		rfl		2437.0
pw	7.117		rff		0
DECOUPLER			rp		-159.5
dn	H1		lp		-127.8
dof	0		PLOT		
dm	yyv		wc		250
dmm	w		sc		0
dpwr	35		vs		55
dmf	6700		th		3
			ai		no
			ph		3

S
62

Table 3, entry 14

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2391.277	7.970	8.0	40	1244.156	4.146	14.8	79	483.415	1.611	3.5
2	2357.270	7.856	14.7	41	1240.931	4.136	24.1	80	471.982	1.573	3.3
3	2355.511	7.850	20.4	42	1238.586	4.128	37.4	81	470.223	1.567	3.3
4	2354.925	7.848	20.6	43	1237.120	4.123	21.5	82	462.601	1.542	3.4
5	2353.166	7.843	15.8	44	1235.351	4.117	13.0	83	459.376	1.531	3.0
6	2228.868	7.428	3.6	45	1233.895	4.112	13.6	84	454.979	1.516	3.1
7	1819.622	6.064	15.5	46	1231.550	4.104	30.3	85	448.529	1.495	3.8
8	1817.276	6.057	20.9	47	1230.084	4.100	22.0	86	440.321	1.467	5.1
9	1815.811	6.052	14.8	48	1228.325	4.094	20.7	87	436.217	1.454	5.3
10	1698.548	5.661	7.9	49	1226.859	4.089	14.1	88	431.819	1.439	6.2
11	1600.634	5.335	54.2	50	1224.221	4.080	12.5	89	428.888	1.429	7.1
12	1549.331	5.164	5.8	51	1223.048	4.076	10.7	90	418.041	1.393	44.3
13	1547.866	5.159	6.5	52	1221.289	4.070	19.0	91	415.989	1.386	89.6
14	1546.693	5.155	5.3	53	1219.824	4.065	14.2	92	411.005	1.370	79.7
15	1542.589	5.141	9.5	54	1218.054	4.060	9.5	93	408.953	1.363	162.0
16	1541.416	5.137	13.8	55	1216.254	4.047	7.3	94	403.969	1.346	41.4
17	1539.950	5.132	14.6	56	1212.788	4.042	6.8	95	401.624	1.339	81.2
18	1538.485	5.127	10.5	57	1211.029	4.036	8.3	96	398.106	1.327	11.2
19	1534.674	5.115	11.5	58	1013.442	3.378	3.1	97	391.071	1.303	15.6
20	1533.501	5.111	14.4	59	1006.992	3.356	3.2	98	384.621	1.282	35.0
21	1532.035	5.106	13.1	60	794.747	2.649	13.3	99	377.585	1.258	75.3
22	1530.569	5.101	8.3	61	786.832	2.622	13.7	100	370.256	1.234	26.4
23	1526.758	5.088	5.0	62	777.158	2.590	12.2	101	364.980	1.216	3.3
24	1525.293	5.083	5.4	63	770.122	2.567	16.4	102	359.410	1.198	5.2
25	1524.120	5.080	4.3	64	749.601	2.498	3.2	103	355.012	1.183	3.0
26	1274.351	4.247	3.1	65	651.687	2.172	65.1	104	348.856	1.163	3.2
27	1267.022	4.223	8.5	66	612.111	2.040	92.1	105	344.752	1.149	3.5
28	1265.263	4.217	5.7	67	606.247	2.020	19.3	106	337.130	1.124	6.7
29	1264.090	4.213	6.9	68	571.362	1.904	6.7	107	327.163	1.090	17.9
30	1262.038	4.206	7.1	69	565.205	1.884	7.6	108	320.420	1.068	19.8
31	1259.986	4.199	11.2	70	561.981	1.873	5.1	109	312.798	1.042	5.2
32	1258.227	4.193	14.6	71	552.013	1.840	9.9	110	280.551	0.935	17.1
33	1257.055	4.189	18.4	72	547.909	1.826	10.4	111	276.740	0.922	15.1
34	1255.002	4.183	19.6	73	536.476	1.788	75.7	112	274.101	0.914	18.0
35	1252.950	4.176	12.0	74	530.320	1.767	79.7	113	269.997	0.900	16.8
36	1251.191	4.170	16.4	75	503.936	1.680	83.6	114	264.134	0.880	13.3
37	1249.726	4.165	20.7	76	499.832	1.666	81.9	115	256.805	0.856	9.4
38	1247.967	4.159	30.1	77	491.916	1.639	8.8	116	249.769	0.832	3.6
39	1245.915	4.152	24.1	78	482.829	1.609	3.5

69.73

8.44

12.86

1.42 3.87

1.65

2.03

ph-60-a7

S
66

Table 3, entry 14

	FREQUENCY	PPM	HEIGHT
2	6941.106	57.146	4.9
3	5271.615	43.401	5.6
4	5085.980	41.873	3.3
5	5015.398	41.292	4.3
6	4944.816	40.711	3.7
7	4876.274	40.146	126.0
8	4828.947	39.757	3.0
9	4738.374	39.011	5.1
10	4374.447	36.015	3.5
11	3543.782	29.176	6.2
12	1336.153	11.001	6.9
			15.0

PRI-94

exp1 s2pu1

SAMPLE		SPECIAL	
date	Apr 26 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	32	PROCESSING	
ct	32	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rpf	0
DECOUPLER		rp	-143.6
dn	H1	lp	-569.1
dof	0	PLOT	
dm	VVY	wc	250
dmm	w	sc	0
dpwr	35	vs	7
dmf	6700	tn	3
		ai	no ph

Table 3, entry 15

39.364

S
67

Table 3, entry 15

S
68

INDEX	FREQUENCY	PPM	HEIGHT
1	12030.835	159.459	21.6
2	12017.304	159.280	19.0
3	11269.048	149.362	112.6
4	10307.168	136.613	101.6
5	9267.555	122.834	111.4
6	9179.745	121.670	126.0
7	5850.738	77.547	85.9
8	5818.781	77.123	89.4
9	5786.824	76.700	89.0
10	4997.397	66.236	52.0
11	4990.488	66.145	55.6
12	2448.028	32.447	64.8
13	2441.694	32.363	65.3
14	2205.903	29.237	69.6
15	2203.312	29.203	64.8
16	2157.535	28.596	65.8
17	2063.391	27.349	63.0
18	1415.613	18.763	117.3
19	1025.794	13.596	102.8
20	0.000	0.000	22.1

Table 3, entry 15

exp1 s2pu1

Scheme 1, allene reaction

PR54-5

exp1 s2pul

SAMPLE		SPECIAL	
date	Mar 24 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	il	n
fb	10400	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	PROCESSING	
nt	256	lb	1.00
ct	256	fn	not used
TRANSMITTER C13		DISPLAY	
tn	75.459	sp	-1134.1
sfrq	736.7	wp	18867.6
tof	58	rfl	1134.4
tpwr	9.250	rfp	0
DECOUPLER		rp	16.5
dn	H1	lp	-255.5
dof	0	PLOT	
dm	yy	wc	250
dmm	w	sc	0
dpwr	35	vs	149
dmf	6700	th	11
		ai	no
			ph

Scheme 1, allene reaction

S
72

37.593

Scheme 1, allene reaction

S
73

PPM

PR I-54.5 major product

F1: 36.441

SW1: 20000

PD: 2.0 sec

OF1: 5510.0

NA: 16

LB: 0.0

PTSlid: 32768

USER: -- DATE: 03/19/04 (19:08)

EX: c:\left\global\zg.ppg

CD 03

Scheme 1, allene reaction

S
74

PR I-54 5 major product coupled

F1: 36.441

SW1: 20000

OF1: 5510.0

USER: -- DATE: 03/19/04 (19:12)

PTSId: 32768

EX: c:\left\global\zg.ppg

PD: 2.0 sec

NA: 32

LB: 0.0

PR I-54-5 minor

exp1 s2pul

SAMPLE		SPECIAL	
date	Apr 19 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	not used	il	FLAGS
rb	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	8	fn	not used
ct	8	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-593.9
sfrq	300.053	wp	4802.8
tof	300.9	rfl	594.2
tpwr	55	rfp	0
pw	8.600	rp	-109.6
DECOUPLER		lp	-74.2
dn	C13	PLOT	
dof	0	wc	250
dm	nmn	sc	0
dmm	c	vs	269
dpwr	45	tn	3
dmf	13100	ai	cdc ph

Scheme 1, allene reaction

S
75

Interpolated Peak Listing

PEAK	POINT	HEIGHT	REL. HT	HZ	PPM
1	23379	6192K	92.59	1240.21	34.034

Scheme 1, allene reaction

S
76

PR I-54 5 tube 30
 FI: 36.441
 EX: c:\efl\global\zg.ppg

SW1: 20000
 PW: 12.8 usec

OF1: 5510.0
 NA: 64

PD: 2.0 sec

PTSD: 32768
 LB: 0.0

USER: -- DATE: 03/19/04 (14:02)

in AcOEt.

INDEX	FREQUENCY	PPM	HEIGHT
1	4848.123	39.914	9.0
2	4557.227	37.520	3.8
3	4513.572	37.160	126.0
4	4491.948	36.982	6.9
5	4443.398	36.582	3.4
6	4303.049	35.427	3.0

Scheme 1, cinnamyl chloride reaction

279a
exp1 s2pul
SAMPLE
date May 17 2004
solvent CDC13
file exp
ACQUISITION
sw 26738.0
at 1.598
np 85476
fb 14800
bs 64
ss 4
d1 1.000
nt 16
ct 16
TRANSMITTER P31
tn 121.474
sfrq 10608.2
tof 55
tpwr 7.117
pw
DECOUPLER H1
dn 0
dof 0
dm YVY
dmn WC
dpwr SC
dmf 35
6700
temp not used
gain not used
spin 20
hst 0.008
pw90 18.300
alfa 20.000
FLAGS
il n
in n
dp y
hs nn
PROCESSING
lb 2.00
fn not used
DISPLAY
sp 0
wp 10010.0
rf1 2437.3
rfp 0
rp -129.5
lp -288.8
PLOT
wc 250
sc 0
vs 20
th 3
ai no ph

S
77

Scheme 1, cinnamyl chloride reaction

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2359.059	7.862	38.8	40	481.393	1.604	74.2
2	2357.300	7.856	38.1	41	474.650	1.582	63.7
3	2185.804	7.285	67.6	42	467.907	1.559	33.5
4	2178.768	7.261	137.3	43	417.191	1.390	21.6
5	2168.214	7.226	104.9	44	409.862	1.366	44.7
6	2160.592	7.201	67.2	45	402.533	1.342	67.2
7	2153.263	7.176	56.0	46	395.791	1.319	66.1
8	2146.228	7.153	46.8	47	388.755	1.296	43.9
9	2128.638	7.094	18.9	48	381.426	1.271	23.5
10	1947.761	6.491	24.6	49	355.628	1.185	22.6
11	1941.898	6.472	25.2	50	262.991	0.876	100.5
12	1931.930	6.439	29.3	51	262.112	0.874	102.7
13	1926.360	6.420	28.3	52	255.955	0.853	162.0
14	1823.169	6.076	20.2	53	254.490	0.848	161.2
15	1815.547	6.051	62.0	54	248.333	0.828	86.8
16	1808.805	6.028	34.1	55	247.454	0.825	86.8
17	1800.889	6.002	29.0	56	234.555	0.782	21.8
18	1800.010	5.999	27.7				
19	1793.560	5.978	22.0				
20	1225.130	4.083	21.5				
21	1223.371	4.077	21.5				
22	1221.906	4.072	20.4				
23	1216.922	4.056	33.5				
24	1215.456	4.051	32.5				
25	1208.714	4.028	31.0				
26	1201.971	4.006	18.8				
27	1195.228	3.983	19.6				
28	1188.486	3.961	32.0				
29	1181.450	3.937	33.1				
30	1179.984	3.933	34.4				
31	1173.535	3.911	22.6				
32	1171.776	3.905	21.8				
33	826.438	2.754	47.7				
34	819.988	2.733	48.5				
35	819.109	2.730	48.2				
36	807.676	2.692	48.7				
37	800.054	2.666	46.4				
38	494.585	1.648	26.4				
39	488.428	1.628	54.5				

S
78

Scheme 1, cinnamyl chloride reaction

INDEX	FREQUENCY	PPM	HEIGHT
1	10310.837	136.662	18.0
2	10306.519	136.604	14.8
3	10273.698	136.169	43.3
4	10259.591	135.982	39.9
5	9715.169	128.767	145.7
6	9707.107	128.660	26.2
7	9657.876	128.007	71.1
8	9539.549	126.439	109.5
9	8823.537	116.949	42.7
10	8813.461	116.815	40.0
11	5022.659	66.571	42.7
12	5015.174	66.472	42.2
13	2625.590	34.800	42.5
14	2535.189	33.602	42.8
15	2459.758	32.602	46.1
16	2453.712	32.522	46.5
17	1427.631	18.922	76.8
18	1038.388	13.763	69.7

S
79

Table 5, entry 1

PR 141

exp1 s2pu1

SAMPLE		SPECIAL	
date	May 26 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alpha	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
ct	1.000	hs	nm
nt	512	PROCESSING	
ct	320	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rf1	1172.0
pw	9.250	rfp	30.5
DECOUPLER		rp	-244.8
dn	H1	lp	
dof	0	wc	250
dm	YVY	w	0
dmm	35	sc	130
dpwr	6700	th	7
dmf		at	no
		ph	

Table 5, entry 1

PR74

exp1 s2pul

Table 5, entry 1

SAMPLE		SPECIAL	
date	Apr 7 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	32	PROCESSING	
ct	32	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rff	0
DECOUPLER		rp	-128.4
dn	H1	lp	-253.9
dof	0	PLOT	
dm	VVY	wc	250
dmm	w	sc	0
dpwr	35	vs	7
dmf	6700	th	3
		ai	no ph

23.472

S
82

80 70 60 50 40 30 20 10 ppm

INDEX	FREQUENCY	PPM	HEIGHT
1	2881.616	23.724	53.5
2	2869.784	23.627	96.0
3	2865.704	23.593	112.0
4	2862.032	23.563	125.2
5	2858.360	23.533	126.0
6	2854.688	23.503	125.2
7	2850.609	23.469	124.4
8	2846.529	23.435	125.9
9	2842.449	23.402	125.5
10	2838.777	23.372	122.4
11	2835.105	23.341	106.0
12	2831.433	23.311	89.0
13	2819.601	23.214	49.9

Table 5, entry 1

S
83

25.5 25.0 24.5 24.0 23.5 23.0 22.5 22.0 21.5 21.0 ppm

PR I-130

exp1 s2pul

Table 5, entry 2

SAMPLE		SPECIAL	
date	May 17 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-630.9
sfrq	300.053	wp	4802.8
tof	300.9	rfl	631.2
tpwr	55	rfp	0
pw	8.600	rp	-109.8
DECOUPLER		lp	-68.9
dn	C13	PLOT	
dof	0	wc	250
dm	nmn	sc	0
dmm	c	vs	198
dpwr	45	tn	2
dmf	13100	ai	cdc
		ph

S
84

Table 5, entry 2

PR I-130

Table 5, entry 2

```

exp1 s2pul
SAMPLE
date May 17 2004 temp not used
solvent CDCl3 gain not used
file exp hst 0.008
ACQUISITION pw90 18.300
sw 26738.0 alfa 20.000
at 1.598
np 85476
fb 14800
bs 64
ss 4
d1 1.000
nt 32
ct 32
TRANSMITTER P31
tn 121.474
sfrq 10608.2
tof 55
tpwr 7.117
pw DECOUPLER H1
dn 0
dof YYV
dm YYV
dmm W
dpwr 35
dmf 6700
ai no ph

```

35.894

S
86

80 70 60 50 40 30 20 10 ppm

Table 5, entry 3

S
87

Table 5, entry 3

PR 105

exp1 s2pu1

Table 5, entry 3

date	May	3	2004	SAMPLE	temp	not used
solvent	CDCl3	exp		gain	not used	
file				spin	20	
ACQUISITION						
sw	26738.0			hst	0.008	
at	1.598			pw90	18.300	
np	85476			alfa	20.000	
fb	14800			il	FLAGS	
bs	64			in	n	
ss	4			dp	n	
dl	1.000			hs	y	
nt	16			lb	nn	
ct	16			fn	2.00	
PROCESSING						
DISPLAY						
tn	P31			sp	0	
sfrq	121.474			wp	10010.0	
tof	10608.2			rfl	2437.3	
tpwr	55			rff	0	
pw	7.117			rp	157.3	
DECOUPLER						
dn	H1			lp	-288.8	
dof	0			pl		
dm	VVY			wc	250	
dmm	w			sc	0	
dpwr	35			vs	9	
dmf	6700			th	2	
				ai	no	ph

43.247

89

Table 5, entry 4

PR I-168 total

exp1 s2pul

Table 5, entry 4

date	Jun 15 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION			
sw	18867.9	pw90	0.008
at	1.815	alfa	18.500
np	68492		20.000
fb	10400	il	FLAGS
bs	64	in	n
ss	4	dp	n
dl	1.000	hs	y
nt	256		nn
ct	256	lb	PROCESSING
TRANSMITTER C13			
tn	75.456	sp	not used
sfrq	75.456	wp	DISPLAY
tof	737.2	rfl	-1134.4
tpwr	9.250	rfp	18867.6
pw		rp	1177.5
DECOUPLER			
dn	H1	lp	97.0
dof	0		-285.1
dm	YVY	wc	PLOT
dmm	W	sc	250
dpwr	35	vs	0
dmf	6700	th	148
		ai	no
		ph	8

S
91

PR I-174

exp1 s2pu1

Table 5, entry 5

SAMPLE		SPECIAL	
date	Jun 22 2004	temp	not used
solvent	CDC13	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alra	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	8	PROCESSING	
ct	8	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-576.9
sfrq	300.053	wp	4802.8
tof	300.9	rfl	577.2
tpwr	55	rfp	0
pw	8.600	rp	-109.8
DECOUPLER		lp	-73.3
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	C	vs	210
dpwr	45	th	2
dmf	13100	ai	cdc ph

S
92

PR I-174

exp1 s2pul

Table 5, entry 5

SAMPLE		SPECIAL	
date	Jun 22 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alpha	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nm
nt	256	lb	1.00
ct	256	fn	not used
TRANSMITTER C13		DISPLAY	
tn	75.456	sp	-1134.4
sfrq	737.2	wp	18867.6
tof	58	rf1	1134.7
tpwr	9.250	rfd	0
pw	DECOUPLER	rp	42.8
dn	H1	lp	-233.3
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	145
dmf	6700	th	11
		ai	no
		ph

S
93

PR I-174

exp1 s2pu1

Table 5, entry 5

SAMPLE		SPECIAL	
date	Jun 22 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
fb	85476	FLAGS	
bs	14800	il	n
ss	64	in	n
di	4	dp	y
nt	1.000	hs	nn
ct	32	PROCESSING	
TRANSMITTER		lb	2.00
tn	P31	fn	not used
sfrq	121.474	sp	0
tof	10608.2	wd	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rffp	0
dn	DECOUPLER	rp	-108.5
dof	H1	lp	-315.6
dm	0	PLOT	
dmm	VVY	wc	250
dpwr	W	sc	0
dmf	35	vs	9
	6700	th	3
		ai	no
		ph

45.766

S
94

Table 5, entry 6

PR II-208

exp1 s2pu1

SAMPLE		SPECIAL	
date	Oct 14 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	2000	PROCESSING	
ct	192	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rfl	1149.3
pw	9.250	rffp	0
DECOUPLER		rp	36.9
dn	H1	lp	-268.9
dof	0	PLOT	
dm	VVY	wc	250
dmm	35	sc	0
dpwr	6700	vs	98
dmf		th	6
		ai	no
		ph	

Table 5, entry 6

PR II-208

exp2 s2pu1

Table 5, entry 6

SAMPLE		SPECIAL	
date	Jul 20 2004	temp	not used
solvent	CDCl3	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	il	n
bs	14800	64	n
ss	4	dp	y
d1	1.000	hs	nn
nt	64	PROCESSING	2.00
ct	64	lb	not used
TRANSMITTER		fn	DISPLAY
tn	P31		
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-142.3
dn	H1	lp	-288.8
dof	0	PLOT	
dm	ynn	wc	250
dmm	w	sc	0
dpwr	35	vs	72
dmf	6700	th	7
		ai	no ph

41.416

S
97

Table 5, entry 7

Table 5, entry 7

PR I-158

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jun 16 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	32	PROCESSING	
ct	32	lb	not used
TRANSMITTER		fn	2.00
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-127.0
dn	H1	lp	-288.8
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	5
dmf	6700	th	3
		al	no ph

Table 5, entry 7

24.436

S
100

80 70 60 50 40 30 20 10 ppm

Scheme 2, phosphonothioic acid

PR II-212A hexane extr

exp2 s2pu1

SAMPLE		SPECIAL	
date	Jul 21 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
FLAGS			
np	68492	il	n
fb	10400	in	n
bs	64	dp	y
ss	4	hs	nn
dl	1.000		
nt	512	PROCESSING	
ct	512	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	56	rfl	1134.7
pw	9.250	rfp	0
DECOUPLER		rp	79.3
dn	H1	lp	-308.1
dof	0	PLOT	
dm	VVY	wc	250
dmm	W	sc	0
dpwr	35	vs	215
dmf	6700	tn	13
		ai	no
		ph	

Scheme 2, phosphonoethioic acid

S
102

Scheme 2, phosphonothioic acid

S
103

Scheme 2, tertiary phosphine oxide

Scheme 2, tertiary phosphine oxide

exp1 s2pul

date	Aug 18 2004	temp	not used	SPECIAL	not used
solvent	CDCl3	gain	not used		
file	exp	spin	20		
ACQUISITION		hst	0.008		
sw	18867.9	pw90	18.500		
at	1.815	alfa	20.000	FLAGS	
pp	68492	il			n
fb	10400	in			n
bs	64	in			y
ss	4	dp			nn
d1	1.000	hs		PROCESSING	
nt	512				
ct	512	lb	1.00		
TRANSMITTER	C13	fn	not used	DISPLAY	
tn		sp	-1134.4		
sfrq	75.456	wp	18867.6		
tof	737.2	rfl	1151.0		
tpwr	58	rfl	0		
pw	9.250	rfp	61.9		
DECOUPLER	H1	rp	-282.4		
dn		lp		PLOT	
dof	0				
dm	YVY	wc	250		
dmm	w	sc	0		
dpwr	35	vs	210		
dmf	6700	th			
		ai	no	ph	7

Scheme 2, tertiary phosphine oxide

```

exp1 s2pul
SAMPLE
date Aug 18 2004
solvent CDCl3
file ACQUISITION exp
sw 26738.0
at 1.598
np 85476
bs 14800
ss 64
d1 4
nt 1.000
ct 32
tn 32
sfrq 121.474
tof 10608.2
tpwr 55
pw 7.117
dn DECOUPLER H1
dof 0
dm YYV
dmm w
dpwr 35
dmf 6700
SPECIAL
temp not used
gain not used
spin 20
hst 0.008
pw90 18.300
alfa 20.000
FLAGS
il n
in n
dp y
hs nn
PROCESSING
lb 2.00
fn not used
DISPLAY
sp 0
wp 10010.0
rfl 2437.3
rfp 0
rp 152.5
lp -314.2
PLOT
wc 250
sc 0
vs 20
th 3
ai no
ph
  
```

Equation 3, D3PO2

REL. HT
17.472

K	POINT	HEIGHT	REL. HT
1	24368	2615K	36.64
1	24509	5404K	75.73
2	24650	8084K	113.28
3	24791	5637K	78.99
4	24932	2670K	37.41

Hz	PPM
636.67	17.472
550.63	15.110
464.56	12.749
378.53	10.388
292.48	8.026

Equation 3, EtOP(O)H₂ reagent

PR I-161 after esterification

F1: 36.441

SW1-20000

PW: 12.8 usec

USER: -- DATE: 06/09/04 (09:15)

USER: DTG11-2070

00155-150

NA: 16

Equation 3, deuterated product

PR I-164

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jun 15 2004	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	512	PROCESSING	
ct	512	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rf1	1134.7
pw	9.250	rfp	0
DECOUPLER		lp	62.7
dn	H1	-236.8	
dof	0	PLOT	
dm	Yyy	wc	250
dmm	w	sc	0
dpwr	35	vs	192
dmf	6700	th	11
		ai	no
		ph	

Equation 3, deuterated product

S
111

PR I-164

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jun 15 2004	temp	not used
solvent	CDC13	gain	not used
file	exp	spin	20
ACQUISITION		nst	0.008
sw	26738.0	pw90	18.300
at	1.588	alfa	20.000
np	85476	FLAGS	
bs	14800	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nm
nt	32	PROCESSING	
ct	32	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		lp	-124.9
dn	H1	PLOT	
dof	0	wc	250
dm	YYY	w	0
dmm	35	sc	24
dpwr	6700	vs	3
dmf		th	
		ai	no ph

Equation 3, deuterated product

32.780

32.837

S
112

32.266
31.581

80

70

60

50

40

30

20

10

ppm

Equation 3, deuterated product

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jun 15 2004	temp	not used
solvent	CDCl3	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	64	PROCESSING	
ct	64	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	113.6
dn	H1	tp	-20.6
dof	0	PLOT	
dm	ynn	wc	250
dmm	w	sc	0
dpwr	35	vs	189
dmf	6700	th	5
		al	no
			ph

35.010
31.611
30.546

32.978
32.239

S
113

80 70 60 50 40 30 20 10 ppm

Competition experiment (see text)

PR III-367 t=6h ns8

FL: 36.441

SW1: 20000

OF1: 5510.0

USER: -- DATE: 01/12/05 (20:44)

PTS1d: 32768

EX: c:\left\global\zg.ppg

PW: 12.4 usec

PD: 2.0 sec

NA: 8

LB: 0.0

PEAK	POINT	HEIGHT	RE% 37	HT 35	HZ	PPM
1	23647	4967K	98.79	98.79	1076.87	29.551
2	24684	4208K	83.70	83.70	443.82	12.179
3	25087	2786K	55.41	55.41	197.83	5.429

Competition experiment (see text)

EtOP(O)H₂

3 mol% NiCl₂
CH₃CN, reflux

competition
4.5

S
115

100.00

13.32 6.07

71.63

26.51

12.16

PPM

PR I-138 4h

F1: 36.441

EX: c:\left\global\zg.ppg

SW1: 20000

PW: 12.8 usec

PD: 2.0 sec

OF1: 5510.0

NA: 64

PTS1d: 32768

LB: 0.0

USER: -- DATE: 05/19/04 (20:22)

13% 5.5% 88%

6.9% 26%

40% 5.5% 84%

6.9% 25%

10%

PR verif 31P 32 scans				USER: -- DATE: 10/04/04 (18:42)	
F1: 36.441	SW1: 20000	OF1: 5510.0	PTS1d: 32768		
EX: c:\left\global\zg.ppg	PW: 12.4 usec	PD: 2.0 sec	NA: 32	LB: 0.0	WinNuts - PR verif 31P integral 32 scans.nmr

Validation of NMR yields with authentic samples (see Table in Supporting Information)

0.328 mmol

33.452

0.300 mmol

16.274

0.348 mmol

9.334

S
117