Electronic Supplementary Information

Novel oxazepinedione derived symmetric dimers: Synthesis and mesophase characterization of seven member heterocyclic compounds

AbdulKarim-Talaq Mohammad ¹, Srinivasa, H. T², Hariprasad, S³, Guan-Yeow Yeap⁴

Chemical structure analysis data:

2b: Yield 77 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3013, 2960, 2879, 1607, 1583, 1261. ¹H NMR δ (ppm, DMSO): 8.36 (s, 2H, -N=CH), 7.92 (d, 4H, $J = 8.12$ Hz, Ar-H), 7.47 (d, 4H, $J = 8.66$ Hz), 7.34 (d, 4H, $J = 8.87$ Hz), 7.12 (d, 4H, $J = 8.93$ Hz), 4.15 (t, 4H, OCH₂), 2.58 (t, 4H, Ar-CH₂), 1.29-1.94 (m, 56H, CH₂), 0.86 (t, 6H, CH₃). ¹³C NMR δ (ppm): 164.56 (C=N), 159.83 (Ar-C-O), 116.33-140.52 (Ar-C), 61.33 (C-O-C), 36.06 (N-CH₂), 23.07 (CH₂), 14.72 (CH₃). Elemental analysis found for C₆₀H₈₈N₂O₂ (%): C 82.89, H 10.20, N 3.22. Calc (%), C 82.89, H 10.20, N 3.22.

2c: Yield 70 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3009, 2959, 2883, 1600, 1581, 1257. ¹H NMR δ (ppm, DMSO): 8.45 (s, 2H, -N=CH), 7.96 (d, 4H, $J = 8.19$ Hz, Ar-H), 7.44 (d, 4H, $J = 8.61$ Hz), 7.38 (d, 4H, $J = 8.80$ Hz), 7.15 (d, 4H, $J = 8.99$ Hz), 4.18 (t, 4H, OCH₂), 2.54 (t, 4H, Ar-CH₂), 1.24-1.98 (m, 60H, CH₂), 0.82 (t, 6H, CH₃). ¹³C NMR δ (ppm): 163.05 (C=N), 160.67 (Ar-C-O), 115.03-141.83 (Ar-C), 63.50 (C-O-C), 36.77 (N-CH₂), 23.42 (CH₂), 14.90 (CH₃). Elemental analysis found for C₆₂H₉₂N₂O₂ (%): C 82.86, H 10.46, N 3.06. Calc (%), C 82.98, H 10.33, N 3.12.

2d: Yield 69 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3019, 2966, 2888, 1604, 1587, 1262. ¹H NMR δ (ppm, DMSO): 8.41 (s, 2H, -N=CH), 7.98 (d, 4H, $J = 8.28$ Hz, Ar-H), 7.40 (d, 4H, $J = 8.74$ Hz), 7.37 (d, 4H, $J = 8.83$ Hz), 7.19 (d, 4H, $J = 8.91$ Hz), 4.14 (t, 4H, OCH₂), 2.58 (t, 4H, Ar-CH₂), 1.21-1.97 (m, 64H, CH₂), 0.85 (t, 6H, CH₃). ¹³C NMR δ (ppm): 164.73 (C=N), 160.86 (Ar-C-O), 116.18-140.92 (Ar-C), 64.08 (C-O-C), 36.08 (N-CH₂), 22.03 (CH₂), 14.40 (CH₃). Elemental analysis found for C₆₄H₉₆N₂O₂ (%): C 83.21, H 10.30, N 3.19. Calc (%), C 83.06, H 10.46, N 3.03.

2e: Yield 66 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3011, 2962, 2880, 1603, 1585, 1253. ^1H NMR δ (ppm, DMSO): 8.49 (s, 2H, -N=CH), 7.91 (d, 4H, $J = 8.43$ Hz, Ar-H), 7.43 (d, 4H, $J = 8.94$ Hz), 7.34 (d, 4H, $J = 8.71$ Hz), 7.12 (d, 4H, $J = 8.10$ Hz), 4.17 (t, 4H, OCH₂), 2.51 (t, 4H, Ar-CH₂), 1.20-1.94 (m, 68H, CH₂), 0.88 (t, 6H, CH₃). ^{13}C NMR δ (ppm): 164.05 (C=N), 160.38 (Ar-C-O), 116.89-139.76 (Ar-C), 62.68 (C-O-C), 37.14 (N-CH₂), 23.27 (CH₂), 14.97 (CH₃). Elemental analysis found for C₆₆H₁₀₀N₂O₂(%): C 83.03, H 10.69, N 2.87. Calc (%), C 83.14, H 10.57, N 2.94.

3b: Yield 59 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3019, 2956, 2879, 1699, 1602, 1586, 1258. ^1H NMR δ (ppm, DMSO): 9.95 (s, 2H), 7.89 (d, 4H, $J = 8.27$ Hz, Ar-H), 7.62 (d, 4H, $J = 8.46$ Hz), 7.51 (d, 4H, $J = 8.50$ Hz), 7.39 (d, 4H, $J = 8.84$ Hz), 6.22 (dd, 4H, $J = 12.40$ Hz & 12.78 Hz), 4.18 (t, 4H, OCH₂), 2.52 (t, 4H, Ar-CH₂), 1.21-1.96 (m, 56H, CH₂), 0.88 (t, 6H, CH₃). ^{13}C NMR δ (ppm): 169.00, 167.86 (C=O), 160.48 (Ar-C-O), 116.16-138.58 (Ar-C), 90.08 (C-N), 63.36 (C-O-C), 37.20 (N-CH₂), 22.38 (CH₂), 14.90 (CH₃). Elemental analysis found for C₆₈H₉₂N₂O₈ (%): C 76.60, H 8.89, N 2.70. Calc (%), C 76.65, H 8.70, N 2.63.

3c: Yield 49 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3008, 2959, 2882, 1690, 1604, 1589, 1262. ^1H NMR δ (ppm, DMSO): 9.97 (s, 2H), 7.82 (d, 4H, $J = 8.42$ Hz, Ar-H), 7.60 (d, 4H, $J = 8.77$ Hz), 7.58 (d, 4H, $J = 8.90$ Hz), 7.31 (d, 4H, $J = 8.52$ Hz), 6.55 (dd, 4H, $J = 12.85$ Hz & 12.09 Hz), 4.10 (t, 4H, OCH₂), 2.55 (t, 4H, Ar-CH₂), 1.23-1.96 (m, 60H, CH₂), 0.83 (t, 6H, CH₃). ^{13}C NMR δ (ppm): 169.27, 167.31 (C=O), 159.63 (Ar-C-O), 115.71-139.08 (Ar-C), 90.59 (C-N), 62.20 (C-O-C), 37.58 (N-CH₂), 23.00 (CH₂), 14.16 (CH₃). Elemental analysis found for C₇₀H₉₆N₂O₈(%): C 76.72, H 8.96, N 2.48. Calc (%), C 76.88, H 8.85, N 2.56.

3d: Yield 56 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3014, 2962, 2880, 1694, 1603, 1588, 1258. ^1H NMR δ (ppm, DMSO): 9.92 (s, 2H), 7.81 (d, 4H, $J = 8.53$ Hz, Ar-H), 7.65 (d, 4H, $J = 8.42$ Hz), 7.55 (d, 4H, $J = 8.05$ Hz), 7.33 (d, 4H, $J = 8.94$ Hz), 6.56 (dd, 4H, $J = 12.33$ Hz & 12.41 Hz), 4.14 (t, 4H, OCH₂), 2.58 (t, 4H, Ar-CH₂), 1.21-1.98 (m, 64H, CH₂), 0.87 (t, 6H, CH₃). ^{13}C NMR δ (ppm): 168.58, 166.06 (C=O), 160.14 (Ar-C-O), 115.25-140.35 (Ar-C), 90.64 (C-N), 63.83 (C-O-C), 38.74 (N-CH₂), 22.68 (CH₂), 14.70 (CH₃). Elemental analysis found for C₇₂H₁₀₀N₂O₈ (%): C 77.31, H 8.83, N 2.57. Calc (%), C 77.10, H 8.99, N 2.50.

3e: Yield 49 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3010, 2958, 2874, 1690, 1600, 1582, 1251. ^1H NMR δ (ppm, DMSO): 9.90 (s, 2H), 7.84 (d, 4H, $J = 8.15$ Hz, Ar-H), 7.69 (d, 4H, $J = 8.65$ Hz), 7.50 (d, 4H, $J = 8.36$ Hz), 7.35 (d, 4H, $J = 8.82$ Hz), 6.57 (dd, 4H, $J = 12.54$ Hz & 12.24 Hz), 4.18 (t, 4H, OCH_2), 2.53 (t, 4H, Ar- CH_2), 1.22-1.95 (m, 68H, CH_2), 0.89 (t, 6H, CH_3). ^{13}C NMR δ (ppm): 169.06, 167.64 (C=O), 160.47 (Ar-C-O), 115.42-140.04 (Ar-C), 90.82 (C-N), 64.20 (C-O-C), 37.08 (N- CH_2), 22.36 (CH_2), 14.86 (CH_3). Elemental analysis found for $\text{C}_{74}\text{H}_{104}\text{N}_2\text{O}_8$ (%): C 77.50, H 9.01, N 2.52. Calc (%), C 77.31, H 9.12, N 2.44.

4a: Yield 57 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3014, 2953, 2881, 1697, 1601, 1589, 1251. ^1H NMR δ (ppm, DMSO): 9.87 (s, 2H), 7.88 (d, 4H, $J = 8.92$ Hz, Ar-H), 7.56 (d, 4H, $J = 8.37$ Hz), 7.25 (d, 4H, $J = 8.61$ Hz), 7.07 (d, 4H, $J = 8.49$ Hz), 2.58 (t, 4H, $J = 7.66$ Hz), 2.43 (t, 4H, $J = 7.24$ Hz), 4.24 (t, 4H, OCH_2), 2.27 (t, 4H, Ar- CH_2), 1.13-1.85 (m, 52H, CH_2), 0.85 (t, 6H, CH_3). ^{13}C NMR δ (ppm): 168.40, 166.04 (C=O), 160.27 (Ar-C-O), 115.11-139.37 (Ar-C), 90.20 (C-N), 60.19 (C-O-C), 38.35 (N- CH_2), 21.14 (CH_2), 15.30 (CH_3). Elemental analysis found for $\text{C}_{66}\text{H}_{92}\text{N}_2\text{O}_8$ (%): C 76.24, H 8.77, N 2.60. Calc (%), C 76.12, H 8.90, N 2.69.

4c: Yield 45 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3018, 2964, 2883, 1691, 1604, 1585, 1260. ^1H NMR δ (ppm, DMSO): 9.88 (s, 2H), 7.84 (d, 4H, $J = 8.19$ Hz), 7.51 (d, 4H, $J = 8.82$ Hz), 7.28 (d, 4H, $J = 8.53$ Hz), 7.05 (d, 4H, $J = 8.85$ Hz), 2.46 (t, 4H, $J = 7.90$ Hz), 2.50 (t, 4H, $J = 7.48$ Hz), 4.22 (t, 4H, OCH_2), 2.22 (t, 4H, Ar- CH_2), 1.11-1.88 (m, 60H, CH_2), 0.86 (t, 6H, CH_3). ^{13}C NMR δ (ppm): 168.29, 166.02 (C=O), 160.20 (Ar-C-O), 115.48-138.00 (Ar-C), 89.68 (C-N), 62.32 (C-O-C), 37.63 (N- CH_2), 22.40 (CH_2), 15.57 (CH_3). Elemental analysis found for $\text{C}_{70}\text{H}_{100}\text{N}_2\text{O}_8$ (%): C 76.78, H 9.04, N 2.63. Calc (%), C 76.60, H 9.18, N 2.55.

4d: Yield 58 %. IR: (KBr, $\nu_{\max}$, cm^{-1}): 3014, 2960, 2877, 1695, 1607, 1590, 1263. ^1H NMR δ (ppm, DMSO): 9.82 (s, 2H), 7.82 (d, 4H, $J = 8.73$ Hz), 7.50 (d, 4H, $J = 8.96$ Hz), 7.29 (d, 4H, $J = 8.23$ Hz), 7.03 (d, 4H, $J = 8.10$ Hz), 2.42 (t, 4H, $J = 7.66$ Hz), 2.59 (t, 4H, $J = 7.90$ Hz), 4.23 (t, 4H, OCH_2), 2.28 (t, 4H, Ar- CH_2), 1.14-1.86 (m, 64H, CH_2), 0.86 (t, 6H, CH_3). ^{13}C NMR δ (ppm): 168.04, 166.63 (C=O), 160.19 (Ar-C-O), 115.04-138.30 (Ar-C), 90.38 (C-N), 62.07 (C-O-C), 37.88 (N- CH_2), 21.68

(CH₂), 14.22 (CH₃). Elemental analysis found for C₇₂H₁₀₄N₂O₈ (%): C 76.98, H 9.46, N, 2.56. Calc (%), C 76.83, H 9.31, N, 2.49.

4e: Yield 44 %. IR: (KBr, $\nu_{\max}$, cm⁻¹): 3019, 2961, 2883, 1698, 1602, 1585, 1260. ¹H NMR δ (ppm, DMSO): 9.81 (s, 2H), 7.86 (d, 4H, J = 8.97 Hz), 7.52 (d, 4H, J = 8.60 Hz), 7.28 (d, 4H, J = 8.57 Hz), 7.01 (d, 4H, J = 8.38 Hz), 2.40 (t, 4H, J = 7.35 Hz), 2.57 (t, 4H, J = 7.84 Hz), 4.23 (t, 4H, OCH₂), 2.22 (t, 4H, Ar-CH₂), 1.12-1.88 (m, 68H, CH₂), 0.84 (t, 6H, CH₃). ¹³C NMR δ (ppm): 169.36, 167.20 (C=O), 160.48 (Ar-C-O), 116.70-139.18 (Ar-C), 90.87 (C-N), 62.00 (C-O-C), 38.60 (N-CH₂), 22.17 (CH₂), 14.33 (CH₃). Elemental analysis found for C₇₄H₁₀₈N₂O₈ (%): C 77.23, H 9.31, N 2.50. Calc (%), C 77.04, H 9.44, N 2.43.

5a: Yield 41 %. IR: (KBr, $\nu_{\max}$, cm⁻¹): 3012, 2957, 2875, 1696, 1603, 1581, 1255. ¹H NMR δ (ppm, DMSO): 9.89 (s, 2H), 7.93 (d, 4H, J = 8.73 Hz), 7.64 (d, 4H, J = 8.48 Hz), 7.43 (d, 4H, J = 8.83 Hz), 7.11 (t, 4H, J = 8.28 Hz), 7.88 (d, 2H, J = 8.52 Hz), 7.64 (t, 2H, J = 7.80 Hz), 7.74 (t, 2H, J = 8.91 Hz), 7.34 (d, 2H, J = 8.09 Hz), 4.28 (t, 4H, OCH₂), 2.43 (t, 4H, Ar-CH₂), 1.10-1.93 (m, 52H, CH₂), 0.90 (t, 6H, CH₃). ¹³C NMR δ (ppm): 168.18, 166.46 (C=O), 159.20 (Ar-C-O), 115.11-140.30 (Ar-C), 90.36 (C-N), 62.78 (C-O-C), 36.98 (N-CH₂), 23.67 (CH₂), 14.88 (CH₃). Elemental analysis found for C₇₄H₉₂N₂O₈ (%): C 78.30, H 8.28, N 2.35. Calc (%), C 78.13, H 8.15, N 2.46.

5b: Yield 49 %. IR: (KBr, $\nu_{\max}$, cm⁻¹): 3018, 2951, 2878, 1694, 1601, 1581, 1261. ¹H NMR δ (ppm, DMSO): 9.90 (s, 2H), 7.98 (d, 4H, J = 8.37 Hz), 7.68 (d, 4H, J = 8.16 Hz), 7.47 (d, 4H, J = 8.47 Hz), 7.14 (t, 4H, J = 8.56 Hz), 7.89 (d, 2H, J = 8.86 Hz), 7.68 (t, 2H, J = 7.05 Hz), 7.78 (t, 2H, J = 8.84 Hz), 7.36 (d, 2H, J = 8.29 Hz), 4.29 (t, 4H, OCH₂), 2.46 (t, 4H, Ar-CH₂), 1.13-1.97 (m, 56H, CH₂), 0.88 (t, 6H, CH₃). ¹³C NMR δ (ppm): 168.77, 166.94 (C=O), 160.41 (Ar-C-O), 116.30-140.73 (Ar-C), 90.08 (C-N), 63.74 (C-O-C), 38.06 (N-CH₂), 22.44 (CH₂), 14.09 (CH₃). Elemental analysis found for C₇₆H₉₆N₂O₈ (%): C 78.20, H 8.46, N 2.29. Calc (%), C 78.31, H 8.30, N 2.40.

5d: Yield 42 %. IR: (KBr, $\nu_{\max}$, cm⁻¹): 3014, 2960, 2879, 1697, 1600, 1581, 1256. ¹H NMR δ (ppm, DMSO): 9.89 (s, 2H), 7.91 (d, 4H, J = 8.80 Hz), 7.62 (d, 4H, J = 8.78

Hz), 7.40 (d, 4H, $J = 8.94$ Hz), 7.10 (t, 4H, $J = 8.64$ Hz), 7.82 (d, 2H, $J = 8.57$ Hz), 7.61 (t, 2H, $J = 7.42$ Hz), 7.72 (t, 2H, $J = 8.37$ Hz), 7.31 (d, 2H, $J = 8.01$ Hz), 4.26 (t, 4H, OCH₂), 2.42 (t, 4H, Ar-CH₂), 1.11-1.96 (m, 64H, CH₂), 0.89 (t, 6H, CH₃). ¹³C NMR δ (ppm): 168.87, 166.01 (C=O), 159.66 (Ar-C-O), 116.04-140.68 (Ar-C), 90.86 (C-N), 60.72 (C-O-C), 38.15 (N-CH₂), 22.07 (CH₂), 14.33 (CH₃). Elemental analysis found for C₈₀H₁₀₄N₂O₈ (%): C 78.42, H 8.71, N 2.21. Calc (%), C 78.65, H 8.58, N 2.29.

5e: Yield 46 %. IR: (KBr, $\nu_{\max}$, cm⁻¹): 3010, 2958, 2872, 1692, 1603, 1585, 1251. ¹H NMR δ (ppm, DMSO): 9.87 (s, 2H), 7.93 (d, 4H, $J = 8.74$ Hz), 7.65 (d, 4H, $J = 8.41$ Hz), 7.42 (d, 4H, $J = 8.79$ Hz), 7.12 (t, 4H, $J = 8.35$ Hz), 7.81 (d, 2H, $J = 8.86$ Hz), 7.60 (t, 2H, $J = 7.67$ Hz), 7.71 (t, 2H, $J = 8.92$ Hz), 7.33 (d, 2H, $J = 8.18$ Hz), 4.28 (t, 4H, OCH₂), 2.44 (t, 4H, Ar-CH₂), 1.13-1.98 (m, 68H, CH₂), 0.84 (t, 6H, CH₃). ¹³C NMR δ (ppm): 169.19, 167.47 (C=O), 160.58 (Ar-C-O), 115.65-140.07 (Ar-C), 90.48 (C-N), 61.24 (C-O-C), 37.09 (N-CH₂), 22.74 (CH₂), 14.68 (CH₃). Elemental analysis found for C₈₂H₁₀₈N₂O₈ (%): C 78.81, H 8.71, N 2.24. Calc (%), C 78.81, H 8.71, N 2.24.

Figure 4. Molecular models of compound **2c**, **3a**, **5c**, and **5e** using HyperChem

Program

HyperChem illustration of **2c**

HyperChem illustration of **3a**

HyperChem illustration of **5c**

HyperChem illustration of **5e**