Supplementary Material to:

**On the trophic spectrum of *Pelophylax ridibundus* (Pallas, 1771)
(Amphibia: Anura: Ranidae) in western Iran**

Behzad Fathinia, Nasrullah Rastegar-Pouyani, Hamid Darvishnia,
Arya Shafaeipour and Ghodrat Jaafari

Zoology in the Middle East, 62, 2016

<http://dx.doi.org/10.1080/09397140.2016.1226542>

Appendix 1

The number of food and non-food items identified from Marsh Frog stomachs during two different seasons.

Hierarchical rank			Season		
Phylum	Class	Order	Spring	Summer	Both
Annelida	Oligochaeta	Lumbriculida	5	0	5
Mollusca	Gastropoda		16	6	22
Arthropoda	Malacostraca	Amphipoda	100	0	100
		Decapoda	0	2	2
		Isopoda	4	0	4
	Arachnida	Araneae	6	16	22
		Scorpions	0	1	1
		Opiliones	2	0	2
	Chilopoda		1	0	1
	Diplopoda		2	0	2
	Insecta	Blattodea	0	2	2
		Coleoptera	66	18	94
		Diptera	125	29	154
		Hemiptera	2	0	2
		Homoptera	1	2	2
		Hymenoptera	38	27	65
		Lepidoptera	1	2	3
		Mantodea	1	2	3
		Megaloptera	1	0	1
		Neuroptera	0	1	1
		Odonata	11	0	11
		Orthoptera	0	14	14
		Trichoptera	1	0	1
Chordata	Actinopterygy		0	6	6
	Amphibia	Anura	0	16	16
Unknown			1	9	10
Polystern			0	1	1
Gravel			9	14	23
Wood			1	0	1
Total			394	167	561

Appendix 2

A diagram showing the relative proportion of organic and inorganic materials consumed by the Marsh-frog,

Pelophylax ridibundus in both spring and summer seasons and all locations. Abbreviations: Actin.,

Actinopterygy; An., Anura; Ann., Annelida; Blat., Blattodea; Chil., Chilopoda; Dec., Decapoda; Dip.,

Diplopoda; Gast., Gastropoda; Hem., Hemiptera; Hom., Homoptera; Iso., Isopoda; Lepid., Lepidoptera; Mant.,

Mantodea; Megal., Megaloptera; Neur., Neuroptera; Odo., Odonata; Opil., Opiliones; Ort., Orthoptera; Pol.,

Polystyrene; Scor., Scorpions; Tric., Tricoptera; Un., Unknown.