Supporting Information

One-Step Assembly of Functionalized γ -Butyrolactones from Benzoin or Benzaldehydes via an NHC-Mediated Tandem Reaction

Wei Ye,^{a,b} Guanliang Cai,^b Zeyang Zhuang,^{a,c} Xueshun Jia^c and Hongbin Zhai^{a,*}

Shanghai Institute of Organic Chemistry, Chinese Academy of Sciences, Shanghai, China 200032,^a

Analytical Center, Institute of Chemical Defense, Beijing, China 102205^b, and

Department of Chemistry, Shanghai University, Shanghai, China 200436^c

zhaih@mail.sioc.ac.cn

Spectroscopic Characterization of Compounds 2b-e and 2g-h

General Methods. NMR spectra were recorded in CDCl₃ (¹H at 300 MHz and ¹³C at 75 MHz) using TMS (tetramethylsilane) as the internal standard. Mass spectra were conducted by the Analytical Laboratory at Shanghai Institute of Organic Chemistry. Flash Column chromatography was performed on silica gel. THF was distilled over sodium benzophenone ketyl under nitrogen. 4 Å MS was activated at 400 °C for 6 hours prior to use. All commercially available benzaldehydes were purified when necessary. Standard Schlenk techniques were employed for reactions conducted under nitrogen.

Compound **2b**
C₁₇H₁₂Br₂O₃

5-(4-Bromobenzoyl)-5-(4-bromophenyl)-tetrahydro-2(3H)-furanone (2b). Viscous oil; ¹H NMR (CDCl₃, 300 MHz) δ 2.23-2.33 (m, 1H), 2.58 (t, J = 8.1 Hz, 2H), 3.38-3.47 (m, 1H), 7.33 (d, J = 8.7 Hz, 2H), 7.50 (d, J = 8.7 Hz, 2H), 7.54 (d, J = 6.3 Hz, 2H), 7.81 (d, J = 8.4 Hz, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 27.8, 34.0, 91.4, 122.9, 125.3, 129.1, 131.7, 131.8, 132.1, 132.5, 138.1, 174.9, 193.7; ESI-MS 425 (M + 1), 442 (M + H₂O); ESI-HRMS Calcd. for C₁₇H₁₂Br₂O₃ + Na 444.9045, Found 444.9046.

Compound **2c**
C₁₇H₁₂Cl₂O₃

5-(2-Chlorobenzoyl)-5-(2-chlorophenyl)-tetrahydro-2(3H)-furanone (2c). Viscous oil; ¹H NMR (CDCl₃, 300 MHz) δ 2.29-2.39 (m, 1H), 2.63 (ddd, J = 18.0, 9.9, 4.8 Hz, 1H), 2.85-2.97 (m, 1H), 3.75-3.84 (m, 1H), 7.00 (dd, J = 7.8, 7.5 Hz, 1H), 7.22-7.40 (m, 6H), 7.70 (d, J = 7.5 Hz, 1H); ¹³C NMR (CDCl₃, 75 MHz) δ 28.1, 30.2, 90.2, 125.4, 126.3, 127.3, 129.2, 129.9, 130.6, 130.8, 131.0, 131.8, 133.0, 134.0, 137.1, 175.2, 193.2; ESI-MS 335 (M⁺), 352 (M + NH₃); ESI-HRMS Calcd. for C₁₇H₁₂Cl₂O₃ + Na 357.0056, Found 357.0054.

Compound **2d**
C₁₇H₁₂Cl₂O₃

5-(3-Chlorobenzoyl)-5-(3-chlorophenyl)-tetrahydro-2(3H)-furanone (2d). Viscous oil. ¹H NMR (CDCl₃, 300 MHz) δ 2.29-2.37 (m, 1H), 2.56-2.62 (m, 2H), 3.40-3.45 (m, 1H), 7.26-7.34 (m, 4H), 7.45-7.48 (m, 2H), 7.80-7.93 (m, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 27.6, 34.0, 91.1, 121.7, 123.8, 128.8, 128.9, 129.6, 130.2, 130.6, 133.5, 134.5, 134.6, 135.4, 140.8, 174.7, 193.4; ESI-MS 335 (M⁺), 352 (M + NH₃); ESI-HRMS Calcd. for C₁₇H₁₂Cl₂O₃ + Na 357.0056, Found 357.0055.

Compound **2e**
C₁₇H₁₂Cl₂O₃

5-(4-Chlorobenzoyl)-5-(4-chlorophenyl)-tetrahydro-2(3H)-furanone (2e). Viscous oil. ¹H NMR (CDCl₃, 300 MHz) δ 2.26-2.34 (m, 1H), 2.56-2.62 (m, 2H), 3.38-3.47 (m, 1H), 7.31-7.40 (m, 6H), 7.88-7.92 (m, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 27.8, 34.1, 91.4, 125.1, 128.7, 129.6, 131.4, 132.1, 134.8, 137.6, 140.2, 175.0, 193.6; ESI-MS 335 (M⁺), 352 (M + NH₃); ESI-HRMS Calcd. for C₁₇H₁₂Cl₂O₃ + Na 357.0056, Found 357.0055.

Compound **2g**
C₁₉H₁₈O₃

5-(3-Methylbenzoyl)-5-(3-methylphenyl)-tetrahydro-2(3H)-furanone (2g). Viscous oil; ¹H NMR (CDCl₃, 300 MHz) δ 2.29-2.36 (m, 1H), 2.30 (s, 3H, CH₃), 2.34 (s, 3H, CH₃), 2.55 (t, J = 8.1 Hz, 2H), 3.34-3.44 (m, 1H), 7.11-7.28 (m, 6H), 7.73-7.77 (m, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 21.2, 21.4, 27.9, 34.3, 92.1, 120.6, 124.1, 128.0, 128.1, 129.0, 129.2, 130.9, 133.5, 134.1, 137.9, 139.0, 139.3, 175.7, 195.4; ESI-MS 295 (M + 1), 312 (M + H₂O); ESI-HRMS Calcd. for C₁₉H₁₈O₃ + Na 317.1148, Found 317.1147.

Compound **2h**
C₁₉H₁₈O₃

5-(4-Methylbenzoyl)-5-(4-methylphenyl)-tetrahydro-2(3H)-furanone (2h). Viscous oil; ¹H NMR (CDCl₃, 300 MHz) δ 2.25-2.35 (m, 1H), 2.32 (s, 6H, 2CH₃), 2.52-2.58 (m, 2H), 3.34-3.44 (m, 1H), 7.12 (d, J = 8.4 Hz, 2H), 7.18 (d, J = 7.8 Hz, 2H), 7.34 (d, J = 8.1 Hz, 2H), 7.87 (d, J = 8.4 Hz, 2H); ¹³C NMR (CDCl₃, 75 MHz) δ 21.0, 21.6, 27.9, 34.2, 92.1, 123.6, 128.9, 129.8, 130.8, 131.0, 136.6, 138.3, 144.3, 175.6, 194.8; ESI-MS 295 (M + 1), 312 (M + H₂O); ESI-HRMS Calcd. for C₁₉H₁₈O₃ + H 295.1329, Found 295.1328.