Supporting Information

Enantioselective Organocatalytic Conjugate Additions to Enones

Jian Wang,[†] Hao Li,[†] Liansuo Zu,[†] Wei Jiang,[†] Hexin Xie,[†] Wenhui Duan^{†,*} and Wei Wang^{†,‡,*}

[†]*Department of Chemistry, University of New Mexico, Albuquerque, NM 87131-0001*

[‡]*School of Pharmacy, East China University of Science & Technology, Shanghai 200237, P. R.*

China

General Information: Commercial reagents were used as received, unless otherwise stated. Merck 60 silica gel was used for chromatography, and Whatman silica gel plates with fluorescence F₂₅₄ indicator were used for thin-layer chromatography (TLC) analysis. ¹H and ¹³C NMR spectra were recorded on Bruker Avance 500, and tetramethylsilane (TMS) was used as a reference. Data for ¹H are reported as follows: chemical shift (ppm), and multiplicity (s = singlet, d = doublet, t = triplet, q = quartet, m = multiplet).

Proposed Transition State Model: A transition state (TS) model has been proposed to explain the outcome of high enantioselectivity and absolute (*R*) configuration of the conjugate addition reactions. The model is described in Figure 1. In the proposed TS model, the two small hydrogen atoms along Ca-Cb axis gauche with these big groups to minimize their repulsive interactions, thus forming kind of “locked” conformation and the amine and thiourea moieties in the rigid catalyst **VI** gauche each other as well so that they can simultaneously activate nucleophile **1a** through base-acid interaction and electrophile **2a** via double hydrogen bonding and therefore bring the substrates closely to enable the reaction to proceed. More importantly, the resulting rigid TS can provide products in high levels of enantioselectivity, as observed from the investigation. In addition to those, the TS model also explains the stereochemistry outcome of the conjugate addition adduct with *R* configuration. The base-acid interaction between the amine group in **VI** and substrate **1a** directs the nucleophile derived from **1a** to attack the *Si* face of the substrate **2a**, which is governed by the thiourea induced double hydrogen bonding forces. The high facially selective attack allows for production of *R* enantiomer heavily favorably.

Typical Procedure for Conjugate Addition Reaction of Dimethyl Malonate: Catalyst **VI** (15 mg, 0.025 mmol) was added to a vial containing xylenes (0.1 mL), dimethyl malonate (150 μ L, 1.40 mmol) and *trans*-chalcone (52 mg, 0.25 mmol) at room temperature. After 96 h of stirring, TLC analysis indicated completion of the reaction. The reaction mixture was concentrated *in vacuo*. The residue was purified by flash silica gel chromatography, eluting with a mixture of ethyl acetate and hexane.

2-(3-Oxo-1,3-diphenyl-propyl)-malonic acid dimethyl ester¹ (Table 2, entry 1): The title compound was prepared according the typical procedure, as described above in 90% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.92-7.86 (m, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.44-7.37 (m, 1H; Ar), 7.27-7.20 (m, 4H; Ar), 7.18-7.13 (m, 1H; Ar), 4.22-4.14 (m, 1H; CH), 3.84 (d, ³J(H,H) = 9.5 Hz, 1H; CH), 3.69 (s, 3H; OCH₃), 3.57-3.40 (m, 2H; CH₂), 3.48 (s, 3H; OCH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.4, 168.6, 168.1, 140.4, 136.7, 133.0, 128.5, 128.4, 128.0, 127.1, 57.2, 52.6, 52.3, 42.2, 40.7; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 15.2 min, t_{major} = 18.9 min, ee = 91%; [α]_D²⁵ = +17.7 (*c* = 1.2 in CHCl₃) (lit.⁹ [α]_D²⁵ = +14.0 (*c* = 2.0 in CHCl₃), major enantiomer is *S* configuration).

2-(3-Oxo-1,3-diphenyl-propyl)-malonic acid diethyl ester¹ (Table 2, entry 2): The title compound was prepared according the typical procedure, as described above in 88% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.89 (d, ³J(H,H) = 7.5 Hz, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.44-7.38 (m, 2H; Ar), 7.29-7.20 (m, 4H; Ar), 7.19-7.13 (m, 1H; Ar), 4.26-4.14 (m, 3H; CH, OCH₂), 3.94 (q, ³J(H,H) = 7.0 Hz, 2H; OCH₂), 3.81 (d, ³J(H,H) = 6.5 Hz, 1H; CH), 3.59-3.42 (m, 2H; CH₂), 1.24 (d, ³J(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³J(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.5, 168.3, 167.7, 140.4, 136.7, 133.0, 128.5, 128.3, 128.2, 128.0, 127.1, 61.6, 61.3, 57.5, 42.2, 40.7, 13.9, 13.7; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 25.5 min, t_{major} = 17.4 min, ee = 93%; [α]_D²⁵ = +17.5 (*c* = 0.8 in CHCl₃).

2-(3-Oxo-1,3-diphenyl-propyl)-malonic acid dibenzyl ester¹ (Table 2, entry 3): The title compound was prepared according the typical procedure, as described above in 84% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.81 (d, ³J(H,H) = 7.5 Hz, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.42-7.35 (m, 2H; Ar), 7.32-7.12 (m, 13H; Ar), 7.09-7.00 (m, 2H; Ar), 5.17 (d, ³J(H,H) = 7.0 Hz, 1H; OCH₂), 5.13 (d, ³J(H,H) = 7.0 Hz, 1H; OCH₂), 4.90 (s, 2H; OCH₂), 4.27-4.15 (m, 1H; CH), 3.95 (d, ³J(H,H) = 9.5 Hz, 1H; CH), 3.59-3.42 (d, ³J(H,H) = 6.5 Hz, 2H; CH₂); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.3, 168.0, 167.5, 140.3, 136.7, 135.1, 135.0, 133.0, 128.5, 128.4, 128.3, 128.2, 128.1, 128.0, 127.1, 67.3, 67.1, 57.5, 42.2, 40.7; HPLC (Chiralcel OD-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 20.6 min, t_{major} = 18.5 min, ee = 91%; [α]_D²⁵ = +18.4 (*c* = 1.0 in CHCl₃).

2-(3-Oxo-1,3-diphenyl-propyl)-malonic acid diisopropyl ester² (Table 2, entry 4): The title compound was prepared according the typical procedure, as described above in 67% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.92-7.86 (m, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.44-7.37 (m, 2H; Ar), 7.27-7.20 (m, 4H; Ar), 7.18-7.13 (m, 1H; Ar), 5.02-5.12 (m, 1H; CH), 4.84-4.75 (m, 1H; CH), 4.13-4.20 (m, 1H; CH), 3.77 (dd, ³*J*(H,H) = 10.0 Hz, 1H; CH), 3.53 (dd, ³*J*(H,H) = 16.0 Hz, ³*J*(H,H) = 4.0 Hz, 1H; CH₂), 3.43 (dd, ³*J*(H,H) = 16.0 Hz, ³*J*(H,H) = 10.0 Hz, 1H; CH₂), 1.30-1.20 (m, 6H; CH₃), 1.04 (d, ³*J*(H,H) = 6.5 Hz, 1H; CH₃), 0.96 (d, ³*J*(H,H) = 6.5 Hz, 1H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.5, 167.8, 167.2, 140.4, 136.7, 132.9, 128.4, 128.3, 128.2, 128.0, 127.0, 69.1, 68.7, 57.6, 42.8, 40.6, 21.6, 21.4, 21.2, 21.1; HPLC (Chiralcel OD-H, *i*-propanol/hexane = 15/85, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 10.7 min, *t*_{major} = 9.8 min, ee = 93%; [α]_D²⁵ = +21.3 (*c* = 0.7 in CHCl₃).

4-Acetyl-1,3-diphenyl-hexane-1,5-dione³ (Table 2, entry 5): The title compound was prepared according the typical procedure, as described above in 92% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.79-7.76 (m, 2H; Ar), 7.54-7.00 (m, 8H; Ar), 4.42-4.04 (m, 2H; CH), 3.42-4.10 (m, 2H; CH₂), 2.26 (d, ⁴*J*(H,H) = 14.0 Hz, 3H; CH₃), 1.86 (d, ⁴*J*(H,H) = 14.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 203.3, 203.0, 197.7, 140.3, 136.7, 133.1, 128.7, 128.5, 128.1, 128.0, 127.2, 74.3, 42.9, 41.1, 29.9; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 21.0 min, *t*_{major} = 29.7 min, ee = 90%; [α]_D²⁵ = +18.2 (*c* = 0.7 in CHCl₃).

2-(3-Oxo-1,3-diphenyl-propyl)-malononitrile¹ (Table 2, entry 6): The title compound was prepared according the typical procedure, as described above in 77% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.97 (d, ³*J*(H,H) = 7.5 Hz, 2H; Ar), 7.60-7.47 (m, 1H; Ar), 7.52-7.30 (m, 7H; Ar), 7.27-7.20 (m, 4H; Ar), 7.18-7.13 (m, 1H; Ar), 4.65 (d, ³*J*(H,H) = 5.0 Hz, 1H; CH), 4.10-3.95 (m, 1H; CH), 3.78-3.55 (m, 1H; CH₂); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.6, 136.5, 135.8, 134.2, 129.3, 129.2, 128.9, 128.1, 128.0, 111.8, 111.7, 41.2, 40.1, 28.8; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 14.9 min, *t*_{major} = 26.7 min, ee = 88%; [α]_D²⁵ = +19.3 (*c* = 1.7 in CHCl₃).

2-Oxo-1-(3-oxo-1-phenyl-butyl)-cyclopentanecarboxylic acid ethyl ester⁴ (Table 2, entry 7): The title compound was prepared according the typical procedure, as described above in 93% yield. ¹H NMR (500 MHz, CDCl₃, TMS) (major isomer): δ = 7.92-7.86 (m, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.44-7.37 (m, 1H; Ar), 7.27-7.20 (m, 4H; Ar), 7.18-7.13 (m, 1H; Ar), 4.22-4.14 (m, 3H; CH, OCH₂), 3.84 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 2.57-1.70 (m, 7H; CH₂), 1.23 (t, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 213.1, 197.7, 170.8, 132.7, 129.6, 128.3, 128.0, 127.8, 127.0, 64.1, 61.4, 44.6, 40.6, 39.4, 32.5, 19.2, 13.8; HPLC (Chiralcel OD-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 27.5 min, t_{major} = 23.3min, ee = 90%; dr = 1.25:1.

2-Nitro-5-oxo-3-phenyl-hexanoic acid ethyl ester⁶ (Table 2, entry 8): The title compound was prepared according the typical procedure, as described above in 99% yield. ¹H NMR (500 MHz, CDCl₃, TMS) (major isomer): δ = 7.92-7.86 (m, 2H; Ar), 7.54-7.47 (m, 1H; Ar), 7.44-7.20 (m, 6H; Ar), 4.40 (d, ³*J*(H,H) = 7.5 Hz, 1H; CH), 5.62 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 4.20-4.05 (m, 2H; OCH₂), 3.78-3.60 (m, 2H; CH₂), 1.23 (t, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.3, 163.6, 137.9, 133.4, 128.8, 128.6, 127.9, 127.6, 91.5, 63.2, 41.5, 40.8, 13.7; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 26.8 min, t_{major} = 25.4 min, ee = 90%; dr = 1.25:1.

2-[1-(4-Chloro-phenyl)-3-oxo-3-phenyl-propyl]-malonic acid diethyl ester¹ (Table 3, entry 1): The title compound was prepared according the typical procedure, as described above in 95% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.89 (d, ³*J*(H,H) = 8.0 Hz, 2H; Ar), 7.54-7.49 (m, 1H; Ar), 7.44-7.38 (m, 2H; Ar), 7.29-7.20 (m, 4H; Ar), 4.26-4.10 (m, 3H; CH, OCH₂), 3.94 (q, ³*J*(H,H) = 7.0 Hz, 2H; OCH₂), 3.78 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 3.56-3.40 (m, 2H; CH₂), 1.24 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.2, 168.1, 167.5, 139.0, 136.6, 133.1, 132.8, 129.7, 128.6, 128.5, 128.4, 128.0, 61.7, 61.4, 57.3, 42.4, 40.1, 13.9, 13.7; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 18.3 min, t_{major} = 16.3 min, ee = 93 %; $[\alpha]_D^{25}$ = +15.1 (c = 1.5 in CHCl₃) (lit.¹ $[\alpha]_D^{25}$ = -22.7 (c = 0.6 in CHCl₃)).

2-[1-(4-Nitro-phenyl)-3-oxo-3-phenyl-propyl]-malonic acid diethyl ester⁵ (Table 3, entry 2): The title compound was prepared according the typical procedure, as described above in 92% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 8.11 (d, ³*J*(H,H) = 9.0 Hz, 2H; Ar), 7.89 (d, ³*J*(H,H) = 7.5 Hz, 2H; Ar), 7.58-7.38 (m, 5H; Ar), 4.36-4.12 (m, 3H; CH, OCH₂), 4.10-3.92 (m, 2H; CH, OCH₂), 3.85 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 3.66-3.45 (m, 2H; CH₂), 1.25 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.7, 167.8, 167.3, 148.4, 145.0, 136.4, 133.4, 129.4, 128.7, 128.0, 123.6, 61.9, 61.7, 56.8, 42.0, 40.3, 14.0, 13.8; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 52.6 min, *t*_{major} = 32.8 min, ee = 87 %; [α]_D²⁵ = +18.3 (*c* = 0.7 in CHCl₃).

2-[1-(2-Chloro-phenyl)-3-oxo-3-phenyl-propyl]-malonic acid diethyl ester (Table 3, entry 3): The title compound was prepared according the typical procedure, as described above in 94% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.89 (d, ³*J*(H,H) = 8.0 Hz, 2H; Ar), 7.54-7.49 (m, 1H; Ar), 7.44-7.38 (m, 2H; Ar), 7.29-7.11 (m, 2H; Ar), 7.10-6.95 (m, 2H; Ar), 4.65-4.48 (m, 1H; CH), 4.20-4.00 (m, 2H; OCH₂), 4.00-3.80 (m, 2H; OCH₂), 3.67-3.40 (m, 2H; CH₂), 1.12 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 197.2, 168.1, 167.8, 137.8, 136.7, 134.1, 133.1, 130.0, 129.4, 128.5, 128.2, 128.2, 128.1, 126.8, 61.6, 61.5, 55.2, 40.5, 14.0, 13.8; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 24.8 min, *t*_{major} = 17.7 min, ee = 93%; [α]_D²⁵ (major) = +11.3 (*c* = 1.5 in CHCl₃).

2-[1-(3-Nitro-phenyl)-3-oxo-3-phenyl-propyl]-malonic acid diethyl ester⁵ (Table 3, entry 4): The title compound was prepared according the typical procedure, as described above in 92% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 8.17 (s, 1H; Ar), 8.04 (d, ³*J*(H,H) = 8.0 Hz, 1H; Ar), 7.89 (d, ³*J*(H,H) = 7.5 Hz, 2H; Ar), 7.69 (d, ³*J*(H,H) = 7.5 Hz, 1H; Ar), 7.58-7.48 (m, 1H; Ar), 7.46-7.30 (m, 3H; Ar), 4.36-4.12 (m, 3H; CH, OCH₂), 4.08-3.92 (m, 2H; CH, OCH₂), 3.85 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 3.66-3.45 (m, 2H; CH₂), 1.24 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.04 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃).

CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.7, 167.8, 167.3, 148.1, 143.0, 136.3, 135.2, 133.3, 129.2, 128.6, 128.0, 123.0, 122.2, 61.9, 61.6, 56.8, 42.0, 40.1, 14.0, 13.7; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 44.0 min, t_{major} = 37.3 min, ee = 90%; [α]_D²⁵ = +20.1 (c = 1.1 in CHCl₃).

2-[1-(4-Methoxy-phenyl)-3-oxo-3-phenyl-propyl]-malonic acid diethyl ester¹ (Table 3, entry 5): The title compound was prepared according the typical procedure, as described above in 89% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.89 (d, ³J(H,H) = 7.5 Hz, 2H; Ar), 7.58-7.48 (m, 1H; Ar), 7.46-7.30 (m, 2H; Ar), 7.20 (d, ³J(H,H) = 8.0 Hz, 2H; Ar), 6.78 (d, ³J(H,H) = 8.0 Hz, 2H; Ar), 4.36-4.10 (m, 3H; CH, OCH₂), 4.02-3.92 (m, 2H; CH, OCH₂), 3.85 (d, ³J(H,H) = 9.5 Hz, 1H; CH), 3.55 (s, 3H; OCH₃), 3.66-3.45 (m, 2H; CH₂), 1.24 (d, ³J(H,H) = 7.0 Hz, 1H; CH₃), 1.04 (d, ³J(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.7, 168.3, 167.7, 158.5, 136.8, 132.9, 132.3, 129.2, 128.5, 128.0, 113.7, 61.5, 61.2, 57.7, 55.1, 42.8, 40.1, 14.0, 13.7; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 24.8 min, t_{major} = 41.2 min, ee = 92%; [α]_D²⁵ = +17.8 (c = 0.9 in CHCl₃) (lit.¹ [α]_D²⁵ = -16.5 (c = 3.40 in CHCl₃)).

1,3-Dichloro-2-(2-methyl-2-nitro-1-nitromethyl-propyl)-benzene¹ (Table 3, entry 6): The title compound was prepared according the typical procedure, as described above in 93% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.82 (d, ³J(H,H) = 8.5 Hz, 2H; Ar), 7.37 (d, ³J(H,H) = 8.5 Hz, 2H; Ar), 7.26-7.18 (m, 4H; Ar), 7.17-7.12 (m, 1H; Ar), 4.24-4.10 (m, 3H; CH, OCH₂), 3.94 (q, ³J(H,H) = 7.0 Hz, 2H; OCH₂), 3.79 (d, ³J(H,H) = 10.0 Hz, 1H; CH), 3.51 (dd, ³J(H,H) = 16.5 Hz, ³J(H,H) = 4.0 Hz, 1H; CH₂), 3.38 (dd, ³J(H,H) = 16.5 Hz, ³J(H,H) = 6.0 Hz, 1H; CH₂), 1.23 (d, ³J(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³J(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.4, 168.3, 167.6, 140.2, 139.4, 135.1, 129.5, 128.8, 128.4, 128.1, 127.1, 61.6, 61.3, 57.4, 42.6, 40.8, 13.9, 13.7; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 29.7 min, t_{major} = 33.2 min, ee = 95%; [α]_D²⁵ = +15.3 (c = 1.4 in CHCl₃) (lit.¹ [α]_D²⁵ = -17.2 (c = 3.70 in CHCl₃)).

2-[3-(4-Methoxy-phenyl)-3-oxo-1-phenyl-propyl]-malonic acid diethyl ester (Table 3, entry 7): The title compound was prepared according to the typical procedure, as described above in 85% yield. ^1H NMR (500 MHz, CDCl_3 , TMS): δ = 7.87 (d, $^3J(\text{H,H})$ = 9.0 Hz, 2H; Ar), 7.26-7.15 (m, 4H; Ar), 7.17-7.10 (m, 1H; Ar), 6.87 (d, $^3J(\text{H,H})$ = 9.0 Hz, 2H; Ar), 4.24-4.10 (m, 3H; CH, OCH_2), 3.94 (q, $^3J(\text{H,H})$ = 7.0 Hz, 2H; OCH_2), 3.83 (s, 3H; OCH_3), 3.80 (d, $^3J(\text{H,H})$ = 10.0 Hz, 1H; CH), 3.51 (dd, $^3J(\text{H,H})$ = 16.5 Hz, $^3J(\text{H,H})$ = 5.0 Hz, 1H; CH_2), 3.38 (dd, $^3J(\text{H,H})$ = 16.5 Hz, $^3J(\text{H,H})$ = 9.0 Hz, 1H; CH_2), 1.23 (d, $^3J(\text{H,H})$ = 7.0 Hz, 1H; CH_3), 1.00 (d, $^3J(\text{H,H})$ = 7.0 Hz, 3H; CH_3); ^{13}C NMR (125 MHz, CDCl_3 , TMS): δ = 196.4, 168.3, 167.6, 140.2, 139.4, 135.1, 129.5, 128.8, 128.4, 128.1, 127.1, 61.6, 61.3, 57.4, 42.6, 40.8, 13.9, 13.7; HPLC (Chiralcel OJ-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 54.0 min, t_{major} = 32.2 min, ee = 95%; $[\alpha]_{\text{D}}^{25}$ = +9.9 (c = 1.6 in CHCl_3).

2-(2-Methyl-2-nitro-1-nitromethyl-propyl)-thiophene (Table 3, entry 8): The title compound was prepared according to the typical procedure, as described above in 97% yield. ^1H NMR (500 MHz, CDCl_3 , TMS): δ = 7.95-7.86 (m, 2; Ar), 7.25-7.15 (m, 2H; Ar), 7.08 (t, $^3J(\text{H,H})$ = 8.5 Hz, 2H; Ar), 6.92 (d, $^3J(\text{H,H})$ = 8.5 Hz, 2H; Ar), 4.26-4.05 (m, 3H; CH, OCH_2), 4.00-3.92 (m, 2H; CH, OCH_2), 3.85 (d, $^3J(\text{H,H})$ = 9.5 Hz, 1H; CH), 3.66-3.45 (m, 2H; CH_2), 3.51 (dd, $^3J(\text{H,H})$ = 16.5 Hz, $^3J(\text{H,H})$ = 4.0 Hz, 1H; CH_2), 3.36 (dd, $^3J(\text{H,H})$ = 16.5 Hz, $^3J(\text{H,H})$ = 10.0 Hz, 1H; CH_2), 1.23 (d, $^3J(\text{H,H})$ = 7.0 Hz, 1H; CH_3), 1.00 (d, $^3J(\text{H,H})$ = 7.0 Hz, 3H; CH_3); ^{13}C NMR (125 MHz, CDCl_3 , TMS): δ = 195.8, 168.2, 167.6, 165.7 (J = 252.2 Hz), 161.7 (J = 241.2 Hz), 136.0, 133.1, 130.8, 130.7, 129.8, 129.7, 115.8, 115.6, 115.3, 115.2, 61.7, 61.4, 57.5, 42.6, 40.2, 14.0, 13.8; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 18.8 min, t_{major} = 21.4 min, ee = 94%; $[\alpha]_{\text{D}}^{25}$ = +13.8 (c = 1.0 in CHCl_3).

2-[1-(4-Fluoro-phenyl)-3-oxo-3-p-tolyl-propyl]-malonic acid diethyl ester (Table 3, entry 9): The title compound was prepared according the typical procedure, as described above in 90% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.78 (d, ³*J*(H,H) = 8.0 Hz, 2H; Ar), 7.35-7.01 (m, 4H; Ar), 6.92 (t, ³*J*(H,H) = 8.5 Hz, 2H; Ar), 4.26-4.08 (m, 3H; CH, OCH₂), 4.00-3.92 (m, 2H; CH, OCH₂), 3.78 (d, ³*J*(H,H) = 10.0 Hz, 1H; CH), 3.66-3.45 (m, 2H; CH₂), 3.51 (dd, ³*J*(H,H) = 16.5 Hz, ³*J*(H,H) = 4.5 Hz, 1H; CH₂), 3.36 (dd, ³*J*(H,H) = 16.5 Hz, ³*J*(H,H) = 10.0 Hz, 1H; CH₂), 2.35 (s, 3H; CH₃), 1.23 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.02 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 196.9, 168.1, 167.6, 161.7 (*J* = 243.8 Hz), 143.9, 136.2, 134.2, 129.8, 129.7, 129.2, 128.1, 115.2, 115.0, 61.6, 61.3, 57.5, 42.4, 40.1, 21.5, 14.0, 13.7; HPLC (Chiralcel OJ-H, ethanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 19.6 min, *t*_{major} = 15.9 min, ee = 98%; [α]²⁵_D = +23.5 (*c* = 1.8 in CHCl₃).

2-(3-Oxo-1,3-di-thiophen-2-yl-propyl)-malonic acid diethyl ester (Table 3, entry 10): The title compound was prepared according the typical procedure, as described above in 85% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.72 (d, ³*J*(H,H) = 4.0 Hz, 1H; Ar), 7.57 (d, ³*J*(H,H) = 4.5 Hz, 1H; Ar), 7.10-7.00 (m, 2H; Ar), 6.90 (d, ³*J*(H,H) = 3.0 Hz, 1H; Ar), 6.84-6.77 (m, 1H; Ar), 4.52-4.42 (m, 1H; CH), 4.22-4.10 (m, 2H; OCH₂), 4.02 (q, ³*J*(H,H) = 7.0 Hz, 2H; OCH₂), 3.85 (d, ³*J*(H,H) = 8.5 Hz, 1H; CH), 3.50-3.40 (m, 2H; CH₂), 1.21 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.09 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 189.9, 167.8, 167.4, 143.9, 143.2, 133.7, 132.0, 128.0, 126.4, 125.8, 124.1, 61.6, 61.4, 57.6, 43.7, 36.1, 13.9, 13.7; HPLC (Chiralcel OJ-H, ethanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 34.3 min, *t*_{major} = 31.2 min, ee = 96%; [α]²⁵_D = +27.3 (*c* = 0.6 in CHCl₃).

2-(3-Oxo-1-phenyl-butyl)-malonic acid dimethyl ester⁷ (Table 3, entry 11): The title compound was prepared according the typical procedure, as described above in 68% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.38-7.14 (m, 5H; Ar), 4.02-3.95 (m, 1H; CH), 3.74 (d, ³*J*(H,H) = 9.5 Hz, 1H; CH), 3.70 (s, 3H; OCH₃), 3.48 (s, 3H; OCH₃), 3.02-2.87 (m, 2H; CH₂), 2.02 (s, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 207.3, 168.3, 167.8, 140.2, 128.3, 127.8, 127.0, 56.9, 52.4, 52.1, 46.9, 40.2, 30.0; HPLC (Chiralpak AS-H, ethanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 30.2 min, *t*_{major} = 18.2 min, ee = 92%; [α]²⁵_D = +10.8 (*c* = 0.7 in CHCl₃) (lit.⁶ [α]²⁵_D = -9.7 (*c* = 1.0 in CHCl₃)).

2-(3-Oxo-1,3-di-thiophen-2-yl-propyl)-malonic acid diethyl ester⁸ (Table 3, entry 12): The title compound was prepared according the typical procedure, as described above in 79% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.15-7.10 (m, 1H; Ar), 6.91-6.84 (m, 4H; Ar), 4.33-4.25 (m, 1H; CH), 3.79 (d, ³*J*(H,H) = 8.0 Hz, 1H; CH), 3.70 (s, 3H; OCH₃), 3.59 (s, 3H; OCH₃), 3.02-2.96 (m, 2H; CH₂), 2.08 (s, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 205.3, 168.0, 167.6, 143.2, 126.4, 125.4, 124.0, 57.2, 52.3, 52.2, 47.4, 35.4, 30.0; HPLC (Chiralpak AS-H, ethanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 18.2 min, *t*_{major} = 26.3 min, ee = 90%; [α]_D²⁵ = +12.5 (*c* = 1.3 in CHCl₃).

2-(3-Oxo-1-phenyl-butyl)-malonic acid diethyl ester⁷ (Table 3, entry 13): The title compound was prepared according to the typical procedure, as described above in 62% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.32-7.12 (m, 5H; Ar), 4.22-4.15 (m, 2H; OCH₂), 4.02-3.84 (m, 3H; CH, OCH₂), 3.70 (d, ³*J*(H,H) = 10.0 Hz, 1H; CH), 3.00-2.87 (m, 2H; CH₂), 2.02 (s, 3H; CH₃), 3.48 (s, 3H; OCH₃), 3.02-2.87 (m, 2H; CH₂), 1.24 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.00 (d, ³*J*(H,H) = 7.0 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 207.3, 168.3, 167.8, 140.2, 128.3, 127.8, 127.0, 56.9, 52.4, 52.1, 46.9, 40.2, 30.0; HPLC (Chiralpak AS-H, ethanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 12.8 min, *t*_{major} = 17.2 min, ee = 94%; [α]_D²⁵ = +11.5 (*c* = 1.5 in CHCl₃) (lit.⁶ [α]_D²⁵ = -12.1 (*c* = 1.0 in CHCl₃)).

2-(3-Oxo-1-thiophen-2-yl-butyl)-malonic acid diethyl ester⁹ (Table 3, entry 14): The title compound was prepared according the typical procedure, as described above in 72% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.15-7.10 (m, 1H; Ar), 6.91-6.84 (m, 4H; Ar), 4.36-4.25 (m, 1H; CH), 4.24-4.03 (m, 2H; OCH₂), 4.10-4.00 (m, 2H; OCH₂), 3.73 (d, ³*J*(H,H) = 9.0 Hz, 1H; CH), 3.02-2.96 (m, 2H; CH₂), 2.08 (s, 3H; CH₃), 1.24 (d, ³*J*(H,H) = 7.0 Hz, 1H; CH₃), 1.10 (d, ³*J*(H,H) = 7.5 Hz, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 205.3, 167.7, 167.4, 143.4, 126.4, 125.6, 124.1, 61.5, 61.4, 57.6, 47.8, 35.5, 30.1, 13.9, 13.7; ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 134.2, 131.9, 130.9, 130.1, 127.9, 127.6, 89.8, 75.0, 25.4, 10.1; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): *t*_{minor} = 15.0 min, *t*_{major} = 19.6 min, ee = 92%; [α]_D²⁵ = +9.5 (*c* = 1.2 in CHCl₃).

2-(1-Furan-2-yl-3-oxo-butyl)-malonic acid dimethyl ester⁸ (Table 3, entry 15): The title compound was prepared according the typical procedure, as described above in 61% yield. ¹H NMR (500 MHz, CDCl₃, TMS): δ = 7.29 (d, ³*J*(H,H) = 2.0 Hz, 1H; Ar), 6.25 (dd, ³*J*(H,H) = 3.0 Hz, ³*J*(H,H) = 2.0 Hz, 1H; Ar), 6.10 (d, ³*J*(H,H) = 3.0 Hz, 1H; Ar), 4.14-4.08 (m, 1H; CH), 3.81 (d, ³*J*(H,H) = 8.0 Hz, 1H; CH), 3.71 (s, 3H; OCH₃), 3.64 (s, 3H; OCH₃), 3.05-2.89 (m, 2H; CH₂), 2.13 (s, 3H; CH₃); ¹³C NMR (125 MHz, CDCl₃, TMS): δ = 205.6, 168.1, 168.0, 153.2, 141.6, 110.2, 106.8, 54.5, 52.5, 44.2, 33.8,

30.0; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 24.0 min, t_{major} = 15.1 min, ee = 85%; $[\alpha]_{\text{D}}^{25}$ = +10.5 (c = 1.1 in CHCl_3).

2-(3-Oxo-cyclohexyl)-malonic acid dibenzyl ester⁸: The title compound was prepared according the typical procedure, as described above in 52% yield. ^1H NMR (500 MHz, CDCl_3 , TMS): δ = 7.42-7.20 (m, 10H; Ar), 5.20-5.10 (m, 4H; OCH_2), 3.40 (d, $^3J(\text{H,H})$ = 8.0 Hz, 1H; CH), 2.60-2.48 (m, 1H; CH_2), 2.45-2.39 (m, 1H; CH_2), 2.38-2.31 (m, 1H; CH_2), 2.28-2.14 (m, 2H; CH_2), 2.05-1.95 (m, 1H; CH), 1.93-1.84 (m, 1H; CH_2), 1.67-1.54 (m, 1H; CH_2), 1.50-1.40 (m, 1H; CH_2); ^{13}C NMR (125 MHz, CDCl_3 , TMS): δ = 209.4, 167.4, 167.3, 135.0, 128.5, 128.3, 128.1, 127.4, 126.8, 67.1, 56.6, 44.9, 40.8, 38.0, 28.5, 24.3; HPLC (Chiralpak AS-H, *i*-propanol/hexane = 30/70, flow rate 0.5 mL/min, λ = 254 nm): t_{minor} = 26.2 min, t_{major} = 31.6 min, ee = 2%.

Reference

- (1) Ooi, T.; Ohara, D.; Fukumoto, K.; Maruoka, K. *Org. Lett.* **2005**, 7, 3195.
- (2) Narasimhan, S.; Velmathi, S.; Balakumar, R.; Radhakrishnan, V. *Tetrahedron Lett.* **1996**, 37, 6343.
- (3) Georges, B.; Jean, S.; Herve, G.; Younes, B.; Claude, C.; Marcel, M. *Tetrahedron. Lett.* **1985**, 26, 4601.
- (4) Kosuke, Y.; Mitsuru, S.; K. Kenji, *Tetrahedron. Lett.* **1996**, 37, 6343.
- (5) Zhang, Z.; Dong, Y.; Wang, G.; Komatsu, K. *Synlett.* **2004**, 61.
- (6) Ranu, B.; Banerjee, S. *Org. Lett.* **2005**, 7, 3049.
- (7) Halland, N.; Aburel, P.; Jørgensen, K. A. *Angew. Chem. Int. Ed.* **2003**, 42, 661.
- (8) Knudsen, K.; Mitchell, C.; Ley, S. V. *Chem. Comm.* **2006**, 66.
- (9) Lee, P.; Seomoon, D.; Lee, K.; Heo, Y. *J. Org. Chem.* **2003**, 68, 2510.

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\HaoLi01.met
Data File: C:\E2Start\Projects\WaiWang\jwq67e1.dat
Date Acquired: 5/11/2006 4:36:08 PM Date Printed: 07/02/2006 12:59:25 PM
Sample ID: jwq67e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	15.190	14412317	49.079	
2	18.720	14953079	50.921	
Totals		29365396	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\HaoLi01.met
Data File: C:\E2Start\Projects\WaiWang\jwq68e2.dat
Date Acquired: 5/12/2006 2:44:02 PM Date Printed: 07/02/2006 11:19:57 AM
Sample ID: jwq68e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	15.150	34955015	95.165	
2	18.890	1776198	4.835	
Totals		36731213	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\HaoLi1.met
Data File: C:\E2Start\Projects\WaiWang\jwq39e7.dat
Date Acquired: 4/14/2006 5:58:00 PM Date Printed: 07/02/2006 11:21:57 AM
Sample ID: jwq39e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	17.420	24753704	49.373	
2	24.730	25179769	50.627	
Totals		49933473	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\HaoLi1.met
Data File: C:\E2Start\Projects\WaiWang\jwq38e2.dat
Date Acquired: 4/14/2006 5:16:47 PM Date Printed: 07/02/2006 11:23:05 AM
Sample ID: jwq38e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	17.420	14304656	96.441	
2	25.460	527827	3.559	
Totals		14832483	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\sls0488.met
Data File: C:\E2Start\Projects\WaiWang\jwq6e2.dat
Date Acquired: 5/17/2006 5:47:18 PM Date Printed: 07/02/2006 11:27:49 AM
Sample ID: jwq6e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	18.250	63482192	53.748	
2	20.180	50394559	44.254	
Totals		113876751	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\E2Start\Projects\Default\Method\sls0488.met
Data File: C:\E2Start\Projects\WaiWang\jwq75e1.dat
Date Acquired: 5/17/2006 6:18:37 PM Date Printed: 07/02/2006 11:28:45 AM
Sample ID: jwq75e

SPD-10Avp Chl-254nm Results				
Pk #	RT	Area	Area %	
1	19.540	52694122	93.431	
2	20.620	2528234	4.578	
Totals		55222356	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw158e2.dat
Date Acquired: 9/23/2005 4:46:30 PM Date Printed: 07/02/2006 11:36:30 AM
Sample ID: jw158e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	20.350	135839994	49.158	
2	29.660	136969317	50.244	
Totals		272809311	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw157e1.dat
Date Acquired: 9/23/2005 5:22:28 PM Date Printed: 07/02/2006 11:37:50 AM
Sample ID: jw157e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	20.990	11754953	5.370	
2	29.660	207142364	94.630	
Totals		218897323	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw10315.met
Data File: C:\ESTart\Projects\WaiWang\jw10e1.dat
Date Acquired: 1/28/2006 1:03:16 AM Date Printed: 07/02/2006 11:39:31 AM
Sample ID: jw10e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	13.900	17439394	51.015	
2	26.200	16745508	48.985	
Totals		34184902	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw10325.met
Data File: C:\ESTart\Projects\WaiWang\jw10e2.dat
Date Acquired: 2/4/2006 3:11:46 PM Date Printed: 07/02/2006 11:42:25 AM
Sample ID: jw10e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	14.870	4323205	6.132	
2	26.720	65945407	93.868	
Totals		70268612	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw10411.met
Data File: C:\ESTart\Projects\WaiWang\jw10e4e1.dat
Date Acquired: 6/11/2006 3:30:24 PM Date Printed: 07/02/2006 11:45:06 AM
Sample ID: jw10e4e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	24.030	17300660	10.638	
2	25.800	55083214	32.869	
3	27.580	24085677	14.910	
4	29.660	66166271	40.684	
Totals		162635822	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw10411.met
Data File: C:\ESTart\Projects\WaiWang\jw10e4e2.dat
Date Acquired: 6/11/2006 4:32:45 PM Date Printed: 07/02/2006 11:46:27 AM
Sample ID: jw10e4e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	23.260	46479526	43.780	
2	25.670	44142981	41.579	
3	29.580	15544267	14.641	
Totals		106166774	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\HaoLi1.met
Data File: C:\ESTStart\Projects\WaiWang\jwr6el.dat
Date Acquired: 6/11/2006 9:44:22 AM Date Printed: 07/02/2006 11:47:21 AM
Sample ID: jwr6el

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	25.330	2566957	18.733	
2	26.410	32304504	23.379	
3	30.520	39974138	29.177	
4	42.250	39059994	28.510	
Totals		137803593	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\HaoLi1.met
Data File: C:\ESTStart\Projects\WaiWang\jwr34el.dat
Date Acquired: 6/11/2006 11:35:50 AM Date Printed: 07/02/2006 11:48:11 AM
Sample ID: jwr34el

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	25.390	41973845	43.003	
2	26.800	2647910	2.713	
3	30.730	9621659	9.898	
4	42.220	43363409	44.427	
Totals		97606823	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\jw9.met
Data File: C:\ESTStart\Projects\WaiWang\jwq89e2.dat
Date Acquired: 5/14/2006 10:06:59 PM Date Printed: 07/02/2006 11:57:01 AM
Sample ID: jwq89e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	16.220	42209042	48.544	
2	18.060	44740328	51.456	
Totals		86949370	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\jw9.met
Data File: C:\ESTStart\Projects\WaiWang\jwq76el.dat
Date Acquired: 5/14/2006 10:45:14 PM Date Printed: 07/02/2006 11:57:56 AM
Sample ID: jwq76e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	16.290	1818707	96.393	
2	18.270	680214	3.605	
Totals		18866921	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\jw9.met
Data File: C:\ESTStart\Projects\WaiWang\jwq91e2.dat
Date Acquired: 5/15/2006 1:55:19 PM Date Printed: 07/02/2006 11:58:55 AM
Sample ID: jwq91e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	32.630	121532486	50.041	
2	50.640	121352384	49.959	
Totals		242884870	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTStart\Projects\Default\Method\jw9.met
Data File: C:\ESTStart\Projects\WaiWang\jwq77el.dat
Date Acquired: 5/15/2006 4:23:54 PM Date Printed: 07/02/2006 12:01:01 PM
Sample ID: jwq77e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	32.840	94381053	92.769	
2	52.630	7372099	7.231	
Totals		101956162	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\jw9.met
Data File: C:\ESStart\Projects\WaiWang\jwq7e4.dat
Date Acquired: 5/14/2006 10:22:43 AM Date Printed: 07/02/2006 12:01:48 PM
Sample ID: jwq7e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	17.560	89339503	47.010	
2	24.070	108072457	52.990	
Totals		207411960	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\jw9.met
Data File: C:\ESStart\Projects\WaiWang\jwq79e1.dat
Date Acquired: 5/14/2006 10:55:02 AM Date Printed: 07/02/2006 12:02:29 PM
Sample ID: jwq79e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
2	17.730	25734702	87.493	
3	24.670	1305246	4.438	
	26.670	1000000		
Totals		27039948	91.931	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\sla0488.met
Data File: C:\ESStart\Projects\WaiWang\jwq93e1.dat
Date Acquired: 5/16/2006 1:26:23 PM Date Printed: 07/02/2006 12:03:10 PM
Sample ID: jwq93e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	36.960	89126080	49.130	
2	43.160	90961642	50.870	
Totals		180087722	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\sla0488.met
Data File: C:\ESStart\Projects\WaiWang\jwq80e1.dat
Date Acquired: 5/16/2006 2:31:41 PM Date Printed: 07/02/2006 12:04:24 PM
Sample ID: jwq80e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	37.380	46583320	94.318	
2	43.980	2806537	5.682	
Totals		49389857	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\sla0488.met
Data File: C:\ESStart\Projects\WaiWang\jwq92e1.dat
Date Acquired: 5/16/2006 10:45:48 AM Date Printed: 07/02/2006 12:14:55 PM
Sample ID: jwq92e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	24.360	48970310	48.762	
2	41.160	51045851	51.238	
Totals		100016161	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESStart\Projects\Default\Method\sla0488.met
Data File: C:\ESStart\Projects\WaiWang\jwq78e1.dat
Date Acquired: 5/16/2006 12:09:22 PM Date Printed: 07/02/2006 12:15:54 PM
Sample ID: jwq78e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	24.750	1462183	4.299	
2	41.220	32549761	95.701	
Totals		34010944	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\sls0488.net
Data File: C:\EZStart\Projects\WaiWang\jwq6el.dat
Date Acquired: 5/16/2006 9:05:32 PM Date Printed: 07/02/2006 12:17:59 PM
Sample ID: jwq6el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	29.730	8562054	2.532	
2	33.160	329555819	97.468	
Totals		338117873	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\sls0488.net
Data File: C:\EZStart\Projects\WaiWang\jwq6el.dat
Date Acquired: 5/16/2006 8:24:05 PM Date Printed: 07/02/2006 12:17:01 PM
Sample ID: jwq6el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	29.120	80267479	48.317	
2	34.050	85175657	51.683	
Totals		165443136	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\sls0488.net
Data File: C:\EZStart\Projects\WaiWang\jwq6el.dat
Date Acquired: 5/16/2006 7:21:01 PM Date Printed: 07/02/2006 12:19:33 PM
Sample ID: jwq6el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	32.470	19350107	52.564	
2	52.240	17829909	47.956	
Totals		37180016	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\sls0488.net
Data File: C:\EZStart\Projects\WaiWang\jwq6el.dat
Date Acquired: 5/16/2006 6:05:14 PM Date Printed: 07/02/2006 12:21:02 PM
Sample ID: jwq6el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
3	32.120	39684306	90.592	
4	54.020	1226455	2.799	
Totals		40921361	93.391	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\jw6.net
Data File: C:\EZStart\Projects\WaiWang\jw138el.dat
Date Acquired: 9/13/2005 12:04:30 PM Date Printed: 07/02/2006 12:22:12 PM
Sample ID: jw138el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	19.810	39528844	47.211	
2	21.380	54116623	57.789	
Totals		93645467	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\jw6.net
Data File: C:\EZStart\Projects\WaiWang\jw138el.dat
Date Acquired: 9/13/2005 12:51:32 PM Date Printed: 07/02/2006 12:22:40 PM
Sample ID: jw138el

SP0-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	18.850	2978357	2.966	
2	21.370	97422974	97.034	
Totals		100401331	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\sls0488.net
Data File: C:\MSIstart\Projects\WaiWang\jwrlsl.dat
Date Acquired: 9/16/2006 3:35:48 PM Date Printed: 07/02/2006 12:31:50 PM
Sample ID: jwrlsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	15.760	125202507	49.110	
2	19.270	129739020	50.890	
Totals		254941527	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\sls0488.net
Data File: C:\MSIstart\Projects\WaiWang\jwrlsl.dat
Date Acquired: 9/16/2006 4:22:32 PM Date Printed: 07/02/2006 12:35:13 PM
Sample ID: jwrlsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	15.870	44014540	36.790	
2	19.640	1459637	3.210	
Totals		45474177	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\sls0488.net
Data File: C:\MSIstart\Projects\WaiWang\jwrlsl.dat
Date Acquired: 9/16/2006 9:50:49 PM Date Printed: 07/02/2006 12:36:41 PM
Sample ID: jwrlsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	31.290	93312537	45.198	
2	33.780	113138493	54.802	
Totals		206451030	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\sls0488.net
Data File: C:\MSIstart\Projects\WaiWang\jwrlsl.dat
Date Acquired: 9/16/2006 10:49:04 PM Date Printed: 07/02/2006 01:09:09 PM
Sample ID: jwrlsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	31.180	151205893	97.314	
2	34.330	3217662	2.084	
Totals		154423555	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\jw6.net
Data File: C:\MSIstart\Projects\WaiWang\jw6lsl.dat
Date Acquired: 7/24/2006 9:18:25 PM Date Printed: 07/02/2006 12:38:47 PM
Sample ID: jw6lsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	18.190	41881909	50.919	
2	30.290	41849274	50.981	
Totals		83731183	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\MSIstart\Projects\Default\Method\jw6.net
Data File: C:\MSIstart\Projects\WaiWang\jw6lsl.dat
Date Acquired: 7/24/2006 10:12:48 PM Date Printed: 07/02/2006 12:39:16 PM
Sample ID: jw6lsl

SPD-10Amp Chl-254nm Results				
PK #	RT	Area	Area %	
1	18.200	1794661	4.271	
2	30.190	40222919	95.729	
Totals		42017580	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw4.met
Data File: C:\ESTart\Projects\WaiWang\jw42el.dat
Date Acquired: 8/2/2005 2:55:07 PM Date Printed: 07/02/2006 12:39:49 PM
Sample ID: jw42e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	18.140	35775890	51.569	
2	26.500	33598370	48.431	
Totals		69374260	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw4.met
Data File: C:\ESTart\Projects\WaiWang\jw43el.dat
Date Acquired: 8/2/2005 3:42:58 PM Date Printed: 07/02/2006 12:40:17 PM
Sample ID: jw43e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	18.200	3804476	5.280	
2	26.280	17659480	94.719	
Totals		18463956	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw61el.dat
Date Acquired: 7/25/2005 3:07:17 PM Date Printed: 07/02/2006 12:40:43 PM
Sample ID: jw61e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	12.490	127702606	69.155	
2	17.120	132092219	50.845	
Totals		259794825	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw61el.dat
Date Acquired: 7/25/2005 3:55:50 PM Date Printed: 07/02/2006 12:41:05 PM
Sample ID: jw61e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	12.790	3771693	2.473	
2	17.220	148753729	97.527	
Totals		152525422	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw62el.dat
Date Acquired: 7/27/2005 3:36:05 PM Date Printed: 07/02/2006 12:41:37 PM
Sample ID: jw62e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	14.870	48832297	49.895	
2	19.480	49072823	50.105	
Totals		97905120	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\ESTart\Projects\Default\Method\jw6.met
Data File: C:\ESTart\Projects\WaiWang\jw62el.dat
Date Acquired: 7/27/2005 4:29:36 PM Date Printed: 07/02/2006 12:41:54 PM
Sample ID: jw62e

SPD-10Avp Chl-254nm Results				
PK #	RT	Area	Area %	
1	14.880	1351486	3.781	
2	19.610	40494713	96.219	
Totals		42086199	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\WaiWang\h101.met
Data File: C:\EZStart\Projects\WaiWang\jvt33e3.dat
Date Acquired: 8/25/2006 11:22:56 PM Date Printed: 08/27/2006 11:07:39 PM
Sample ID: jvt33e

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	9.820	14285801	49.450	
2	10.670	14603748	50.550	
Totals		28889549	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\WaiWang\h101.met
Data File: C:\EZStart\Projects\WaiWang\jvt32e2.dat
Date Acquired: 8/26/2006 11:43:55 AM Date Printed: 08/27/2006 11:09:42 PM
Sample ID: jvt32e

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	9.840	12955718	96.694	
2	10.750	442930	3.306	
Totals		13398648	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\WaiWang\h10450.met
Data File: C:\EZStart\Projects\WaiWang\jws7e1.dat
Date Acquired: 7/5/2006 1:08:08 PM Date Printed: 08/27/2006 11:11:52 PM
Sample ID:

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	15.190	39629369	49.738	
2	24.060	40047332	50.262	
Totals		79676701	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\WaiWang\h10563-1.met
Data File: C:\EZStart\Projects\WaiWang\jws2e1.dat
Date Acquired: 7/10/2006 10:57:47 AM Date Printed: 08/27/2006 11:12:58 PM
Sample ID:

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	15.070	119961640	92.327	
2	24.020	9969875	7.673	
Totals		129931515	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\Default\Method\jw9.met
Data File: C:\EZStart\Projects\WaiWang\jwq61e2.dat
Date Acquired: 5/9/2006 10:54:21 AM Date Printed: 08/27/2006 11:17:08 PM
Sample ID: jwq61e

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	28.250	5212641	49.215	
2	34.460	5379010	50.785	
Totals		10591659	100.000	

University Of New Mexico
Department of Chemistry

Method Name: C:\EZStart\Projects\WaiWang\h101.met
Data File: C:\EZStart\Projects\WaiWang\jvt25e2.dat
Date Acquired: 8/26/2006 3:13:35 PM Date Printed: 08/27/2006 11:17:45 PM
Sample ID: jvt25e

SPD-10Avp Ch1-254nm Results				
Pk #	RT	Area	Area %	
1	26.230	1773580	48.814	
2	31.600	1807507	51.186	
Totals		3631087	100.000