

Orienting Auditory Attention through Vision: the Impact of Monaural Listening

Silvia Turri ^{1,2,*,**,a}, **Mehdi Rizvi** ^{3,*,b}, **Giuseppe Rabini** ^{1,c}, **Alessandra Melonio** ^{3,d},
Rosella Gennari ³ and **Francesco Pavani** ^{1,4,**}

¹ Centro Interdipartimentale Mente/Cervello – CIMEC, Università di Trento, 38068
Rovereto, Italy

² Dipartimento di Psicologia e Scienze Cognitive, Università di Trento, 38068 Rovereto,
Italy

³ Faculty of Computer Science, Free University of Bozen-Bolzano, 39100 Bolzano,
Italy

⁴ IMPACT, Centre de Recherche en Neurosciences de Lyon (CRNL), 69500 Bron,
France

Received 25 August 2020; accepted 14 July 2021

* These authors contributed equally to the study.

** To whom correspondence should be addressed. E-mails: silvia.turri-2@alumni.unitn.it /
francesco.pavani@unitn.it

^a ORCID: 0000-0002-0100-0112

^b ORCID: 0000-0001-8386-5779

^c ORCID: 0000-0002-1273-8825

^d ORCID: 0000-0001-6655-1946

^e ORCID: 0000-0003-0063-0996

Supplementary material




Figure S1. The performance of each participant during the sound localization task in the binaural (gray) and monaural (red) conditions. The size of the bubbles, which varies over a range from 1 to 6, indicates the number of answers given for a specific position on the azimuthal plane.