Supporting Information

Palladium-Catalyzed *anti*-Hydrothiolation of 1-Alkynylphosphines

Azusa Kondoh, Hideki Yorimitsu*, and Koichiro Oshima*

*Department of Material Chemistry, Graduate School of Engineering, Kyoto University,
Kyoto-daigaku Katsura, Nishikyo-ku, Kyoto 615-8510, Japan*

Characterization Data of the Product

(*Z*)-1-Diphenylphosphino-2-dodecylthio-1-octene (3aa):

IR (neat) 3053, 2927, 2854, 2342, 1585, 1555, 1480, 1456, 1433, 1378, 1094, 1027, 739, 695 cm⁻¹; ¹H NMR (C₆D₆) δ 0.88 (t, *J* = 7.5 Hz, 3H), 0.91 (t, *J* = 7.5 Hz, 3H), 1.10–1.36 (m, 24H), 1.45 (tt, *J* = 7.0, 7.5 Hz, 2H), 1.57 (tt, *J* = 7.0, 7.5 Hz, 2H), 2.32 (t, *J* = 7.0 Hz, 2H), 2.53 (t, *J* = 7.0 Hz, 2H), 6.33 (s, 1H), 7.01–7.07 (m, 2H), 7.08–7.14 (m, 4H), 7.50–7.57 (m, 4H); ¹³C NMR (C₆D₆) δ 14.29, 14.38, 23.03, 23.10, 29.03, 29.08, 29.34 (d, *J* = 1.4 Hz), 29.59, 29.81, 29.92, 30.05, 30.10 (2C), 30.19, 31.70 (d, *J* = 6.3 Hz), 31.97, 32.32, 38.24 (d, *J* = 4.3 Hz), 128.33, 128.35 (d, *J* = 14.9 Hz), 128.68 (d, *J* = 6.6 Hz), 133.14 (d, *J* = 19.0 Hz), 140.63 (d, *J* = 12.4 Hz), 153.60 (d, *J* = 24.8 Hz); ³¹P NMR (C₆D₆) δ –25.65. Found: C, 77.13; H, 10.10%. Calcd for C₃₂H₄₉PS: C, 77.37; H, 9.94%.

(*Z*)-3,3-Dimethyl-1-diphenylphosphino-2-dodecylthio-1-butene (3ba):

IR (neat) 3053, 2924, 2854, 1585, 1555, 1464, 1433, 1356, 1231, 1096, 951, 835, 739,

695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 3H), 1.19 (s, 9H), 1.16–1.36 (m, 18H), 1.60 (tt, $J = 7.5$, 7.5 Hz, 2H), 2.98 (dd, $J = 1.5$, 7.5 Hz, 2H), 6.75 (s, 1H), 7.02–7.07 (m, 2H), 7.08–7.13 (m, 4H), 7.51–7.57 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.33, 23.08, 29.29, 29.64 (2C), 29.77, 29.92, 30.01, 30.06, 30.07, 30.12, 32.30, 38.70 (d, $J = 12.0$ Hz), 41.3 (d, $J = 3.8$ Hz), 128.47, 128.74 (d, $J = 6.3$ Hz), 133.10 (d, $J = 10.0$ Hz), 133.28 (d, $J = 6.8$ Hz), 140.82 (d, $J = 12.9$ Hz), 163.66 (d, $J = 22.5$ Hz); ^{31}P NMR (C_6D_6) δ –24.06. Found: C, 76.65; H, 9.76%. Calcd for $\text{C}_{30}\text{H}_{45}\text{PS}$: C, 76.87; H, 9.68%.

(Z)-3-Methyl-1-diphenylphosphino-2-dodecylthio-1-butene (3ca):

IR (neat) 3053, 2959, 2925, 2854, 2364, 1540, 1479, 1458, 1433, 1380, 1094, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 3H), 1.10 (d, $J = 7.0$ Hz, 6H), 1.12–1.35 (m, 18H), 1.45 (tt, $J = 7.5$, 7.5 Hz, 2H), 2.50 (sep, $J = 7.0$ Hz, 1H), 2.56 (t, $J = 7.5$ Hz, 2H), 6.43 (s, 1H), 7.01–7.07 (m, 2H), 7.08–7.14 (m, 4H), 7.50–7.57 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.33, 22.55, 23.08, 29.05, 29.58, 29.78, 29.90, 30.02, 30.07, 30.08, 30.13, 32.30, 32.86 (d, $J = 7.1$ Hz), 35.27 (d, $J = 4.4$ Hz), 127.27 (d, $J = 8.1$ Hz), 128.34, 128.71 (d, $J = 6.6$ Hz), 133.09 (d, $J = 19.6$ Hz), 140.78 (d, $J = 12.9$ Hz), 159.70 (d, $J = 23.9$ Hz); ^{31}P NMR (C_6D_6) δ –25.61. Found: C, 76.64; H, 9.66%. Calcd for $\text{C}_{29}\text{H}_{43}\text{PS}$: C, 76.60; H, 9.53%.

(Z)-2-Diphenylphosphino-1-dodecylthio-1-phenylethene (3da):

IR (neat) 3053, 2924, 2854, 2333, 1585, 1540, 1480, 1433, 1305, 1232, 1094, 1027, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 3H), 0.95–1.36 (m, 20H), 2.33 (t, $J = 7.5$ Hz, 2H), 6.73 (s, 1H), 7.01–7.13 (m, 9H), 7.49–7.57 (m, 6H); ^{13}C NMR (C_6D_6) δ 14.38, 23.10, 28.68, 29.43, 29.80, 29.83, 29.97, 29.99, 30.08 (2C), 32.31, 33.14 (d, $J =$

4.4 Hz), 128.40 (d, $J = 2.0$ Hz), 128.49, 128.60, 128.71, 128.78 (d, $J = 6.8$ Hz), 133.01 (d, $J = 10.5$ Hz), 133.31 (d, $J = 19.6$ Hz), 140.26 (d, $J = 4.8$ Hz), 140.41 (d, $J = 12.0$ Hz), 152.42 (d, $J = 25.8$ Hz); ^{31}P NMR (C_6D_6) δ -23.27. Found: C, 78.37; H, 8.46%. Calcd for $\text{C}_{32}\text{H}_{41}\text{PS}$: C, 78.64; H, 8.46%.

(Z)-2-Diphenylphosphino-1-dodecylthioethene (3ea):

IR (neat) 3053, 2925, 2853, 1586, 1532, 1467, 1433, 1269, 1097, 1027, 820, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.92 (t, $J = 7.0$ Hz, 3H), 1.06–1.42 (m, 20H), 2.33 (t, $J = 7.5$ Hz, 2H), 6.22 (d, $J = 10.5$ Hz, 1H), 6.72 (dd, $J = 10.5, 15.5$ Hz, 1H), 7.01–7.05 (m, 2H), 7.06–7.11 (m, 4H), 7.48–7.54 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.36, 23.10, 28.76, 29.50, 29.80, 29.87, 30.01, 30.08 (2C), 30.70, 32.31, 34.74 (d, $J = 4.8$ Hz), 124.38 (d, $J = 11.0$ Hz), 128.50, 128.73 (d, $J = 6.6$ Hz), 133.11 (d, $J = 19.1$ Hz), 139.37 (d, $J = 10.5$ Hz), 144.17 (d, $J = 27.1$ Hz); ^{31}P NMR (C_6D_6) δ -25.73. Found: C, 75.90; H, 9.33%. Calcd for $\text{C}_{26}\text{H}_{37}\text{PS}$: C, 75.68; H, 9.04%.

Ethyl (Z)-9-diphenylphosphino-8-dodecylthio-8-nonenoate (3fa):

IR (neat) 2926, 2854, 2332, 1737, 1467, 1434, 1374, 1181, 1096, 1027, 740. 696 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 3H), 0.97 (t, $J = 7.5$ Hz, 3H), 1.10–1.36 (m, 22H), 1.40–1.60 (m, 6H), 2.12 (t, $J = 7.5$ Hz, 2H), 2.27 (t, $J = 7.5$ Hz, 2H), 2.52 (t, $J = 7.5$ Hz, 2H), 3.97 (q, $J = 7.5$ Hz, 2H), 6.32 (s, 1H), 7.02–7.08 (m, 2H), 7.09–7.16 (m, 4H), 7.50–7.56 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.33, 14.36, 23.09, 25.23, 28.96, 29.03, 29.11 (d, $J = 1.9$ Hz), 29.16, 29.59, 29.79, 29.92, 30.04, 30.08, 30.09, 30.19, 31.71 (d, $J = 6.1$ Hz), 32.31, 34.27, 38.09 (d, $J = 3.8$ Hz), 59.96, 128.35, 128.52 (d, $J = 8.6$ Hz), 128.70 (d, $J = 6.8$ Hz), 133.13 (d, $J = 19.1$ Hz), 140.61 (d, $J = 11.9$ Hz), 153.43 (d, $J = 24.9$ Hz),

172.85; ^{31}P NMR (C_6D_6) δ -25.68. Found: C, 73.72; H, 9.44%. Calcd for $\text{C}_{35}\text{H}_{53}\text{O}_2\text{PS}$: C, 73.90; H, 9.39%.

(Z)-1-(4-Acetylphenyl)-2-diphenylphosphino-1-dodecylthioethene (3ga):

IR (neat) 3053, 2925, 2854, 1684, 1600, 1433, 1402, 1356, 1265, 1178, 956, 853, 742, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, J = 7.0 Hz, 3H), 1.01–1.36 (m, 20H), 2.10 (s, 3H), 2.92 (t, J = 7.5 Hz, 2H), 6.80 (d, J = 1.5 Hz, 1H), 7.03–7.09 (m, 2H), 7.10–7.15 (m, 4H), 7.46 (d, J = 8.5 Hz, 2H), 7.50–7.57 (m, 4H), 7.74 (d, J = 8.5 Hz, 2H); ^{13}C NMR (C_6D_6) δ 14.35, 23.08, 26.16, 28.70 (d, J = 1.0 Hz), 29.42, 29.78, 29.82, 29.94, 29.99, 30.06 (2C), 32.29, 33.17 (d, J = 4.3 Hz), 128.36 (d, J = 2.4 Hz), 128.70, 128.81, 128.87 (d, J = 6.6 Hz), 133.33 (d, J = 20.0 Hz), 135.30 (d, J = 11.4 Hz), 137.28, 139.95 (d, J = 11.5 Hz), 144.12 (d, J = 4.8 Hz), 150.99 (d, J = 26.3 Hz), 195.80; ^{31}P NMR (C_6D_6) δ -22.25. Found: C, 77.20; H, 8.42%. Calcd for $\text{C}_{34}\text{H}_{43}\text{OPS}$: C, 76.94; H, 8.17%.

(Z)-3-Diphenylphosphino-2-dodecylthio-1-phenyl-2-propen-1-ol (3ha):

IR (neat) 3388, 3055, 2925, 2854, 2333, 1585, 1454, 1435, 1378, 1187, 1068, 865, 741, 697 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, J = 7.0 Hz, 3H), 1.00–1.37 (m, 20H), 2.16 (d, J = 4.5 Hz, 1H), 2.43–2.57 (m, 2H), 5.23 (d, J = 4.5 Hz, 1H), 7.00–7.16 (m, 10H), 7.40 (d, J = 7.5 Hz, 2H), 7.46–7.55 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.36, 23.09, 28.97, 29.49, 29.79, 29.87, 29.96, 30.01, 30.08 (2C), 32.30, 33.75 (d, J = 6.8 Hz), 77.55 (d, J = 4.3 Hz), 127.17, 128.52 (2C), 128.54, 128.55, 128.75 (d, J = 6.6 Hz), 128.76 (d, J = 6.6 Hz), 132.71 (d, J = 10.0 Hz), 133.21 (d, J = 19.6 Hz), 133.24 (d, J = 19.0 Hz), 139.92 (d, J = 11.9 Hz), 140.19 (d, J = 11.5 Hz), 142.36 (d, J = 1.5 Hz), 153.65 (d, J = 24.4 Hz); ^{31}P

NMR (C_6D_6) δ -25.54. Found: C, 76.29; H, 8.50%. Calcd for $C_{33}H_{43}OPS$: C, 76.41; H, 8.35%.

(Z)-2-Diphenylphosphino-1-dodecylthio-1-(3-pyridyl)ethene (3ia):

IR (neat) 2925, 2854, 1566, 1459, 1433, 1410, 1184, 1095, 1025, 740, 695 cm^{-1} ; 1H NMR (C_6D_6) δ 0.91 (t, J = 7.0 Hz, 3H), 0.96–1.36 (m, 20H), 2.19 (t, J = 7.5 Hz, 2H), 6.67 (s, 1H), 6.67 (dd, J = 5.0, 8.5 Hz, 1H), 7.03–7.13 (m, 6H), 7.46 (ddd, J = 1.5, 2.5, 8.5 Hz, 1H), 7.47–7.52 (m, 4H), 8.45 (dd, J = 1.5, 5.0 Hz, 1H), 9.00 (d, J = 2.5 Hz, 1H); ^{13}C NMR (C_6D_6) δ 14.36, 23.09, 28.59, 29.37, 29.79 (2C), 29.82, 29.97, 30.06 (2C), 32.30, 33.05 (d, J = 3.9 Hz), 123.13, 128.64, 128.84 (d, J = 6.8 Hz), 133.28 (d, J = 19.5 Hz), 134.87 (d, J = 2.4 Hz), 135.14 (d, J = 11.5 Hz), 135.51 (d, J = 4.8 Hz), 139.88 (d, J = 11.4 Hz), 148.72 (d, J = 26.6 Hz), 149.63 (d, J = 2.0 Hz), 149.90; ^{31}P NMR (C_6D_6) δ -22.64. Found: C, 76.02; H, 8.36%. Calcd for $C_{31}H_{40}NPS$: C, 76.03; H, 8.23%.

(Z)-1,2-Bis(diphenylphosphino)-1-dodecylthioethene (3ja):

IR (neat) 3070, 2924, 2853, 2364, 1719, 1654, 1434, 1307, 1237, 1152, 1091 cm^{-1} ; 1H NMR (C_6D_6) δ 0.91 (t, J = 7.0 Hz, 3H), 1.07–1.35 (m, 18H), 1.56 (tt, J = 7.0, 7.5 Hz, 2H), 3.00 (dt, J = 1.0, 7.5 Hz, 2H), 6.67 (dd, J = 2.0, 4.5 Hz, 1H), 6.97–7.08 (m, 12H), 7.41–7.53 (m, 8H); ^{13}C NMR (C_6D_6) δ 14.33, 23.08, 28.93, 29.50, 29.79, 29.86, 30.00, 30.07, 30.08, 30.39 (d, J = 2.4 Hz), 32.30, 33.86 (dd, J = 5.8, 18.1 Hz), 128.45, 128.67 (d, J = 6.3 Hz), 128.89 (d, J = 7.1 Hz), 129.34, 133.15 (d, J = 19.1 Hz), 134.45 (d, J = 20.1 Hz), 136.07 (d, J = 12.9 Hz), 140.17 (dd, J = 1.5, 12.5 Hz), 140.83 (dd, J = 3.8, 16.3 Hz), 152.11 (dd, J = 20.5, 41.0 Hz); ^{31}P NMR (C_6D_6) δ -22.93, -4.30. Found: C,

76.68; H, 7.74%. Calcd for $C_{38}H_{46}P_2S$: C, 76.48; H, 7.77%.

(Z)-2-Dicyclohexylphosphino-1-dodecylthio-1-phenylethene (3ka):

IR (neat) 2926, 2853, 1538, 1486, 1447, 1178, 1073, 1029, 1000, 907, 850, 752, 697 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.89 (t, $J = 7.0$ Hz, 3H), 1.01–1.42 (m, 30H), 1.54–2.00 (m, 12H), 2.37 (t, $J = 7.5$ Hz, 2H), 6.36 (d, $J = 4.0$ Hz, 1H), 7.04–7.17 (m, 3H), 7.62 (d, $J = 7.0$ Hz, 2H); ^{13}C NMR (C_6D_6) δ 14.37, 23.10, 26.91, 27.56 (d, $J = 4.8$ Hz), 27.65, 28.70 (d, $J = 1.0$ Hz), 29.58, 29.80, 29.86 (d, $J = 8.1$ Hz), 29.93, 30.04, 30.06, 30.09, 30.10, 31.08 (d, $J = 16.8$ Hz), 32.32, 33.07 (d, $J = 3.9$ Hz), 35.26 (d, $J = 12.4$ Hz), 128.35, 128.43, 128.63, 128.89 (d, $J = 19.5$ Hz), 141.61 (d, $J = 5.3$ Hz), 154.16 (d, $J = 25.3$ Hz); ^{31}P NMR (C_6D_6) δ -19.44. Found: C, 76.86; H, 10.58%. Calcd for $\text{C}_{32}\text{H}_{53}\text{PS}$: C, 76.75; H, 10.67%.

4,4'-Bis{(Z)-2-diphenylphosphino-1-dodecylthio-1-ethenyl}biphenyl (3la):

IR (nujol) 2923, 2854, 1685, 1583, 1457, 1377, 1304, 1268, 1092, 1026, 915, 815, 744, 698 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 6H), 1.03–1.34 (m, 36H), 1.38 (tt, $J = 7.0, 7.5$ Hz, 4H), 2.42 (t, $J = 7.0$ Hz, 4H), 6.86 (d, $J = 1.5$ Hz, 2H), 7.04–7.09 (m, 4H), 7.10–7.07 (m, 8H), 7.46 (d, $J = 8.5$ Hz, 4H), 7.56–7.62 (m, 8H), 7.63 (d, $J = 8.5$ Hz, 4H); ^{13}C NMR (C_6D_6) δ 14.36, 23.09, 28.72 (d, $J = 1.0$ Hz), 29.47, 29.79, 29.85, 30.01

(2C), 30.07 (2C), 32.29, 33.30 (d, $J = 3.4$ Hz), 127.38, 128.58, 128.84 (d, $J = 6.8$ Hz), 128.98 (d, $J = 1.9$ Hz), 133.34 (d, $J = 19.5$ Hz), 133.51 (d, $J = 10.5$ Hz), 139.44 (d, $J = 4.8$ Hz), 140.38 (d, $J = 11.9$ Hz), 140.87, 151.83 (d, $J = 26.3$ Hz); ^{31}P NMR (C_6D_6) δ -22.85. Found: C, 78.57; H, 8.19%. Calcd for $\text{C}_{64}\text{H}_{80}\text{P}_2\text{S}_2$: C, 78.81; H, 8.27%. m.p.: 77.0–79.0 °C.

Di{(Z)-2-Dodecylthio-2-phenylethenyl}phenylphosphine (3ma):

IR (neat) 3054, 2924, 2854, 1486, 1466, 1434, 1074, 1028, 909, 741, 697 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.91 (t, $J = 7.0$ Hz, 6H), 1.06–1.37 (m, 36H), 1.40–1.50 (m, 4H), 2.34–2.47 (m, 4H), 6.70 (d, $J = 1.0$ Hz, 2H), 7.04–7.21 (m, 9H), 7.60–7.65 (m, 4H), 7.70–7.77 (m, 2H); ^{13}C NMR (C_6D_6) δ 14.36, 23.10, 28.88 (d, $J = 1.0$ Hz), 29.55, 29.82, 29.91, 30.08, 30.12 (2C), 30.20, 32.32, 33.19 (d, $J = 4.3$ Hz), 128.39, 128.41 (2C), 128.65, 128.80 (d, $J = 6.3$ Hz), 132.93 (d, $J = 19.6$ Hz), 135.11 (d, $J = 9.5$ Hz), 140.52 (d, $J = 4.8$ Hz), 141.26 (d, $J = 12.9$ Hz), 150.41 (d, $J = 26.8$ Hz); ^{31}P NMR (C_6D_6) δ -39.13. Found: C, 77.54; H, 9.49%. Calcd for $\text{C}_{46}\text{H}_{67}\text{PS}_2$: C, 77.26; H, 9.44%.

(Z)-2-(1,1-Dimethylethylthio)-1-diphenylphosphino-1-octene (3ab):

IR (neat) 3053, 2927, 2855, 1585, 1458, 1433, 1364, 1158, 1095, 1027, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.87 (t, $J = 7.0$ Hz, 3H), 1.16–1.30 (m, 6H), 1.31 (s, 9H), 1.65 (tt, $J = 7.0, 7.5$ Hz, 2H), 2.41 (t, $J = 7.5$ Hz, 2H), 6.62 (s, 1H), 7.01–7.06 (m, 2H), 7.07–7.13 (m, 4H), 7.48–7.54 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.27, 23.01, 29.08, 29.52 (d, $J = 2.4$ Hz),

31.96, 32.23 (d, $J = 1.5$ Hz), 42.32 (d, $J = 2.4$ Hz), 46.97 (d, $J = 1.9$ Hz), 128.27, 128.65 (d, $J = 6.3$ Hz), 133.19 (d, $J = 19.1$ Hz), 138.14 (d, $J = 7.6$ Hz), 140.78 (d, $J = 13.4$ Hz), 152.84 (d, $J = 24.8$ Hz); ^{31}P NMR (C_6D_6) δ -24.02. Found: C, 75.02; H, 8.36%. Calcd for $\text{C}_{24}\text{H}_{33}\text{PS}$: C, 74.96; H, 8.65%.

(Z)-1-Diphenylphosphino-2-phenylthio-1-octene (3ac):

IR (neat) 3054, 2927, 2855, 2340, 1583, 1478, 1436, 1378, 1094, 1968, 1025, 999, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.81 (t, $J = 7.0$ Hz, 3H), 1.05–1.20 (m, 6H), 1.47 (tt, $J = 7.0, 7.5$ Hz, 2H), 2.32 (t, $J = 7.5$ Hz, 2H), 6.54 (s, 1H), 6.86–6.95 (m, 3H), 7.04–7.09 (m, 2H), 7.10–7.17 (m, 4H), 7.31 (d, $J = 7.0$ Hz, 2H), 7.54–7.60 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.21, 22.86, 28.78, 29.25 (d, $J = 2.0$ Hz), 31.77, 38.37 (d, $J = 3.8$ Hz), 127.40, 128.51, 128.80 (d, $J = 6.8$ Hz), 129.10, 131.50 (d, $J = 10.0$ Hz), 132.43, 133.21 (d, $J = 19.1$ Hz), 134.28 (d, $J = 5.3$ Hz), 140.35 (d, $J = 12.0$ Hz), 153.06 (d, $J = 25.4$ Hz); ^{31}P NMR (C_6D_6) δ -23.88. Found: C, 76.93; H, 7.18%. Calcd for $\text{C}_{26}\text{H}_{29}\text{PS}$: C, 77.19; H, 7.23%.

(Z)-2-(2-Furylmethylthio)-1-diphenylphosphino-1-octene (3ad):

IR (neat) 2928, 2855, 1557, 1436, 1242, 1151, 1069, 1010, 934, 885, 805, 739, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.86 (t, $J = 7.0$ Hz, 3H), 1.10–1.27 (m, 6H), 1.47 (tt, $J = 7.0, 7.5$ Hz, 2H), 2.27 (t, $J = 7.5$ Hz, 2H), 3.65 (s, 2H), 5.99 (dd, $J = 2.0, 3.5$ Hz, 1H), 6.05

(dd, $J = 1.0, 3.5$ Hz, 1H), 6.32 (s, 1H), 7.00 (dd, $J = 1.0, 2.0$ Hz, 1H), 7.02–7.06 (m, 2H), 7.07–7.12 (m, 4H), 7.45–7.51 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.24, 22.96, 28.56 (d, $J = 6.3$ Hz), 28.96, 29.03 (d, $J = 1.4$ Hz), 31.88, 38.28 (d, $J = 3.8$ Hz), 107.86 (d, $J = 0.9$ Hz), 110.77, 128.38, 128.70 (d, $J = 6.6$ Hz), 129.60 (d, $J = 9.0$ Hz), 133.10 (d, $J = 19.1$ Hz), 140.33 (d, $J = 12.0$ Hz), 142.00, 151.96, 152.78 (d, $J = 24.3$ Hz); ^{31}P NMR (C_6D_6) δ -25.72. Found: C, 73.68; H, 7.13%. Calcd for $\text{C}_{25}\text{H}_{29}\text{OPS}$: C, 73.50; H, 7.15%.

(Z)-1-Diphenylphosphino-2-{(Z)-3-phenyl-2-propenylthio}-1-octene (3ae):

IR (neat) 3026, 2929, 2855, 2334, 1554, 1436, 1217, 1095, 1027, 962, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.87 (t, $J = 7.0$ Hz, 3H), 1.10–1.28 (m, 6H), 1.55 (tt, $J = 7.0, 7.5$ Hz, 2H), 2.30 (t, $J = 7.5$ Hz, 2H), 3.24 (dd, $J = 1.5, 7.5$ Hz, 2H), 6.06 (dt, $J = 7.5, 15.5$ Hz, 1H), 6.30 (d, $J = 15.5$ Hz, 1H), 6.36 (s, 1H), 7.00–7.20 (m, 11H), 7.48–7.56 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.23, 22.98, 29.06, 29.13 (d, $J = 1.9$ Hz), 31.93, 34.77 (d, $J = 6.3$ Hz), 38.60 (d, $J = 4.3$ Hz), 126.05, 126.73, 127.67, 128.37, 128.70 (d, $J = 5.6$ Hz), 128.73, 129.91 (d, $J = 8.6$ Hz), 132.55, 133.13 (d, $J = 19.1$ Hz), 137.21, 140.41 (d, $J = 12.0$ Hz), 152.97 (d, $J = 24.8$ Hz); ^{31}P NMR (C_6D_6) δ -25.54. Found: C, 78.57; H, 7.70%. Calcd for $\text{C}_{29}\text{H}_{33}\text{PS}$: C, 78.34; H, 7.48%.

(Z)-2-(4-Bromophenylthio)-1-diphenylphosphino-1-octene (3af):

IR (neat) 2926, 2855, 1568, 1471, 1435, 1379, 1089, 1068, 1010, 815, 740, 696 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.82 (t, $J = 7.5$ Hz, 3H), 1.02–1.22 (m, 6H), 1.42 (tt, $J = 7.0, 7.5$ Hz, 2H), 2.14 (t, $J = 7.5$ Hz, 2H), 6.53 (s, 1H), 6.90 (d, $J = 8.5$ Hz, 2H), 7.02 (d, $J = 8.5$ Hz,

2H), 7.03–7.09 (m, 2H), 7.10–7.15 (m, 4H), 7.50–7.56 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.25, 22.87, 28.72, 29.12 (d, $J = 2.0$ Hz), 31.77, 38.32 (d, $J = 3.4$ Hz), 121.62, 128.63, 128.84 (d, $J = 6.8$ Hz), 132.19, 132.62 (d, $J = 10.9$ Hz), 133.17 (d, $J = 19.1$ Hz), 133.41 (d, $J = 5.8$ Hz), 133.57, 140.03 (d, $J = 11.5$ Hz), 152.02 (d, $J = 24.8$ Hz); ^{31}P NMR (C_6D_6) δ -23.67. Found: C, 64.39; H, 5.78%. Calcd for $\text{C}_{26}\text{H}_{28}\text{PSBr}$: C, 64.60; H, 5.84%.

(Z)-1-Diphenylphosphino-2-(3-hydroxypropylthio)-1-octene (3ag):

IR (neat) 3336, 3053, 2928, 2855, 1555, 1433, 1027, 740, 696 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.88 (t, $J = 7.0$ Hz, 3H), 1.15–1.30 (m, 6H), 1.48–1.63 (m, 4H), 2.29 (t, $J = 7.5$ Hz, 2H), 2.62 (t, $J = 7.0$ Hz, 2H), 3.43 (t, $J = 6.0$ Hz, 2H), 6.32 (s, 1H), 7.01–7.07 (m, 2H), 7.08–7.14 (m, 4H), 7.49–7.56 (m, 4H); ^{13}C NMR (C_6D_6) δ 14.28, 23.00, 28.17 (d, $J = 5.8$ Hz), 29.01, 29.24 (d, $J = 1.9$ Hz), 31.93, 32.66, 38.01 (d, $J = 4.3$ Hz), 60.79, 128.42, 128.61 (d, $J = 8.1$ Hz), 128.72 (d, $J = 6.1$ Hz), 133.11 (d, $J = 19.1$ Hz), 140.32 (d, $J = 11.0$ Hz), 153.43 (d, $J = 24.8$ Hz); ^{31}P NMR (C_6D_6) δ -25.54. Found: C, 71.67; H, 8.19%. Calcd for $\text{C}_{23}\text{H}_{31}\text{OPS}$: C, 71.47; H, 8.08%.

(S)-N-Acetyl-[(Z)-2-diphenylphosphino-1-hexylethenylthio]-L-cysteine (3ah):

IR (nujol) 3349, 2924, 2854, 2483, 2194, 1740, 1700, 1653, 1456, 1377, 1308, 1226, 1027, 817, 739, 694 cm^{-1} ; ^1H NMR (CD_3OD) δ 0.77 (t, $J = 7.0$ Hz, 3H), 1.13–1.28 (m, 6H), 1.48 (tt, $J = 7.0, 7.5$ Hz, 2H), 1.88 (s, 3H), 2.40 (t, $J = 7.5$ Hz, 2H), 2.88–2.96 (m, 1H), 3.14–3.22 (m, 1H), 4.36–4.46 (m, 1H), 6.15 (s, 1H), 7.10–7.22 (m, 10H); ^{13}C NMR (CD_3OD) δ 14.37, 22.67, 23.60, 29.48, 29.79, 32.61, 33.57, 38.52, 53.94, 129.40,

131.15, 133.51 (d, $J = 21.0$ Hz), 133.68 (d, $J = 21.9$ Hz), 140.55 (d, $J = 41.5$ Hz), 153.15 (d, $J = 23.4$ Hz), 173.11, 173.70; ^{31}P NMR (CD_3OD) δ -22.46. Found: C, 65.44; H, 6.85%. Calcd for $\text{C}_{25}\text{H}_{32}\text{NO}_3\text{PS}$: C, 65.62; H, 7.05%. m.p.: 49.0–51.0 °C. $[\alpha]_{\text{D}}^{25} = +100$ (c 0.32, methanol).

1,3-Bis{(Z)-2-diphenylphosphino-1-hexylethenylthio}propane (3aj):

IR (neat) 3052, 2927, 2855, 1585, 1554, 1480, 1436, 1240, 1095, 1026, 798, 740, 695 cm^{-1} ; ^1H NMR (C_6D_6) δ 0.88 (t, $J = 7.0$ Hz, 6H), 1.15–1.32 (m, 12H), 1.50–1.63 (m, 6H), 2.32 (t, $J = 7.5$ Hz, 4H), 2.64 (t, $J = 7.0$ Hz, 4H), 6.32 (s, 2H), 7.02–7.07 (m, 4H), 7.08–7.14 (m, 8H), 7.48–7.54 (m, 8H); ^{13}C NMR (C_6D_6) δ 14.30, 23.02, 29.03, 29.32 (d, $J = 1.4$ Hz), 29.95, 29.98, 31.97, 38.08 (d, $J = 4.3$ Hz), 128.37, 128.71 (d, $J = 6.6$ Hz), 129.28 (d, $J = 8.6$ Hz), 133.10 (d, $J = 19.1$ Hz), 140.47 (d, $J = 12.0$ Hz), 153.10 (d, $J = 24.8$ Hz); ^{31}P NMR (C_6D_6) δ -25.36. Found: C, 73.93; H, 7.99%. Calcd for $\text{C}_{43}\text{H}_{54}\text{P}_2\text{S}_2$: C, 74.10; H, 7.81%.

(Z)-2-Dicyclohexylphosphino-1-(4-methoxyphenylthio)-1-phenylethene (3ki):

IR (nujol) 2920, 2853, 1592, 1573, 1495, 1436, 1291, 1247, 1185, 1035, 830, 754, 696 cm^{-1} ; ^1H NMR (C_6D_6) δ 1.12–1.50 (m, 10H), 1.56–2.05 (m, 12H), 3.00 (s, 3H), 6.42 (d, $J = 8.5$ Hz, 2H), 6.59 (d, $J = 4.5$ Hz, 1H), 6.90 (dd, $J = 7.5, 7.5$ Hz, 1H), 7.00 (dd, $J = 7.5, 7.5$ Hz, 2H), 7.21 (d, $J = 8.5$ Hz, 2H), 7.62 (d, $J = 7.5$ Hz, 2H); ^{13}C NMR (C_6D_6) δ 26.89, 27.56 (d, $J = 4.3$ Hz), 27.64, 29.96 (d, $J = 8.5$ Hz), 31.12 (d, $J = 16.8$ Hz), 35.35 (d, $J = 12.9$ Hz), 54.46, 114.60, 126.08 (d, $J = 3.8$ Hz), 128.19, 128.26, 128.63,

133.12, 133.86 (d, $J = 20.1$ Hz), 141.24 (d, $J = 4.9$ Hz), 153.60 (d, $J = 24.9$ Hz), 159.04;

^{31}P NMR (C_6D_6) δ -17.39. m.p.: 144.0–146.0 °C. CCDC No.: 635602

Figure S1. ORTEP diagram of **3ki**

Figure S2. ^1H NMR spectrum of **3ki**: $p\text{-MeO-C}_6\text{H}_4\text{S}$

Figure S3. ^{13}C NMR spectrum of **3ki**: $p\text{-MeO-C}_6\text{H}_4\text{S-Ph-CH=CH-P}(\text{C}_6\text{H}_{11})_2$