SI 1

Supporting Information for
**Predictive Flip Regression: A Technique for QSAR of Derivatives
of Symmetric Molecules**

Brian W. Clare and Claudiu T. Supuran

Publish

Table SII
Values of calculated descriptors for thrombin inhibitors

Comp	Log P	I _A	I _S	Π_{xx}	Π_{yy}	Π_{zz}	E _{SH}
A1	0.12	0	0	129.3	65.9	105.1	-10.317
A2	0.69	0	0	145.4	67.7	105.6	-10.263
A3	0.84	0	0	153.1	68.9	106.1	-10.281
A4	0.23	0	0	139.8	74.3	111.1	-10.127
A5	0.01	0	0	142.7	73.7	127.0	-11.067
A6	0.01	0	0	145.9	128.1	63.8	-10.766
A7	-0.17	0	0	134.2	129.8	73.4	-10.662
A8	0.59	0	0	145.1	133.1	86.8	-11.159
A9	-1.02	0	0	189.9	90.2	120.1	-10.218
A10	-1.24	0	0	152.4	69.8	107.4	-10.237
A11	-1.24	0	0	130.3	103.0	89.6	-10.441
A12	0.80	0	0	132.0	132.3	60.0	-10.489
A13	-0.15	0	0	139.7	114.9	73.6	-10.494
A14	-0.15	0	0	143.7	129.3	62.0	-10.417
A15	-0.15	0	0	150.8	82.3	113.3	-10.553
A16	1.61	0	0	189.5	194.1	76.1	-10.399
A17	-0.07	0	0	158.8	75.0	111.9	-10.296
A18	1.23	0	0	157.5	134.8	88.5	-10.062
A19	-1.01	0	0	163.7	120.6	90.1	-10.101
A20	0.92	0	0	137.6	150.3	61.3	-10.466
A21	2.41	0	0	408.6	159.2	133.3	-10.254
A22	1.22	0	0	219.0	178.6	105.1	-9.845
A23	0.91	0	0	169.2	166.5	80.1	-9.789
A24	0.91	0	0	206.9	92.8	124.8	-10.013
A25	1.85	0	0	364.1	250.0	208.4	-10.249
A26	1.50	0	0	377.6	290.8	235.8	-10.259
A27	0.84	0	0	371.2	226.1	200.6	-10.269
A28	1.98	0	0	394.7	331.5	301.6	-10.192
A29	2.33	0	0	366.3	316.1	294.4	-10.267
A30	-1.36	0	0	394.0	293.6	247.4	-10.276
A31	-1.13	0	0	381.7	339.4	239.5	-10.199
A32	0.27	0	0	380.2	249.2	242.3	-10.273
C1	0.12	1	0	145.2	105.3	80.1	-10.371
C2	0.69	1	0	160.5	107.3	81.7	-10.367
C3	0.84	1	0	168.7	107.6	82.8	-10.381
C4	0.23	1	0	152.4	110.7	94.1	-10.249
C5	0.01	1	0	166.4	116.3	95.6	-11.160
C6	0.01	1	0	154.4	146.9	68.2	-10.962
C7	-0.17	1	0	155.2	129.7	83.4	-10.891
C8	0.59	1	0	168.5	149.0	82.4	-11.255
C9	-1.11	1	0	186.2	119.9	124.0	-10.321
C10	-1.24	1	0	163.1	112.6	85.3	-10.296
C11	-1.24	1	0	141.4	127.1	84.9	-10.548

C12	0.80	1	0	154.8	137.1	67.7	-10.671
C13	-0.15	1	0	156.5	123.9	83.3	-10.648
C14	-0.15	1	0	143.5	148.1	76.5	-10.708
C15	-0.15	1	0	145.2	109.8	118.0	-10.706
C16	1.61	1	0	198.7	188.1	117.7	-10.574
C17	-0.07	1	0	148.5	116.0	107.7	-10.355
C18	1.23	1	0	168.2	129.9	114.4	-10.920
C19	-1.01	1	0	177.5	131.9	96.7	-10.180
C20	0.92	1	0	161.5	155.4	67.3	-10.662
C21	2.41	1	0	421.0	142.5	171.6	-10.310
C22	1.22	1	0	221.0	185.3	125.8	-9.877
C23	0.91	1	0	164.1	176.6	105.6	-9.830
C24	0.91	1	0	204.2	140.1	109.6	-10.098
C25	1.85	1	0	380.7	236.7	240.9	-10.346
C26	1.50	1	0	396.1	302.1	239.0	-10.340
C27	0.84	1	0	317.8	284.4	231.6	-10.334
C28	1.98	1	0	387.5	348.0	335.9	-10.328
C29	2.33	1	0	379.0	306.8	323.6	-10.328
C30	-1.36	1	0	393.2	318.8	252.5	-10.348
C31	-1.13	1	0	471.6	325.8	205.8	-10.337
C32	0.27	1	0	350.3	287.6	265.6	-10.337
B1	0.12	0	1	124.8	79.9	110.5	-10.301
B2	0.69	0	1	141.3	80.3	111.9	-10.301
B3	0.84	0	1	150.2	79.6	113.2	-10.259
B4	0.23	0	1	135.2	88.4	116.3	-10.108
B5	0.01	0	1	148.4	87.4	125.2	-11.064
B6	0.01	0	1	142.1	134.5	79.4	-10.990
B7	-0.17	0	1	138.4	143.7	72.9	-10.698
B8	0.59	0	1	151.2	131.3	100.3	-11.155
B9	-1.02	0	1	183.4	117.1	112.6	-10.241
B10	-1.24	0	1	147.7	85.1	112.2	-10.221
B11	-1.24	0	1	129.2	108.4	100.6	-10.406
B12	0.80	0	1	137.5	130.8	76.1	-10.522
B13	-0.15	0	1	147.2	120.0	80.9	-10.515
B14	-0.15	0	1	156.0	134.1	65.6	-10.477
B15	-0.15	0	1	149.4	98.3	112.5	-10.513
B16	1.61	0	1	199.2	195.0	85.0	-10.419
B17	-0.07	0	1	151.9	92.0	116.1	-10.280
B18	1.23	0	1	152.0	142.7	100.3	-10.034
B19	-1.01	0	1	174.8	97.2	117.7	-10.043
B20	0.92	0	1	148.0	145.4	74.9	-10.513
B21	2.41	0	1	408.7	166.4	140.3	-10.234
B22	1.22	0	1	208.6	183.4	128.0	-9.954
B23	0.91	0	1	155.6	178.7	94.3	-9.776
B24	0.91	0	1	198.4	116.4	123.2	-9.998
B25	1.85	0	1	386.2	241.1	210.4	-10.249

B26	1.50	0	1	380.1	299.8	238.9	-10.253
B27	0.84	0	1	357.1	233.3	218.4	-10.243
B28	1.98	0	1	417.2	322.0	325.0	-10.253
B29	2.33	0	1	365.2	341.1	277.2	-10.219
B30	-1.36	0	1	355.6	267.4	324.3	-10.264
B31	-1.13	0	1	413.3	309.1	258.6	-10.235
B32	0.27	0	1	392.9	208.5	281.7	-10.242

Table SI1 (cont.)

Values of calculated descriptors for thrombin inhibitors

Comp	E _H	E _L	E _{SL}	D _I	ΔH _S	Φ _H	Φ _L
A1	-10.244	-0.721	0.003	1.2127	-41.97	59.7	120.3
A2	-10.260	-0.767	0.007	1.1688	-41.60	58.2	119.7
A3	-10.246	-0.827	0.005	1.1581	-42.18	150.0	119.8
A4	-10.118	-0.598	0.171	1.0785	-41.93	17.4	120.4
A5	-10.347	-1.514	-0.109	1.1867	-51.63	150.1	120.0
A6	-10.519	-1.265	-0.590	1.2222	-51.70	129.5	173.7
A7	-10.488	-1.294	-0.379	1.1690	-46.80	168.8	79.9
A8	-10.217	-1.464	-0.424	1.1756	-51.15	159.8	125.0
A9	-9.601	-0.670	0.116	1.0878	-53.98	59.7	120.6
A10	-9.146	-0.469	-0.201	1.1915	-47.43	60.0	120.2
A11	-9.040	-0.594	-0.324	1.1157	-46.74	175.1	118.0
A12	-9.905	-1.233	-0.937	1.2224	-43.03	150.9	117.5
A13	-10.087	-0.440	0.056	1.1613	-99.87	148.0	114.6
A14	-10.071	-0.580	-0.085	1.2005	-109.89	149.4	118.3
A15	-10.178	-0.931	0.134	1.1525	-115.70	150.1	120.0
A16	-10.054	-1.241	-0.945	1.1448	-94.14	158.6	135.0
A17	-9.856	-0.589	0.063	1.0661	-44.64	53.6	121.0
A18	-9.661	-0.583	0.085	0.9453	-37.32	150.8	120.5
A19	-8.968	-0.615	0.033	0.9998	-48.62	9.8	118.3
A20	-9.583	-0.705	-0.376	1.1955	-45.28	163.3	113.8
A21	-10.075	-1.318	-0.270	0.7090	-49.95	44.1	120.1
A22	-8.905	-1.043	-0.256	0.7854	-43.05	41.8	118.0
A23	-9.323	-1.011	-0.236	0.9262	-41.32	56.0	117.9
A24	-9.186	-0.956	-0.481	0.9181	-43.17	165.5	143.1
A25	-9.582	-0.715	0.115	0.6177	-61.03	58.9	121.8
A26	-9.611	-0.751	-0.746	0.8780	-84.25	58.7	121.9
A27	-9.583	-0.763	0.110	0.9448	-78.93	61.4	118.8
A28	-9.478	-0.608	0.163	0.7716	-85.46	60.9	118.9
A29	-9.549	-0.728	0.114	0.5437	-65.86	58.9	121.9
A30	-9.549	-0.743	0.113	0.8717	-99.92	61.2	118.8
A31	-9.500	-0.632	0.158	0.8622	-101.36	59.1	121.8

A32	-9.557	-0.751	0.114	0.8972	-82.32	59.0	121.8
C1	-10.360	-0.701	-0.030	1.0668	-39.21	60.4	119.9
C2	-10.317	-0.747	-0.029	1.0251	-38.97	150.1	119.9
C3	-10.298	-1.090	-0.796	1.0146	-39.60	150.1	119.7
C4	-10.183	-0.583	0.134	0.9595	-38.82	148.4	102.8
C5	-10.426	-1.663	-0.184	1.0284	-47.56	149.9	119.9
C6	-10.593	-1.306	-0.665	1.0619	-48.15	134.0	167.3
C7	-10.585	-1.437	-0.534	1.0187	-43.53	158.2	87.8
C8	-10.293	-1.623	-0.566	1.0178	-47.45	158.9	123.9
C9	-9.706	-1.008	-0.704	0.9639	-50.26	59.5	120.1
C10	-9.133	-0.358	0.215	1.0656	-44.89	59.9	119.9
C11	-9.057	-0.540	0.123	0.9839	-43.92	174.9	117.6
C12	-9.986	-1.492	-1.010	1.0523	-39.44	150.2	120.1
C13	-10.168	-0.686	-0.029	1.0090	-96.45	149.5	113.2
C14	-10.198	-0.641	-0.106	1.0477	-172.03	148.9	127.6
C15	-10.221	-1.161	-0.833	1.0284	-110.74	149.9	119.7
C16	-10.141	-1.579	-1.019	1.0043	-108.57	156.6	129.5
C17	-9.962	-0.552	0.034	0.9520	-42.57	53.1	120.3
C18	-9.723	-0.579	0.040	0.8603	-35.89	150.5	119.4
C19	-8.996	-0.576	0.008	0.8965	-45.83	8.9	118.3
C20	-9.601	-1.059	-0.788	1.0375	-41.92	138.2	126.3
C21	-10.122	-1.396	-0.375	0.6559	-47.23	43.3	120.2
C22	-8.914	-1.199	-0.277	0.7165	-40.63	80.6	122.3
C23	-9.410	-1.199	-0.898	0.8282	-38.42	67.8	123.0
C24	-9.226	-1.155	-0.876	0.8231	-40.07	134.7	101.1
C25	-9.702	-1.013	-0.728	0.5732	-56.66	59.1	121.1
C26	-9.660	-1.021	-0.719	0.8359	-83.41	58.6	121.2
C27	-9.639	-1.008	-0.707	0.8978	-74.45	59.0	121.1
C28	-9.629	-1.002	-0.695	0.7388	-83.84	61.3	118.3
C29	-9.637	-0.986	-0.691	0.5174	-63.00	59.0	120.9
C30	-9.648	-1.030	-0.714	0.8308	-97.04	61.1	118.7
C31	-9.723	-1.006	-0.723	0.8203	-96.89	59.2	120.9
C32	-9.641	-1.011	-0.703	0.8546	-79.78	61.2	118.6
B1	-10.212	-0.696	0.015	1.1066	-38.71	60.7	120.5
B2	-10.212	-0.696	0.015	1.0665	-38.31	60.7	120.5
B3	-10.235	-0.808	0.014	1.0561	-38.86	148.3	120.3
B4	-10.092	-0.557	0.183	0.9960	-38.51	61.6	120.3
B5	-10.367	-1.541	-0.129	1.0649	-46.53	149.9	120.2
B6	-10.534	-1.267	-0.661	1.0981	-46.81	170.1	67.1
B7	-10.508	-1.321	-0.414	1.0540	-41.96	166.6	80.7
B8	-10.237	-1.486	-0.456	1.0541	-46.21	140.3	115.3
B9	-9.481	-0.666	0.135	0.9982	-47.97	58.8	122.1
B10	-9.077	-0.439	-0.142	1.0996	-43.79	60.0	120.1
B11	-9.024	-0.573	-0.265	1.0264	-43.21	124.9	122.2
B12	-9.913	-1.277	-0.944	1.0898	-38.81	149.6	122.0
B13	-10.086	-0.465	0.057	1.0583	-96.04	152.1	124.5

B14	-10.102	-0.638	-0.362	1.0830	-103.05	149.6	117.7
B15	-10.153	-0.897	0.148	1.0711	-112.94	150.0	120.6
B16	-10.061	-1.265	-0.947	1.0380	-89.41	142.0	105.2
B17	-9.832	-0.570	0.073	0.9872	-41.13	54.0	121.0
B18	-9.650	-0.567	0.096	0.8848	-34.60	150.3	119.9
B19	-8.933	-0.555	0.078	0.9297	-43.99	10.0	118.0
B20	-9.490	-0.739	-0.305	1.0769	-40.65	163.6	112.0
B21	-10.054	-1.303	-0.237	0.6746	-46.73	45.8	120.2
B22	-9.825	-1.022	-0.240	0.7430	-40.31	146.4	118.2
B23	-9.304	-0.996	-0.225	0.8627	-38.62	56.2	112.4
B24	-9.178	-0.943	-0.473	0.8569	-40.70	165.7	143.4
B25	-9.582	-0.734	0.116	0.5878	-54.94	60.9	118.2
B26	-9.584	-0.738	0.117	0.8521	-79.06	58.7	122.0
B27	-9.564	-0.723	0.126	0.9140	-75.77	61.4	118.3
B28	-9.525	-0.719	0.129	0.7496	-83.94	61.1	118.4
B29	-9.505	-0.676	0.154	0.5306	-62.51	60.7	118.5
B30	-9.576	-0.741	0.114	0.8480	-98.26	58.7	122.0
B31	-9.529	-0.700	0.135	0.8300	-93.99	61.0	118.3
B32	-9.523	-0.695	0.113	0.8677	-85.19	58.9	121.6

Table SI1 (cont.)

Values of calculated descriptors for thrombin inhibitors

Comp	Q _{NA}	Q _{NB}	Q _H	Q _S	Q _O	Q _C
A1	-0.8823	-1.2236	0.4279	2.6824	-1.9564	0.9382
A2	-0.8781	-1.2063	0.4276	2.6308	-1.9344	0.9262
A3	-0.8795	-1.2106	0.4281	2.6421	-1.9403	0.9296
A4	-0.8776	-1.2259	0.4249	2.7072	-1.9736	0.9324
A5	-0.8650	-1.1840	0.4243	2.7226	-1.9717	0.9064
A6	-0.8593	-1.1753	0.4248	2.6891	-1.9624	0.8932
A7	-0.8382	-1.1721	0.4190	2.6845	-1.9251	0.8963
A8	-0.8663	-1.1245	0.4288	2.6400	-1.9286	0.8688
A9	-0.8546	-1.1714	0.4157	2.7277	-1.9899	0.8839
A10	-0.8703	-1.2004	0.4212	2.6812	-1.9694	0.9118
A11	-0.8724	-1.2134	0.4241	2.6841	-1.9629	0.9270
A12	-0.9040	-1.2176	0.4444	2.7570	-1.9537	0.9611
A13	-0.7469	-1.1427	0.3723	2.6717	-1.9755	0.8692
A14	-0.8624	-1.1223	0.4296	2.5464	-1.9116	0.8737
A15	-0.8496	-1.1878	0.4098	2.6585	-1.9412	0.8891
A16	-0.7660	-1.1351	0.3861	2.7095	-1.9996	0.8981
A17	-0.8777	-1.2212	0.4256	2.6977	-1.9691	0.9267
A18	-0.8697	-1.2227	0.4205	2.7839	-1.9813	0.9128
A19	-0.8760	-1.2282	0.4248	2.7299	-1.9840	0.9321
A20	-0.8697	-1.1020	0.4318	2.5499	-1.8711	0.8953
A21	-0.8884	-1.2349	0.4287	2.7289	-1.9770	0.9470
A22	-0.8808	-1.2158	0.4237	2.7082	-1.9602	0.9374

A23	-0.8743	-1.2000	0.4223	2.7136	-1.9608	0.9225
A24	-0.8826	-1.2406	0.4276	2.7340	-1.9837	0.9420
A25	-0.8418	-1.1550	0.4108	2.6910	-1.9711	0.8657
A26	-0.8411	-1.1722	0.4139	2.6514	-1.9557	0.8713
A27	-0.8535	-1.2001	0.4180	2.6577	-1.9563	0.8964
A28	-0.8417	-1.1428	0.4217	2.6490	-1.9539	0.8575
A29	-0.8476	-1.2012	0.4165	2.6718	-1.9571	0.8891
A30	-0.8537	-1.2033	0.4175	2.6696	-1.9565	0.8985
A31	-0.8680	-1.1519	0.4205	2.6649	-1.9647	0.8903
A32	-0.8475	-1.1922	0.4162	2.6692	-1.9617	0.8827
C1	-0.7847	-0.6945	0.3698	2.3867	-1.7665	0.5284
C2	-0.7867	-0.6594	0.3708	2.3107	-1.7342	0.5356
C3	-0.7866	-0.6626	0.3708	2.3185	-1.7388	0.5361
C4	-0.7553	-0.6822	0.3507	2.4266	-1.7862	0.4917
C5	-0.7561	-0.6979	0.3603	2.4284	-1.7677	0.4996
C6	-0.7960	-0.7244	0.3759	2.4211	-1.7702	0.5549
C7	-0.8379	-0.7104	0.4008	2.3244	-1.7220	0.6774
C8	-0.7491	-0.6953	0.3604	2.3780	-1.7321	0.4764
C9	-0.7659	-0.7527	0.3613	2.5151	-1.8179	0.4712
C10	-0.7755	-0.6944	0.3642	2.4137	-1.7947	0.4923
C11	-0.7771	-0.7056	0.3669	2.4044	-1.7774	0.5001
C12	-0.7911	-0.7446	0.3754	2.4812	-1.7593	0.5630
C13	-0.7405	-0.7014	0.3514	2.4040	-1.7841	0.5483
C14	-0.7722	-0.6936	0.3551	2.3877	-1.7759	0.4884
C15	-0.7524	-0.6978	0.3485	2.4379	-1.7856	0.4662
C16	-0.7628	-0.6337	0.3512	2.1139	-1.5960	0.4927
C17	-0.7644	-0.7439	0.3602	2.4908	-1.8112	0.4674
C18	-0.7812	-0.8173	0.3632	2.6075	-1.8372	0.5108
C19	-0.7763	-0.7204	0.3654	2.4513	-1.7998	0.4964
C20	-0.7850	-0.6327	0.3675	2.2694	-1.6785	0.5428
C21	-0.7846	-0.7274	0.3686	2.4561	-1.7965	0.5186
C22	-0.7775	-0.7256	0.3647	2.4506	-1.7856	0.4871
C23	-0.7579	-0.7039	0.3475	2.4694	-1.7838	0.4916
C24	-0.7546	-0.6936	0.3509	2.4442	-1.7927	0.4972
C25	-0.7786	-0.6942	0.3654	2.4229	-1.7866	0.5139
C26	-0.7829	-0.6810	0.3650	2.4081	-1.7890	0.5316
C27	-0.7793	-0.7172	0.3650	2.4566	-1.7009	0.5030
C28	-0.7800	-0.7123	0.3648	2.4408	-1.7999	0.5065
C29	-0.7793	-0.7102	0.3654	2.4438	-1.7966	0.5088
C30	-0.7799	-0.6921	0.3642	2.4259	-1.7948	0.5151
C31	-0.7854	-0.7193	0.3686	2.4554	-1.8060	0.5242
C32	-0.7796	-0.7095	0.3647	2.4513	-1.8048	0.5094
B1	-0.8243	-1.0551	0.4414	2.6761	-1.9591	0.7337
B2	-0.8243	-1.0551	0.4414	2.5727	-1.9164	0.6911
B3	-0.8294	-1.0031	0.4471	2.5788	-1.9200	0.6958
B4	-0.8283	-1.0455	0.4414	2.6640	-1.9576	0.7242

B5	-0.8221	-1.0598	0.4463	2.6821	-1.9459	0.7311
B6	-0.8260	-1.0727	0.4460	2.6647	-1.9395	0.7576
B7	-0.8001	-1.0445	0.4469	2.6551	-1.9089	0.7445
B8	-0.8190	-1.0380	0.4486	2.6303	-1.9108	0.7150
B9	-0.8192	-1.0394	0.4390	2.6583	-1.9536	0.7180
B10	-0.8418	-1.0544	0.4410	2.6661	-1.9617	0.7389
B11	-0.8092	-1.0093	0.4384	2.6266	-1.9454	0.6925
B12	-0.8124	-1.0874	0.4457	2.7354	-1.9382	0.7502
B13	-0.7010	-0.9837	0.3850	2.5721	-1.9293	0.6719
B14	-0.8812	-1.0352	0.4724	2.5343	-1.9003	0.7619
B15	-0.7729	-1.0119	0.4151	2.6121	-1.9271	0.6771
B16	-0.7363	-1.0020	0.4137	2.6109	-1.9436	0.7290
B17	-0.8372	-1.0350	0.4442	2.6435	-1.9477	0.7244
B18	-0.8192	-1.0913	0.4335	2.7510	-1.9647	0.7444
B19	-0.8329	-1.0498	0.4475	2.5973	-1.9243	0.7296
B20	-0.8361	-1.0346	0.4461	2.5709	-1.8690	0.7508
B21	-0.8327	-1.0527	0.4436	2.6745	-1.9600	0.7423
B22	-0.8067	-0.9956	0.4352	2.6083	-1.9253	0.6878
B23	-0.8107	-1.0211	0.4375	2.6478	-1.9379	0.6997
B24	-0.8372	-1.0666	0.4435	2.6991	-1.9743	0.7463
B25	-0.8238	-1.0433	0.4428	2.5783	-1.9135	0.7221
B26	-0.8316	-1.0727	0.4421	2.6551	-1.9568	0.7125
B27	-0.8157	-1.0117	0.4379	2.6357	-1.9510	0.6886
B28	-0.8530	-1.0658	0.4445	2.6822	-1.9620	0.7613
B29	-0.8326	-1.0492	0.4453	2.5826	-1.9163	0.7303
B30	-0.8338	-1.0562	0.4425	2.6800	-1.9632	0.7378
B31	-0.8286	-1.0435	0.4436	2.5902	-1.9222	0.7240
B32	-0.8304	-1.0420	0.4410	2.6709	-1.9608	0.7195

Table SI2
Descriptor values for CA inhibitors

<i>Comp</i>	Q_O (e)	Q_H (e)	Q_C (e)	Q_S (e)	Q_N (e)	Q_M (e)
A01	-1.0714	0.8059	-0.1684	1.1518	-0.8453	0.6149
A02	-1.0733	0.8256	-0.1318	1.1218	-0.8452	0.6054
A03	-1.0798	0.8196	-0.1167	1.1105	-0.8471	0.6152
A04	-1.0835	0.8176	-0.1198	1.1060	-0.8479	0.5789
A05	-1.0778	0.8211	-0.1151	1.1134	-0.8473	0.5572
A06	-1.0831	0.8182	-0.1175	1.1069	-0.8482	0.5169
A07	-1.0715	0.8240	-0.1104	1.1221	-0.8462	0.6065
A08	-1.0708	0.8260	-0.1045	1.1205	-0.8450	0.6080
A09	-1.0714	0.8256	-0.1046	1.1206	-0.8450	0.6199
A11	-1.0355	0.8419	-0.0988	1.1412	-0.8465	0.7477
A12	-1.0362	0.8360	-0.1002	1.1328	-0.8488	0.7576
A13	-1.0197	0.8490	-0.1716	1.1449	-0.8215	0.8012
A14	-1.0013	0.8543	-0.1520	1.1757	-0.8263	0.7113
A15	-1.0347	0.8392	-0.1890	1.1317	-0.8281	0.6108
A16	-1.0300	0.8416	-0.1767	1.1387	-0.8276	0.6941
A17	-1.0132	0.8470	-0.1534	1.1612	-0.8298	0.6412
A18	-1.0887	0.8136	-0.1188	1.0993	-0.8499	0.5992
A19	-1.0810	0.8206	-0.1230	1.1128	-0.8475	0.5904
A20	-1.0850	0.8159	-0.1167	1.1042	-0.8490	0.5082
A21	-1.0250	0.8442	-0.1473	1.1461	-0.8257	0.6157
A22	-1.0233	0.8450	-0.1456	1.1481	-0.8257	0.6171
A23	-1.0296	0.8404	-0.1488	1.1393	-0.8277	0.5169
A24	-1.0775	0.8215	-0.1131	1.1126	-0.8474	0.5577
A25	-1.0821	0.8178	-0.1168	1.1083	-0.8488	0.5154
B01	-1.0705	0.8018	-0.1698	1.1529	-0.8433	0.4998
B02	-1.0745	0.8248	-0.1264	1.1208	-0.8453	0.4915
B03	-1.0793	0.8192	-0.1145	1.1107	-0.8478	0.5015
B04	-1.0823	0.8173	-0.1186	1.1070	-0.8484	0.4785
B05	-1.0775	0.8214	-0.1149	1.1138	-0.8472	0.4649
B06	-1.0826	0.8179	-0.1179	1.1075	-0.8485	0.4407
B07	-1.0713	0.8240	-0.1104	1.1223	-0.8462	0.4933
B08	-1.0707	0.8247	-0.1050	1.1210	-0.8458	0.4960
B09	-1.0710	0.8243	-0.1049	1.1211	-0.8460	0.5038
B11	-1.0354	0.8419	-0.0989	1.1413	-0.8465	0.6163
B12	-1.0363	0.8353	-0.1018	1.1297	-0.8486	0.6261
B13	-1.0210	0.8480	-0.1760	1.1467	-0.8228	0.6087
B14	-1.0011	0.8551	-0.1521	1.1771	-0.8256	0.5621
B15	-1.0339	0.8393	-0.1882	1.1313	-0.8275	0.5110
B16	-1.0294	0.8421	-0.1771	1.1365	-0.8265	0.5882
B17	-1.0123	0.8464	-0.1536	1.1608	-0.8300	0.5522
B18	-1.0887	0.8137	-0.1189	1.0995	-0.8498	0.5220
B19	-1.0809	0.8207	-0.1232	1.1128	-0.8475	0.5147

B20	-1.0850	0.8160	-0.1168	1.1043	-0.8490	0.4408
B21	-1.0248	0.8442	-0.1474	1.1451	-0.8253	0.5076
B22	-1.0235	0.8448	-0.1460	1.1477	-0.8253	0.5007
B23	-1.0296	0.8402	-0.1492	1.1395	-0.8279	0.4453
B24	-1.0774	0.8217	-0.1126	1.1130	-0.8472	0.4624
B25	-1.0823	0.8178	-0.1170	1.1082	-0.8487	0.4373
C01	-1.0812	0.8188	-0.1550	1.1581	-0.8633	0.5282
C02	-1.0772	0.8212	-0.1231	1.1170	-0.8481	0.5214
C03	-1.0853	0.8171	-0.1158	1.1034	-0.8484	0.5331
C04	-1.0867	0.8163	-0.1203	1.1023	-0.8481	0.5026
C05	-1.0808	0.8188	-0.1149	1.1098	-0.8479	0.4872
C06	-1.0839	0.8171	-0.1174	1.1064	-0.8491	0.4587
C07	-1.0771	0.8220	-0.1111	1.1152	-0.8467	0.5223
C08	-1.0767	0.8221	-0.1063	1.1139	-0.8467	0.5261
C09	-1.0769	0.8222	-0.1061	1.1142	-0.8466	0.5346
C11	-1.0394	0.8384	-0.0964	1.1362	-0.8482	0.6516
C12	-1.0474	0.8332	-0.1107	1.1263	-0.8497	0.6576
C13	-1.0108	0.8454	-0.1774	1.1329	-0.8257	0.6462
C14	-1.0091	0.8495	-0.1515	1.1667	-0.8289	0.5850
C15	-1.0348	0.8384	-0.1883	1.1296	-0.8282	0.5340
C16	-1.0270	0.8439	-0.1704	1.1364	-0.8255	0.6176
C17	-1.0141	0.8466	-0.1528	1.1600	-0.8300	0.5767
C18	-1.0895	0.8133	-0.1185	1.0985	-0.8500	0.5448
C19	-1.0798	0.8202	-0.1234	1.1135	-0.8483	0.5363
C20	-1.0875	0.8150	-0.1167	1.1013	-0.8493	0.4600
C21	-1.0279	0.8423	-0.1483	1.1410	-0.8267	0.5350
C22	-1.0267	0.8424	-0.1459	1.1427	-0.8270	0.5378
C23	-1.0305	0.8398	-0.1487	1.1382	-0.8283	0.4663
C24	-1.0809	0.8179	-0.1130	1.1100	-0.8480	0.4913
C25	-1.0839	0.8174	-0.1165	1.1060	-0.8488	0.4598
D01	-1.0737	0.8290	-0.1712	1.1615	-0.8474	0.3903
D02	-1.0738	0.8239	-0.1281	1.1211	-0.8464	0.3850
D03	-1.0790	0.8192	-0.1144	1.1106	-0.8478	0.3909
D04	-1.0824	0.8174	-0.1186	1.1070	-0.8484	0.3791
D05	-1.0774	0.8215	-0.1149	1.1139	-0.8471	0.3713
D06	-1.0829	0.8182	-0.1177	1.1072	-0.8482	0.3588
D07	-1.0711	0.8241	-0.1103	1.1225	-0.8462	0.3851
D08	-1.0710	0.8243	-0.1054	1.1206	-0.8462	0.3869
D09	-1.0710	0.8243	-0.1049	1.1211	-0.8461	0.3924
D11	-1.0355	0.8420	-0.0989	1.1414	-0.8465	0.4841
D12	-1.0364	0.8353	-0.1016	1.1298	-0.8486	0.4911
D13	-1.0209	0.8481	-0.1758	1.1467	-0.8227	0.4493
D14	-1.0007	0.8545	-0.1522	1.1765	-0.8260	0.4276
D15	-1.0339	0.8395	-0.1883	1.1317	-0.8276	0.4088
D16	-1.0294	0.8421	-0.1771	1.1365	-0.8264	0.4743
D17	-1.0123	0.8464	-0.1536	1.1608	-0.8300	0.4526

D18	-1.0888	0.8137	-0.1189	1.0996	-0.8498	0.4326
D19	-1.0771	0.8236	-0.1283	1.1115	-0.8499	0.4267
D20	-1.0849	0.8159	-0.1169	1.1041	-0.8489	0.3647
D21	-1.0256	0.8433	-0.1484	1.1439	-0.8256	0.3999
D22	-1.0232	0.8448	-0.1460	1.1475	-0.8254	0.3927
D23	-1.0292	0.8403	-0.1498	1.1388	-0.8277	0.3651
D24	-1.0783	0.8208	-0.1151	1.1124	-0.8475	0.3682
D25	-1.0822	0.8182	-0.1171	1.1083	-0.8484	0.3546
E01	-1.0766	0.8269	-0.1880	1.1497	-0.8415	0.2991
E02	-1.0774	0.8218	-0.1215	1.1168	-0.8475	0.2944
E03	-1.0823	0.8183	-0.1128	1.1066	-0.8481	0.3003
E04	-1.0862	0.8159	-0.1203	1.1033	-0.8485	0.2909
E05	-1.0812	0.8191	-0.1158	1.1092	-0.8483	0.2850
E06	-1.0840	0.8173	-0.1177	1.1062	-0.8487	0.2761
E07	-1.0736	0.8236	-0.1078	1.1192	-0.8464	0.2927
E08	-1.0739	0.8235	-0.1033	1.1170	-0.8464	0.2959
E09	-1.0732	0.8239	-0.1018	1.1180	-0.8463	0.3000
E11	-1.0311	0.8391	-0.0872	1.1395	-0.8484	0.4034
E12	-1.0398	0.8336	-0.0996	1.1273	-0.8500	0.4100
E13	-1.0254	0.8443	-0.1818	1.1420	-0.8260	0.3469
E14	-1.0076	0.8496	-0.1706	1.1712	-0.8293	0.3149
E15	-1.0288	0.8415	-0.1678	1.1321	-0.8269	0.3220
E16	-1.0254	0.8436	-0.1679	1.1440	-0.8276	0.4020
E17	-1.0136	0.8465	-0.1527	1.1608	-0.8302	0.3825
E18	-1.0893	0.8140	-0.1183	1.0983	-0.8495	0.3643
E19	-1.0803	0.8191	-0.1197	1.1120	-0.8491	0.3579
E20	-1.0872	0.8151	-0.1169	1.1015	-0.8492	0.2879
E21	-1.0264	0.8449	-0.1461	1.1422	-0.8266	0.3112
E22	-1.0240	0.8444	-0.1449	1.1462	-0.8258	0.3083
E23	-1.0299	0.8408	-0.1490	1.1390	-0.8282	0.2895
E24	-1.0812	0.8190	-0.1143	1.1093	-0.8482	0.2819
E25	-1.0830	0.8179	-0.1171	1.1074	-0.8485	0.2735
F01	-1.0806	0.8036	-0.1929	1.1489	-0.8474	0.3704
F02	-1.0805	0.8203	-0.1200	1.1137	-0.8481	0.3606
F03	-1.0860	0.8159	-0.1137	1.1022	-0.8491	0.3708
F04	-1.0884	0.8139	-0.1206	1.1006	-0.8494	0.3545
F05	-1.0837	0.8180	-0.1168	1.1063	-0.8483	0.3401
F06	-1.0849	0.8165	-0.1174	1.1048	-0.8492	0.3226
F07	-1.0779	0.8210	-0.1095	1.1143	-0.8473	0.3602
F08	-1.0775	0.8212	-0.1044	1.1126	-0.8473	0.3640
F09	-1.0773	0.8213	-0.1037	1.1132	-0.8472	0.3724
F11	-1.0364	0.8356	-0.0947	1.1332	-0.8493	0.5148
F12	-1.0435	0.8316	-0.1012	1.1230	-0.8508	0.5243
F13	-1.0319	0.8401	-0.1870	1.1343	-0.8279	0.4608
F14	-1.0124	0.8460	-0.1747	1.1654	-0.8310	0.3921
F15	-1.0356	0.8378	-0.1883	1.1288	-0.8287	0.3956

F16	-1.0299	0.8397	-0.1793	1.1351	-0.8287	0.4936
F17	-1.0147	0.8455	-0.1534	1.1590	-0.8308	0.4637
F18	-1.0899	0.8132	-0.1184	1.0981	-0.8500	0.4358
F19	-1.0819	0.8200	-0.1214	1.1115	-0.8479	0.4278
F20	-1.0884	0.8147	-0.1168	1.1000	-0.8495	0.3354
F21	-1.0287	0.8414	-0.1469	1.1393	-0.8273	0.3835
F22	-1.0263	0.8425	-0.1457	1.1426	-0.8266	0.3824
F23	-1.0305	0.8396	-0.1489	1.1383	-0.8323	0.3392
F24	-1.0832	0.8177	-0.1142	1.1071	-0.8488	0.3385
F25	-1.0843	0.8173	-0.1172	1.1058	-0.8488	0.3208

Table SI2 (cont)
Descriptor values for CA inhibitors

<i>Comp</i>	E_{SH} (eV)	E_H (eV)	E_L (eV)	E_{SL} (eV)	π_{tail}	ΔH_s (kcal)
A01	-6.9440	-7.2850	-1.1700	-0.7190	0.885	-47.37
A02	-7.1880	-7.4500	-1.1560	-0.8200	0.885	-55.47
A03	-6.5410	-7.4170	-0.9230	-0.6120	0.885	-46.68
A04	-6.3770	-7.2480	-0.7690	-0.4250	0.885	-53.62
A05	-7.0030	-7.2810	-1.0570	-0.5040	0.885	-58.41
A06	-6.7890	-7.1660	-0.8780	-0.3670	0.885	-58.57
A07	-6.6990	-7.3550	-1.1650	-0.6300	0.885	-54.23
A08	-6.7770	-7.3160	-1.2840	-0.8530	0.885	-53.67
A09	-6.7420	-7.2590	-1.2690	-0.8820	0.885	-54.09
A11	-7.1810	-7.2700	-1.9810	-1.5120	0.885	-67.96
A12	-7.1920	-7.4790	-1.8540	-1.3150	0.885	-75.23
A13	-6.9730	-9.2470	-2.0020	-0.3150	0.885	-65.78
A14	-6.9470	-9.2560	-2.0160	-1.2320	0.885	-61.93
A15	-6.5970	-8.7160	-1.8640	-0.5460	0.885	-72.25
A16	-6.4870	-8.7070	-1.7440	0.0530	0.885	-89.01
A17	-6.4130	-8.4070	-1.7540	-1.2450	0.885	-82.84
A18	-6.1490	-7.2380	-0.5980	-0.3850	0.885	-79.22
A19	-6.2820	-7.0380	-0.8930	-0.3510	0.885	-79.23
A20	-6.0360	-7.1550	-1.3140	-0.3480	0.885	-57.25
A21	-6.4880	-6.9200	-1.8120	-0.6130	0.885	-58.37
A22	-6.7370	-7.0130	-1.9010	-0.7560	0.885	-56.11
A23	-6.1470	-6.8330	-1.6540	-0.4340	0.885	-60.61
A24	-7.0230	-7.3100	-1.0290	-0.5120	0.885	-55.65
A25	-6.8380	-7.1870	-0.9310	-0.3840	0.885	-55.62
B01	-6.9270	-7.2860	-1.2140	-0.7770	2.150	-45.64
B02	-6.8030	-7.2020	-1.0670	-0.7760	2.150	-52.26
B03	-6.6050	-7.3820	-1.0960	-0.5540	2.150	-52.83
B04	-6.4060	-7.2430	-0.7930	-0.4200	2.150	-51.35
B05	-7.0110	-7.2870	-1.0780	-0.5170	2.150	-55.90
B06	-6.7970	-7.1600	-0.8670	-0.3720	2.150	-56.63

B07	-6.6950	-7.3530	-1.2270	-0.6290	2.150	-52.02
B08	-6.7520	-7.2990	-1.2520	-0.8290	2.150	-52.27
B09	-6.7190	-7.2500	-1.2800	-0.8700	2.150	-51.96
B11	-7.1670	-7.2660	-2.0000	-1.5220	2.150	-65.59
B12	-7.1390	-7.2420	-1.7840	-1.3080	2.150	-75.00
B13	-6.8400	-9.2600	-1.8880	-0.3000	2.150	-54.98
B14	-6.9690	-9.3690	-2.0680	-1.2950	2.150	-60.57
B15	-6.6160	-9.1010	-1.8940	-0.6150	2.150	-70.45
B16	-6.4920	-8.7240	-1.7460	0.0540	2.150	-86.46
B17	-6.4240	-8.8360	-1.7560	-1.2690	2.150	-79.87
B18	-6.1520	-7.2400	-0.7670	-0.3880	2.150	-76.75
B19	-6.2920	-7.0380	-0.8960	-0.3620	2.150	-76.92
B20	-6.0310	-7.1510	-1.3080	-0.3460	2.150	-54.79
B21	-6.4910	-6.9100	-1.7900	-0.5960	2.150	-57.54
B22	-6.7260	-6.9920	-1.8770	-0.6320	2.150	-49.79
B23	-6.1210	-6.8240	-1.6440	-0.4170	2.150	-57.24
B24	-7.0370	-7.3030	-1.2710	-0.5230	2.150	-52.00
B25	-6.8330	-7.1820	-0.9370	-0.3790	2.150	-52.40
C01	-6.7450	-7.2010	-1.0750	-0.5790	1.000	-48.00
C02	-6.5540	-7.1360	-0.9560	-0.5470	1.000	-56.14
C03	-6.3860	-7.3140	-0.8030	-0.4500	1.000	-56.83
C04	-6.1410	-7.2100	-0.7370	-0.4280	1.000	-59.04
C05	-6.9070	-7.1950	-0.9460	-0.4250	1.000	-58.33
C06	-6.7490	-7.1490	-0.8670	-0.3500	1.000	-59.06
C07	-6.4780	-7.2720	-0.9810	-0.5390	1.000	-55.18
C08	-6.5250	-7.2250	-1.0340	-0.7420	1.000	-54.93
C09	-6.5060	-7.1780	-1.0383	-0.7700	1.000	-55.61
C11	-6.8470	-7.2370	-1.8980	-1.4730	1.000	-73.67
C12	-6.7290	-7.2490	-1.6610	-1.3390	1.000	-71.32
C13	-6.7360	-9.2380	-1.9330	-0.1710	1.000	-65.12
C14	-6.6890	-8.9310	-1.9580	-1.4250	1.000	-59.72
C15	-6.6000	-8.7090	-1.8790	-0.5990	1.000	-72.80
C16	-6.4980	-7.0320	-2.0420	-0.1810	1.000	-88.08
C17	-6.8550	-8.3950	-1.7750	-1.1670	1.000	-84.28
C18	-6.1350	-7.2390	-0.7220	-0.3810	1.000	-81.10
C19	-6.2310	-7.0980	-0.8600	-0.3200	1.000	-81.79
C20	-5.9570	-7.0790	-1.2370	-0.3150	1.000	-64.68
C21	-6.2390	-6.8510	-1.7560	-0.5020	1.000	-59.32
C22	-6.5490	-6.8990	-1.7650	-0.5670	1.000	-59.39
C23	-6.1080	-6.8160	-1.6460	-0.4130	1.000	-62.82
C24	-6.9040	-7.2180	-0.9900	-0.4290	1.000	-59.17
C25	-6.8110	-7.1640	-0.8800	-0.3590	1.000	-58.98
D01	-6.9290	-7.2680	-1.1650	-0.6640	3.090	-47.28
D02	-6.8970	-7.2260	-1.0480	-0.6780	3.090	-54.09
D03	-6.6050	-7.3810	-1.1120	-0.5560	3.090	-53.26
D04	-6.4040	-7.2430	-0.7920	-0.4200	3.090	-51.70

D05	-7.0160	-7.2920	-1.0850	-0.5260	3.090	-56.22
D06	-6.7900	-7.1650	-0.8760	-0.3670	3.090	-56.77
D07	-6.6980	-7.3530	-1.2480	-0.6310	3.090	-52.30
D08	-6.7300	-7.3080	-1.2960	-0.8390	3.090	-51.62
D09	-6.7190	-7.2520	-1.3010	-0.8740	3.090	-52.03
D11	-7.1640	-7.2660	-2.0000	-1.5230	3.090	-65.80
D12	-7.1370	-7.4220	-1.7830	-1.3080	3.090	-75.30
D13	-6.8480	-8.8560	-1.9020	-0.3030	3.090	-55.68
D14	-6.9500	-9.0360	-2.0450	-1.2770	3.090	-60.86
D15	-6.6200	-8.7300	-1.8990	-0.6250	3.090	-72.04
D16	-6.4940	-8.7110	-1.7480	0.0510	3.090	-86.32
D17	-6.4230	-8.8350	-1.7550	-1.2710	3.090	-80.25
D18	-6.1510	-7.2400	-0.7660	-0.3880	3.090	-77.10
D19	-6.2550	-7.0690	-0.9400	-0.2090	3.090	-77.10
D20	-6.0260	-7.1520	-1.3120	-0.3460	3.090	-55.27
D21	-6.3800	-6.9000	-1.7580	-0.6370	3.090	-57.09
D22	-6.7220	-6.9910	-1.8780	-0.6440	3.090	-50.44
D23	-6.1230	-6.8260	-1.6480	-0.4190	3.090	-57.60
D24	-6.9700	-7.2630	-1.1190	-0.4710	3.090	-50.60
D25	-6.8440	-7.1850	-0.9550	-0.3840	3.090	-52.70
E01	-6.7260	-7.1880	-1.5800	-0.8470	3.430	-32.29
E02	-6.5540	-7.1350	-1.4500	-0.8520	3.430	-37.87
E03	-6.4980	-7.3160	-1.6110	-0.4600	3.430	-38.58
E04	-6.2310	-7.2370	-0.6970	-0.4040	3.430	-40.88
E05	-6.8730	-7.2020	-1.1010	-0.4050	3.430	-39.87
E06	-6.7610	-7.1440	-0.9270	-0.3140	3.430	-40.58
E07	-6.6410	-7.3170	-1.7320	-0.5660	3.430	-36.51
E08	-6.6410	-7.2550	-1.8000	-0.7500	3.430	-36.85
E09	-6.6740	-7.2190	-1.8070	-0.8020	3.430	-36.22
E11	-7.2960	-7.3840	-2.1150	-1.4510	3.430	-58.40
E12	-7.0500	-7.3960	-2.1080	-1.3300	3.430	-59.30
E13	-6.8830	-8.8690	-2.3100	-1.1330	3.430	-44.08
E14	-6.7610	-8.9330	-2.2660	-1.4210	3.430	-39.98
E15	-6.6120	-8.6790	-1.9890	-0.5120	3.430	-55.50
E16	-6.7290	-8.9500	-2.0970	-0.2270	3.430	-69.18
E17	-6.3490	-8.3910	-1.5270	-0.8620	3.430	-66.00
E18	-6.1530	-7.2410	-0.7490	-0.3900	3.430	-62.32
E19	-6.1910	-7.0710	-0.8820	-0.2480	3.430	-61.21
E20	-5.9950	-7.2380	-1.2360	-0.3140	3.430	-48.94
E21	-6.3240	-6.8730	-1.9250	-0.4460	3.430	-40.75
E22	-6.7320	-6.9710	-2.0030	-0.6080	3.430	-39.05
E23	-6.1140	-6.8220	-1.6490	-0.4200	3.430	-44.10
E24	-6.8900	-7.2420	-0.9590	-0.4270	3.430	-37.30
E25	-6.8300	-7.1770	-0.8910	-0.3720	3.430	-38.20
F01	-6.5460	-7.1430	-0.9540	-0.5080	2.020	-35.98
F02	-6.4060	-7.0750	-0.8550	-0.4900	2.020	-40.82

F03	-6.3460	-7.2530	-0.7480	-0.3820	2.020	-41.69
F04	-6.1240	-7.1740	-0.6560	-0.3500	2.020	-45.08
F05	-6.7310	-7.1960	-0.8680	-0.3980	2.020	-43.01
F06	-6.6750	-7.1400	-0.8150	-0.3320	2.020	-43.65
F07	-6.4390	-7.2260	-1.7510	-0.4690	2.020	-40.35
F08	-6.4900	-7.1900	-1.8000	-0.6780	2.020	-39.94
F09	-6.4680	-7.1360	-1.8000	-0.7120	2.020	-40.33
F11	-7.0050	-7.1350	-2.0410	-1.4770	2.020	-61.70
F12	-6.8770	-7.3020	-2.0220	-1.3690	2.020	-62.83
F13	-6.6720	-8.7650	-2.2040	-1.4070	2.020	-47.79
F14	-6.5850	-8.8990	-2.1150	-1.3870	2.020	-41.86
F15	-6.5890	-8.7000	-1.8760	-0.5740	2.020	-57.48
F16	-6.5250	-8.9710	-1.7850	-0.0320	2.020	-70.13
F17	-6.6900	-8.3580	-1.8540	-1.0340	2.020	-68.43
F18	-6.1400	-7.2460	-0.7260	-0.3750	2.020	-66.23
F19	-6.2280	-7.0580	-0.8830	-0.3040	2.020	-64.96
F20	-5.9600	-7.1900	-1.2000	-0.3060	2.020	-52.33
F21	-6.1650	-6.8050	-1.8940	-0.4310	2.020	-44.41
F22	-6.5850	-6.8690	-1.6990	-0.5070	2.020	-42.74
F23	-6.0910	-6.8120	-1.6430	-0.4070	2.020	-47.36
F24	-6.8250	-7.1990	-0.9120	-0.3850	2.020	-41.06
F25	-6.7970	-7.1550	-0.8580	-0.3500	2.020	-41.64

Table SI2 (cont)
Descriptor values for CA inhibitors

<i>Comp</i>	Π_{xx} (Å)	Π_{yy} (Å)	Π_{zz} (Å)	Φ_H (°)	Φ_L (°)
A01	138.75	125.90	75.42	149.6	34.8
A02	149.00	121.13	70.52	88.9	55.0
A03	166.61	120.78	63.73	88.7	44.1
A04	172.54	115.72	82.88	89.7	45.4
A05	164.67	111.88	90.87	92.2	42.4
A06	176.20	84.47	130.01	91.4	43.0
A07	166.52	119.02	74.27	76.0	39.7
A08	166.22	133.48	73.32	75.0	43.9
A09	166.92	140.82	73.66	74.7	44.5
A11	198.41	175.67	90.67	71.3	27.1
A12	185.74	159.85	91.36	117.7	31.6
A13	153.91	91.49	87.39	112.8	59.8
A14	178.70	120.35	71.44	119.4	58.0
A15	203.69	123.28	108.22	111.8	60.5
A16	232.34	185.55	161.07	114.1	57.5
A17	260.97	181.44	182.09	118.5	54.1
A18	304.75	158.58	149.42	88.9	46.5

A19	283.18	173.97	144.89	31.0	43.0
A20	259.46	201.60	93.60	89.0	44.3
A21	239.66	131.45	102.11	113.8	51.5
A22	247.78	133.78	98.60	123.2	52.3
A23	279.94	158.50	98.57	114.3	49.1
A24	165.71	126.26	73.56	93.0	42.5
A25	180.10	94.44	116.11	91.2	43.7
B01	169.14	152.22	128.94	150.3	33.1
B02	185.14	135.21	135.66	36.1	50.7
B03	208.01	113.12	144.08	90.4	46.2
B04	217.88	142.35	120.67	90.4	44.2
B05	219.47	138.58	121.12	91.8	42.6
B06	217.90	163.82	118.50	88.3	47.3
B07	207.91	127.41	136.62	76.2	39.8
B08	208.90	162.37	112.53	75.5	43.3
B09	207.15	173.27	113.29	75.6	43.8
B11	249.47	203.45	125.12	71.9	27.9
B12	229.09	200.97	122.40	114.9	28.6
B13	211.31	137.01	95.61	112.8	58.6
B14	229.74	143.23	111.96	119.3	59.6
B15	233.97	179.08	130.70	111.8	60.8
B16	285.89	226.65	178.37	114.1	57.6
B17	324.18	225.70	189.07	118.5	54.1
B18	359.35	192.12	175.81	88.8	45.8
B19	337.41	201.04	177.51	31.0	43.1
B20	286.69	257.88	122.42	88.9	44.3
B21	296.52	153.90	134.77	113.4	51.4
B22	314.25	185.34	104.23	123.4	52.2
B23	312.23	211.91	121.82	114.0	49.1
B24	211.15	161.26	105.70	94.6	42.3
B25	222.73	147.95	130.13	91.3	43.5
C01	221.80	193.41	72.73	148.0	36.0
C02	158.09	163.05	162.27	33.4	42.3
C03	177.11	143.22	171.21	88.7	47.4
C04	163.90	179.16	170.40	87.8	43.8
C05	136.48	169.04	186.36	86.6	48.0
C06	196.76	155.74	181.50	87.8	46.8
C07	180.21	154.96	164.18	77.8	44.2
C08	178.19	181.86	151.80	78.6	48.8
C09	177.22	205.10	137.38	78.2	51.4
C11	252.15	200.84	159.48	86.2	30.8
C12	236.85	192.69	160.76	93.6	29.3
C13	165.43	164.50	142.62	113.1	58.7
C14	206.22	175.03	137.41	118.7	59.3
C15	228.20	179.12	172.44	111.8	60.7
C16	277.30	227.27	212.90	114.6	60.8

C17	239.38	255.82	256.98	118.0	54.9
C18	335.15	210.18	210.22	88.9	45.7
C19	251.86	208.11	263.69	31.7	35.8
C20	264.97	287.59	151.97	88.7	44.7
C21	242.03	157.19	213.60	110.0	51.5
C22	324.35	223.38	88.29	117.4	50.9
C23	358.71	236.00	98.64	113.7	49.1
C24	140.66	174.23	176.90	85.6	47.4
C25	250.79	168.72	125.53	91.9	43.1
D01	279.79	209.93	150.01	150.9	37.7
D02	291.17	169.54	181.93	40.9	47.9
D03	277.84	177.78	196.17	89.6	43.9
D04	295.05	202.87	169.86	90.4	44.2
D05	305.87	191.58	169.01	91.7	42.6
D06	291.80	191.64	204.30	91.5	43.0
D07	278.36	181.99	198.66	76.2	39.9
D08	279.05	189.77	203.93	76.6	43.0
D09	279.88	215.64	185.29	75.7	43.8
D11	330.07	251.70	184.22	72.1	28.0
D12	308.45	256.01	174.96	114.7	28.6
D13	300.02	183.55	148.35	112.8	58.8
D14	290.51	181.68	196.53	119.3	59.1
D15	318.97	209.13	203.83	111.8	60.9
D16	371.79	270.24	236.86	114.1	57.6
D17	409.44	270.50	246.93	118.4	54.1
D18	433.75	251.83	229.42	89.1	46.5
D19	361.16	290.46	234.41	31.5	39.5
D20	358.61	327.14	169.53	89.1	44.3
D21	361.83	187.14	228.60	111.4	51.1
D22	406.51	235.56	153.04	123.1	52.3
D23	402.77	262.39	169.57	114.0	49.0
D24	301.72	198.40	162.26	93.4	43.0
D25	283.75	225.44	177.40	91.6	43.3
E01	258.21	189.05	172.80	151.2	25.4
E02	305.20	197.03	127.53	31.8	68.9
E03	316.67	196.95	123.71	87.8	45.1
E04	309.61	171.57	173.19	87.9	45.2
E05	270.96	197.05	166.55	94.5	42.5
E06	295.49	165.54	203.51	90.7	41.5
E07	287.61	176.25	175.87	74.7	42.9
E08	318.08	215.96	124.28	75.4	45.9
E09	290.75	193.58	176.02	74.0	46.0
E11	324.81	244.18	162.70	168.4	34.0
E12	319.08	233.08	166.83	107.0	35.3
E13	275.46	162.58	166.83	111.8	63.7
E14	293.26	182.96	173.86	117.0	66.6

E15	290.01	214.77	210.13	114.2	59.8
E16	449.56	248.55	183.38	114.3	61.2
E17	386.87	244.20	277.39	118.8	40.9
E18	446.04	228.64	226.60	88.7	45.9
E19	409.15	252.43	223.86	31.1	42.5
E20	371.91	313.32	153.86	88.7	44.5
E21	347.36	230.17	183.32	113.0	53.4
E22	359.64	162.38	216.96	126.0	54.0
E23	352.33	196.90	249.10	114.0	49.1
E24	251.80	203.84	174.15	86.2	47.1
E25	298.30	186.07	173.09	91.9	43.2
F01	238.10	183.22	65.17	152.5	43.2
F02	246.58	178.58	67.89	31.0	40.8
F03	266.46	154.82	82.54	87.9	47.1
F04	245.86	150.51	121.74	87.8	46.2
F05	243.72	186.50	75.15	87.2	47.4
F06	263.25	174.83	92.50	91.0	43.2
F07	268.75	159.60	83.16	76.8	43.7
F08	269.92	169.94	84.85	77.8	46.5
F09	269.41	175.22	87.61	77.4	46.8
F11	290.86	164.06	152.19	77.9	36.0
F12	289.09	212.71	87.70	100.7	35.1
F13	253.36	152.05	70.67	111.9	64.0
F14	270.25	158.91	91.99	117.3	65.8
F15	294.61	162.02	118.26	111.8	60.5
F16	409.03	188.91	156.09	112.9	57.3
F17	344.20	226.41	207.16	117.9	58.0
F18	418.73	201.43	151.21	88.8	45.5
F19	380.67	221.08	156.77	30.5	42.6
F20	300.07	291.31	106.99	88.8	44.4
F21	346.60	204.97	81.82	110.7	53.3
F22	329.98	215.67	61.42	120.7	49.8
F23	294.28	175.29	198.44	113.6	49.0
F24	244.07	198.14	57.03	93.7	42.4
F25	262.71	170.00	92.60	88.1	46.9