Preparation of Multi-Substituted Allenes from Allylsilanes

Masamichi Ogasawara, Yonghui Ge, Koichi Uetake, Liyan Fan, and Tamotsu Takahashi**

Catalysis Research Center and Graduate School of Pharmaceutical Sciences, Hokkaido University, and
SORST, Japan Science and Technology Agency (JST), Kita-ku, Sapporo 001-0021, Japan

Supporting Informations

Table of Contents

General Section.	S2
References.	S2
¹ H- and ¹³ C-NMR Spectra of <i>gem</i> -Dibromocyclopropanes (2a-i).	S3-S11
¹ H- and ¹³ C-NMR Spectra of 2-Bromo-1,3-dienes (<i>E</i> - 3a , 3b-d , 3f-h).	S12-S19
¹ H- and ¹³ C-NMR Spectra of Allenes (7bm-7im , 8i).	S20-S31

General. All anaerobic and/or moisture sensitive manipulations were carried out with standard Schlenk techniques under predried nitrogen or with glovebox techniques under prepurified argon. ^1H (at 300 or 400 MHz) and ^{13}C (at 75 or 100 MHz) chemical shifts are reported in ppm downfield of internal tetramethylsilane. Tetrahydrofuran and hexane (homogenized with tetraglyme) were distilled from benzophenone-ketyl under nitrogen prior to use. Allylsilanes (**1a**,¹ **1b**,² **1c**,² **1d**,^{3,4} **1e**,^{3,4} **1f**,¹ **1g**,¹ **1h**,⁵ **1i**⁶), $[\text{PdCl}(\pi\text{-allyl})]_2$,⁷ and dpbp⁸ were prepared according to the reported methods. All the other chemicals were obtained from commercial sources.

References.

- (1) Colvin, W. E. *Silicon Reagents in Organic Synthesis*; Academic Press: London, 1988, Chapter 5, pp. 25-37.
- (2) Okamoto, S.; Tani, K.; Sato, F.; Sharpless, K. B.; Zargarian, D. *Tetrahedron Lett.* **1993**, 34, 2509.
- (3) Fleming, I.; Pearce, A. *J. Chem. Soc., Perkin Trans. I*, **1981**, 251.
- (4) Narayanan, B. A.; Bunnelle, W. H. *Tetrahedron Lett.* **1987**, 28, 6261.
- (5) Denmark, S. E.; Fu, J. *Org. Lett.* **2002**, 4, 1951.
- (6) Negishi, E.; Luo, F.-T.; Rand, C. L. *Tetrahedron Lett.* **1982**, 23, 27.
- (7) Tatsuno, A.; Yoshida, T.; Otsuka, S. *Inorg. Synth.* **1979**, 19, 220.
- (8) dpbp = 2,2'-bis(diphenylphosphino)-1,1'-biphenyl. See, Ogasawara, M.; Yoshida, K.; Hayashi, T. *Organometallics* **2000**, 19, 1567, and references cited therein.

(Z)- & (E)-3b
(Z : E = 86 : 14)

3f