SUPPORTING INFORMATION

**Radical Reaction of Sodium Hypophosphite with Terminal Alkynes:
Synthesis of 1,1-bis-H-Phosphinates**

Sonia Gouault-Bironneau, Sylvine Deprèle, Amber Sutor, and Jean-Luc Montchamp*

Department of Chemistry, Box 298860, Texas Christian University, Fort Worth, Texas 76129

General Chemistry. ^1H NMR spectra were recorded on a 300 MHz spectrometer. Chemical shifts for ^1H NMR spectra are reported (in parts per million) relative to internal tetramethylsilane (Me_4Si , $\delta = 0.00$ ppm) with CDCl_3 as solvent. ^{13}C NMR spectra were recorded at 75 MHz, or at 22.6 MHz. Chemical shifts for ^{13}C NMR spectra are reported (in parts per million) relative to CDCl_3 ($\delta = 77.0$ ppm). ^{31}P NMR spectra were recorded at 121 MHz and/or at 36 MHz, and chemical shifts reported (in parts per million) relative to external 85% phosphoric acid ($\delta = 0.0$ ppm). Mass spectrometry was provided by the the Mass Spectrometry Facility of the University of South Carolina. Elemental analyses were performed by Atlantic Microlab Inc. (Norcross, GA). Ethyl acetate/hexanes mixtures were used as the eluent for chromatographic purifications. TLC plates were visualized by immersion in anisaldehyde stain (by volume: 93% ethanol, 3.5% sulfuric acid, 1% acetic acid, and 2.5% anisaldehyde) followed by heating. Organic solutions of products were dried over anhydrous MgSO_4 .

Reagents and Solvents. Sodium hypophosphite hydrate and other reagents were obtained from Aldrich and used as received. Reagent or HPLC grade solvents were used throughout this study and were not dried prior to use.

Radical reaction of sodium hypophosphite with alkynes: Representative procedure (Tables 1-2). To a solution of $\text{NaH}_2\text{PO}_2 \cdot \text{H}_2\text{O}$ (18.0 mmol) in a mixture of methanol (12.5 mL) and dioxane (2.5 mL) were added the alkyne (3 mmol) and triethylborane (1.0 M in hexane, 3 mL, 3 mmol). The solution was stirred for 4 hours at room-temperature in a flask open to air, and then filtered. The precipitate was washed several times with cold methanol and dried in vacuo over P_2O_5 to afford the the 1,1-bis-H-phosphinate sodium salt in good purity (typically >95%).

Disodium hexyl-1,1-bis-H-phosphinate (Table 1, Entry 9). Mp: > 250°C (dec). ^1H NMR (D_2O) δ 6.85 (d, $^1J_{\text{PH}} = 524$ Hz, 2 H), 1.62-1.28 (m, 5 H), 1.20-1.10 (bs, 4 H), 0.70 (t, $^3J_{\text{HH}} = 6.7$ Hz, 3 H); ^{13}C NMR (H_2O , 90 MHz) δ 13.7, 21.6 (t, $^3J_{\text{PC}} = 2.7$ Hz), 22.0, 29.0 (t, $^2J_{\text{PC}} = 6.6$ Hz), 31.5, 44.4 (t, $^1J_{\text{PC}} = 78.5$ Hz); ^{31}P NMR (D_2O) δ 26.4 (dm, $^1J_{\text{PH}} = 523$ Hz). HRMS (FAB) calcd. for $\text{C}_6\text{H}_{14}\text{Na}_2\text{O}_4\text{P}_2$, (M-2 Na^+ + H^+) 213.0446, found 213.0446.

Disodium (3-hydroxy-propyl)-1,1-bis-H-phosphinate (Table 2, Entry 1). ^1H NMR (D_2O) δ 6.87 (d, $^1J_{\text{PH}} = 529.7$ Hz, 2 H), 3.57 (t, $^3J_{\text{HH}} = 7.0$ Hz, 2 H), 1.87-1.70 (m, 2 H), 1.63-1.46 (m, 1 H); ^{13}C NMR (D_2O) δ 23.9, 41.4 (t, $^1J_{\text{PC}} = 77.7$ Hz), 61.2 (t, $^2J_{\text{PC}} = 7.8$ Hz); ^{31}P NMR (D_2O) δ 25.6 (dm, $^1J_{\text{PH}} = 530$ Hz). HRMS (FAB) calcd. for $\text{C}_3\text{H}_8\text{Na}_2\text{O}_5\text{P}_2$, (M-2 Na^+ + H^+) 186.9925, found 186.9924.

Disodium (5-hydroxy-pentyl)-1,1-bis-H-phosphinate (Table 2, Entry 2). ^1H NMR (D_2O) δ 6.84 (d, $^1J_{\text{PH}} = 523.6$ Hz, 2 H), 3.42 (t, $^3J_{\text{HH}} = 6.0$ Hz, 2 H), 1.7- 1.4 (m, 3 H), 1.48 (bs, 4 H); ^{13}C NMR (H_2O , 90 MHz) δ 20.8, 24.8, 31.0, 43.8 (t, $^1J_{\text{PC}} = 74.8$ Hz); ^{31}P NMR (D_2O) δ 26.1 (dm, $^1J_{\text{PH}} = 525.5$ Hz). Anal. calcd. for $\text{C}_5\text{H}_{12}\text{Na}_2\text{O}_5\text{P}_2$: C, 23.09; H, 4.65; O, 30.76. Found: C, 22.89; H, 4.79; O, 31.02.

Disodium (2-cyclohexyl-2-hydroxy-ethyl)-1,1-bis-H-phosphinate (Table 2, Entry 3). ^1H NMR (D_2O) δ 6.86 (d, $^1J_{\text{PH}} = 531.8$ Hz, 2 H), 1.90-1.68 (m, 3 H), 1.33 (bs, 10 H); ^{13}C NMR (D_2O) δ 22.0, 25.3, 31.7, 37.0, 39.4 (t, $^1J_{\text{PC}} = 77.2$ Hz), 71.5 (t, $^2J_{\text{PC}} = 5.8$ Hz); ^{31}P NMR (D_2O) δ 24.9 (dm, $^1J_{\text{PH}} = 531.6$ Hz). HRMS (FAB) calcd. for $\text{C}_8\text{H}_{16}\text{Na}_2\text{O}_5\text{P}_2$, ($\text{M}-2\text{Na}^+ + \text{H}^+$) 255.0558, found 255.0551. Anal. calcd. for $\text{C}_8\text{H}_{16}\text{Na}_2\text{O}_5\text{P}_2 + \text{H}_2\text{O}$: C, 30.20; H, 5.70. Found: C, 30.27; H, 5.76.

Disodium (3-hydroxy-3-methyl-butyl)-1,1-bis-H-phosphinate (Table 2, Entry 4). ^1H NMR (D_2O) δ 7.00 (d, $^1J_{\text{PH}} = 532.0$ Hz, 2 H), 1.95-1.85 (m, 3 H), 1.2 (s, 6 H); ^{13}C NMR (D_2O) δ 28.4, 33.5, 40.6 (t, $^1J_{\text{PC}} = 76.9$ Hz), 70.7 (t, $^2J_{\text{PC}} = 6.0$ Hz); ^{31}P NMR (D_2O) δ 28.6 (dm, $^1J_{\text{PH}} = 532.0$ Hz). HRMS (FAB) calcd. for $\text{C}_5\text{H}_{12}\text{Na}_2\text{O}_5\text{P}_2$, ($\text{M}-2\text{Na}^+ + \text{H}^+$) 259.0241, found 259.0227.

Disodium (2-trimethylsilyl-ethyl)-1,1-bis-H-phosphinate (Table 2, Entry 5). ^1H NMR (D_2O) δ 6.91 (d, $^1J_{\text{PH}} = 524.8$ Hz, 2 H), 1.67 (tt, $^2J_{\text{PH}} = 18.5$ Hz, $^3J_{\text{HH}} = 6.2$ Hz, 1 H), 0.77 (dt, $^3J_{\text{HH}} = 6.2$ Hz, $^3J_{\text{PH}} = 17.5$ Hz, 2 H), 0.00 (s, 9 H); ^{13}C NMR (H_2O , 90 MHz) δ -2.3, 5.7, 38.8 (t, $^1J_{\text{PC}} = 77.5$ Hz); ^{31}P NMR (D_2O) δ 27.3 (dm, $^1J_{\text{PH}} = 524.2$ Hz). HRMS (FAB) calcd. for $\text{C}_5\text{H}_{14}\text{Na}_2\text{O}_4\text{P}_2\text{Si}$, ($\text{M}-\text{Na}^+ + 2\text{H}^+$) 253.0191, found 253.0197. Anal. calcd. for $\text{C}_5\text{H}_{14}\text{Na}_2\text{O}_4\text{P}_2\text{Si} + \text{H}_2\text{O}$: C, 20.55; H, 5.52. Found: C, 20.75; H, 5.12.

Disodium decyl-1,1-bis-H-phosphinate (Table 2, Entry 6). ^1H NMR (D_2O) δ 7.00 (d, $^1J_{\text{PH}} = 524.0$ Hz, 2 H), 1.70-1.60 (m, 2 H), 1.50-1.40 (m, 1 H), 1.30-1.20 (bs, 14 H); ^{13}C NMR (H_2O , 90 MHz) δ 12.9, 20.9, 21.5, 28.0 (bs), 30.7, 43.7 (t, $^1J_{\text{PC}} = 76.8$ Hz); ^{31}P NMR (D_2O) δ 22.5 (dm, $^1J_{\text{PH}} = 524.0$ Hz). HRMS (FAB) calcd. for $\text{C}_{10}\text{H}_{22}\text{Na}_2\text{O}_4\text{P}_2$ ($\text{M} + \text{H}^+$) 254.9540, found 254.9533.

Disodium (3,3-dimethyl-butyl)-1,1-bis-H-phosphinate (Table 2, Entry 7). ^1H NMR (D_2O) δ 6.83 (d, $^1J_{\text{PH}} = 527.1$ Hz, 2 H), 1.66-1.34 (m, 3 H), 0.71 (bs, 9 H); ^{13}C NMR (H_2O , 90 MHz) δ 28.4, 29.7, 33.7, 40.1 (t, $^1J_{\text{PC}} = 78.5$ Hz); ^{31}P NMR (D_2O) δ 27.1 (dm, $^1J_{\text{PH}} = 512.0$ Hz). HRMS (FAB) calcd. for $\text{C}_6\text{H}_{14}\text{Na}_2\text{O}_4\text{P}_2$ ($\text{M}-\text{Na}^+ + 2\text{H}^+$) 237.0422, found 237.0412.

Disodium (2-ethyl-ethyl-ester)-1,1-bis-H-phosphinate (Table 2, Entry 8). ^1H NMR (D_2O) δ 6.86 (d, $^1J_{\text{PH}} = 531.8$ Hz, 2 H), 3.99 (q, $^3J_{\text{HH}} = 6.7$ Hz, 2 H), 2.60-2.40 (m, 2 H), 2.19-1.86 (m, 1 H), 1.07 (t, $^3J_{\text{HH}} = 6.7$ Hz, 3 H); ^{13}C NMR (H_2O , 90 MHz) δ 12.8, 26.6, 40.1 (t, $^1J_{\text{PC}} = 77.7$ Hz), 61.5, 173.7; ^{31}P NMR (D_2O) δ 23.4 (dm, $^1J_{\text{PH}} = 532.8$ Hz). HRMS (FAB) calcd. for $\text{C}_5\text{H}_{10}\text{Na}_2\text{O}_6\text{P}_2$ ($\text{M} + \text{Na}^+ + \text{H}^+$) 296.9646, found 296.9646.

Disodium (3-methoxy-propyl)-1,1-bis-H-phosphinate (Table 2, Entry 9). ^1H NMR (D_2O) δ 6.84 (d, $^1J_{\text{PH}} = 529.1$ Hz, 2 H), 3.44 (t, $^3J_{\text{HH}} = 6.5$ Hz, 2 H), 3.18 (s, 3 H), 1.90-1.65 (m, 2 H), 1.60-1.35 (m, 1 H); ^{13}C NMR (H_2O , 90 MHz) δ 20.8, 40.3 (t, $^1J_{\text{PC}} = 76.2$ Hz), 57.5, 71.0; ^{31}P NMR (D_2O) δ 25.3 (dm, $^1J_{\text{PH}} = 529.6$ Hz). HRMS (FAB) calcd. for $\text{C}_4\text{H}_{10}\text{Na}_2\text{O}_5\text{P}_2$, ($\text{M} + \text{H}^+$) 246.9877, found 246.9867.

Disodium 5,5-bis-H-pentanoic acid phosphinate (Table 2, Entry 10). ^1H NMR (D_2O) δ 6.85 (d, $^1J_{\text{PH}} = 527.1$ Hz, 2 H), 2.22 (t, $^3J_{\text{HH}} = 6.4$ Hz, 2 H), 1.70-1.35 (m, 5 H); ^{13}C NMR (H_2O , 90 MHz) δ 20.2, 23.8 (t, $^2J_{\text{PC}} = 7.21$ Hz), 33.7, 42.9 (t, $^1J_{\text{PC}} = 78.5$ Hz), 178.4; ^{31}P NMR (D_2O) δ 25.8 (dm, $^1J_{\text{PH}} = 527.5$ Hz). HRMS (FAB) calcd. for $\text{C}_5\text{H}_{10}\text{Na}_2\text{O}_6\text{P}_2$ ($\text{M}+\text{H}^+$) 274.9826, found 274.9836.

Disodium (4-phenyl-butyl)-1,1-bis-H-phosphinate (Table 2, Entry 11). ^1H NMR (D_2O) δ 7.16 (bs, 5 H), 6.84 (d, $^1J_{\text{PH}} = 524.8$ Hz, 2 H), 2.50 (t, $^3J_{\text{HH}} = 7.0$ Hz, 2 H), 1.70-1.4 (m, 5 H); ^{13}C NMR (D_2O) δ 21.3, 31.1, 35.4, 44.2 ((t, $^1J_{\text{PC}} = 77.7$ Hz), 126.0, 128.7, 128.8, 142.9; ^{31}P NMR (D_2O) δ 26.0, (dm, $^1J_{\text{PH}} = 527.5$ Hz). HRMS (FAB) calcd. for $\text{C}_{10}\text{H}_{14}\text{Na}_2\text{O}_4\text{P}_2$, ($\text{M}+\text{H}^+$) 307.0241, found 307.0227.

Disodium (3-aminopropyl)-1,1-bis-H-phosphinate hydrochloride (Table 2, Entry 12). ^1H NMR (D_2O) δ 6.87 (d, $^1J_{\text{PH}} = 533.2$ Hz, 2 H), 3.02 (t, $^3J_{\text{HH}} = 7.03$ Hz, 2 H), 2.10-1.80 (m, 2 H), 1.66-1.43 (m, 1 H); ^{31}P NMR (D_2O) δ 26.8 (dm, $^1J_{\text{PH}} = 534.0$ Hz). HRMS (FAB) calcd. for $\text{C}_3\text{H}_9\text{NNa}_2\text{O}_4\text{P}_2$, ($\text{M}-2\text{Na}^++\text{H}^+$) 186.0085, found 186.0086.

Disodium [*N,N*-(dicarbobenzyloxy)-aminobutyl]-1,1-bis-H-phosphinate (Table 2, Entry 13). ^1H NMR (D_2O) δ 6.8 (d, $^1J_{\text{PH}} = 526.8$ Hz, 2 H), 2.27 (bs, 10 H), 5.11 (s, 4 H), 3.58 (t, $^3J_{\text{HH}} = 6.7$ Hz, 2 H), 1.66-1.43 (m, 5 H); ^{31}P NMR (D_2O) δ 25.5 (dm, $^1J_{\text{PH}} = 526.0$ Hz). HRMS (FAB) calcd. for $\text{C}_{20}\text{H}_{23}\text{NNa}_2\text{O}_8\text{P}_2$, ($\text{M}-2\text{Na}^++\text{H}^+$) 468.0977, found 468.0964.

Disodium (3-oxiranylmethoxy-propyl)-1,1-bis-H-phosphinate (Table 2, Entry 14). ^1H NMR (D_2O) δ 6.88 (d, $^1J_{\text{PH}} = 529.4$ Hz, 2 H), 3.77 (dd, $J = 2.0$ Hz, $J = 11.4$ Hz, 1 H), 3.57 (t, $^3J_{\text{HH}} = 7.3$ Hz, 2 H), 3.28-3.14 (m, 2 H), 2.78 (t, $J = 4.0$ Hz, 1 H), 2.61 (dd, $J = 2.9$ Hz, $J = 4.4$ Hz, 1 H), 1.92-1.72 (m, 2 H), 1.64-1.46 (m, 1 H); ^{13}C NMR (D_2O) δ 21.3, 40.8 (t, $^1J_{\text{PC}} = 77.7$ Hz), 45.2, 51.7, 70.3, 71.1; ^{31}P NMR (D_2O) δ 23.3 (dm, $^1J_{\text{PH}} = 529.2$ Hz). HRMS (FAB) calcd. for $\text{C}_6\text{H}_{12}\text{Na}_2\text{O}_6\text{P}_2$, ($\text{M}-2\text{Na}^++\text{H}^+$) 243.0187, found 243.0187.

Disodium hexyl-1,1-bis-phosphonate (Eq. 3). Ozone was bubbled into a solution of disodium hexyl-1,1-bis-H-phosphinate (1.00 g, 3.88 mmol) in water (30 mL) at 0 °C. The temperature of the solution was maintained between 0 °C and 10 °C during the reaction. After 6 h, the ice bath was removed and nitrogen was bubbled into the reaction mixture for 3 h to get rid of the excess of ozone. After concentration in vacuo, the residue was washed with cold methanol and dried over P_2O_5 to afford the disodium hexyl-1,1-bis-phosphonate (1.04 g, 92 %) as a white solid. ^1H NMR (D_2O) δ 1.87-1.51 (m, 3 H), 1.41-1.31 (m, 2 H), 1.20-1.05 (m, 4 H), 0.68 (t, $^3J_{\text{HH}} = 7.03$ Hz, 3 H); ^{13}C NMR (H_2O , 90 MHz) δ 12.3, 20.6, 24.3, 27.7 (t, $^2J_{\text{PC}} = 6.6$ Hz), 29.9, 36.6 (t, $^1J_{\text{PC}} = 117.7$ Hz); ^{31}P NMR (D_2O) δ 22.1 (s). HRMS (FAB) calcd. for $\text{C}_6\text{H}_{14}\text{Na}_2\text{O}_6\text{P}_2$, ($\text{M}-2\text{Na}^++\text{H}^+$) 245.0344, found 245.0354.

Compound 1 (Scheme 1). To a solution of epiandrosterone (1.69g, 5.82 mmol) in CH_2Cl_2 (20 mL) at 0 °C, was added pyridine (1.41 mL, 17.46 mmol). The solution was stirred at this temperature 5 min and propargyl chloroformate (0.58 mL, 5.99 mmol) was added dropwise. The resulting mixture was stirred overnight at room temperature and quenched by adding aqueous HCl (1 N). The solution was extracted with CH_2Cl_2 and the combined organic extracts were

washed successively with saturated aq NaHCO₃ (3 X) and brine (1 X). Drying and concentration in vacuo afforded compound **1** (1.94 g, 90 %) which did not require further purification. ¹H NMR (CDCl₃) δ 4.71 (d, ⁴J_{HH} = 2.4 Hz, 2 H), 4.59 (sp, J_{HH} = 5.3 Hz, 1 H), 2.52 (t, ⁴J_{HH} = 2.3 Hz, 1 H), 2.44 (dd, ²J_{HH} = 19.0 Hz, ³J_{HH} = 8.5 Hz, 1 H), 2.17-1.12 (m, 21 H), 0.86 (s, 3 H), 0.85 (s, 3 H); ¹³C NMR (CDCl₃) δ 12.4, 14.0, 20.7, 22.0, 27.5, 28.4, 31.0, 31.7, 34.0, 35.2, 35.8, 36.1, 36.8, 44.8, 48.0, 51.5, 54.4, 55.2, 75.7, 76.8, 78.4, 154.2, 221.5. HRMS (EI) calcd. for C₂₃H₃₂O₄, 372.2301, found 372.2294.

Compound 2 (Scheme 2). To a solution of NaH₂PO₂·H₂O (1.02 g, 9.67 mmol) in a mixture of methanol (7 mL), acetone (4.5 mL) and ethyl acetate (4.5 mL) were added alkyne **1** (600 mg, 1.61 mmol) and triethylborane (1.0 M in hexane, 1.61 mL, 1.61 mmol). The solution was stirred for 4 hours at room-temperature in a flask open to air and then filtered. The precipitate was washed several times with cold methanol and dried in vacuo over P₂O₅ to afford the the 1,1-bis-H-phosphinate sodium salt **2** (165 mg). The filtrate was concentrated in vacuo and redissolved with the same mixture of methanol, acetone and ethyl acetate. Sodium hypophosphite hydrate (1.02 g, 9.67mmol) and triethylborane (1.0 M in hexane, 1.61 mL, 1.61 mmol) were added and the resulting mixture was stirred again 4 hours at room-temperature. As previously, the resulting precipitate was washed several times with cold methanol, and dried over P₂O₅ to afford sodium salt **2** (254 mg) as a white solid. The overall yield after both runs was 48 % (419 mg). ¹H NMR (D₂O) δ 6.88 (d, ¹J_{PH} = 528.9 Hz, 2 H), 4.41 (bs, 2 H), 4.14 (bs, 2 H), 2.33 (dd, ²J_{HH} = 19.3 Hz, ³J_{HH} = 9.6 Hz, 1 H), 2.1-0.50 (m, 23 H), 0.72 (s, 3 H), 0.69 (s, 3 H); ¹³C NMR (D₂O) δ 11.9, 13.7, 20.5, 21.0, 21.7, 27.2, 28.2, 30.8, 31.4, 33.7, 34.9, 35.4, 36.0, 36.5, 40.7 (t, ¹J_{PC} = 77.6 Hz), 44.4, 48.4, 51.1, 54.1, 67.3, 78.4; δ ³¹P NMR (D₂O) δ 24.9 (dm, ¹J_{PH} = 529.5 Hz). HRMS (FAB) calcd. for C₂₃H₃₆Na₂O₈P₂, (M-2Na⁺+H⁺) 503.1963, found 503.1975.

Compound 3 (Scheme 2). To a solution of **2** (200 mg, 0.37 mmol) in water (15 mL), at 0 °C, was bubbled ozone. The temperature of the solution was maintained between 0 °C and 10 °C during the reaction. After 1.5 h, the ice bath was remove and nitrogen was bubbling into the reaction mixture during 3 h to get rid of the excess of ozone. After concentration under vacuum, the residue was washed with cold methanol and dried over P₂O₅ to afford the disodium 1,1-bis-phosphonate **3** (167 mg, 79 %) as a white solid. ¹H NMR (D₂O) δ 4.40 (bs, 2 H), 4.16 (t, ³J_{HH} = 6.4 Hz, 2 H), 2.31 (dd, ²J_{HH} = 19.6 Hz, ³J_{HH} = 10.8 Hz, 1 H), 2.03-0.50 (m, 23 H), 0.70 (s, 3 H), 0.67 (s, 3 H); ³¹P NMR (D₂O) δ 24.9 (dm, ¹J_{PH} = 529.5 Hz). HRMS (FAB) calcd. for C₂₃H₃₆Na₂O₁₀P₂, (M-2Na⁺+H⁺) 535.1862, found 535.1861.

Diisopropyl hexyl-1,1-bis-H-phosphinate (Eq. 4). To a suspension of hexyl-1,1-bis-H-phosphinate (500 mg, 1.94 mmol) in toluene (25 ml) under nitrogen was added trimethylacetyl chloride (0.86 mL, 7.76 mmol) and isopropyl alcohol (1.19 mL, 15.52 mmol) at room temperature. The resulting solution was stirred for 24 h then concentrated in vacuo. The residue was partitioned between EtOAc and H₂O, the organic phase was separated and the aqueous layer was extracted with EtOAc. The combined organic extracts were washed with brine, dried over MgSO₄ and concentrated. Purification by chromatography over a silica gel (100 % EtOAc, v/v, EtOAc/MeOH 1:1) afforded the ester (359 mg, 62 %) as a colorless oil: ¹H NMR (D₂O) δ 7.3 (dm, 2 H), 4.70 (bs, 2 H), 2.30-1.40 (m, 9 H), 1.35 (bs, 12 H), 0.90 (bs, 3 H); ¹³C NMR (D₂O,) δ 14.1, 22.3, 23.4, 24.3, 28.6 (t, ³J_{PC} = 6.9 Hz), 31.7, 39.7 (t, ¹J_{PC} = 84.3 Hz), 50.4; ³¹P NMR (D₂O) δ 29.76 (dm, ¹J_{PH} = 568.7 Hz), 29.78 (dm, ¹J_{PH} = 568.7 Hz), 30.29 (dm, ¹J_{PH} = 565.9 Hz),

31.38 (dm, $^1J_{\text{PH}} = 569.1$ Hz). HRMS (FAB) HRMS (FAB) calcd. for $\text{C}_{12}\text{H}_{28}\text{O}_4\text{P}_2$, $(\text{M}+\text{H}^+)$ 299.1541, found 299.1536.

sb-I-86pp in D2O

exp1 s2pul

SAMPLE		SPECIAL	
date	Feb 11 2005	temp	not used
solvent	D2O	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476		
bs	14800	ll	FLAGS
ss	64	in	n
d1	4	dp	y
nt	1.000	hs	nn
ct	32	PROCESSING	
	32	lb	2.00
tn	TRANSMITTER P31	fn	not used
sfrq	121.474	sp	DISPLAY
tof	10608.2	wp	10010.0
tpwr	55	rf1	2437.3
pw	7.117	rfp	0
dn	DECOUPLER H1	rp	-97.4
dof	0	lp	-288.8
dm	YVY	WC	PLOT
dmm	w	SC	250
dpwr	35	VS	0
dmf	6700	th	17
		ai	4
		no	
		ph	

80 70 60 50 40 30 20 10 ppm

INDEX	FREQUENCY	PPM	HEIGHT
1	3491.182	28.743	22.3
2	3474.047	28.602	57.8
3	3458.135	28.471	55.2
4	2966.916	24.426	21.6
5	2951.821	24.302	59.3
6	2935.909	24.171	54.9

exp1 s2pul

SAMPLE		SPECIAL	
date	Dec 1 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
sw	4803.1	hst	0.008
at	1.994	pw90	17.200
np	19158	alfa	20.000
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nm
nt	16	fn	not used
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.054	wp	4802.8
tof	300.9	rfl	601.2
tpwr	55	rflp	0
pw	8.600	rp	-107.2
dn	C13	lp	-68.5
dof	0	wc	250
dm	nmn	sc	0
dmm	c	vs	211
dpwr	45	th	5
dmf	13100	ai	cdc
		ph	

10 of 80

```

exp1 s2pu1
SAMPLE
date Dec 1 2004 temp not used
solvent D2O gain not used
file exp hst 20
ACQUISITION
sw 26738.0 hst 0.008
at 1.598 pw90 18.300
np 85476 alfa 20.000
fb 14800
bs 64 il n
ss 64 in n
di 4 dp y
nt 16 hs nn
ct 16 lb 2.00
TRANSMITTER P31 not used
tn 121.474 sp 0
sfrq 10608.2 wd 10010.0
tof 55 rfl 2437.3
tpwr 7.117 rfp -11.1
pw DECOUPLER H1 lp -288.8
dn dof 0
dm dmf 250
dmn w 0
dpr 35 vs 22
dmf 6700 th 6
ai no ph

```

1.598

1.598

Sb-IOS 31p

```

exp1  s2pu1
SAMPLE
date   Dec 1 2004
solvent D2O
file   exp
ACQUISITION
sw     26738.0
at     1.598
np     85476
fb     14800
bs     64
ss     4
nt     1.000
ct     64
TRANSMITTER P31
tn      121.474
sfrq    10608.2
tof     55
tpwr    7.117
pw      DECOUPLER
dn      H1
dof     0
dm      ynn
dmm     w
dwr     35
dmf     6700
SPECIAL
temp    not used
gain    not used
spin    20
hst     0.008
pw90    18.300
alfa    20.000
FLAGS
il      n
in      n
dp      y
hs      nn
PROCESSING
lb      2.00
fn      not used
DISPLAY
sp      0
wp      10010.0
rf1     2437.3
rfp     -50.5
rp      -500.5
PLOT
wnn     250
w       0
sc      83
vs      12
al      no
ph
  
```

INDEX	FREQUENCY	PPM	HEIGHT
1	4626.526	61.321	35.7
2	4618.753	61.218	61.1
3	4610.980	61.115	30.9
4	3200.837	42.424	29.7
5	3123.104	41.394	61.0
6	3045.370	40.364	29.4
7	1806.242	23.940	76.4

exp1 s2pu1

SAMPLE		SPECIAL	
date	Apr 25 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
dl	1.000	hs	nn
nt	16	PROCESSING	
ct	16	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-7.1
dn	H1	lp	-288.8
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpr	35	vs	15
dmf	6700	tn	2
		a1	no ph

sb-I-139 pp in D2O

exp1 s2pul

SAMPLE		SPECIAL	
date	Mar 21 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
fb	19158	FLAGS	
nt	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.054	wp	4802.8
tof	300.9	rfl	601.2
tpwr	55	rfp	0
pw	8.600	rp	-110.2
DECOUPLER		lp	-63.5
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	952
dpwr	45	tn	25
dmf	13100	ai	cdc ph

PEAK	POINT	HEIGHT	REL. HT	HZ	PPM
1	10171	108131K	91.79	1382.99	61.099
2	10871	35984K	30.55	1065.41	47.068
3	11035	53649K	45.54	990.63	43.765
4	11223	36936K	31.35	905.38	39.998
5	11671	108461K	92.07	701.85	31.007
6	11823	35545K	30.17	633.14	27.971
7	11980	104642K	88.83	561.63	24.812
8	12179	98127K	83.30	471.25	20.819
9	12253	35539K	30.17	437.59	19.332

sb-I-139 C13	OF1: 2282.0	PTS1d: 16384	USER: -- DATE: 07/02/05 (12:58)
F1: 22.635	SW1: 7441	LB: 1.0	
EX: bapr.ppg	PW: 18.2 usec	NA: 2000	WinNuts - my_bapr so 139 b

sb-I-138 pp

exp1 s2pu1

SAMPLE		SPECIAL	
date	Mar 21 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw80	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	32	PROCESSING	2.00
ct	32	lb	not used
TRANSMITTER P31		fn	DISPLAY
tn	121.474	sp	0
sfrq	10608.2	wp	10010.0
tof	55	rfl	2437.3
tpwr	7.117	rfp	0
pw	DECOUPLER	rp	-3.4
dn	H1	lp	-288.8
dof	0	PLOT	
dm	YVY	wc	250
dmm	W	sc	0
dpwr	35	vs	18
dmf	6700	th	4
		ai	no
			ph

sb-I-138 pp in D2O

exp1 s2pul

SAMPLE		SPECIAL	
date	Mar 21 2005	temp	not used
solvent	D2O	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		fn	DISPLAY
tn	H1	sp	-600.9
strq	300.054	wp	4802.8
tof	300.9	rfl	601.2
tpwr	55	rfl	0
pw	8.600	rp	-89.4
DECOUPLER		lp	-118.9
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	642
dpwr	45	th	35
dmf	13100	ai	cdc
		ph	

sb-I-09 13C in D2O

exp1 s2pu1

SAMPLE		SPECIAL	
date	Dec 28 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	1000	PROCESSING	
ct	1000	lb	1.00
TRANSMITTER		fn	not used
tn	C13	DISPLAY	
sfrq	75.456	sp	-1134.4
tof	737.2	wp	18867.6
tpwr	58	rfl	1134.7
pw	9.250	rfp	0
DECOUPLER		rp	167.1
dn	H1	lp	-333.6
dof	0	PLOT	
dm	YVY	wc	250
dmm	W	sc	0
dpwr	35	vs	280
dmf	6700	th	17
		ai	no ph

21 of 80

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jul 5 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	il	n
fb	14800	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-44.3
dn	H1	lp	-288.8
dof	0	PLOT	
dm	yyy	wc	250
dmm	w	sc	0
dpwr	35	vs	21
dmf	6700	th	5
		ai	no
			ph

INDEX	FREQUENCY	PPM	HEIGHT
1	3514.030	28.931	28.8
2	3498.118	28.800	31.0
3	2981.604	24.547	33.6
4	2964.468	24.406	28.6

23 of 80

sb-II-243 pp

exp1 s2pul

SAMPLE		SPECIAL	
date	Jul 5 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	fn	not used
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-60.0
sfreq	300.054	wp	3080.5
tof	300.9	rf1	601.2
tpwr	55	rff	0
pw	8.600	rp	-109.4
DECOUPLER		lp	-75.6
dn	C13	plot	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	817
dpwr	45	th	27
dmf	13100	ai	cdc
			ph

INDEX	FREQUENCY	PPM	HEIGHT
1	5339.083	70.765	17.7
2	5333.037	70.685	30.8
3	5327.279	70.609	14.6
4	3060.917	40.570	18.1
5	2525.996	33.480	19.1
6	2144.238	28.427	72.7

exp1 s2pul

SAMPLE		SPECIAL	
date	Dec 10 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	il	n
fb	14800	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	hs	nn
nt	32	lb	2.00
ct	32	fn	not used
TRANSMITTER		DISPLAY	
tn	P31	sp	0
strq	121.474	wp	10010.0
tof	10608.2	rfl	2437.3
tpwr	55	rfl	0
pw	7.117	rfp	-26.0
dn	H1	lp	-288.8
dof	0	plot	
dm	yy	wc	250
dmm	w	sc	0
dpwr	35	vs	22
dmf	6700	th	3
		ai	no ph

26 of 80

27 of 80

sb-II-237	in H ₂ O	USER: -- DATE: 08/29/05 (20:18)	PTSId: 16384	LB: 1.0	WinNuts - my_bapr_sbII237
F1: 22.635	SW1: 7441	OF1: 2282.0	NA: 1000		
EX: bapr.ppg	PW: 18.2 usec	PD: 2.8 sec			

exp1 s2pu1

SAMPLE		SPECIAL	
date	Jun 30 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	tl	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfl	0
DECOUPLER		rp	-0.9
dn	H1	lp	-288.8
dof	0	PLOT	
dm	YVY	wc	250
dmm	W	sc	0
dpwr	35	vs	19
dmf	6700	th	3
		ai	no
		ph	

INDEX	FREQUENCY	PPM	HEIGHT
1	3491.998	28.749	16.3
2	3476.903	28.625	44.4
3	3458.135	28.471	40.3
4	2952.637	24.309	44.4
5	2935.909	24.171	40.3

sb-II-238 pp

exp1 s2pul

SAMPLE		SPECIAL	
date	Jun 30 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	fn	not used
ct	16	PROCESSING	
TRANSMITTER		DISPLAY	
tn	H1	sp	-60.0
sfrq	300.054	wp	3080.5
tof	300.9	rfl	601.2
tpwr	55	rff	0
pw	8.600	rp	-106.2
DECOUPLER		lp	-73.3
dn	G13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	388
dpwr	45	th	44
dntf	13100	ai	cdc
		ph	

Interpolated Peak Listing

PEAK	POINT	HEIGHT	REL. HT	HZ	PPM
1	11039	9834K	17.75	988.90	43.688
2	11688	27546K	49.71	694.06	30.663
3	11819	51903K	93.67	634.84	28.046
4	12145	25041K	45.19	486.87	21.509
5	12172	13257K	23.93	474.38	20.957
6	12572	22467K	40.55	292.69	12.930

sb-II_238.C13	OF1: 2282.0	LB: 1.0	PTSId: 16384	USER: -- DATE: 07/07/05 (17:04)
F1: 22.635	NA: 2000			
EX: bapr.ppg	PD: 2.8 sec			WinNuts - my_bapr-sb-II-238
	SW1: 7441			
	PW: 18.2 usec			

INDEX   FREQUENCY   PPM   HEIGHT
1   3288.004   27.070   126.0

27.070

ppm

0

10

20

30

40

50

60

70

INDEX	FREQUENCY	PPM	HEIGHT
1	3561.356	29.320	35.6
2	3543.405	29.173	32.5
3	3034.642	24.984	35.1
4	3017.915	24.846	32.8

Interpolated Peak Listing				
PEAK	POINT	HEIGHT	REL. HT	HZ
1	11216	21577K	12.53	908.40
2	11537	43880K	25.48	762.76
3	11734	31524K	18.30	673.53
4	11801	169589K	98.47	642.75
				PPM
				40.132
				33.698
				29.756
				28.396

sb-II-240 in H2O		USER: -- DATE: 07/26/05 (21:18)	
F1: 22.635	SW1: 7441	OF1: 2282.0	PTS1d: 16384
EX: bapr.ppg	PW: 18.2 usec	NA: 1500	LB: 1.0
		WinNuts - my_bapr_sb-II-240 in H2O	

sb-II-241 pp

exp1 s2pul

SAMPLE		SPECIAL	
date	Jul 5 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	
ct	16	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-113.8
dn	H1	lp	-137.5
dof	0	PLOT	
dm	VVY	wc	250
dmm	w	sc	0
dpwr	35	vs	15
dmf	6700	th	7
		ai	no ph

INDEX	FREQUENCY	PPM	HEIGHT
1	3135.416	25.814	26.6
2	3120.320	25.689	58.5
3	3101.961	25.538	55.0
4	3087.273	25.417	21.6
5	2587.487	21.303	54.6
6	2568.719	21.148	51.4
7	2554.031	21.027	21.5

sb-II-241 pp

exp1 s2pul

SAMPLE		SPECIAL	
date	Jul 5 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	not used	il	n
fb	16	in	n
bs	4	dp	y
ss	1.000	hs	nn
d1	16	fn	not used
nt	16	fn	not used
Ct	TRANSMITTER	H1	sp
tn	300.054	wp	-60.0
sfrq	300.9	rfl	3060.5
tof	55	rfl	601.2
tpwr	8.600	rp	-106.9
pwr	8.600	lp	-83.9
DECOUPLER	C13	WC	250
dn	0	nn	0
dof	nnn	sc	521
dm	45	vs	38
dmm	13100	ai	cdc
dpwr		th	ph
dmf			

61.524
43.545
40.112
36.835
26.556
12.793

173.681

sb-II-241 H2O

F1: 22.635

EX: bapr.ppg

SW1: 7441

PW: 18.2 usec

PD: 2.8 sec

OF1: 2282.0

NA: 1000

LB: 1.0

PTSId: 16384

USER: -- DATE: 09/08/05 (19:21)

WinNuts - my_bapr_sb-II-241

INDEX   FREQUENCY   PPM   HEIGHT
1   3069.730   25.273   126.0

INDEX	FREQUENCY	PPM	HEIGHT
1	3358.178	27.648	36.8
2	3343.082	27.523	69.9
3	3325.539	27.379	61.9
4	3309.627	27.248	21.6
5	2813.512	23.164	67.3
6	2797.601	23.033	63.4

sb-II-242 pp

exp1 s2pul

SAMPLE		SPECIAL	
date	Jul 5 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
bs	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nm
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.054	wp	4802.8
tof	300.9	rfl	601.2
tpwr	55	rfl	0
pw	8.600	rp	-106.9
DECOUPLER		lp	-88.9
dn	G13	PLOT	
dof	0	wc	250
dm	nmn	sc	0
dmm	c	vs	374
dpwr	45	th	54
dmf	13100	ai	cdc
		ph	

INDEX	FREQUENCY	PPM	HEIGHT
1	3130.112	25.770	126.0

INDEX	FREQUENCY	PPM	HEIGHT
1	3403.873	28.024	51.0
2	3384.697	27.866	43.1
3	2876.343	23.681	51.1
4	2860.431	23.550	43.4

46.413
42.945
39.495
33.674
20.203

178.394

48 of 80

sb-II-249	(H ₂ O) Solids	USER: -- DATE: 08/18/05 (20:02)
FI: 22.635	SWH: 7441	PTSID: 16384
EX: bapr.ppg	PW: 18.2 usec	LB: 1.0
	PD: 2.8 sec	NA: 1000
	OF1: 2282.0	WinNuts - my_bapr_sbII-249

INDEX	FREQUENCY	PPM	HEIGHT
1	3164.383	26.052	126.0

26.052

ppm

0

10

20

30

40

50

60

INDEX	FREQUENCY	PPM	HEIGHT
1	3436.512	28.293	36.4
2	3417.336	28.135	33.2
3	2908.166	23.943	36.4
4	2893.886	23.825	35.2

51 of 80

sb-II-317pp #2
exp1 s2pu1

SAMPLE		SPECIAL	
date	Aug 28 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	16	fn	not used
ct	16	PROCESSING	
TRANSMITTER		DISPLAY	
tn	H1	sp	-60.0
sfrq	300.054	wp	3060.5
tof	300.9	rfl	601.2
tpwr	55	rflp	0
pw	8.600	rp	-119.5
DECOUPLER		lp	-53.2
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	571
dpwr	45	th	15
dmf	13100	ai	cdc
		ph	

sb-I-101.13C

F1: 22.635

EX: bapr.ppg

SW1: 7441

PW: 18.2 usec

OF1: 2282.0

NA: 2000

PD: 2.8 sec

LB: 1.0

PTSId: 16384

WinNuts - my_bapr_sb101

USER: -- DATE: 07/06/05 (19:02)

INDEX	FREQUENCY	PPM	HEIGHT
1	2330.347	7.766	15.5
2	1797.975	5.992	16.6
3	1394.299	4.647	219.3
4	904.434	3.014	15.7
5	897.692	2.992	24.5
6	890.363	2.967	16.2
7	571.702	1.905	10.0
8	564.373	1.881	12.7
9	557.630	1.858	12.8
10	550.301	1.834	10.7
11	490.497	1.635	4.5
12	471.735	1.572	6.8
13	452.973	1.510	4.6

exp1 s2pu1

INDEX	FREQUENCY	PPM	HEIGHT
1	3547.046	29.203	26.8
2	3531.950	29.078	50.4
3	3513.591	28.927	50.5
4	2997.893	24.682	51.0
5	2979.941	24.534	47.0
6	1060.353	8.730	35.3
7	432.866	3.564	32.1

56 of 80

sb-II-333

exp1 s2pul

SAMPLE		SPECIAL	
date	Sep 26 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.894	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
di	1.000	hs	nm
nt	16	fn	not used
ct	16	PROCESSING	
TRANSMITTER		DISPLAY	
tn	H1	sp	-60.0
sfrq	300.054	wp	3060.5
tof	300.9	rfl	601.2
tpwr	55	rffp	0
pw	8.600	rp	-101.5
DECOUPLER		lp	-90.6
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	947
dpwr	45	th	4
dmf	13100	ai	cdc
		ph	

57 of 80

sb-I-79pp

exp1 s2pu1

SAMPLE		SPECIAL	
date	Feb 9 2005	temp	not used
solvent	D2O	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
nt	1.000	hs	nn
ct	32	PROCESSING	
tn	32	lb	2.00
fn	not used	DISPLAY	
tn	P31	0	
sfrq	121.474	sp	10010.0
tof	10608.2	wp	2437.3
tpwr	55	rfl	0
pw	7.117	rfp	4.1
dn	H1	lp	-288.8
dof	0	PLOT	
dm	YVY	wc	250
dmm	w	sc	0
dpwr	35	vs	38
dmf	6700	tn	8
ai	no	ph	

INDEX	FREQUENCY	PPM	HEIGHT
1	3382.249	27.846	13.7
2	3367.562	27.725	43.6
3	3348.794	27.570	39.9
4	2841.256	23.392	43.4
5	2825.344	23.261	39.4

SB-I-04 31P

exp1 s2pul1

SAMPLE		SPECIAL	
date	Dec 1 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw90	18.300
at	1.598	alfa	20.000
np	85476	FLAGS	
fb	14800	il	n
bs	64	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	64	PROCESSING	
ct	64	lb	2.00
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rff	0
DECOUPLER		rp	-100.8
dn	H1	lp	-288.8
dof	0	PLOT	
dm	yyv	wc	250
dmm	w	sc	0
dpr	35	vs	17
dmr	6700	th	3
		ai	no
		ph	

8.42

SB-I-04
31P

exp1 s2pul

SAMPLE		SPECIAL	
date	Dec 1 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	26738.0	pw80	18.300
at	1.598	alfa	20.000
np	85476	il	n
fb	14800	in	n
bs	64	dp	y
ss	4	hs	nn
d1	1.000	hs	nn
nt	64	PROCESSING	2.00
ct	64	lb	fn
TRANSMITTER		fn	not used
tn	P31	DISPLAY	
sfrq	121.474	sp	0
tof	10608.2	wp	10010.0
tpwr	55	rfl	2437.3
pw	7.117	rfp	0
DECOUPLER		rp	-27.4
dn	H1	lp	-589.0
dof	0	PLOT	
dm	ynn	wc	250
dmm	w	sc	0
dpwr	35	vs	83
dmf	6700	th	11
	ai	no	ph

sb-I-04

exp1 s2pu1

SAMPLE		SPECIAL	
date	Dec 1 2004	temp	not used
solvent	D2O	gain	not used
file		spin	20
ACQUISITION		hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	16	PROCESSING	
ct	16	fn	not used
TRANSMITTER		DISPLAY	
tn	H1	sp	-600.9
sfrq	300.054	wp	4802.8
tof	300.9	rfl	601.2
tpwr	55	rff	0
pw	8.600	rp	-116.7
DECOUPLER		lp	-42.9
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	509
dpr	45	th	7
dmf	13100	at	cdc ph

63 of 80

sb-I-04

exp1 s2pul

SAMPLE		SPECIAL	
date	Dec 22 2004	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68432	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	2000	PROCESSING	
ct	2000	lb	1.00
TRANSMITTER C13		fn	not used
tn	75.456	sp	DISPLAY
sfrq	737.2	wp	-1134.4
tof	58	rfl	18867.6
tpwr	9.250	rfl	1134.7
pw		rfp	0
DECOUPLER H1		rp	-175.0
dn	0	lp	-456.3
dof		PLOT	
dm	yyv	wc	250
dmm	35	sc	0
dpwr	6700	vs	372
dmt		th	12
		ai	no
		ph	

SB-I-161

```

exp1 s2pul
SAMPLE
date Apr 15 2005
solvent CDCl3
file ACQUISITION
sw 26738.0
at 1.598
fb 85476
bs 14800
ss 64
dl 4
nt 1.000
ct 16
SPECIAL
temp not used
gain not used
spn 20
hst 0.008
pw50 18.300
alra 20.000
FLAGS
il n
in n
dp y
hs nn
PROCESSING
lb 2.00
fn not used
DISPLAY
tn p31
sfrq 121.474
tof 10608.2
tpwr 55
pw 7.117
DECOUPLER
H1 lp
PLOT
dof 0
dm yyy
dmm w
dpwr 35
dmf 6700
ai no
ph 3
  
```

exp1 s2pu1

SAMPLE			SPECIAL		
date	Apr 15	2005	temp	not used	not used
solvent	CDCl3	gain	spin	20	0.008
file	exp	hst	pw90	17.200	20.0000
ACQUISITION			FLAGS		
sw	4803.1				
at	1.994				
np	19158				
fb	not used				
bs	16				
ss	4				
d1	1.000				
nt	16				
ct	16				
TRANSMITTER			PROCESSING		
tn	H1		fn	not used	
sfreq	300.053		wp	-581.0	
tof	300.9		rfl	4802.8	
tpwr	55		rff	581.3	
dpw	8.600		rp	-127.4	
DECOUPLER			lp	-33.6	
dn	C13		WC		
dof	0		SC	250	
dm	mnn		VS	0	
dmm	C		th	687	
dpm	45		ai		
dmp	13100		cdc		
			ph	2	

1

```

exp1 s2pu1
SAMPLE
date Aug 31 2005
solvent CDC13
file exp
ACQUISITION
sw 4803.1
at 1.994
np 19158
fb not used
bs 16
ss 4
di 1.000
nt 16
ct 16
TRANSMITTER
tn H1
sfreq 300.053
tof 300.9
tpwr 55
pw 8.600
DECOUPLER
dn C13
dof 0
dm nnn
dmm SC
dpwr C
dmf 45
SPECIAL
temp not used
gain not used
spin 20
hst 0.008
pw90 17.200
alfa 20.000
FLAGS
il n
in n
dp y
hs nn
fn not used
PROCESSING
DISPLAY
-60.0
3060.5
598.9
0
-107.2
-73.0
PLOT
wc 250
sc 0
vs 173
th 3
ai cdc
ph

```

68 of 80

1

322

exp1 s2pul

SAMPLE		SPECIAL	
date	Oct 17 2005	temp	not used
solvent	CDCl3	gain	not used
file	exp	spin	20
ACQUISITION		hst	0.008
sw	18867.9	pw90	18.500
at	1.815	alfa	20.000
np	68492	FLAGS	
fb	10400	il	n
bs	64	in	n
ss	4	dp	y
di	1.000	hs	nn
nt	512	PROCESSING	
ct	512	lb	1.00
TRANSMITTER C13		fn	not used
tn	75.456	sp	-150.9
sfrq	737.2	wp	15844.1
tof	58	rfl	1134.7
tpwr	9.250	rfp	0
pw	DECOUPLER	rp	46.3
dn	H1	lp	-203.8
dof	0	PLOT	
dm	yyv	wc	250
dmm	w	sc	0
dpwr	35	vs	213
dmf	6700	th	13
	ai	no	ph

INDEX 1
FREQUENCY PPM 3052.536 25.131
HEIGHT 126.0

SD IV-157 decoupled
Archive directory: /export/home
Sample directory:
File: PHOSPHORUS
Pulse Sequence: s2pul
Solvent: CDCl3
Ambient temperature
Mercury-300BB "mercuryplus300"
Relax. delay 1.000 sec
Pulse 35.0 degrees
Acq. time 1.597 sec
Width 4863.8 Hz
16 repetitions
OBSERVE P31, 121.4670933 MHz
DECOUPLE H1, 300.0632664 MHz
Power 35 dB
continuously on
WALTZ-16 modulated
DATA PROCESSING
Line broadening 2.0 Hz
FT size 16384
Total time 0 min, 58 sec

70 of 80

INDEX	FREQUENCY	PPM	HEIGHT
1	3328.059	27.399	30.9
2	3309.651	27.247	25.5
3	2797.202	23.028	27.4
4	2779.388	22.882	24.0

SD IV-157 coupled

Archive directory: /export/home
Sample directory:
File: PHOSPHORUS

Pulse Sequence: s2pul

Solvent: CDCl3
Ambient temperature
Mercury-300BB "mercuryplus300"

Relax. delay 1.000 sec
Pulse 35.0 degrees
Acq. time 1.587 sec
Width 4863.8 Hz
16 repetitions
OBSERVE P31, 121.4670933 MHz
DECOUPLE H1, 300.0632664 MHz
Power 35 dB
on during acquisition
off during delay
WALTZ-16 modulated
DATA PROCESSING
Line broadening 2.0 Hz
FT size 16384
Total time 0 min, 58 sec

71 of 80

Archive directory: /export/home/TCUuser/vnmrsys/data
Sample directory:
File: PROTON

Pulse Sequence: s2pul

2

72 of 80

INDEX	FREQUENCY	PPM	HEIGHT
1	11707.561	155.168	21.7
2	5918.580	78.443	14.1
3	5075.469	67.269	10.8
4	4080.913	54.087	15.8
5	3860.473	51.165	16.9
6	3649.481	48.369	28.5
7	3353.748	44.449	16.1
8	3149.053	41.737	9.5
9	3071.470	40.708	16.2
10	2993.314	39.672	10.2
11	2754.266	36.504	12.0
12	2715.331	35.988	12.5
13	2674.106	35.442	40.9
14	2635.457	34.929	14.8
15	2542.987	33.704	13.6
16	2368.925	31.397	10.9
17	2321.974	30.775	11.8
18	2130.449	28.236	10.2
19	2049.717	27.166	12.4
20	1641.760	21.759	13.2
21	1585.934	21.019	16.8
22	1546.713	20.500	11.6
23	1031.399	13.670	35.2
24	904.288	11.985	28.0

2

exp1 s2pu1

SAMPLE		SPECIAL	
date Sep 2 2005	temp not used	gain not used	
solvent D2O	spin 20	hst 0.008	
file	exp	pw90 18.300	
ACQUISITION		alfa 20.000	FLAGS
sw 26738.0			
at 1.598			
np 85478			
fb 14800	il n		
bs 64	in n		
ss 4	dp y		
d1 1.000	hs nn		
nt 32	PROCESSING 2.00		
ct	lb fn not used		
tn	DISPLAY		
tn P31			
sfrq 121.474	sp 0		
tof 10608.2	wp 10010.0		
tpwr 55	rfl 2437.3		
pw 7.117	rfp 0		
DECOUPLER	rp -97.9		
dn H1	lp -288.8		
dof 0	PLOT		
dm VVY	wc 250		
dmm w	sc 0		
dpwr 35	vs 61		
dmf 6700	th 12		
	ai no ph		

coupled

INDEX	FREQUENCY	PPM	HEIGHT
1	2460.194	20.255	71.5
2	2438.571	20.077	84.0

20.255
20.077

sb-II-320

exp1 s2pul

SAMPLE		SPECIAL	
date	Sep 2 2005	temp	not used
solvent	D2O	gain	not used
file	exp	spin	20
ACQUISITION	exp	hst	0.008
sw	4803.1	pw90	17.200
at	1.994	alfa	20.000
np	19158	FLAGS	
fb	not used	il	n
bs	16	in	n
ss	4	dp	y
d1	1.000	hs	nn
nt	16	PROCESSING	not used
ct	16	fn	DISPLAY
TRANSMITTER	H1	sp	-60.0
tn	300.054	wp	3060.5
sfrq	300.9	rfl	601.2
tof	55	rff	0
tpwr	8.600	rp	-108.2
pw	DECOUPLER	lp	-65.3
dn	C13	PLOT	
dof	0	wc	250
dm	nnn	sc	0
dmm	c	vs	1161
dpwr	45	th	5
dmf	13100	ai	cdc
		ph	

3

Decoupled

exp1 s2pu1

SPECIAL

date	solvent	Aug 23	2005	temp	not used
file		D2O	gain	spin	not used
ACQUISITION	exp		hst		
sw	26738.0		pw90	0.008	
at	1.598		alpha	18.300	
np	85476			20.000	
fb	14800			FLAGS	
ps	64		il	n	n
ss	4		in	n	n
HS	1.000		dp	y	y
ht	64		hs	nm	nm
ct	64			PROCESSING	2.00
tn	pg1		fb	not used	
tsfrq	121.474		fn	DISPLAY	0
tof	10608.5		sp	10010.0	0
tpwr	55		wp	2437.3	0
sw	7.117		rfl	0	0
DECOUPLER			rff	0	0
dn	H1		rp	-7.2	-7.2
tof	0		lp	-288.8	-288.8
dm	yyy		wc	PLOT	250
dmm	w		sc		0
pppwr	35		vs		86
dmf	6700		th		11
			ai	no	ph
			at		

SPECIAL

date	solvent	Aug 23	2005	temp	not used
file		D2O	gain	spin	not used
ACQUISITION	exp		hst		
sw	26738.0		pw90	0.008	
at	1.598		alpha	18.300	
np	85476			20.000	
fb	14800			FLAGS	
ps	64		il	n	n
ss	4		in	n	n
HS	1.000		dp	y	y
ht	64		hs	nm	nm
ct	64			PROCESSING	2.00
tn	pg1		fb	not used	
tsfrq	121.474		fn	DISPLAY	0
tof	10608.5		sp	10010.0	0
tpwr	55		wp	2437.3	0
sw	7.117		rfl	0	0
DECOUPLER			rff	0	0
dn	H1		rp	-7.2	-7.2
tof	0		lp	-288.8	-288.8
dm	yyy		wc	PLOT	250
dmm	w		sc		0
pppwr	35		vs		86
dmf	6700		th		11
			ai	no	ph
			at		

$$\text{Pent} \begin{array}{c} \text{H} \\ \diagup \quad \diagdown \\ \text{C} = \text{O} \quad \text{C} = \text{O} \\ \text{H} \quad \text{H} \end{array}$$
$$\begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{H} \\ | \\ \text{H} \end{array}$$

1) O_3

Water	
$0-10^\circ C, 3h$	
$+ RT, 3h$	
2) $N_2, 3h$	

٢٥

19.400

PT: 36.441	SW1: 20000	PD: 2.0 sec	OF1: 5510.0	LB: 0.0	PTS: 32768	USER: + DATE: 08/19/05 (15:23)
EX: c:\efi\global\zg.ppg	PW: 12.4 usec		NA: 64			

42.810
37.625
32.425
29.951
27.986
27.693
24.265
20.581
12.251

PPM
42.810
37.625
32.425
29.951
27.986
27.693
24.265
20.581
12.251

HZ
969.02
851.66
733.96
677.95
633.47
626.85
620.31
549.25
465.86
277.31

REL. HT
14.64
27.39
14.59
94.34
27.75
43.81
25.69
43.30
96.63
90.00

Interpolated Peak Listing
PEAK POINT HEIGHT
1 11083 9934K
2 11341 18586K
3 11601 9901K
4 11724 64006K
5 11822 18831K
6 11836 29725K
7 11851 17430K
8 12007 29377K
9 12191 65563K
10 12606 61061K

sb-II-311 hexyl phosphonate

USER: -- DATE: 08/24/05 (20:14)

F1: 22.635

OF1: 2282.0

PTSId: 16384

EX: bapr.ppg

SW1: 7441

NA: 1000

LB: 1.0

PD: 2.8 sec

WinNuts - my_bapr_sb-II-311