Ruthenium-catalyzed Decarboxylative Insertion of Electrophiles.

Chao Wang and Jon A. Tunge

Supporting Information: Table of Contents.

General experimental	S-1
General procedure for tandem Michael/Allylation	S-1
Spectral characterization of 2a	S-2
Spectral characterization of 2b	S-3
Spectral characterization of 2d	S-3
Spectral characterization of 2e	S-4
Spectral characterization of 2f	S-5
Spectral characterization of 2g	S-6
Spectral characterization of 2h	S-7
Spectral characterization of 2i	S-7
Spectral characterization of 3j	S-8
Spectral characterization of 3k	S-9
Spectral characterization of 3l	S-11
Spectral characterization of 4f	S-12
Spectral characterization of 4i	S-12
Spectral characterization of 4m	S-13
Spectral characterization of 5	S-14

Experimental

Materials. Methylene chloride and tetrahydrofuran were dried over activated alumina.¹ All other materials were used as received. β -ketoesters were prepared by DMAP-catalyzed addition of diketene to the corresponding allylic alcohols.² 4-substituted β -ketoesters were prepared by the condensation of the corresponding acid chloride with Meldrum's acid³ followed by addition of the appropriate allylic alcohol.⁴ ¹H NMR spectra were referenced to residual protio solvent signals. Structural assignments are based on ¹H, ¹³C, DEPT-135, COSY, and HMQC spectroscopies.

General procedure for catalytic tandem Michael/Allylation(with Ru): In a Schlenk tube under argon, [Cp*RuCl]₄ (2.5 mol %), bipyridine (10 mol %), allyl- β -ketoester (1 mmol) and malonitrile (1 mmol) were dissolved in 5 mL of

¹ Pnagborn, A. B.; Giardello, M. A.; Grubbs, R. H; Rosen, R. K.; Timmers, F. J. *Organometallics* **1996**, *15*, 1518-20.

² Collado, I.; Pedregal, C.; Mazon, A.; Espinosa, J. F.; Blanco-Urgoiti, J.; Schoepp, D. D.; Wright, R. A.; Johnson, B. G.; Kingston, A. E. *J. Med.Chem.* **2002**, *45*, 3619-3629.

³ Svenstrup, N.; Simonsen, K.; Thorup, N.; Brodersen, J.; Dehaen, W.; Becher, J. *J. Org. Chem.* **1999**, *64*, 2814-2820.

⁴ Yuste, F.; Brena, F.; Barrios, H.; Sanchez-Obregon, R.; Ortiz, B.; Walls, F. *Synth. Commun.* **1988**, *18*, 735-739.

methylene chloride. The resulting deep purple solution was stirred at ambient temperature under Ar for the specified times (Table 1 of text). Reaction completion was determined by TLC. Following solvent evaporation the crude product was purified via flash chromatography (SiO₂, 3:1 Hexane: Et₂O).

General procedure for catalytic tandem Michael/Allylation(with Pd): In a Schlenk tube under argon, [PdPPh₃]₄ (10mol %), allyl-β-ketoester (1mmol), and malonitrile (1 mmol) were dissolved in 5 mL of methylene chloride. The resulting yellow solution was stirred at ambient temperature under Ar for the specified times (Table 1 of text). Reaction completion was determined by TLC. Following solvent evaporation the crude product was purified via flash chromatography (SiO₂, 3:1 Hexane: Et₂O).

2a:¹ Oil: ¹H NMR (400 MHz, CD₂Cl₂) δ 7.44 (m, 5H: arom H), 5.98-5.88 (m, 1H, *J* = 10.1, 6.8, 7.3, 7.1 Hz: =CH), 5.43 (d, 1H, *J* = 10.1 Hz: CH=CH(*H*)_Z), 5.23 (d, 1H, *J* = 6.8 Hz: CH=CH(*H*)_E), 3.78 (dd, 1H, *J* = 10.4, 3.5 Hz: C(O)CH₂CHPh), 3.44 (dd, *J* = 10.4, 17.4 Hz, 1H: C(O)CH₂), 3.22 (dd, *J* = 3.5, 17.4 Hz, 1H: C(O)CH₂), 2.56(dd, *J* = 7.3, 14.1 Hz, 1H: CH₂CH=), 2.42(dd, *J* = 7.1, 14.1 Hz, 1H: CH₂CH=), 2.13(s, 3H: C(O)CH₃); ¹³C NMR (100 MHz, CD₂Cl₂) δ 203.95 (C=O), 136.15 (Quat.), 129.54 (=CH), 129.54 (Arom. CH), 123.36 (=CH₂), 115.66 (CN), 114.91 (CN), 46.25 (CHPh), 46.10 (C(O)CH₂), 43.52 (C(CN)₂), 40.73 (CH₂CH=), 30.86 (CH₃). The assignments of the ¹H and ¹³C were based on DEPT, COSY, HMQC etc.

2b: Oil: ^1H NMR (400 MHz, CDCl_3) δ 7.42 (m, $J = 8.6$, 2H: arom H), 7.14 (m, $J = 8.6$, 2H: arom H) 5.93-5.83 (m, 1H, $J = 10.1$, 17.4, 7.6, 5.8 Hz: $=\text{CH}$), 5.43 (d, 1H, $J = 10.1$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{E}}$), 5.34 (d, 1H, $J = 17.4$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{Z}}$), 3.80 (dd, 1H, $J = 3.5$, 9.8 Hz: $\text{C}(\text{O})\text{CH}_2\text{CH}$), 3.36 (dd, $J = 9.8$, 17.7 Hz, 1H: $\text{C}(\text{O})\text{CH}_2$), 3.20 (dd, $J = 3.5$, 17.7 Hz, 1H: $\text{C}(\text{O})\text{CH}_2$), 2.47 (dd, $J = 7.6$, 13.9 Hz, 1H: $\text{CH}_2\text{CH}=\text{}$), 2.39 (dd, $J = 5.8$, 13.9 Hz, 1H: $\text{CH}_2\text{CH}=\text{}$), 2.32 (s, 3H: $\text{OC}(\text{O})\text{CH}_3$), 2.15 (s, 3H: $\text{C}(\text{O})\text{CH}_3$); ^{13}C NMR (100 MHz, CDCl_3) δ 203.40 ($\text{C}=\text{O}$), 169.27 ($\text{OC}=\text{O}$), 151.24 (Quat.), 132.95 (Quat.), 130.05 (Arom. CH), 128.56 ($=\text{CH}$), 123.66 ($=\text{CH}_2$), 122.53 (Arom. CH), 115.17 (CN), 114.44 (CN), 46.32 ($\text{C}(\text{O})\text{CH}_2$), 45.30 (CHAr), 42.98 ($\text{C}(\text{CN})_2$), 40.37 ($\text{CH}_2\text{CH}=\text{}$), 30.75 (CH_3), 21.35 ($\text{OC}(\text{O})\text{CH}_3$). IR (CH_2Cl_2): ν_{max} 3062, 2252, 1770, 1724, 1425, 989, 914. HRMS calcd for $\text{C}_{18}\text{H}_{18}\text{N}_2\text{O}_3\text{Na}$ [$\text{M}+\text{Na}$] 333.1215, found 333.1208.

2d: Oil: ^1H NMR (400 MHz, CD_2Cl_2) δ 7.31 (m, 3H: arom H), δ 7.19 (d, $J = 6.8$ Hz, 2H: arom H), 5.74-5.64 (m, 1H, $J = 12.9, 5.1, 12.6$ Hz: =CH), 5.25 (d, 1H, $J = 12.9$ Hz: CH=CH(H_Z)), 5.22 (d, 1H, $J = 5.1$ Hz: CH=CH(H_E)), 4.05 (dd, 1H, $J = 8.8, 5.3$ Hz: C(O)CH₂CHPh), 3.35 (app t, 2H: C(O)CH₂), 2.89 (dd, $J = 7.8, 12.6$ Hz, 1H: CH₂CH=), 2.77 (dd, $J = 7.3, 12.6$ Hz, 1H: CH₂CH=), 2.10 (s, 3H: C(O)CH₃), 1.52 (s, 3H: CH₃), 0.71 (s, 3H: CH₃); ^{13}C NMR (100 MHz, CD_2Cl_2) δ 206.01 (C=O), 168.46 (OC=O) 167.80 (OC=O) 139.41 (Quat.), 131.70 (=CH), 129.59 (Arom. CH), 129.38 (Arom. CH), 128.57 (Arom. CH), 121.99 (=CH₂), 106.64 (C(CH₃)₂), 59.89 (C(CO₂R)₂), 47.89 (CHPh), 43.91 (C(O)CH₂), 41.42 (CH₂CH=), 30.91/30.82 (overlapping C(O)CH₃ with CH₃), 28.26 (CH₃). IR (CH₂Cl₂): ν_{max} 3063, 1765, 1732, 1456. HRMS calcd for C₁₉H₂₂O₅Na⁺ [M+Na] 353.1365, found 353.1347.

2e: Oil: ^1H NMR (500 MHz, CDCl_3) *Major Diastereomer:* δ 7.35 (m, 2H: arom H), δ 7.18 (app. t, 1H: arom H), δ 7.09 (app. d, 1H: arom H), δ 5.85 (m, 1H, $J = 10.1, 16.9$ Hz: =CH), 5.33 (d, 1H, $J =$

C=C[C@H](C#N)[C@H](C#N)C(=O)c1ccccc1

S-5

CHPh, C(O)CH₂), 3.22 (dd, $J=17.4, 3.3$ Hz, 1H: C(O)CH₂), 2.09(s, 3H: C(O)CH₃); ¹³C NMR (100 MHz, CDCl₃) Major isomer: δ 203.76 (C=O), 137.10 (Quat.), 135.52 (Quat.), 132.40 (=CH), 129.34 (Arom. CH), 129.35 (Arom. CH), 128.73 (Arom. CH), 122.90 (=CH₂), 115.13 (CN), 114.21 (CN), 52.90 (CHPh), 48.65 (C(CN)₂), 46.85 (C(O)CH₂), 44.68 (C(O)CH₂CHPh), 30.94 (CH₃). IR (CH₂Cl₂): ν_{max} 3053, 2304, 1724, 1421, 991, 895. HRMS calcd for C₂₂H₂₀N₂O₁Na⁺ [M+Na] 351.1473, found 351.1468.

Minor diastereomer: δ 7.50-7.28 (m, 10H: arom H, overlapping minor/major isomers), 6.44-6.30 (m, 1H, overlapping minor/major isomer: =CH), 5.47 (d, 1H, $J = 10.1$ Hz: CH=CH(*H*)_E), 5.36-5.26 (d, 1H, overlapping minor/major isomer: CH=CH(*H*)_Z), 3.76 (dd, 1H, $J=10.6, 3.0$ Hz: C(O)CH₂CHPh), 3.45-3.38 (m, 2H: overlapping CHPh, C(O)CH₂), 3.08 (dd, $J=17.2, 3.0$ Hz, 1H: C(O)CH₂), 2.06(s, 3H: C(O)CH₃); ¹³C NMR (100 MHz, CDCl₃): δ 203.76 (overlapping C=O), 136.65 (Quat.), 135.20 (Quat.), 133.84 (=CH), 129.58-128.91 (overlapping minor/major isomer: Arom. CH), 121.88 (=CH₂), 115.09 (CN), 114.63 (CN), 53.09 (CHPh), 48.84 (C(CN)₂), 45.76 (C(O)CH₂), 44.71 (C(O)CH₂CHPh), 30.85 (CH₃).

2g: Oil: ¹H NMR (400 MHz, CDCl₃) δ 7.32 (m, 8H: arom H), 7.05 (m, 2H: arom H), 5.87 (m, 1H, $J = 10.1, 16.9, 7.6, 7.1$ Hz: =CH), 5.41 (d, 1H, $J = 10.1$ Hz: CH=CH(*H*)_E), 5.31 (d, 1H, $J = 16.9$ Hz: CH=CH(*H*)_Z), 3.77 (dd, 1H, $J=10.4, 3.3$ Hz: C(O)CH₂CHPh), 3.66 (AB, 2H: PhCH₂C(O)), 3.45 (dd, $J=10.6, 17.4$ Hz, 1H: C(O)CH₂), 3.22 (dd, $J=3.5, 17.2$ Hz, 1H: C(O)CH₂), 2.46(dd, $J=7.6, 14.1$ Hz, 1H: CH₂CH=), 2.42(dd, $J=7.1, 13.9$ Hz, 1H: CH₂CH=); ¹³C NMR (100 MHz, CD₂Cl₂) δ 203.68 (C=O), 135.35 (Quat.), 133.17 (Quat.), 129.77-127.78 (Arom. CH; =CH), 123.75 (=CH₂), 115.46 (CN), 114.67 (CN), 51.03 (PhCH₂C(O)), 46.37 (CHPh), 44.35 (C(O)CH₂), 43.23 (C(CN)₂), 40.68 (CH₂CH=). IR (CH₂Cl₂): ν_{max} 2251, 1720, 1454, 989. HRMS calcd for C₂₂H₂₀N₂O₁Na⁺ [M+Na] 351.1473, found 351.1481.

2i: Oil: ^1H NMR (400 MHz, CDCl_3) *Major Diastereomer:* δ 7.50-7.28 (m, 10H: arom H), 6.42-6.33 (m, 1H, $J = 16.9, 10.4$, Hz: $=\text{CH}$), 5.53 (d, 1H, $J = 10.4$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{E}}$), 5.23 (d, 1H, $J = 16.9$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{Z}}$), 3.90 (dd, 1H, $J = 10.6, 3.3$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 3.53-3.29 (m, 2H: overlapping CHPh , $\text{C}(\text{O})\text{CH}_2$), 3.18 (dd, $J = 13.9, 3.3$ Hz, 1H: $\text{C}(\text{O})\text{CH}_2$), 2.45 (m, 1H: $\text{C}(\text{O})\text{CH}_2$), 2.21 (m, 1H: $\text{C}(\text{O})\text{CH}_2$), 0.95(app. t, 3H: $\text{C}(\text{O})\text{CH}_2\text{CH}_3$); ^{13}C NMR (100 MHz, CDCl_3) δ 206.84 ($\text{C}=\text{O}$), 137.30 (Quat.), 135.61 (Quat.), 132.61 ($=\text{CH}$), 129.51-128.92 (Arom. CH), 123.30 ($=\text{CH}_2$), 115.32 (CN), 114.42 (CN), 53.09 (CHPh), 48.84 ($\text{C}(\text{CN})_2$), 45.85 ($\text{C}(\text{O})\text{CH}_2$), 44.94 ($\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 37.22 (CH_3CH_2), 7.82 (CH_3). IR (CH_2Cl_2): ν_{max} 2252, 1720, 1456, 991. HRMS calcd for $\text{C}_{23}\text{H}_{22}\text{N}_2\text{O}_1\text{Na}_1$ $[\text{M}+\text{Na}]$ 365.2, found 365.1.

Minor diastereomer: δ 7.50-7.28 (m, 10H, arom H: overlapping minor/major isomer), 6.34-6.25 (m, 1H, $=\text{CH}$: overlapping minor/major isomer), 5.43 (d, 1H, $J = 10.4$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{E}}$), 5.28 (d, 1H, $J = 16.9$ Hz: $\text{CH}=\text{CH}(\text{H})_{\text{Z}}$), 3.76 (dd, 1H, $J = 10.6, 3.3$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 3.53-3.29 (m, 2H: overlapping minor/major isomer CHPh , $\text{C}(\text{O})\text{CH}_2$), 3.05 (dd, $J = 13.9, 3.3$ Hz, 1H: $\text{C}(\text{O})\text{CH}_2$), 2.45 (m, 1H: overlapping minor/major isomer $\text{C}(\text{O})\text{CH}_2$), 2.21 (m, 1H: overlapping minor/major isomer $\text{C}(\text{O})\text{CH}_2$), 0.95(app. t, 3H: overlapping minor/major isomer $\text{C}(\text{O})\text{CH}_2\text{CH}_3$); ^{13}C NMR (100 MHz, CDCl_3) δ 206.84 ($\text{C}=\text{O}$: overlapping minor/major isomer), 136.22 (Quat.), 135.61 (Quat.), 134.09 ($=\text{CH}$), 129.51-128.92 (Arom. CH), 121.99 ($=\text{CH}_2$), 114.89(CN), 114.42 (CN), 54.35 (CHPh), 48.35 ($\text{C}(\text{CN})_2$), 45.47 ($\text{C}(\text{O})\text{CH}_2$), 44.65 ($\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 37.29 (CH_3CH_2), 7.77 (CH_3).

2j: Oil: ^1H NMR (400 MHz, CDCl_3) *Major Diastereomer:* δ 7.50-7.21 (m, 5H: arom H), 6.94-6.88 (m, 4H: Arom. H), 6.38-6.23 (m, 1H, $J = 16.9, 10.1, 9.1$ Hz: $=\text{CH}$), 5.51 (d, 1H, $J = 10.1$ Hz: $\text{CH}=\text{CH}(H)_\text{E}$), 5.23 (d, 1H, $J = 16.9$ Hz: $\text{CH}=\text{CH}(H)_\text{Z}$), 3.81 (s, 3H: OCH_3), 3.81-3.85 (dd, 1H: overlapping $\text{C(O)CH}_2\text{CHPh}$, OCH_3), 3.48-3.31 (m, 2H: overlapping CHAr , C(O)CH_2), 3.20 (dd, $J = 17.2, 3.0$ Hz, 1H: C(O)CH_2), 2.09 (s, 3H: C(O)CH_3); ^{13}C NMR (100 MHz, CDCl_3) δ 203.96 ($\text{C}=\text{O}$), 160.27 (Quat.), 135.74 (Quat.), 132.79 ($=\text{CH}$), 130.52-129.22 (Arom. CH), 122.67 ($=\text{CH}_2$), 114.82 (Arom. CH), 115.38 (CN), 114.82 (CN), 55.73 (OCH_3), 52.40 (CHAr), 49.17 (C(CN)_2), 47.01 (C(O)CH_2), 44.74 (CHPh), 31.12 (CH_3). IR (CH_2Cl_2): ν_{max} 2247, 1724, 1253. HRMS calcd for $\text{C}_{23}\text{H}_{22}\text{N}_2\text{O}_7\text{Na}$ [$\text{M}+\text{Na}$] 381.1579, found 381.1556.

Minor Diastereomer: δ 7.50-7.21 (m, 5H: arom H, overlapping minor/major isomer), 6.94-6.88 (m, 4H: Arom. H, overlapping minor/major isomer), 6.38-6.23 (m, 1H: $=\text{CH}$, overlapping minor/major isomer), 5.41 (d, 1H, $J = 10.1$ Hz: $\text{CH}=\text{CH}(H)_\text{E}$), 5.23 (d, 1H: $\text{CH}=\text{CH}(H)_\text{Z}$, overlapping minor/major isomer), 3.85 (s, 3H: OCH_3), 3.71 (dd, 1H, $J = 10.9, 3.0$ Hz: $\text{C(O)CH}_2\text{CHPh}$), 3.48-3.31 (m, 2H: overlapping minor/major isomer: CHAr , C(O)CH_2), 3.08 (dd, $J = 17.2, 3.0$ Hz, 1H: C(O)CH_2), 2.05 (s, 3H: C(O)CH_3); ^{13}C NMR (100 MHz, CDCl_3): δ 203.96 ($\text{C}=\text{O}$, overlapping minor/major isomer), 136.20 (Quat.), 134.26 ($=\text{CH}$), 130.52-129.22 (Arom. CH), 127.41 (Quat.), 121.59 ($=\text{CH}_2$), 114.82 (Arom. CH), 114.94 (CN), 114.50 (CN), 55.67 (OCH_3), 53.61 (CHAr), 48.58 (C(CN)_2), 46.58 (C(O)CH_2), 44.51 (CHPh), 31.17 (CH_3).

2k: Oil: ^1H NMR (400 MHz, CDCl_3) *Major diastereomer:* δ 7.50-7.22 (m, 9H: arom H), 6.31 (m, 1H, $J = 16.7, 10.4, 9.1$ Hz: =CH), 5.55 (d, 1H, $J = 10.4$ Hz: CH=CH(H_E)), 5.21 (d, 1H, $J = 16.7$ Hz: CH=CH(H_Z)), 3.88 (dd, $J = 10.6, 3.0$ Hz, 1H: C(O)CH₂CHPh), 3.44-3.34 (m, 2H: overlapping CHAr, C(O)CH₂), 3.21 (dd, $J = 17.4, 3.3$ Hz, 1H: C(O)CH₂), 2.10 (s, 3H: C(O)CH₃); ^{13}C NMR (100 MHz, CDCl_3) *Major isomer:* δ 203.83 (C=O), 135.86 (Quat.), 135.42 (Quat.), 131.98 (=CH), 130.30 (Arom. CH), 129.54 (Arom. CH), 123.56 (=CH₂), 115.06 (CN), 114.25 (CN), 52.29 (CHAr), 48.65 (C(CN)₂), 47.17 (C(O)CH₂), 44.79 (CHPh), 31.12 (CH₃). IR (CH_2Cl_2): ν_{max} 2253, 1726, 1425, 990, 912. HRMS calcd for C₂₁H₂₀N₁O₁Cl [M+H-HCN] 337.1, found 337.0.

Minor diastereomer: δ 7.43-7.22 (m, 9H: arom H), 6.24 (m, 1H, $J = 16.7, 10.4, 9.1$ Hz: =CH), 5.44 (d, 1H, $J = 10.4$ Hz: CH=CH(H_E)), 5.26 (d, 1H, $J = 16.7$ Hz: CH=CH(H_Z)), 3.69 (dd, $J = 10.6, 3.0$ Hz, 1H: C(O)CH₂CHPh), 3.49 (d, 1H, $J = 8.8$ Hz: CHAr), 3.35 (dd, $J = 17.2, 10.4$ Hz, 1H: C(O)CH₂), 3.10 (dd, $J = 16.9, 3.0$ Hz, 1H: C(O)CH₂), 2.07 (s, 3H: C(O)CH₃); ^{13}C NMR (100 MHz, CDCl_3) δ 203.78 (C=O), 135.91 (Quat.), 135.39 (Quat.), 133.56 (=CH), 130.70-128.22 (Arom. CH), 122.39 (=CH₂), 115.14 (CN), 114.63 (CN), 53.57 (CHAr), 48.21 (C(CN)₂), 46.62 (C(O)CH₂), 44.53 (CHPh), 31.19 (CH₃).

21: Oil: ^1H NMR (400 MHz, CDCl_3) *Major diastereomer:* δ 7.51-7.09 (10H: arom H), 6.40-6.23 (m, 1H, J = 10.4, 17.4 Hz: =CH), 5.53 (d, 1H, J = 10.4 Hz: CH=CH(H_E)), 5.25 (d, 1H, J = 17.4 Hz: CH=CH(H_Z)), 3.89 (dd, 1H, J = 3.0, 10.4 Hz: C(O)CH₂CH), 3.49-3.27 (m, 2H: overlapping CHPh, C(O)CH₂), 3.22 (dd, J = 3.0, 17.4 Hz, 1H: C(O)CH₂), 2.34 (s, 3H: OC(O)CH₃), 2.11(s, 3H: C(O)CH₃); ^{13}C NMR (100 MHz, CDCl_3) δ 203.05 (C=O), 169.46 (OC=O), 151.49 (Quat.), 137.12 (Quat.), 132.45 (=CH), 133.11 (Quat.), 129.57-129.91 (Arom. CH), 122.59 (overlapping =CH₂, Arom. CH), 115.17 (CN), 114.30 (CN), 53.07 (CHPh), 48.77 (C(CN)₂), 47.16 (C(O)CH₂), 44.15 (CHAr), 31.02 (CH₃C(O)), 21.62 (OC(O)CH₃).

Minor diastereomer: δ 7.51-7.09 (10H: arom H, overlapping minor/major isomer), 6.40-6.23 (m, 1H: =CH, overlapping minor/major isomer), 5.42 (d, 1H, J = 10.4 Hz: CH=CH(H_E)), 5.25 (d, 1H, J = 17.4 Hz: CH=CH(H_Z), overlapping minor/major isomer), 3.74 (dd, 1H, J = 3.0, 10.4 Hz: C(O)CH₂CH), 3.49-3.27 (m, 2H: overlapping minor/major isomer CHPh, C(O)CH₂), 3.11 (dd, J = 3.0, 17.4 Hz, 1H: C(O)CH₂), 2.32 (s, 3H: OC(O)CH₃), 2.07 (s, 3H: C(O)CH₃); ^{13}C NMR (100 MHz, CDCl_3) δ 203.05 (C=O), 169.46 (OC=O), 135.40 (Quat.), 134.06 (=CH), 133.52 (Quat.), 133.11 (Quat.), 130.63 (Arom. CH), 129.57-129.91 (Arom. CH, overlapping minor/major isomer), 122.59 (=CH₂, Arom. CH), 115.17/114.30 (CN), 54.27 (CHPh), 48.16 (C(CN)₂), 46.87 (C(O)CH₂), 43.82 (CHAr), 31.07 (CH₃C(O)), 21.62 (OC(O)CH₃).

IR (CH_2Cl_2): ν_{max} 3053,2305,1769,1724,1421,1205,895. HRMS calcd for $\text{C}_{24}\text{H}_{22}\text{N}_2\text{O}_3\text{Na}^+$ [M+Na] 409.1528, found 409.1523.

4i: Oil: ^1H NMR (400 MHz, CDCl_3) δ 7.44-7.31 (m, 10H: arom H), 6.60 (d, 1H, $J = 15.7$ Hz: $=\text{CHPh}$), 6.21 (m, 1H, $J = 15.7, 7.8, 7.3$ Hz: $\text{CH}=\text{CHPh}$), 3.86 (dd, 1H, $J = 10.1, 3.5$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 3.42 (dd, 1H, $J = 10.1, 17.1$ Hz: $\text{EtC}(\text{O})\text{CH}_2$), 3.20 (dd, 1H, $J = 3.5, 17.1$ Hz: $\text{EtC}(\text{O})\text{CH}_2$), 2.66 (dd, $J = 13.9, 7.8$ Hz, 1H: $\text{CH}_2\text{CH}=\text{}$), 2.58-2.47 (m, 2H: overlapping $\text{CH}_2\text{CH}=\text{}$, $\text{CH}_2\text{C}(\text{O})$), 2.31 (q, 1H, $J = 7.3$ Hz: $\text{CH}_2\text{C}(\text{O})$), 0.95 (t, 3H, $J = 7.3$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CH}_3$); ^{13}C NMR (100 MHz, CDCl_3) δ 206.77 ($\text{C}=\text{O}$), 138.27 ($=\text{CHPh}$), 136.15 (Quat.), 135.82 (Quat.), 129.64-128.87 (Arom. CH), 127.12 (Arom. CH), 119.53 ($\text{CH}=\text{CHPh}$), 115.67 (CN), 114.90 (CN), 46.47 (CHPh), 45.30 ($\text{EtC}(\text{O})\text{CH}_2$), 43.68 ($\text{C}(\text{CN})_2$), 40.22 ($\text{CH}_2\text{CH}=\text{}$), 37.20 ($\text{CH}_2\text{C}(\text{O})$), 7.87 (CH_3). IR (CH_2Cl_2): ν_{max} 2249, 1720, 1456, 968. HRMS calcd for $\text{C}_{23}\text{H}_{23}\text{N}_2\text{O}_1$ $[\text{M}+\text{H}]$ 343.1810, found 343.1830.

4m: Oil: ^1H NMR (400 MHz, CDCl_3) *Major diastereomer:* δ 7.31 (m, 2H: arom H), 7.25 (m, 2H: arom H), 7.24 (m, 1H: arom H), 5.97 (m, 1H, $=\text{CH}$), 5.51 (m, 1H, $=\text{CH}$), 4.26 (dd, 1H, $J = 11.6, 3.0$ Hz: CHPh), 3.77-3.63 (m, 2H: overlapping $\text{CHCH}=\text{CH}$, $\text{C}(\text{O})\text{CH}_2$), 3.14 (dd, $J = 2.0, 17.4$ Hz, 1H:

Minor diastereomer: δ 7.31-7.24 (m, 5H: arom H), 5.97 (m, 1H: =CH, overlapping minor/major isomer), 5.36 (m, 1H, =CH), 4.26 (dd, 1H: CHPh, overlapping minor/major isomer), 3.77-3.63 (m, 2H: overlapping minor/major isomer CHCH=CH, C(O)CH₂), 3.14 (1H: C(O)CH₂, overlapping minor/major isomer), 2.56 (1H: CH₂CHCH=CH, overlapping minor/major isomer), 2.46 (1H: CH₂CH=, overlapping minor/major isomer), 2.37 (1H: CH₂CH=, overlapping minor/major isomer), 2.08 (1H: CH₂CHCH=CH, overlapping minor/major isomer), 2.08 (s, 3H: C(O)CH₃, overlapping minor/major isomer), 1.54 (s, 3H: CH₃, overlapping minor/major isomer), 0.50 (s, 3H: CH₃, overlapping minor/major isomer); ¹³C NMR (100 MHz, CDCl₃) δ 206.31 (C=O), 168.65 (OC=O), 166.77 (OC=O), 140.70 (Quat.), 134.36 (=CH), 130.14, 129.46 (Arom. CH), 128.37 (=CH), 106.51 (C(CH₃)₂), 62.48 (C(CO₂R)₂), 55.19 (CHCH=CH), 44.78 (CHPh), 43.69 (C(O)CH₂), 32.09 (CH₂CH=), 29.61, 29.37, 29.16 (CH₃), 27.63 (CH₂CHCH=CH).

5

C=CCCC(=O)C(C(=O)O)C1=CC=CC=C1

5: Oil: ^1H NMR (500 MHz, CD_3CN) *Major diastereomer:* δ 7.33 (m, 2H: arom H), δ 7.26 (m, 3H: arom H), δ 5.70 (m, 1H, $J = 7.3$ Hz: =CH), 4.97 (app s, 1H, $\text{CH}=\text{CH}(H)_Z$), 4.94 (d, 1H, $J = 7.3$ Hz: $\text{CH}=\text{CH}(H)_E$), 3.33 (td, 1H, $J = 10.4, 3.8$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 2.98 (dd, 1H, $J = 10.4, 16.4$ Hz: $\text{C}(\text{O})\text{CH}_2$), 2.77 (dd, 1H, $J = 3.8, 16.4$ Hz: $\text{C}(\text{O})\text{CH}_2$), 2.67 (td, $J = 4.1, 10.1$ Hz: CHCO_2H), 2.10 (m, 1H: overlapping H_2O , $\text{CH}_2\text{CH}=\text{}$), 1.97 (3H: overlapping CD_3CN , $\text{CH}_2\text{CH}=\text{}$), 1.97 (3H: overlapping CD_3CN , $\text{C}(\text{O})\text{CH}_3$); ^{13}C NMR (125 MHz, CD_3CN) δ 206.26 (C=O), 174.34 (HOC=O), 141.41 (Quat.), 135.03 (=CH), 128.07 (Arom. CH), 126.47 (Arom. CH), 115.82 (=CH₂), 50.31 (CHCO₂H), 46.96 (C(O)CH₂), 42.52 (CHPh), 34.20 (CH₂CH=), 29.26 (CH₃).

Minor diastereomer: δ 7.35-7.23 (m, 5H: arom H, overlapping minor/major isomer), δ 5.80 (m, 1H, $J = 17.2, 9.9$ Hz: =CH), 5.06 (d, 1H, $J = 17.2$ Hz, $\text{CH}=\text{CH}(H)_Z$), 5.04 (d, 1H, $J = 9.9$ Hz: $\text{CH}=\text{CH}(H)_E$), 3.42 (td, 1H, $J = 9.2, 4.8$ Hz: $\text{C}(\text{O})\text{CH}_2\text{CHPh}$), 3.03-2.88 (m, 1H: $\text{C}(\text{O})\text{CH}_2$, overlapping minor/major isomer), 2.80-2.65 (m, 2H: overlapping minor/major isomer $\text{C}(\text{O})\text{CH}_2$, CHCO_2H), 2.32 (m, 2H: overlapping H_2O , $\text{CH}_2\text{CH}=\text{}$), 1.97 (3H: overlapping minor/major isomer CD_3CN , $\text{C}(\text{O})\text{CH}_3$); ^{13}C NMR (125 MHz, CD_3CN) δ 206.85 (C=O), 174.97 (HOC=O), 142.01 (Quat.), 135.59 (=CH), 128.22 (Arom. CH), 126.62 (Arom. CH), 116.24 (=CH₂), 50.29 (CHCO₂H), 45.98 (C(O)CH₂), 42.12 (CHPh), 33.85 (CH₂CH=), 29.53 (CH₃). IR (CH₂Cl₂): ν_{max} 3413, 1745, 1711. HRMS calcd for $\text{C}_{15}\text{H}_{18}\text{O}_3\text{Na}$ [M+Na] 269.1154, found 269.1154.

¹ Shim, J. G.; Nakamura, H.; Yamamoto, Y, *J. Org. Chem.* **1998**, 63, 8470-8474.